

DEPT. OF HEALTH AND HUMAN SERVICES



# Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

#### Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception critera include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs

Specific Class Prior Authorization forms can be found within the PDL class listings and at: <u>https://nebraska.fhsc.com/priorauth/paforms.asp</u>

- <u>Amylinomimetic Agents PA Form</u>
- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- GLP-1 Receptor Agonists PA Form
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

- Documentation of Medical Necessity PA Form
- Documentation of Medical Necessity for Quantity Limit or High Dose Override PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) benzoxyl peroxide GEL, CREAM, WASH, LOTION OTC clindamcyin phosphate SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL (benzoyl peroxide) OTC RETIN-A GEL, CREAM <sup>AL</sup>	<ul> <li>ACANYA (clindamycin and benzoyl peroxide)</li> <li>ACZONE (dapsone)</li> <li>adapalene CREAM, GEL, GEL W/PUMP (generic Differin)</li> <li>adapalene/benzoyl peroxide (generic EPIDUO)</li> <li>ATRALIN (tretinoin)</li> <li>AVITA (tretinoin)</li> <li>BENZACLIN GEL (clindamycin/ benzoyl peroxide)</li> <li>BENZAPRO (benzoyl peroxide)</li> <li>benzoyl peroxide FOAM (generic for Benzepro Foam)</li> <li>benzoyl peroxide GEL Rx</li> <li>clindamycin/benzoyl peroxide (generic for Benzaclin)</li> <li>clindamycin/benzoyl peroxide (generic for Benzaclin)</li> <li>clindamycin/benzoyl peroxide (generic for Duac)</li> <li>clindamycin/tretinoin (generic for Veltin &amp; Ziana)</li> <li>DIFFERIN GEL OTC</li> <li>EPIDUO FORTE GEL W/PUMP</li> <li>erythromycin GEL</li> <li>erythromycin-benzoyl peroxide (generic for Benzanycin)</li> <li>EVOCLIN (clindamycin)</li> <li>FABIOR (tazarotene foam)</li> <li>ONEXTON (clindamycin/benzoyl peroxide (generic sulfacetamide sulfacetamide/sulfur</li> <li>SUMADAN (sulfacetamide/sulfur)</li> <li>TAZORAC (tazarotene)</li> <li>tretinoin CREAM, GEL<sup>AL</sup></li> <li>tretinoin microspheres (generic for Retin-A Micro) <sup>AL</sup></li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed THREE preferred agents</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

 $^{\mbox{NR}}$  – Product was not reviewed - New Drug criteria will apply

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **ALZHEIMER'S DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		<ul> <li>Non-preferred agents will be</li> </ul>
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	<ul> <li>approved for patients who have failed a 120-day trial of ONE preferred agent within the last 6 months <b>OR</b></li> <li>Current, stabilized therapy of the non-preferred agent within the previous 45 days</li> </ul>
NMDA RECEPTOR ANTAGONIST		
memantine (generic for Namenda) NAMENDA <b>SOLUTION</b>	NAMENDA (memantine) NAMENDA XR (memantine ER) NAMZARIC (memantine/donepezil) memantine soln (generic for Namenda)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

## ANALGESICS, OPIATE LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) fentanyl 25, 50, 75, 100 mcg <b>PATCH</b> HYSINGLA ER (hydrocodone, extended release) morphine ER <b>TABLET</b> (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) <sup>QL</sup> BELBUCA (buprenorphine, buccal) <sup>CL</sup> <i>buprenorphine TRANSDERMAL</i> (generic for Butrans) <sup>NR</sup> DURAGESIC MATRIX (fentanyl) EMBEDA (morphine sulfate/ naltrexone) fentanyl 37.5, 62.5, 87.5 mcg <b>PATCH</b> <sup>CL</sup> hydromorphone ER (generic for Exalgo) <sup>CL</sup> KADIAN (morphine ER capsule) methadone <sup>CL</sup> <i>MORPHABOND (morphine sulfate)</i> <sup>NR</sup> morphine ER <b>CAPSULE</b> (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) <sup>CL</sup> oxycodone ER (generic for re- formulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) <sup>CL</sup> XTAMPZA ER (oxycodone myristate) <sup>QL</sup> ZOHYDRO ER (hydrocodone bitartrate ER)	<ul> <li>Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Exalgo®/Exalgo ER®: Clinical reason why IR hydromorphone can't be used</li> <li>Methadone: Trial of preferred drug not required for end of life care</li> <li>Oxycontin®: Pain contract required for maximum quantity authorization</li> <li>Ultram ER®: Clinical reason why IR tramadol can't be used</li> </ul> </li> <li>Zohydro ER®: Clinical reason why IR hydrocodone can't be used</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

# ANALGESICS, OPIATE SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		<ul> <li>Non-preferred agents will be</li> </ul>
Acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET norphine ORAL bxycodone TABLET, SOLUTION bxycodone/APAP ramadol	<ul> <li>dihydrocodeine/acetamin/caffeine</li> <li>dihydrocodeine/aspirin/caffeine</li> <li>(generic for Synalgos DC)</li> <li>hydromorphone ORAL LIQUID,</li> <li>TABLET, SUPPOSITORY (generic for Dilaudid)</li> <li>IBUDONE (hydrocodone/ibuprofen)</li> <li>levorphanol</li> <li>meperidine (generic for Demerol)</li> <li>morphine SUPPOSITORIES</li> <li>NUCYNTA (tapentadol)<sup>CL</sup></li> <li><i>OXAYDO (oxycodone)<sup>NR, CL</sup></i></li> <li>oxycodone/acetaminophen</li> <li>SOLUTION</li> <li>oxycodone/aspirin</li> <li>oxycodone/aspirin</li> <li>oxycodone/ibuprofen (generic for Combunox)</li> <li>oxymorphone (generic for Opana)</li> <li>pentazocine/naloxone</li> <li>PRIMLEV (oxycodone/ibuprofen)</li> <li>ROXICODONE TABLET (oxycodone)</li> <li>tramadol/APAP –generic for Ultracet</li> <li><i>TREZIX (dihydrocodeine/ acetaminophen/caffeine)<sup>N/R</sup></i></li> <li>XARTEMIS XR (oxycodone/ acetaminophen)</li> <li>ZAMICET (hydrocodone/ acetaminophen)</li> </ul>	<ul> <li>approved for patients who have failed THREE preferred agents within the last 12 months</li> <li>Note: for short acting opiate table and capsules there is a maximum quantity limit of #150 per 30 days</li> <li>Drug-specific criteria: <ul> <li>Abstral®/Actiq®/Fentora®/</li> <li>Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate</li> <li>Nucynta®: Approved only for diagnosis of facute pain, for 30 days or less</li> <li>Tramadol/APAP: Clinical reason why individual ingredients can't bused</li> <li>Xartemis XR®: Approved only for diagnosis of acute pain</li> </ul> </li> </ul>
۲۲	IASAL	
	butorphanol <b>NASAL SPRAY</b> <sup>QL</sup> LAZANDA (fentanyl citrate)	
BUCCAL/T	RANSMUCOSAL	
	ABSTRAL (fentanyl) <sup>CL</sup>	
	fentanyl <b>TRANSMUCOSAL</b> (generic for Actiq) <sup>CL</sup>	
	FENTORA (fentanyl) <sup>CL</sup>	

SUBSYS (fentanyl spray)<sup>CL</sup>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **ANDROGENIC DRUGS (Topical)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) AXIRON (testosterone) NATESTO (testosterone) testosterone gel <b>PACKET, PUMP</b> (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Androderm<sup>®</sup>/Androgel<sup>®</sup>: Approved for Males only</li> <li>Natesto<sup>®</sup>: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)</li> </ul>

### ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		<ul> <li>Non-preferred agents will be</li> </ul>
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril)	captopril (generic for Capoten) EPANED (enalapril) <b>ORAL</b> <b>SOLUTION</b>	approved for patients who have failed TWO preferred agents within the last 12 months
quinapril (generic for Accupril) ramipril (generic for Altace)	fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) <b>ORAL</b> <b>SOLUTION</b>	<ul> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> <li>Drug-specific criteria:</li> </ul>
	trandolapril (generic for Mavik)	Epaned <sup>®</sup> and Qbrelis <sup>®</sup> Oral
ACE INHIBITOR/DIUR	ETIC COMBINATIONS	Solution: Clinical reason why oral tablet is not appropriate
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) Iosartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) EDARBYCLOR (azilsartan/ chlorthalidone) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

#### ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Pri	or Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non	Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	faile the Non proc	roved for patients who have d TWO preferred agents within last 12 months -preferred combination ducts may be covered as vidual prescriptions without r authorization
	MODULATOR/ OCKER COMBINATIONS	·	
benazepril/amlodipine (generic for Lotrel)	amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) TEKAMLO (aliskiren/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT)	Cha Con app and age Dire Ren May TWO Ang	jiotensin Modulator/Calcium innel Blocker Combinations: hbination agents may be roved if there has been a trial failure with both preferred nts ect Renin Inhibitors/Direct in Inhibitor Combinations: be approved witha history of O preferred ACE Inhibitors or iotensin Receptor Blockers in the last 12 months
DIRECT RENI	N INHIBITORS		
	TEKTURNA (aliskiren)		
DIRECT RENIN INHIB	ITOR COMBINATIONS		
	TEKTURNA/HCT (aliskiren/HCTZ)		
NEPRILYSIN INHIBI	TOR COMBINATION	Enti	r <b>esto<sup>®</sup>:</b> Approved only for IA Class II-IV Heart Failure
ENTRESTO (sacubitril/valsartan) <sup>CL</sup> ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	with	reduced ejection fraction
		Bvv	alson <sup>®</sup> : Approved for

BYVALSON (nevibolol/valsartan)

Byvalson<sup>®</sup>: Approved for hypertension in those patients not adequately controlled on valsartan

80mg or nebivolol up to 10mg

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### ANTIBIOITICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
netronidazole TABLET neomycin Solution	ALINIA (nitazoxanide) DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole <b>CAPSULE</b> tinidazole (generic for Tindamax) vancomycin <b>CAPSULE</b> (generic for Vancocin) XIFAXAN (rifaximin)	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Drug-specific criteria:         <ul> <li>Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Dificid®: Trial and failure with oral vancomycin OR metronidazole is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis)</li> <li>Flagyl ER®: Trial and failure with metronidazole is required</li> <li>Flagyl eR®: Trial and failure with metronidazole is required</li> <li>Flagyl eR®: Trial and failure with metronidazole is required</li> <li>Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used</li> <li>Tinidazole: Trial and failure/ contraindication to metronidazole required</li> <li>Approvable diagnoses include: Giardia</li> <li>Amebiasis intestinal or liver abscess</li> <li>Bacterial vaginosis or trichomoniasis</li> <li>Vancomycin capsules: Trial and failure with metronidazole Trial may be bypassed if initial or recurrent episode of SEVERE C. difficile colitis:</li> <li>Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR</li> <li>Serum creatinine ≥ 1.5 times premorbid level</li> <li>Provider to provide labs for documentation</li> <li>Xifaxan®: Approvable diagnoses include:</li> <li>Travelers diarrhea resistant to quinolones</li> <li>Hepatic encephalopathy with treatment failure of lactulose or neomcin</li> <li>Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®</li> </ul> </li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **ANTIBIOTICS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) <sup>CL</sup> KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	CAYSTON (aztreonam lysine) <sup>QL,CL</sup> tobramycin (generic for Tobi)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09</li> <li>Drug-specific criteria:</li> <li>Tobi Podhaler®: Requires trial on inhaled solution or documentation why solution cannot be used</li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> </ul>

### ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic for Polysporin) mupirocin <b>OINTMENT</b> (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	ALTABAX (retapamulin) CENTANY (mupirocin) gentamicin <b>OINTMENT, CREAM</b> mupirocin <b>CREAM</b> (generic for Bactroban)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altabax<sup>®</sup>: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used</li> <li>Mupirocin<sup>®</sup> Cream: Clinical reason the ointment cannot be used</li> </ul>

### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	<ul> <li>Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within the last 6 months</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) <sup>QL</sup>	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Coumadin<sup>®</sup>: Clinical reason generic warfarin cannot be used</li> <li>Savaysa<sup>®</sup>: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

# **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		<ul> <li>Non-preferred agents will be</li> </ul>
dronabinol (generic for Marinol) <sup>AL</sup>	CESAMET (nabilone) SYNDROS (dronabinol) <sup>NR</sup>	approved for patients who have failed ONE preferred agents within the same group
5HT3 RECEPT	OR BLOCKERS	
ondansetron (generic for Zofran) <sup>QL</sup> ondansetron ODT (generic for Zofran) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	<ul> <li>Drug-specific criteria:</li> <li>Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3</li> </ul>
NK-1 RECEPTO	R ANTAGONIST	<ul> <li>antagonist WITHOUT trial of preferred agents</li> </ul>
	aprepitant (generic for Emend) <sup>QL,CL</sup> AKYNZEO (netupitant/palonosetron) <sup>CL</sup> VARUBI (rolapitant) <sup>CL</sup>	Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide,
TRADITIONAL ANTIEMETICS		Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin,
DICLEGIS (doxylamine/pyridoxine) <sup>CL</sup> dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose <b>SOLUTION</b> (generic for Emetrol)	COMPRO (prochlorperazine rectal) metoclopramide ODT(generic for Metozolv ODT) prochlorperazine <b>SUPPOSITORIES</b> (generic for Compazine) promethazine <b>SUPPOSITORIES</b> 50mg trimethobenzamide, oral (generic for Tigan)	Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon $\alpha$ , Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide.
prochlorperazine, oral (generic for Compazine) promethazine, oral (generic for Phenergan) promethazine <b>SUPPOSITORIES</b> 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)		<ul> <li>Diclegis<sup>®</sup>: Approved only for treatment of nausea and vomiting of pregnancy in females only</li> <li>Metozolv ODT<sup>®</sup>: Documentation of inability to swallow or Clinical reason oral liquid cannot be used</li> <li>Sancuso<sup>®</sup>/Zuplenz<sup>®</sup>: Documentation of oral dosage form intolerance</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

<sup>AL</sup> – Age

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### ANTIFUNGALS. ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Pretered Agents clotrimazole (mucous membrane, troche) fuconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET hystatin TABLET, SUSPENSION terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic for Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) <sup>CL</sup> ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) <sup>CL,AL</sup> nystatin <b>POWDER</b> , oral ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) <sup>CL</sup> voriconazole (generic for VFEND) <sup>CL</sup>	<ul> <li>Prior Authorization/Class Criteria</li> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents</li> <li>Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis</li> <li>Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis UTIs</li> <li>Cryptococcus: Meningitis, pulmonary infections</li> <li>Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant</li> <li>Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole</li> <li>Ommel®: Requires trial and failure or contraindication to terbinafine</li> <li>Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole</li> <li>Sporanox®: Requires trial and failure of generic itraconazole</li> <li>Sporanox® Liquid: Clinical reason oral cannot be used</li> <li>Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS) Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candidasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/csophageal candidiasis refractory to fluconazole</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIFU	JNGAL	Non-preferred agents will be
	JNGAL ALEVAZOL (clotrimazole) OTC BENSAL HP (salicylic acid) ciclopirox CREAM, GEL, SUSPENSION (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) FUNGOID OTC JUBLIA (efinaconazole) ketoconazole FOAM (generic for Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION LOTRIMIN AF CREAM OTC (clotrimazole)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Extina<sup>®</sup>: Requires trial and failure or contraindication to other ketoconazole forms</li> <li>Jublia<sup>®</sup>: Approved diagnoses include Onychomycosis of the toenails due to <i>T. rubrum</i> OR <i>T. mentagrophytes</i></li> <li>Nystatin/Triamcinolone: individual ingredients available without prior authorization</li> <li>Ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine</li> </ul> </li> </ul>
	LOTRIMIN ULTRA (bufenafine) LUZU (luliconazole) MENTAX (butenafine) miconazole OTC <b>OINTMENT</b> naftifine (generic for Naftin) oxiconazole (generic for Oxistat)	
ANTIFUNGAL/STER	selenium sulfide 2.25% tolnaftate <b>POWDER</b> OTC (generic for Tinactin Aero) VUSION (miconazole/ zinc oxide) <b>DID COMBINATIONS</b>	_
	clotrimazole/betamethasone LOTION	-
(generic for Latrisone)	(generic for Lotrisone)	

(generic for Lotrisone)

clotrimazole/betamethasone LOTION (generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

#### ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine <b>TABLET, SOLUTION</b> (generic for Zyrtec) loratadine <b>TABLET, SOLUTION</b> (generic for Claritin) levocetirizine <b>TABLET</b> (generic for Xyzal)	cetirizine <b>CHEWABLE</b> (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) levocetirzine (generic for Xyzal) <b>SOLUTION</b> loratadine <b>DISPERSABLE TABLET</b> (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents</li> <li>Combination products not covered – individual products may be covered</li> </ul>

#### ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine)	clonidine <b>TRANSDERMAL</b>	•	Non-preferred agents will be approved for patients who have
clonidine <b>TABLET</b> (generic for Catapres)	CLORPRES (chlorthalidone/clonidine) methyldopa/hydrochlorothiazide		failed a 30-day trial with ONE preferred agent
guanfacine (generic for Tenex) methyldopa	reserpine		

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine (generic for Colcrys) <sup>CL</sup> colchicine <b>CAPSULE</b> (generic for Mitigare) ULORIC (febuxostat) <sup>CL</sup> ZURAMPIC (lesinurad) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>colchicine tablet<sup>®</sup>: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Uloric<sup>®</sup>: Clinical reason why allopurinol cannot be used</li> <li>Zurampic<sup>®</sup>: Requires trial of allopurinol and Uloric<sup>®</sup></li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

## **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate <b>NASAL</b> ERGOMAR <b>SUBLINGUAL</b> (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) <b>RECTAL</b> MIGRANAL (dihydroergotamine) <b>NASAL</b>	<ul> <li>Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan</li> <li>Drug-specific criteria:</li> <li>Cambia<sup>®</sup>: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> </ul>

### ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
01	ORAL	
RELPAX (eletriptan) rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig ZMT)	<ul> <li>approved for patients who have failed ALL preferred agents</li> <li>Drug-specific criteria:</li> <li>Sumavel<sup>®</sup> Dosepro: Requires clinical reason sumatriptan injection cannot be used</li> <li>Onzetra, Zembrace: approved for patients who have failed ALL preferred agents</li> </ul>
NASAL		, ,
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	-
INJEC	TABLE	-
sumatriptan <b>KIT, SYRINGE, VIAL</b>	ALSUMA (sumatriptan) IMITREX (sumatriptan) <b>INJECTION</b> sumatriptan <b>KIT (mfr SUN)</b> SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

## **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	EURAX (crotamiton) <b>CREAM,</b> <b>LOTION</b> lindane malathion (generic for Ovide) spinosad (generic for Natroba)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

<sup>AL</sup> – Age

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		<ul> <li>approved for patients who have failed ONE preferred agents within the same group</li> </ul>
COMT IN	HIBITORS	- Drug-specific criteria:
	entacapone (generic for Comtan) TASMAR (tolcapone) tolcapone (generic for Tasmar)	<ul> <li>Carbidopa/Levodopa ODT: Approved for documented swallowing disorder</li> <li>COMT Inhibitors: Approved if</li> </ul>
DOPAMINE	AGONISTS	using as add-on therapy with
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)	NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic for Mirapex ER) <sup>CL</sup> ropinirole ER (generic for REQUIP XL) <sup>CL</sup>	<ul> <li>levodopa-containing drug</li> <li>Neupro<sup>®</sup>:         <ul> <li>For Parkinsons: Clinical reason required why preferred agent cannot be used</li> <li>For Restless Leg (RLS):</li> </ul> </li> </ul>
MAO-B INHIBITORS		Requires trial OR Contraindication to ropinirole
selegiline <b>TABLET</b> (generic for Eldepryl)	rasagiline <sup>QL</sup> (generic for Azilect) selegiline <b>CAPSULE</b> (gen. for Eldepryl) <i>XADAGO (safinamide)<sup>NR</sup></i> ZELAPAR (selegiline) <sup>CL</sup>	<ul> <li>AND pramipexole</li> <li>Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial</li> <li>Ropinerole ER: Required diagnosis of Parkinson's along with</li> </ul>
OTHER ANTIPAR	KINSON'S DRUGS	<ul> <li>preferred agent trial</li> <li>Zelapar<sup>®</sup>: Approved for</li> </ul>
amantadine <b>CAPSULE, SYRUP</b> (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine <b>TABLET</b> carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	documented swallowing disorder

### ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SORIATANE (acitretin)	acitretin (generic for Soriatane) methoxsalen (generic for Oxsoralen- Ultra) OXSORALEN-ULTRA (methoxsalen) 8-MOP (methoxsalen)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

 $^{\mbox{NR}}$  – Product was not reviewed - New Drug criteria will apply

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene <b>CREAM</b> calcipotriene <b>SOLUTION</b>	calcipotriene <b>OINTMENT</b> calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX <b>CREAM</b> (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

### ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		<ul> <li>Non-preferred agents will be</li> </ul>
acyclovir (generic for Zovirax)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE
famciclovir (generic for Famvir)		preferred agent
valacyclovir (generic for Valtrex)		
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
RELENZA (zanamivir) <sup>QL</sup>	oseltamivir (generic for Tamiflu) <sup>QL</sup>	<ul> <li>Sitavig<sup>®</sup>: Approved for recurrent herpes labialis (cold sores) in</li> </ul>
rimantadine (generic for Flumadine)		immunocompetent adults
TAMIFLU (oseltamivir) <sup>QL</sup>		

## ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir <b>OINTMENT</b> (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone) ZOVIRAX <b>CREAM</b> (acyclovir)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL agent</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET, SOLUTION</b> (generic for Valium) lorazepam <b>INTENSOL, TABLET</b> (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam <b>INTENSOL</b> clorazepate (generic for Tranxene-T) diazepam <b>INTENSOL</b> meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents</li> <li>Drug-specific critera:</li> <li>Diazepam Intensol<sup>®</sup>: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol<sup>®</sup>: Requires trial of diazepam solution OR lorazepam Intensol<sup>®</sup></li> </ul>

### **BENIGN PROSTATIC HYPERPLASIA (BPH) TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	<ul> <li>Non-preferred agents will be</li> </ul>
alfuzosin (generic for Uroxatral)	CARDURA XL (doxazosin)	approved for patients who have failed a trial of ONE preferred
doxazosin (generic for Cardura)	RAPAFLO (silodosin)	agent within the same group
tamsulosin (generic for Flomax)	UROXATRAL (alfuzosin)	
terazosin (generic for Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTA	SE (5AR) INHIBITORS	• Avodart <sup>®</sup> : Covered for males only
dutasteride (generic for Avodart)	dutasteride/tamsulosin (generic for	Cardura XL <sup>®</sup> : Requires clinical reason generic IR form cannot be
finasteride (generic for Proscar)	Jalyn)	used
		<ul> <li>Flomax<sup>®</sup>: Covered for males only</li> </ul>
		Females covered for a 7 day
		supply with diagnosis of acute kidney stones
		<ul> <li>Jalyn<sup>®</sup>: Requires clinical reason why individual agents cannot be</li> </ul>
		used
		<ul> <li>Proscar<sup>®</sup>: Covered for males only</li> </ul>
		<ul> <li>Uroxatral<sup>®</sup>: Covered for males only</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

<sup>AL</sup> – Age

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	Non-Preferred Agents OCKERS acebutolol (generic for Sectral) betaxolol (generic for Kerlone) bisoprolol (generic for Zebeta) BYSTOLIC (nebivolol) DUTOPROL (metoprolol XR and HCTZ) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide	<ul> <li>Prior Authorization/Class Criteria</li> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Bystolic<sup>®</sup>: Only ONE trial is required with Diagnosis of Obstructive Lung Disease</li> <li>Coreg CR<sup>®</sup>: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol<sup>®</sup>: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize<sup>®</sup>: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter</li> </ul>
carvedilol (generic for Coreg) labetalol (generic for Trandate)	(generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol) PHA-BLOCKERS COREG CR (carvedilol)	(AFIB/AFL) Requires clinical reason generic sotalol cannot be used
	SOTYLIZE (sotalol)	

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol <b>CAPSULE</b> 300mg (generic for Actigall)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Myrbetriq<sup>®</sup>: Covered without trial in contraindication to anticholinergic agents</li> </ul>

#### BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be approved for
alendronate (generic for Fosamax) (daily and weekly formulations)	alendronate <b>SOLUTION</b> (generic for Fosamax) <sup>QL</sup> ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D <sup>QL</sup> ibandronate (generic for Boniva) <sup>QL</sup> risedronate (generic for Actonel) <sup>QL</sup> risedronate (generic for Actonel) <sup>QL</sup> <b>PRESSION AND RELATED DRUGS</b> EVISTA (raloxifene) FORTEO (teriparatide) <sup>QL</sup> FORTICAL (calcitonin) <b>NASAL</b> <i>TYMLOS (abaloparatide)<sup>NR</sup></i>	<ul> <li>Patients who have failed a trial of ONE preferred agent within the same group</li> <li>Drug-specific criteria: <ul> <li>Actonel<sup>®</sup> Combinations: Covered as individual agents without prior authorization</li> <li>Atelvia DR<sup>®</sup>: Requires clinical reason alendronate cannot be taken on an empty stomach</li> <li>Binosto<sup>®</sup>: Requires clinical reason why alendronate tablets OR Fosamax<sup>®</sup> solution cannot be used</li> <li>Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification</li> <li>Forteo<sup>®</sup>: Covered for high risk of fracture High risk of fracture: BMD -3 or worse</li> <li>Postmenopausal women with history of non-traumatic fractures</li> <li>Postmenopausal women with 2 or more clinical risk factors – Family history of nontraumatic fracture, DXA BMD T-score ≤ - 2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis</li> <li>Postmenopausal women with BMD T-score ≤ - 2.5 at any site with any clinical risk factors – more than 2 units of alcohol per day, current smoker</li> <li>Men with primary or hypogonadal osteoporosis associated with sustained</li> </ul> </li> </ul>
		systemic glucocorticoid therapy Trial of Miacalcin not required

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

 $^{\mbox{NR}}$  – Product was not reviewed - New Drug criteria will apply

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		<ul> <li>Non-preferred agents will be</li> </ul>
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) INHALERS - FORADIL (formoterol)	PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol) - Long Acting ARCAPTA NEOHALER (indacaterol)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within the same group</li> <li>Drug-specific criteria:</li> <li>Albuterol low dose: May be</li> </ul>
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	approved if parent/caregiver is not capable/reliable to measure/dilute
INHALATIO	N SOLUTION	<ul> <li>preferred agent OR patient &lt;15kg</li> <li>Ventolin HFA<sup>®</sup>: Requires trial and</li> </ul>
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml)	albuterol low dose (0.63mg/3ml & 1.25mg/3ml) BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	<ul> <li>failure on Proventil HFA® AND Proair HFA® OR allergy/ contraindication/side effect to BOTH</li> <li>Xopenex<sup>®</sup>: Covered for cardiac diagnoses or side effect of</li> </ul>
ORAL		tachycardia with albuterol product
albuterol SYRUP albuterol ER (generic for Vospire ER) terbutaline (generic for Brethine)	albuterol <b>TABLET</b> metaproterenol (formerly generic for Alupent)	

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	oyridines	<ul> <li>approved for patients who have</li> <li>failed a trial of ONE preferred</li> </ul>
nifedipine (generic for Procardia)	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	Drug-specific criteria: • Nimodipine: Covered without trial for diagnosis of subarachnoid
Non-dihydi	opyridines	hemorrhage
diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)		
LONG-ACTING		
Dihydrop	oyridines	_
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydi	opyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER <b>TABLET</b>	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER <b>CAPSULE</b> verapamil 360mg <b>CAPSULE</b> verapamil ER PM (generic for Verelan PM)	

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	ASE INHIBITOR COMBINATIONS	<ul> <li>Non-preferred agents will be</li> </ul>
amoxicillin/clavulanate TABLETS,	amoxicillin/clavulanate XR	approved for patients who have failed a 3-day trial of ONE
CHEWABLE, SUSPENSION	(generic for Augmentin XR)	preferred agent
	AUGMENTIN SUSPENSION, TABLET	
	(amoxicillin/clavulanate)	Drug-specific criteria:
		Suprax <sup>®</sup> Tablet/Chewable/
CEPHALOSPORIN	S – First Generation	Suspension: Requires clinical reason why capsule or generic
cefadroxil CAPSULE, SUSPENSION (generic for Duricef)	cefadroxil <b>TABLET</b> (generic for Duricef) cephalexin <b>TABLET</b>	suspension cannot be used
cephalexin CAPSULE, SUSPENSION		
(generic for Keflex)		
CEPHALOSPORINS	- Second Generation	
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
<b>CEPHALOSPORINS – Third Generation</b>		
cefdinir (generic for Omnicef)	ceftibuten (generic for Cedax)	
cefixime SUSPENSION (generic for	cefpodoxime (generic for Vantin)	
Suprax)	SUPRAX CHEWABLE TABLET,	
SUPRAX CAPSULE (cefixime)	SUSPENSION, TABLET (cefixime)	

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

## CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	Non-Preferred Agents	<ul> <li>Prior Authorization/Class Criteria</li> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent in the same group</li> <li>Drug-specific criteria:</li> <li>Daliresp<sup>®</sup>:</li> <li>Covered for diagnosis of severe COPD associated with chronic bronchitis</li> <li>Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon initial review</li> </ul>
INHALATION	N SOLUTION	
albuterol/ipratropium (generic for Duoneb) ipratropium <b>SOLUTION</b> (generic for Atrovent)		-
ORAL	AGENT	

DALIRESP (roflumilast)CL

### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) <b>VIAL</b>	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) <b>DISP SYR</b> ZARXIO (filgrastim-sndz)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply <sup>QL</sup> – Quantity/Duration Limit

AL – Age

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **CYSTIC FIBROSIS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO <b>PACKET, TABLET</b> (ivacaftor) ORKAMBI (lumacaftor/ivacaftor)	<ul> <li>Drug-specific criteria:</li> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Minimum age: 2 years</li> <li>Orkambi<sup>®</sup>: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years</li> </ul>

# **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) HUMIRA (adalimumab)	ACTEMRA subcutaneous (tocilizumab) ARCALYST (nilonacept) CIMZIA (certolizumab pegol) COSENTYX (secukinumab) <i>KEVZARA (sarilumab)</i> <sup>NR</sup> KINERET (anakinra) ORENCIA (abatacept <b>) SUB-Q</b> OTEZLA (apremilast, oral) <i>SILIQ (brodalumab)</i> <sup>NR</sup> SIMPONI (golimumab) <i>STELARA (ustekinumab) SUB-Q</i> <sup>NR</sup> TALTZ (ixekizumab) <i>TREMFYA (guselkumab)</i> <sup>NR</sup> XELJANZ (tofacitinib, oral)	<ul> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	<ul> <li>Non-preferred agents will be</li> </ul>
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorothiazide TABLET furosemide SOLUTION, TABLET hydrochlorothiazide CAPSULE, TABLET indapamide TABLET metolazone TABLET methyclothiazide TABLET spironolactone TABLET torsemide TABLET	ALDACTONE TABLET (spironolactone) DIURIL <b>TABLET</b> (chlorothiazide) DYRENIUM <b>TABLET</b> (triamterene) eplerenone <b>TABLET</b> (generic for INSPRA) ethacrynic acid <b>CAPSULE</b> (generic for EDECRIN) LASIX <b>TABLET</b> (furosemide) MICROZIDE <b>TABLET</b>	approved for patients who have failed a trial of <b>TWO</b> preferred agent within the same group
COMBINATIO	(hydrochlorothiazide) N PRODUCTS	-
amiloride/HCTZ <b>TABLET</b> spironolactone/HCTZ <b>TABLET</b> triamterene/HCTZ <b>CAPSULE, TABLET</b>	ALDACTAZIDE <b>TABLET</b> (spironolactone/HCTZ) DYAZIDE <b>CAPSULE</b> (triamterene/HCTZ) MAXZIDE <b>TABLET</b> (triamterene/HCTZ) MAXZIDE-25 <b>TABLET</b> (triamterene/HCTZ)	

#### **EPINEPHRINE, SELF-INJECTED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR.	ADRENACLICK epinephrine (generic for Epipen/Jr.) <sup>NR</sup>	<ul> <li>Non-preferred agents require clinical documentation why the preferred product is not appropriate</li> </ul>

#### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	MIRCERA <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

<sup>AL</sup> – Age

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

# FLUOROQUINOLONES ORAL

FLUOROQUINOLONES, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin <b>TABLET</b> (generic for Levaquin)	ciprofloxacin ER ciprofloxacin <b>SUSPENSION</b> (generic for Cipro) levofloxacin <b>SOLUTION</b> moxifloxacin (generic for Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Ciprofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Levofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)</li> </ul>
GI MOTILITY, CHRONIC		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup>	alosetron (generic for Lotronex) MOVANTIK (naloxegol oxalate) RELISTOR (methylnaltrexone) <b>TABLET<sup>QL</sup></b> TRULANCE (plecanatide) <sup>QL</sup> VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent</li> <li>Drug-specific criteria:         <ul> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Movantik®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial on at least TWO OTC laxatives</li> </ul> </li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Trulance®: Covered for diagnosis of chronic idiopathic constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	ORTICOIDS	<ul> <li>Non-preferred agents will be</li> </ul>
ASMANEX (mometasone) <sup>QL,AL</sup> QVAR (beclomethasone)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) <sup>AL,CL</sup> <i>ARMONAIR RESPICLICK</i> <i>(fluticasone)<sup>NR,AL</sup></i> ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) <sup>AL,QL</sup> FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy</li> </ul>
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	
ADVAIR DISKUS (fluticasone/ salmeterol) <sup>QL</sup> DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) <sup>QL</sup> <i>AIRDUO RESPICLICK</i> (fluticasone/salmeterol) <sup>NR</sup> BREO ELLIPTA (fluticasone/vilanterol)	
INHALATIO	N SOLUTION	
	budesonide <b>RESPULES</b> (generic for Pulmicort)	

#### **GROWTH HORMONE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	<u>Growth Hormone PA Form</u> <u>Growth Hormone Criteria</u>

#### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

<sup>AL</sup> – Age

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

#### **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	DIRECT ACTING ANTI-VIRAL	
EPCLUSA (sofosbuvir/velpatasvir) <sup>CL</sup> (genotype 2,3) HARVONI (sofosbuvir/ledipasvir) <sup>CL</sup> (genotype1,5,6) TECHNIVIE (ombitasvir, paritaprevir, ritonavir) <sup>CL</sup> (genotype 4) VIEKIRA PAK/XR <sup>CL</sup> (genotype 1) (ombitasvir/paritaprevir/ritonavir/ dasabuvir)	DAKLINZA (daclatasvir) <sup>CL</sup> <i>MAVYRET</i> <i>(glecaprevir/pibrentasvir)<sup>CL,NR</sup></i> OLYSIO (simeprevir) <sup>CL</sup> SOVALDI (sofosbuvir) <sup>CL</sup> <i>VOSEVI (sofosbuvir/velpatasvir/</i> <i>voxilaprev)<sup>CL, NR</sup></i> ZEPATIER (elbasvir/grazoprevir) <sup>CL</sup>	<u>Hepatitis C Criteria</u>
RIBA	VIRIN	
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	
INTERFERON		_
PEGASYS (pegylated interferon alfa- 2a) <sup>CL</sup> PEG-INTRON (pegylated interferon alfa-2b) <sup>CL</sup>		

#### **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TABLET</b> (generic for Pepcid) ranitidine <b>TABLET, SYRUP</b> (generic for Zantac)	cimetidine <b>TABLET, SOLUTION</b> (generic for Tagamet) famotidine <b>SUSPENSION</b> nizatidine (generic for Axid) ranitidine <b>CAPSULE</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Cimetidine: Approved for viral <i>M.</i> <i>contagiosum</i> or common wart <i>V.</i> Vulgaris treatment</li> <li>Nizatadine/Cimetidine Solution/ Famotidine Suspension: Requires clinical reason why ranitidine syrup cannot be used</li> </ul>

#### HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### HYPOGLYCEMICS. INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 R BYDUREON (exenatide ER)	ECEPTOR AGONIST (GLP-1 RA) ADLYXIN (lixisenatide)	GLP-1 RA PA Form     Preferred agents require metformin
subcutaneous <sup>CL</sup> BYDUREON <b>PEN</b> (exenatide ER)	TANZEUM (albiglutide)	trial and diagnosis of diabetes
subcutaneous <sup>CL</sup> BYETTA (exenatide) subcutaneous <sup>CL</sup>	TRULICITY (dulaglutide)	Non-preferred agents will be approved for patients who have:
/ICTOZA (liraglutide) subcutaneous <sup>CL</sup>		<ul> <li>Failed a trial of TWO preferred agents AND</li> </ul>
		<ul> <li>Diagnosis of diabetes with HbA1C ≥ 7 AND</li> </ul>
	A COMBINATIONS	<ul> <li>Trial of Metformin</li> </ul>
		-
	SOLIQUA (insulin glargin/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	
AMYLIN	ANALOG	Amylin Analog PA Form
	SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during <u>initiation</u> of therapy</li> </ul>
DIPEPTIDYL PEPTIDAS	SE-4 (DPP-4) INHIBITOR	
JANUMET (sitagliptin/metformin) <sup>QL</sup> JANUMET XR(sitagliptin/metformin) <sup>QL</sup>	alogliptin (generic for Nesina) <sup>QL</sup> alogliptin/metformin (generic for Kazano) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred</li> </ul>
JANUVIA (sitagliptin) <sup>QL</sup> JENTADUETO (linagliptin/metformin) <sup>QL</sup> TRADJENTA (linagliptin) <sup>QL</sup>	GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) <sup>QL</sup> KOMBIGLYZE XR (saxagliptin/metformin) <sup>QL</sup> ONGLYZA (saxagliptin) <sup>QL</sup> OSENI (alogliptin/pioglitazone) <sup>QL</sup>	agent

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

# HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
<ul> <li>HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL</li> <li>HUMALOG MIX VIAL (insulin lispro/lispro protamine)</li> <li>HUMULIN (insulin) VIAL</li> <li>HUMULIN 70/30 VIAL</li> <li>HUMULIN U-500 VIAL</li> <li>LANTUS SOLOSTAR PEN (insulin glargine)</li> <li>LANTUS (insulin glargine) VIAL</li> <li>LEVEMIR (insulin detemir) PEN, VIAL</li> <li>NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL</li> <li>NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)</li> </ul>	AFREZZA (insul reg, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) <b>PEN</b> <i>HUMALOG JR. (insulin lispro) U-100</i> <b>PEN</b> <sup>NR</sup> HUMALOG (insulin lispro) U-200 <b>PEN</b> HUMALOG (insulin lispro) U-200 <b>PEN</b> HUMALOG (insulin lispro) U-200 <b>PEN</b> HUMALOG MIX <b>PEN</b> (insulin lispro/lispro protamine) HUMULIN 70/30 <b>PEN</b> HUMULIN 07C <b>PEN</b> HUMULIN 0TC <b>PEN</b> NOVOLIN (insulin) NOVOLIN (insulin) NOVOLIN 70/30 <b>VIAL</b> TOUJEO SOLOSTAR (insulin glargine) TRESIBA (Insulin degludec)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:         <ul> <li>Afrezza<sup>®</sup>: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin<sup>®</sup> U-500: Approved for physical reasons – such as dexterity problems and vision impairment</li> <li>Usage must be for self- administration, not only convenience</li> <li>Patient requires &gt;200 units/day</li> <li>Safety reason patient can't use vial/syringe</li> </ul> </li> </ul>

### HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	<ul> <li>Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another class OR T2DM and inadequate glycemic control</li> </ul>

## **HYPOGLYCEMICS, METFORMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	<ul> <li>Metformin ER (generic Fortamet<sup>®</sup>)/Glumetza<sup>®</sup>: Requires clinical reason why generic Glucophage XR<sup>®</sup> cannot be used</li> <li>Riomet<sup>®</sup>: Prior authorization not required for age &lt;7 years</li> </ul>

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

#### HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKANA (canagliflozin) <sup>CL</sup>	INVOKAMET & XR (canagliflozin/metformin) <sup>QL</sup> JARDIANCE (empagliflozin) <sup>QL</sup> SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/ metformin) <sup>NR,QL</sup> XIGDUO XR (dapagliflozin/metformin) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>Invokana<sup>®</sup>/Farxiga<sup>®</sup>: Approved for diagnosis of diabetes AND a trial of metformin</li> </ul>

#### HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINE	DIONES (TZDs)	<ul> <li>Non-preferred agents will be</li> </ul>
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

#### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	<ul> <li>Non-preferred agents require:</li> <li>Use limited to FDA-approved indications</li> </ul>

#### IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	tacrolimus (generic for Protopic) <sup>CL</sup> DUPIXENT (dupilumab) <sup>NR</sup> EUCRISA (crisaborole) <sup>NR</sup>	<ul> <li>Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

 $^{\mbox{NR}}$  – Product was not reviewed - New Drug criteria will apply

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### **IMMUNOMODULATORS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) ZYCLARA (imiquimod)	<ul> <li>Non-preferred agents require clinical reason why preferred agent cannot be used</li> </ul>

#### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		<ul> <li>Non-preferred agents will be</li> </ul>
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE
ANTIHISTAMINES		preferred agent within the same
PATANASE (olopatadine)	azelastine (generic for Astelin)	- group
	azelastine (generic for Astepro)	Drug-specific criteria:
	DYMISTA (azelastine/fluticasone)	Mometasone: Prior authorization
	olopatadine (generic for Patanase)	NOT required for children ≤ 12 years
CORTICO	STEROIDS	<ul> <li>Budesonide: Approved for use in</li> </ul>
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone)	Pregnancy (Pregnancy Category
	budesonide Rx (generic for Rhinocort)	<ul> <li>B)</li> <li>Veramyst®: Prior authorization</li> </ul>
	flunisolide (generic for Nasalide)	NOT required for children $\leq 12$
	mometasone (generic for Nasonex)	years
	OMNARIS (ciclesonide)	
	QNASL 40 & 80 (beclomethasone)	
	TICANASE (fluticasone)	
	VERAMYST (fluticasone)	
	ZETONNA (ciclesonide)	

## **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair)	montelukast <b>GRANULES</b> (generic for Singulair) zafirlukast (generic for Accolate) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent</li> </ul>
	ZYFLO CR (zileuton)	<ul> <li>Drug-specific criteria:</li> <li>Montelukast granules: PA not required for age &lt; 2 years</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		<ul> <li>Non-preferred agents will be approved for</li> </ul>
cholestyramine (generic for Questran) colestipol <b>TABLETS</b> (generic for Colestid)	colestipol <b>GRANULES</b> (generic for Colestid) QUESTRAN LIGHT (cholestyramine) WELCHOL (colesevalam)	<ul> <li>patients who have failed a trial of ONE preferred agent within the same group</li> <li>Drug-specific criteria:</li> <li>Juxtapid<sup>®</sup>/ Kynamro<sup>®</sup>: Approved for</li> </ul>
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	<ul> <li>diagnosis of homozygous familial hypercholesterolemia (HoFH) OR</li> </ul>
	JUXTAPID (Iomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup> DERIVATIVES fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra) fenofibric acid (generic for Fibricor) TRICOR (fenofibrate) TRIGLIDE (fenofibrate)	Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants Require faxed copy of REMS PA form Lovaza®: Approved for TG ≥ 500 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD)
	TRILIPIX (fenofibric acid) CIN	<ul> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul>
	NIACOR (niacin IR) NIASPAN (niacin ER) d fish oil are also covered without prior icaid with a prescription*	<ul> <li>AND</li> <li>Maximized high-intensity statin WITH ezetimibe for at 3 continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> </ul>
OMEGA-3 F	ATTY ACIDS	-• Repatha®: Approved for:
	omega-3 fatty acids (generic for Lovaza) <sup>CL</sup> VASCEPA (icosapent) <sup>CL</sup> <b>DRPTION INHIBITORS</b> ezetimibe (generic for Zetia)	<ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> <li>homozygous familial hypercholesterolemia (HoFH) in age ≥ 13</li> </ul>
	BTILISIN/KEXIN TYPE 9 (PCSK9)	<ul> <li>statin-induce rhabdomyolysis</li> <li>AND</li> </ul>
	PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	<ul> <li>Maximized high-intensity statin WITH ezetimibe for 3+ continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Concurrent use of maximally-tolerated statin must continue</li> <li>Vascepa®: Approved for TG ≥ 500</li> <li>WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate</li> <li>Zetia®: Approvd for diagnosis of hypercholesterolemia AND failed statin monotherapy OR statin intolerance/contraindication</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		<ul> <li>Non-preferred agents will be</li> </ul>
atorvastatin (generic for Lipitor) lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin)	<ul> <li>approved for patients who have failed a trial of TWO preferred agent within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altoprev<sup>®</sup>: One of the TWO trials must be IR lovastatin</li> <li>Combination products: Require clinical reason why individual</li> </ul>
STATIN CON	STATIN COMBINATIONS	
	atorvastatin/amlodiine (generic for CADUET) VYTORIN (simvastatin/ezetimibe)	<ul> <li>Lescol XL<sup>®</sup>: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>Vytorin<sup>®</sup>: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

# MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
KETC	DLIDES KETEK (telithromycin)	•	Ketek <sup>®</sup> : Requires clinical resaon why patient cannot use preferred
MACR	MACROLIDES		macrolide Macrolides: Require clinical
azithromycin (generic for Zithromax) clarithromycin <b>TABLET</b> , <b>SUSPENSION</b> (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) EES <b>SUSPENSION, TABLET</b> ERY-TAB ERYPED 200 <b>SUSPENSION</b> ERYTHROCIN erythromycin base <b>TABLET,</b> <b>CAPSULE</b> PCE (erythromycin) ZMAX (azithromycin ER) ZITHROMAX (azithromycin)		<ul> <li>Macrolides: Require clinical reason why preferred products cannot be used AND ≥ 3-day trial on a preferred macrolide</li> </ul>

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE <b>20mg</b> Syringe Kit (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL,CL</sup> REBIF (interferon beta-1a) <sup>QL</sup>	AMPYRA (dalfampridine) <sup>QL</sup> AUBAGIO (teriflunomide) COPAXONE <b>40mg</b> Syringe (glatiramer) <sup>QL</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer 20 mg/mL (generic for Copaxone) PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Ampyra<sup>®</sup>: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Gilenya<sup>®</sup>: Requires trial of preferred injectable agent (Avonex<sup>®</sup>, Betaseron<sup>®</sup>, Copaxone<sup>®</sup>, Rebif<sup>®</sup>)</li> <li>Plegridy®: Approved for diagnosis</li> </ul>

# of relapsing MS

# NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin <b>SUSPENSION</b> (generic for Furadantin) nitrofurantoin macrocrystals <b>CAPSULE</b> (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals <b>CAPSULE</b> (generic for Macrobid)	MACROBID <b>CAPSULE</b> (nitrofurantoin monohydrate macrocrystals) MACRODANTIN <b>CAPSULE</b> (nitrofurantoin macrocrystals) FURADANTIN <b>SUSPENSION</b> (nitrofurantoin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of <b>ONE</b> preferred agent</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **NSAIDS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents COX-I SE diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen OTC, Rx (generic for Advil, Motrin) indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen SUSPENSION (Naprosyn) sulindac (generic for Clinoril)	LECTIVE diclofenac potassium (generic for Cataflam) diflunisal (generic for Dolobid) etodolac & sr (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION Ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) mefenamic acid (generic for Ponstel) meloxicam SUSPENSION (generic Mobic)	<ul> <li>Prior Authorization/Class Criteria</li> <li>Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents</li> <li>Drug-specific criteria:</li> <li>Arthrotec<sup>®</sup>: Requires clinical reason why individual ingredients cannot be used</li> <li>Duexis<sup>®</sup>/Vimovo<sup>®</sup>: Requires clinical reason why individual agents cannot be used</li> <li>Meclofenamate: Approvable without trial of preferred agents for menorrhagia</li> <li>Meloxicam suspension: Approved for age ≤ 11 years</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **NSAID** (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTI	ALL BRAND NAME NSAIDs including:	<ul> <li>Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents</li> </ul>
	CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) <sup>QL</sup> TIVORBEX (indomethacin) VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	<ul> <li>Drug-specific criteria:</li> <li>Sprix<sup>®</sup>: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs</li> <li>Tivorbex<sup>®</sup>: Requires clinical reason why indomethacin capsules cannot be used</li> <li>Zorvolex<sup>®</sup>: Requires trial of oral</li> </ul>
NSAID/GI PROTECTA	NT COMBINATIONS	diclofenac OR clinical reason why
	diclofenac/misoprostol (generic for Arthrotec)	<ul> <li>diclofenac potassium/sodium cannot be used</li> <li>Celebrex<sup>®</sup>:</li> </ul>
COX-II SE	LECTIVE	Rheumatoid Arthritis (RA) and
	celecoxib (generic for Celebrex) <sup>CL</sup>	Juvenile RA AND         Osteoarthritis with at least         ONE risk factor: Approvable         with history of GI bleed/ulcer,         active peptic ulcer disease,         current daily/every other day         use of oral corticosteroids,         current use of anticoagulents,         coronary artery or cerebral         vascular disease requiring         daily aspirin and a trial of         meloxicam         Approved for age ≥ 65 years and         NOT taking another NSAID         (other than daily aspirin)

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

## NSAIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	<ul> <li>diclofenac (generic for Pennsaid Solution)</li> <li>FLECTOR PATCH (diclofenac)</li> <li>PENNSAID PACKET<sup>NR</sup>, PUMP (diclofenac)</li> <li>VOLTAREN GEL (diclofenac)</li> </ul>	<ul> <li>Flector<sup>®</sup>: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid<sup>®</sup>: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid<sup>®</sup> Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren<sup>®</sup>: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

#### for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, BREAST CANCER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
anastrozole (generic for Arimidex) cyclophosphamide (generic for Cytoxan) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate	FARESTON (toremifene) capecitabine (generic for Xeloda) IBRANCE (palbociclib) <i>KISQALI (ribociclib)<sup>NR</sup></i> <i>KISQALI FEMARA CO-PACK<sup>NR</sup></i> <i>NERLYNX (neratinib)<sup>NR</sup></i> TYKERB (lapatinib	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> <li>Fareston<sup>®</sup>: Require clinical reason why tamoxifen cannot be used</li> <li>Letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use</li> </ul>

### **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALKERAN (melphalan) GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) IMBRUVICA (irutinib) JAKAFI (ruxolitinib) LEUKERAN (chlorambucil) MATULANE (procarbazine) mercaptopurine MYLERAN (busulfan) REVLIMID (lenalidomide) SPRYCEL (dasatinib) TASIGNA (nilotinib)	BOSULIF (bosutinib) FARYDAK (panobinostat) HYDREA (hydroxyurea) ICLUSIG (ponatinib) <i>IDHIFA (enasidenib)</i> <sup>NR</sup> imatinib (generic for Gleevec) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) PURIXAN (mercaptopurine) <i>RYDAPT (midostaurin)</i> <sup>NR</sup> TABLOID (thioguanine) THALOMID (thalidomide) tretinoin (generic for Vesanoid) VENCLEXTA (venetoclax) ZOLINZA (vorinostat) ZYDELIG (idelalisib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting. NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u>

### for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GILOTRIF (afatinib) HYCAMTIN (topotecan) IRESSA (gefitinib) TARCEVA (erlotinib) XALKORI (crizotinib)	ALECENSA (alectinib) ALUNBRIG (brigatinib) <sup>NR</sup> TAGRISSO (osimertinib) ZYKADIA (ceritinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

### **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) ZEJULA (niraparib) <sup>NR</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

### **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	CASODEX (bicalutamide) EMCYT (estramustine) nilutamide (generic for Nilandron) XTANDI (enzalutamide) ZYTIGA (abiraterone)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
		<ul> <li>Nilandron<sup>®</sup>: Approved for males only for metastatic prostate cancer</li> </ul>

### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AFINITOR (everolimus) INLYTA (axitinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR <b>DISPERZ</b> <sup>CL</sup> CABOMETYX (cabozantinib) LENVIMA (lenvatinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Afinitor Disperz<sup>®</sup>: Requires clinical reason why Afinitor® cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply Limit

<sup>QL</sup> – Quantity/Duration Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

#### for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)		<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

### **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	<ul> <li>Non-preferred agents will be</li> </ul>
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox) VIGAMOX (moxifloxacin)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox)	<ul> <li>approved for patients who have failed a one month trial of TWO preferred agent within the same group</li> <li>Azasite®: Approval only requires trial of erythromycin</li> </ul>
MACRO	DLIDES	- Drug-specific criteria:
erythromycin	AZASITE (azithromycin)	<ul> <li>Natacyn<sup>®</sup>: Approved for</li> </ul>
AMINOGL	YCOSIDES	documented fungal infection
gentamicin SOLUTION, OINTMENT	GARAMYCIN (gentamicin)	
tobramycin (generic for Tobrex drops) TOBREX <b>OINTMENT</b> (tobramycin)		
OTHER OPHTH	ALMIC AGENTS	
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B <b>OINTMENT</b> neomycin/polymyxin B/gramicidin sulfacetamide <b>SOLUTION</b> (generic for Bleph-10) sulfacetamide <b>OINTMENT</b>	

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) PRED-G <b>SUSPENSION, OINTMENT</b> (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX <b>SUSPENSION,</b> <b>OINTMENT</b> (tobramycin and dexamethasone)	<ul> <li>BLEPHAMIDE (prednisolone and sulfacetamide)</li> <li>BLEPHAMIDE S.O.P.</li> <li>neomyxin/polymyxin/HC</li> <li>neomycin/bacitracin/poly/HC</li> <li>tobramycin/dexamethasone</li> <li>SUSPENSION (generic for Tobradex)</li> <li>TOBRADEX S.T. (tobramycin and dexamethasone)</li> <li>ZYLET (loteprednol, tobramycin)</li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PATADAY (olopatadine 0.2%) PAZEO (olopatadine)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CORTICO	STEROIDS	•	Non-preferred agents will be
dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) fluorometholone 0.1% (generic for FML) <b>OINTMENT</b> ) LOTEMAX <b>SOLUTION</b> (loteprednol 0.5%) MAXIDEX (dexamethasone)	FML (fluorometholone 0.1% <b>SOLUT.</b> ) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX <b>OINTMENT, GEL</b> (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate 1%	-	approved for patients who have failed a trial of TWO preferred agents <b>NSAID class:</b> Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
PRED MILD (prednisolone 0.12%)	VEXOL (rimexolone)	-	
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen)	ACUVAIL (ketorolac 0.45%) <i>BROMSITE (bromfenac)</i> <sup>NR</sup> bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) ketorolac 0.5% (generic for Acular) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)		

### **OPHTHALMICS, IMMUNOMODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine)	XIIDRA (lifitegrast) RESTASIS MULTIDOSE (cyclosporine) <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MI	DTICS	<ul> <li>Non-preferred agents will be</li> </ul>
Pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within the same group
SYMPATH	IOMIMETICS	
Alphagan P (brimonidine 0.15%)	Alphagan P (brimonidine 0.1%)	
brimonidine 0.2% (generic for	apraclonidine (generic for lopidine)	
Alphagan)	brimonidine P 0.15%	
BETA B	LOCKERS	
carteolol (generic for Ocupress)	betaxolol (generic for Betoptic)	
levobunolol (generic for Betagan)	BETOPTIC S (betaxolol)	
metipranolol (generic for Optipranolol)	ISTALOL (timolol)	
timolol (generic for Timoptic)	TIMOPTIC OCUDOSE	
	TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHY	DRASE INHIBITORS	
AZOPT (brinzolamide)	TRUSOPT (dorzolamide)	-
dorzolamide (generic for Trusopt)		
PROSTAGLA	NDIN ANALOGS	
latanoprost (generic for Xalatan)	bimatoprost (generic for Lumigan)	
TRAVATAN Z (travoprost)	travoprost (generic for Travatan)	
	XALATAN (latanoprost)	
	ZIOPTAN (tafluprost)	
COMBINA	TION DRUGS	-
COMBIGAN (brimonidine/timolol)	COSOPT (dorzolamide/timolol)	
dorzolamide/timolol (generic for Cosop	·)	
SIMBRINZA (brinzolamide/brimonidine		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### **OPIATE DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE <b>FILM</b> (buprenorphine/ naloxone) <sup>CL</sup>	BUNAVAIL (buprenorphine/naloxone) buprenorphine <b>SL</b> buprenorphine/naloxone <b>SL</b> ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA FormBuprenorphine Informed ConsentPreferred:• Diagnosis of Opioid Use Disorder, NOT approved for pain management• Verification of "X" DEA license number of prescriber• No concomitant opioidsNon-preferred:• Criteria same as preferred agent, PLUS• Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient

### **OPIATE-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone <b>SYRINGE, VIAL</b> naltrexone <b>TABLET</b> NARCAN (naloxone) <b>SPRAY</b>		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products are not appropriate for the patient</li> </ul>

### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) ciprofloxacin neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) CORTISPORIN-TC (neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

## **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/aluminum (generic for Otic Domeboro) acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of BOTH preferred agents</li> </ul>

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

### PENICLLINS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET,	amoxicillin ER TABLET	•	Non-preferred agents will be
CAPSULE, SUSP, TABLET	MOXATAG (amoxicillin)		approved for patients who have failed a 3-day trial of ONE
ampicillin CAPSULE, SUSPENSION			preferred agent
dicloxacillin			1 0
penicillin VK			

### **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET, CAPSULE</b> CALPHRON OTC (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate <b>CAPSULE</b> ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) sevelamer carbonate (generic for Renvela)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months</li> </ul>
	VELPHORO (sucroferric oxyhydroxide)	

### PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) Aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) DURLAZA (aspirin) <i>prasugrel (generic for Effient)</i> ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent OR documented clopidogrel resistance</li> <li>Drug-specific criteria:</li> <li>Zontivity<sup>®</sup>: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD)</li> </ul>

Use with aspirin and/or clopidogrel

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **PRENATAL VITAMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETE NATAL DHA COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE DOTHELLE DHA SOFTGEL EXPECTA PRENATAL COMBO PACK FOLIVANE-OB CAPSULE NIVA-PLUS TABLET OB COMPLETE/DHA SOFTGEL PNV PRENATAL PLUS MVI TABLET PNV-DHA PNV-SELECT TABLET PRENATAL CHEWABLE PRENATAL FORMULA TABLET PRENATAL FORMULA TABLET PRENATAL VITAMIN PLUS LOW IRON PREPLUS CA-FE 27MG-FA 1MG RULAVITE DHA SOFTGEL TARON PRENATAL DHA CAPSULE TARON-C DHA CAPSULE TRUST NATAL DHA VIRT-ADVANCE TABLET VIRT-C DHA SOFTGEL VIRT-PN DHA SOFTGEL VIRT-VITE GT TABLET VOL-PLUS TABLET ZATEAN-PN DHA CAPSULE		Additional covered agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### **PROTON PUMP INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) <b>RX</b> pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents</li> <li>Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> <li>Drug-specific criteria:</li> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:         <ul> <li>Child can not swallow whole generic omeprazole capsules OR,</li> <li>Documentation that contents of capsule may not be sprinkled in applesauce.</li> </ul> </li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

## PULMONARY ARTERIAL HYPERTENSION AGENTS, ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) <sup>CL</sup> LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) IRACLEER (bosentan) IYVASO <b>INHALATION</b> (treprostinil) /ENTAVIS <b>INHALATION</b> (iloprost)	ADEMPAS (riociguat) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO <b>SUSPENSION</b> (for PAH only) UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis afte surgical treatment or inoperable CTEPH NOT for use in Pregnancy</li> <li>Revatio® suspension: Requires clinical reason why sildenafil tablets cannot be used</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIA temazepam 15mg, 30mg (generic for Restoril)	AZEPINES estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam 7.5mg, 22.5mg triazolam (generic for Halcion) ERS BELSOMRA (suvorexant) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) <sup>CL</sup> ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo) ZOLPIMIST (zolpidem oral spray)	<ul> <li>Lunesta<sup>®</sup>/ Rozerem<sup>®</sup>/Zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used</li> <li>Ativan<sup>®</sup>/Klonopin<sup>®</sup>/Valium<sup>®</sup>: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy</li> <li>Edluar<sup>®</sup>: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Requires documentation of swallowing disorder</li> <li>Flurazepam/Triazolam: Requirestrial of BOTH preferred benzodiazepines</li> <li>Hetlioz<sup>®</sup>: Requires trial with</li> </ul>
		<ul> <li>generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepines cannot be used</li> <li>Silenor<sup>®</sup>: Requires clinical reason why generic doxepin cannot be used</li> <li>Temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used</li> <li>Zolpidem/Zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg</li> <li>Zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used</li> <li>Zolpimist<sup>®</sup>: Requires documentation of swallowing disorder</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

#### SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) methocarbamol (generic for Robaxin) tizanidine <b>TABLET</b> (generic for Zanaflex)	AMRIX (cyclobenzaprine) <sup>CL</sup> carisoprodol (generic for Soma) carisoprodol compound dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic for Skelaxin) orphenadrine ER SOMA (carisoprodol) <sup>CL</sup> tizanidine <b>CAPSULE</b> ZANAFLEX (tizanidine) <b>CAPSULE,</b> <b>TABLET</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents</li> <li>Drug-specific criteria:         <ul> <li>Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used</li> <li>Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> </ul> </li> <li>Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain</li> <li>Use is limited to no more than 30 days</li> <li>Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone®: Requires clinical reason why chlorzoxazone cannot be used</li> <li>Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason used</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	LOW POTENCY	
hydrocortisone <b>CREAM</b> , <b>OINTMENT</b> (generic for Cortaid) hydrocortisone <b>OTC LOTION</b> hydrocortisone <b>RX LOTION</b> hydrocortisone/aloe <b>OINTMENT</b> , <b>CREAM</b>	alclometasone dipropionate (generic for Aclovate) CAPEX <b>SHAMPOO</b> (fluocinolone) DESONATE (desonide <b>GEL</b> ) desonide <b>LOTION</b> (generic for Desowen) desonide <b>CREAM, OINTMENT</b> (generic for former products Desowen, Tridesilon) fluocinolone 0.01% <b>OIL</b> (generic for DERMA-SMOOTHE-FS) <i>MICORT-HC (hydrocortisone)</i> <sup>NR</sup>	agents will be approved for patients who have failed a trial of ONE preferred agents
	TEXACORT (hydrocortisone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

#### STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MEDIUM	POTENCY	<ul> <li>Non-preferred agents will be</li> </ul>
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM,	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm)	approved for patients who have failed a trial of TWO preferred agents
OINTMENT, SOLUTION (generic for Elocon)	fluocinolone acetonide (generic for Synalar)	
	flurandrenolide (generic for Cordran) fluticasone propionate <b>LOTION</b> (generic for Cutivate)	
	hydrocortisone butyrate (generic for Locoid)	
	hydrocortisone butyrate/emoll (generic for Locoid Lipocream)	
	hydrocortisone valerate (generic for Westcort)	
	PANDEL (hydrocortisone probutate 0.1%)	
	prednicarbate (generic for Dermatop)	
HIGH P	DTENCY	-
betamethasone valerate (generic for Beta-Val)	amcinonide CREAM, LOTION, OINTMENT	
triamcinolone acetonide OINTMENT, CREAM (generic for Kenalog)	betamethasone dipropionate (generic for Diprolene)	
triamcinolone <b>LOTION</b>	betamethasone dipro/prop gly (augmented) DERMACINRX SILAPAK (triamcinolone/dimethicone) DERMACINRX SILAZONE (triamcinolone) <sup>NR</sup>	
	DERMASORB TA (triamcinolone) <sup>NR</sup> desoximetasone (generic for Topicort)	
	diflorasone diacetate fluocinonide <b>SOLUTION</b>	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone <b>SPRAY</b> (generic for Kenalog spray) TRIANEX <b>OINTMENT</b> (triamcinolone)	
	VANOS (fluocinonide)	

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

### STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
VERY HIGH	I POTENCY	•	Non-preferred agents will be
clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for	APEXICON-E (diflorasone) clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) OLUX-E /OLUX/OLUX-E CP		approved for patients who have failed a trial of TWO preferred agents
Ultravate)	(clobetasol)		

#### STIMULANTS AND RELATED ADHD DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STI	CNS STIMULANTS	
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine)	ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) dextroamphetamine (generic for Dexedrine) dextroamphetamine <b>SOLUTION</b> (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine)	<ul> <li>Indied a trial of ONL preferred agent within the same group</li> <li>Drug-specific criteria:</li> <li>Procentra<sup>®</sup>: May be approved with documentation of swallowing disorder</li> <li>Zenzedi<sup>®</sup>: Requires clinical reason generic dextroamphetamine IR cannot be used</li> </ul>
	MYDAYIS (amphetamine salt combo) <sup>NR,QL</sup> EVEKEO (amphetamine sulfate) methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### STIMULANTS AND RELATED ADHD DRUGS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylph	enidate type	<ul> <li>Non-preferred agents will be</li> </ul>
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	approved for patients who have failed a trial of TWO preferred agents
METHYLIN <b>CHEWABLE</b> (methylphenidate)	Focalin XR)	<ul> <li>Drug-specific criteria:</li> <li>Daytrana<sup>®</sup>: May be approved in history of substance abuse by</li> </ul>
methylphenidate (generic for Ritalin)	APTENSIO XR (methylphenidate) <sup>NR</sup> COTEMPLA XR-ODT	parent/caregiver or patient May be approved with
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER)	(methylphenidate) <sup>NR</sup> methylphenidate CHEWABLE, SOLUTION (generic for Methylin)	documentation of difficulty swallowing
QUILLICHEW ER (methylphenidate)	RITALIN (methylphenidate)	
QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD)	
	methylphenidate 50/50 (generic for RITALIN LA)	
	methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg	
	methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)	
MISCEI	LANEOUS	-
guanfacine ER (generic for Intuniv)	atomoxetine (generic for Strattera) <sup>NR</sup>	Note: generic IR guanfacine and Clonidine ER/Guanfacine IR are
STRATTERA (atomoxetine)	clonidine ER (generic for Kapvay) <sup>CL</sup>	available without prior authorization
ANA	LEPTICS	-
	modafanil (generic for Provigil) <sup>CL</sup> armodafinil (generic for Nuvigil) <sup>CL</sup>	<ul> <li>Armodafinil: Requires trial of Provigil Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder</li> <li>Modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder</li> </ul>

PDL Updated September 1, 2017 *Highlights* indicated change from previous posting.

### **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate <b>50MG,</b> <b>100MG CAPSULE</b> minocycline HCI <b>CAPSULE</b> (generic for Minocin, Dynacin)	ACTICLATE (doxycycline hyclate) <sup>NR</sup> demeclocycline <sup>CL</sup> DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate <b>TABLET</b> , <b>SUSPENSION</b> , 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI <b>TABLET</b> (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents</li> <li>Drug-specific criteria:</li> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used</li> <li>Vibramycin® suspension: May be approved with documented swallowing difficulty</li> </ul>

### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic for Synthroid) liothyronine <b>TABLET</b> (generic for Cytomel) thyroid, pork <b>TABLET</b>	CYTOMEL <b>TABLET</b> (liothyronine) SYNTHROID <b>TABLET</b> (levothyroxine) THYROLAR <b>TABLET</b> (liotrix) TIROSINT <b>TABLET</b> (levothyroxine)	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

PDL Updated September 1, 2017 Highlights indicated change from previous posting.

#### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria	
ORAL		Non-preferred agents will be	
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine (generic for Asacol HD) PENTASA (mesalamine) UCERIS (budesonide)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Asacol HD<sup>®</sup>/Delzicol DR<sup>®</sup>/Lialda<sup>®</sup>/Pentasa<sup>®</sup>: Requires clinical reason why preferred mesalamine products cannot be</li> </ul>	
RECTAL		used Giazo <sup>®</sup> : Requires clinical reason	
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	why generic balsalazide cannot be used NOT covered in females	

### **VASODILATORS, CORONARY**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
isosorbide dinitrate <b>TABLET</b> isosorbide dinitrate ER <b>TABLET</b> isosorbide mononitrate <b>TABLET</b> isosorbide mononitrate SR <b>TABLET</b> nitroglycerin <b>SUBLINGUAL</b> , <b>TRANSDERMAL</b>	<ul> <li>BIDIL (isosorbide dinitrate/hydralazine)</li> <li>DILATRATE-SR (isosorbide dinitrate)</li> <li>GONITRO (nitroglycerin)</li> <li>ISORDIL (isosorbide dinitrate)</li> <li>NITRO-BID <b>OINTMENT</b> (nitroglycerin)</li> </ul>	i	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
nitroglycerin ER <b>TABLET</b> NITROSTAT <b>SUBLINGUAL</b> (nitroglycerin)	NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic for Nitrolingual) NITROMIST (nitroglycerin)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit

Limit