

DEPT. OF HEALTH AND HUMAN SERVICES



Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception critera include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- <u>Amylinomimetic Agents PA Form</u>
- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- GLP-1 Receptor Agonists PA Form
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

- Documentation of Medical Necessity PA Form
- Documentation of Medical Necessity for Quantity Limit or High Dose Override PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) benzoxyl peroxide GEL, CREAM, WASH, LOTION OTC clindamcyin phosphate SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL (benzoyl peroxide) OTC RETIN-A GEL, CREAM ^{AL}	ACANYA (clindamycin and benzoyl peroxide) dapsone (generic forACZONE) adapalene CREAM , GEL , GEL W/PUMP (generic Differin) adapalene/benzoyl peroxide (generic EPIDUO) ATRALIN (tretinoin) AVITA (tretinoin) BENZACLIN GEL (clindamycin/ benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Duac) clindamycin/tretinoin (generic for Veltin & Ziana) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) ONEXTON (clindamycin/benzoyl peroxide) RETIN-A MICRO (tretinoin microspheres) ^{AL} sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) TAZORAC (tazarotene) tretinoin CREAM , GEL ^{AL} tretinoin microspheres (generic for Retin-A Micro) ^{AL}	 Non-preferred agents will be approved for patients who have failed THREE preferred agents

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ALZHEIMER'S DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		 Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTOR ANTAGONIST		
memantine (generic for Namenda) NAMENDA SOLUTION	NAMENDA (memantine) NAMENDA XR (memantine ER) NAMZARIC (memantine/donepezil) memantine soln (generic for Namenda)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

ANALGESICS, OPIATE LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) fentanyl 25, 50, 75, 100 mcg PATCH HYSINGLA ER (hydrocodone, extended release) morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) ^{QL} BELBUCA (buprenorphine, buccal) ^{CL} <i>buprenorphine TRANSDERMAL</i> (generic for Butrans) ^{NR} DURAGESIC MATRIX (fentanyl) EMBEDA (morphine sulfate/ naltrexone) fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{CL} hydromorphone ER (generic for Exalgo) ^{CL} KADIAN (morphine ER capsule) methadone ^{CL} <i>MORPHABOND (morphine sulfate)</i> ^{NR} morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for re- formulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone bitartrate ER)	 Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within the last 6 months Drug-specific criteria: Exalgo®/Exalgo ER®: Clinical reason why IR hydromorphone can't be used Methadone: Trial of preferred drug not required for end of life care Oxycontin®: Pain contract required for maximum quantity authorization Ultram ER®: Clinical reason why IR tramadol can't be used Zohydro ER®: Clinical reason why IR hydrocodone can't be used

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORAL	 Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET norphine ORAL bxycodone TABLET, SOLUTION bxycodone/APAP ramadol	 dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NUCYNTA (tapentadol)^{CL} <i>OXAYDO (oxycodone)^{NR, CL}</i> oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone/aspirin oxycodone/ibuprofen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE TABLET (oxycodone) tramadol/APAP –generic for Ultracet <i>TREZIX (dihydrocodeine/ acetaminophen/caffeine)^{NR}</i> XARTEMIS XR (oxycodone/ acetaminophen) ZAMICET (hydrocodone/ acetaminophen) 	 approved for patients who have failed THREE preferred agents within the last 12 months Note: for short acting opiate table and capsules there is a maximum quantity limit of #150 per 30 days Drug-specific criteria: Abstral®/Actiq®/Fentora®/ Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason why individual ingredients can't b used Xartemis XR®: Approved only for diagnosis of acute pain
N	ASAL	
	butorphanol NASAL SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/II		-
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic for Actiq) ^{CL}	

FENTORA (fentanyl)^{CL} SUBSYS (fentanyl spray)^{CL}

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) AXIRON (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within the last 6 months Drug-specific criteria: Androderm[®]/Androgel[®]: Approved for Males only Natesto[®]: Approved for Males only with diagnosis of: Primary hypogonadism (congenita or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		 Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION	approved for patients who have failed TWO preferred agents within the last 12 months
quinapril (generic for Accupril) ramipril (generic for Altace)	fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION	 Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria:
	trandolapril (generic for Mavik)	Epaned [®] and Qbrelis [®] Oral Solution: Clinical reason why oral
ACE INHIBITOR/DIUR	ACE INHIBITOR/DIURETIC COMBINATIONS	
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	
ANGIOTENSIN REC	EPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) EDARBYCLOR (azilsartan/ chlorthalidone) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		•	Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	•	approved for patients who have failed TWO preferred agents within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	MODULATOR/	-	
benazepril/amlodipine (generic for Lotrel)	OCKER COMBINATIONS amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) TEKAMLO (aliskiren/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT)		Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure with both preferred agents Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: May be approved witha history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers within the last 12 months
DIRECT RENI	N INHIBITORS	-	
	TEKTURNA (aliskiren)		
DIRECT RENIN INHIB	ITOR COMBINATIONS		
	TEKTURNA/HCT (aliskiren/HCTZ)		
	TOR COMBINATION	•	Entresto [®] : Approved only for NYHA Class II-IV Heart Failure
ENTRESTO (sacubitril/valsartan) ^{CL}			with reduced ejection fraction
ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS		Does NOT require class criteria
	BYVALSON (nevibolol/valsartan)	•	Byvalson [®] : Approved for

Byvalson[®]: Approved for hypertension in those patients not adequately controlled on valsartan 80mg or nebivolol up to 10mg

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIBIOITICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALINIA (nitazoxanide) DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia[®]: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid[®]: Trial and failure with oral vancomycin OR metronidazole is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER[®]: Trial and failure with metronidazole is required Flagyl [®]/Metronidazole 375mg capsules and Flagyl ER[®]/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used Tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis Vancomycin capsules: Trial and failure with metronidazole Trial may be bypassed if initial or recurrent episode of SEVERE C. difficile colitis: SEVERE C. difficile colitis: Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR Serum creatinine ≥ 1.5 times premorbid level Provider to provide labs for documentation Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomcin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium[®]

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIBIOTICS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Tobi)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Tobi Podhaler[®]: Requires trial on inhaled solution or documentation why solution cannot be used Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	ALTABAX (retapamulin) CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within the last 12 months Drug-specific criteria: Altabax[®]: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used Mupirocin[®] Cream: Clinical reason the ointment cannot be used

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within the last 6 months

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 Highlights indicated change from previous posting.

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{QL}	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within the last 12 months Drug-specific criteria: Coumadin[®]: Clinical reason generic warfarin cannot be used Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		Non-preferred agents will be
dronabinol (generic for Marinol) ^{AL}	CESAMET (nabilone) SYNDROS (dronabinol) ^{NR}	 approved for patients who have failed ONE preferred agents within the same group
5HT3 RECEPT	OR BLOCKERS	
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 Drug-specific criteria: Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3
NK-1 RECEPTO	R ANTAGONIST	 antagonist WITHOUT trial of preferred agents
	aprepitant (generic for Emend) ^{QL,CL} AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TABLET ^{CL}	Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide,
TRADITIONAL	ANTIEMETICS	 Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide.
DICLEGIS (doxylamine/pyridoxine) ^{CL} dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic for Emetrol) prochlorperazine, oral (generic for	COMPRO (prochlorperazine rectal) metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg trimethobenzamide, oral (generic for Tigan)	
Compazine) promethazine, oral (generic for Phenergan) promethazine SUPPOSITORIES 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)		 Diclegis[®]: Approved only for treatment of nausea and vomiting of pregnancy in females only Metozolv ODT[®]: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso[®]/Zuplenz[®]: Documentation of oral dosage form intolerance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents clotrimazole (mucous membrane, troche) luconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET hystatin TABLET, SUSPENSION erbinafine (generic for Lamisil)	Non-Preferred Agents CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) ^{CL,AL} nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) ^{CL} voriconazole (generic for VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplan Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Ommel®: Requires trial and failur or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/esophageal/esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole
		Neutropenic Acute Myeloid

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 Highlights indicated change from previous posting.

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	 Non-preferred agents will be
Clotrimazole CREAM (generic for Lotrimin) RX, OTC ketoconazole CREAM, SHAMPOO (generic for Nizoral) LAMISIL AT CREAM (terbinafine) OTC miconazole OTC CREAM, SPRAY, POWDER nystatin selenium sulfide 2.5% terbinafine OTC (generic for Lamisil AT) tolnaftate OTC (generic for Tinactin)	ALEVAZOL (clotrimazole) OTC BENSAL HP (salicylic acid) ciclopirox CREAM, GEL, SUSPENSION (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC (miconazole)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within the last 6 months Drug-specific criteria: Extina®: Requires trial and failure or contraindication to other ketoconazole forms Jublia®: Approved diagnoses include Onychomycosis of the toenails due to <i>T. rubrum</i> OR <i>T. mentagrophytes</i> Nystatin/Triamcinolone: individual ingredients available without prior authorization Ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
ANTIFUNGAL/STER	OID COMBINATIONS	
clotrimazole/betamethasone CREAM	clotrimazole/betamethasone LOTION	

(generic for Lotrisone)

clotrimazole/betamethasone LOTION (generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) levocetirzine (generic for Xyzal) SOLUTION loratadine CHEWABLE , DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL CLORPRES (chlorthalidone/clonidine) methyldopa/hydrochlorothiazide reserpine	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine (generic for Colcrys) ^{CL} colchicine CAPSULE (generic for Mitigare) <i>DUZALLO (lesinurad/allopurinol)^{CL,NR}</i> ULORIC (febuxostat) ^{CL} ZURAMPIC (lesinurad) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis Uloric[®]: Clinical reason why allopurinol cannot be used Zurampic[®]: Requires trial of allopurinol and Uloric[®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia[®]: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	AL	 Non-preferred agents will be opproved for patients who have
RELPAX (eletriptan) rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig ZMT)	 approved for patients who have failed ALL preferred agents Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	· · ·
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	
INJEC	TABLE	_
sumatriptan KIT, SYRINGE, VIAL	ALSUMA (sumatriptan) IMITREX (sumatriptan) INJECTION sumatriptan KIT (mfr SUN) SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		 Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		 approved for patients who have failed ONE preferred agents within the same group
COMT IN	IHIBITORS	_ _Drug-specific criteria:
	entacapone (generic for Comtan) tolcapone (generic for Tasmar)	 Carbidopa/Levodopa ODT: Approved for documented
DOPAMIN	E AGONISTS	 swallowing disorder COMT Inhibitors: Approved if
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)	NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for REQUIP XL) ^{CL}	 using as add-on therapy with levodopa-containing drug Neupro[®]: For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required
MAO-B II	NHIBITORS	
selegiline TABLET (generic for Eldepryl)	rasagiline ^{QL} (generic for Azilect) selegiline CAPSULE (gen. for Eldepryl) <i>XADAGO (safinamide)^{NR}</i> ZELAPAR (selegiline) ^{CL}	
OTHER ANTIPAR	KINSON'S DRUGS	diagnosis of Parkinson's along with preferred agent trial
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	 Zelapar[®]: Approved for documented swallowing disorder

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SORIATANE (acitretin)	acitretin (generic for Soriatane) methoxsalen (generic for Oxsoralen- Ultra)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM calcipotriene SOLUTION	calcipotriene OINTMENT calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERP acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	ETIC DRUGS SITAVIG (acyclovir buccal)	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent
ANTI-INFLU	ENZA DRUGS	Drug-specific criteria:
RELENZA (zanamivir) ^{QL} rimantadine (generic for Flumadine) TAMIFLU (oseltamivir) ^{QL}	oseltamivir (generic for Tamiflu) ^{QL}	 Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone) ZOVIRAX CREAM (acyclovir)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION (generic for Valium) lorazepam INTENSOL, TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents Drug-specific critera: Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR lorazepam Intensol[®]

BENIGN PROSTATIC HYPERPLASIA (BPH) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	 Non-preferred agents will be
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax)	CARDURA XL (doxazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	approved for patients who have failed a trial of ONE preferred agent within the same group
terazosin (generic for Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	• Avodart [®] : Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax[®]: Covered for males only Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used Proscar[®]: Covered for males only Uroxatral[®]: Covered for males only

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA BL	OCKERS	Non-preferred agents will be approved
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) bisoprolol (generic for Zebeta) BYSTOLIC (nebivolol) DUTOPROL (metoprolol XR and HCTZ) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	 for patients who have failed TWO preferred agents within the last 12 months Drug-specific criteria: Bystolic[®]: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR[®]: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg TABLET (gen URSO) ursodiol 500mg TABLET (gen URSO FORTE)	CHOLBAM (cholic acid)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent Drug-specific criteria: Myrbetriq[®]: Covered without trial in contraindication to anticholinergic agents

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Prior Authorization/Class Criteria
Non-preferred agents will be approved for
patients who have failed a trial of ONE preferred agent within the same group Ug-Specific criteria: Actonel [®] Combinations: Covered as individual agents without prior authorization Atelvia DR [®] : Requires clinical reason alendronate cannot be taken on an empty stomach Binosto [®] : Requires clinical reason why alendronate tablets OR Fosamax [®] solution cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo [®] : Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors – Family history of non- traumatic fractures, DXA BMD T-score ≤ - 2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors – more than 2 units of alcohol per day, current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy
r G T F G F G C C C C C C C C C C C C C C C C

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		 Non-preferred agents will be
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	 approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria:
INHALERS -	- Long Acting	■ Albuterol low dose: May be
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	approved if parent/caregiver is not capable/reliable to measure/dilute
INHALATIO	N SOLUTION	 preferred agent OR patient <15kg Ventolin HFA[®]: Requires trial and
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml)	albuterol low dose (0.63mg/3ml & 1.25mg/3ml) BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	 failure on Proventil HFA® AND Proair HFA® OR allergy/ contraindication/side effect to BOTH Xopenex[®]: Covered for cardiac diagnoses or side effect of
ORAL		tachycardia with albuterol product
albuterol SYRUP albuterol ER (generic for Vospire ER) terbutaline (generic for Brethine)	albuterol TABLET metaproterenol (formerly generic for Alupent)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	oyridines	 approved for patients who have failed a trial of ONE preferred
nifedipine (generic for Procardia)	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	Drug-specific criteria: • Nimodipine: Covered without trial for diagnosis of subarachnoid
Non-dihydi	ropyridines	hemorrhage
diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)		
LONG-/	ACTING	
Dihydrop	oyridines	_
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydi	opyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	 Non-preferred agents will be
moxicillin/clavulanate TABLETS, CHEWABLE, SUSPENSION	amoxicillin/clavulanate XR (generic for Augmentin XR)	 approved for patients who have failed a 3-day trial of ONE preferred agent
	AUGMENTIN SUSPENSION, TABLET (amoxicillin/clavulanate)	
		Suprax [®] Tablet/Chewable/
CEPHALOSPORINS	6 – First Generation	Suspension: Requires clinical reason why capsule or generic
cefadroxil CAPSULE, SUSPENSION (generic for Duricef)	cefadroxil TABLET (generic for Duricef)	suspension cannot be used
cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cephalexin TABLET	
CEPHALOSPORINS -	Second Generation	-
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	ceftibuten (generic for Cedax)	
cefixime SUSPENSION (generic for	cefpodoxime (generic for Vantin)	
Suprax) SUPRAX CAPSULE (cefixime)	SUPRAX CHEWABLE TABLET, SUSPENSION, TABLET (cefixime)	

PDL Updated December 1, 2017 Highlights indicated change from previous posting. CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS		 Non-preferred agents will be
ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium)	ANORO ELLIPTA (umeclidinium/vilanterol) BEVESPI AEROSPHERE (glycopyrolate/formoterol) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol) <i>TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)</i> ^{NR} TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 approved for patients who have failed a trial of ONE preferred agent in the same group Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon initial review
		-
albuterol/ipratropium (generic for Duoneb)		
pratropium SOLUTION (generic for Atrovent)		
ORAL	AGENT	

DALIRESP (roflumilast)CL

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) DISP SYR ZARXIO (filgrastim-sndz)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ORKAMBI (lumacaftor/ivacaftor)	 Drug-specific criteria: Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Minimum age: 2 years Orkambi[®]: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) HUMIRA (adalimumab)	ACTEMRA subcutaneous (tocilizumab) ARCALYST (nilonacept) CIMZIA (certolizumab pegol) COSENTYX (secukinumab) <i>KEVZARA (sarilumab)</i> ^{NR} KINERET (anakinra) ORENCIA (abatacept) SUB-Q OTEZLA (apremilast, oral) <i>SILIQ (brodalumab)</i> ^{NR} SIMPONI (golimumab) <i>STELARA (ustekinumab)</i> SUB-Q ^{NR} TALTZ (ixekizumab) <i>TREMFYA (guselkumab)</i> ^{NR} XELJANZ (tofacitinib, oral)	 Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	 Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET furosemide SOLUTION, TABLET hydrochlorothiazide CAPSULE, TABLET indapamide TABLET metolazone TABLET methyclothiazide TABLET spironolactone TABLET torsemide TABLET	ALDACTONE TABLET (spironolactone) <i>CAROSPIR (spironolactone)</i> <i>SUSPENSION</i> ^{NR} DIURIL TABLET (chlorothiazide) DYRENIUM TABLET (triamterene) eplerenone TABLET (generic for INSPRA) ethacrynic acid CAPSULE (generic for EDECRIN) LASIX TABLET (furosemide) MICROZIDE TABLET (hydrochlorothiazide)	approved for patients who have failed a trial of TWO preferred agent within the same group
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET triamterene/HCTZ CAPSULE, TABLET	ALDACTAZIDE TABLET (spironolactone/HCTZ) DYAZIDE CAPSULE (triamterene/HCTZ) MAXZIDE TABLET (triamterene/HCTZ) MAXZIDE-25 TABLET (triamterene/HCTZ)	

EPINEPHRINE, SELF-INJECTED

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPIPI	phrine (generic for Adrenaclick) EN EN JR.	ADRENACLICK epinephrine (generic for Epipen/Jr.) ^{NR}	 Non-preferred agents require clinical documentation why the preferred product is not appropriate

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) PROCRIT (rHuEPO)		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ^{NR} ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent Drug-specific criteria: Ciprofloxacin Suspension: Coverable with documented swallowing disorders Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)
GI MOTILITY, CHRONIC		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL}	alosetron (generic for Lotronex) MOVANTIK (naloxegol oxalate) RELISTOR (methylnaltrexone) TABLET ^{QL} <i>SYMPROIC (naldemedine)</i> ^{NR} TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Movantik[®]: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Trulance[®]: Covered for diagnosis of chronic idiopathic constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	ORTICOIDS	 Non-preferred agents will be
ASMANEX (mometasone) ^{QL,AL} QVAR (beclomethasone)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} <i>ARMONAIR RESPICLICK</i> (<i>fluticasone</i>) ^{NR,AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{AL,QL} FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	 approved for patients who have failed a trial of TWO preferred agents within the last 6 months Drug-specific criteria: Budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) ^{QL} AIRDUO RESPICLICK (fluticasone/salmeterol) ^{NR} BREO ELLIPTA (fluticasone/vilanterol)	
INHALATIO	N SOLUTION	
	budesonide RESPULES (generic for Pulmicort)	

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	<u>Growth Hormone PA Form</u> <u>Growth Hormone Criteria</u>

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

Page 27 of 58

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
EPCLUSA (sofosbuvir/velpatasvir) ^{CL} (genotype 2,3) HARVONI (sofosbuvir/ledipasvir) ^{CL} (genotype1,5,6) MAVYRET (glecaprevir/pibrentasvir) ^{CL} TECHNIVIE (ombitasvir, paritaprevir, ritonavir) ^{CL} (genotype 4) VIEKIRA PAK/XR ^{CL} (genotype 1) (ombitasvir/paritaprevir/ritonavir/ dasabuvir)	DAKLINZA (daclatasvir) ^{CL} OLYSIO (simeprevir) ^{CL} SOVALDI (sofosbuvir) ^{CL} <i>VOSEVI (sofosbuvir/velpatasvir/ voxilaprev)^{CL, NR}</i> ZEPATIER (elbasvir/grazoprevir) ^{CL}	Hepatitis C Criteria
RIBA	VIRIN	
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	
INTER	FERON	-
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine TABLET, SYRUP (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Cimetidine: Approved for viral <i>M.</i> <i>contagiosum</i> or common wart <i>V.</i> Vulgaris treatment Nizatadine/Cimetidine Solution/ Famotidine Suspension: Requires clinical reason why ranitidine syrup cannot be used

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

HYPOGLYCEMICS. INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 R		GLP-1 RA PA Form
 BYDUREON (exenatide ER) subcutaneous^{CL} BYDUREON PEN (exenatide ER) subcutaneous^{CL} BYETTA (exenatide) subcutaneous^{CL} VICTOZA (liraglutide) subcutaneous^{CL} 	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{NR,QL} TANZEUM (albiglutide) TRULICITY (dulaglutide)	 Preferred agents require metformin trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents AND Diagnosis of diabetes with HbA1C ≥ 7 AND Trial of Metformin
INSULIN/GLP-1 RA		-
	SOLIQUA (insulin glargin/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	
AMYLIN	ANALOG	Amylin Analog PA Form
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during <u>initiation</u> of therapy
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR	_
JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} OSENI (alogliptin/pioglitazone) ^{QL} QTERN (dapagliflozin/saxagliptin) TABLET ^{NR,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	AFREZZA (insul reg, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN <i>FIASP (insulin aspart)PEN, VIAL^{NR}</i> <i>HUMALOG JR. (insulin lispro) U-100</i> PEN ^{NR} HUMALOG (insulin lispro) U-200 PEN HUMALOG (insulin lispro) U-200 PEN HUMALOG MIX PEN (insulin lispro/lispro protamine) HUMULIN 70/30 PEN HUMULIN U-500 PEN HUMULIN U-500 PEN HUMULIN OTC PEN NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Afrezza[®]: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin[®] U-500: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self- administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Riomet[®]: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 Highlights indicated change from previous posting.

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL}	INVOKAMET & XR (canagliflozin/metformin) ^{QL} JARDIANCE (empagliflozin) ^{QL} SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/ metformin) ^{NR, QL} XIGDUO XR (dapagliflozin/metformin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent Invokana[®]/Farxiga[®]: Approved for diagnosis of diabetes AND a trial of metformin

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINE	DIONES (TZDs)	 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	 Non-preferred agents require: Use limited to FDA-approved indications

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	tacrolimus (generic for Protopic) ^{CL} DUPIXENT (dupilumab) ^{NR} EUCRISA (crisaborole) ^{NR}	 Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent cannot be used

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		 Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE
ANTIHISTAMINES		preferred agent within the same
PATANASE (olopatadine)	azelastine (generic for Astelin)	- group
	azelastine (generic for Astepro)	Drug-specific criteria:
	DYMISTA (azelastine/fluticasone)	Mometasone: Prior authorization
	olopatadine (generic for Patanase)	NOT required for children ≤ 12 vears
CORTICO	STEROIDS	 Budesonide: Approved for use in
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone)	Pregnancy (Pregnancy Category
	budesonide Rx (generic for Rhinocort)	 B) Veramyst®: Prior authorization
	flunisolide (generic for Nasalide)	NOT required for children ≤ 12
	mometasone (generic for Nasonex)	years
	OMNARIS (ciclesonide)	
	QNASL 40 & 80 (beclomethasone)	
	TICANASE (fluticasone)	
	VERAMYST (fluticasone)	
	ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) ZYFLO (zileuton) ZYFLO CR (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent Drug-specific criteria: Montelukast granules:

PA not required for age < 2 years

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	 Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine) WELCHOL (colesevalam)	 patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Juxtapid[®]/ Kynamro[®]: Approved for
TREATMENT OF HOMOZYGOUS FA		 diagnosis of homozygous familial hypercholesterolemia (HoFH) OR
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
	DERIVATIVES	derivatives, omega-3 agents, bile acid
fenofibrate (generic for Tricor) fenofibric acid (generic for Trilipix)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra) fenofibric acid (generic for Fibricor)	sequestrants Require faxed copy of REMS PA form ■ Lovaza [®] : Approved for TG ≥ 500
gemfibrozil (generic for Lopid)	TRICOR (fenofibrate)	 Praluent[®]: Approved for diagnoses of:
	TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	atherosclerotic cardiovascular disease (ASCVD)
NIA		 heterozygous familial hypercholesterolemia (HeFH)
	NIACOR (niacin IR) NIASPAN (niacin ER) nd fish oil are also covered without prior dicaid with a prescription*	 AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL
	· · ·	-• Repatha®: Approved for:
OMEGA-3 F	ATTY ACIDS omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL}	 adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH)
CHOLESTEROL ABS	ORPTION INHIBITORS	 homozygous familial hypercholesterolemia (HoFH) in age ≥
	ezetimibe (generic for Zetia)	13
PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS		statin-induce rhabdomyolysis AND
	PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa[®]: Approved for TG ≥ 500 WelChol[®]: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate Zetia[®]: Approvd for diagnosis of hypercholesterolemia AND failed statin monotherapy OR statin intolerance/contraindication

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		 Non-preferred agents will be
atorvastatin (generic for Lipitor) lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual
STATIN COM	IBINATIONS	ingredients cannot be used
	atorvastatin/amlodiine (generic for CADUET) VYTORIN (simvastatin/ezetimibe)	 Lescol XL[®]: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin[®]: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

	Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
	KETO	LIDES KETEK (telithromycin)	•	Ketek [®] : Requires clinical resaon why patient cannot use preferred
	MACR	OLIDES		macrolide Macrolides: Require clinical
clarithromy	n (generic for Zithromax) cin TABLET, VSION (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) EES SUSPENSION, TABLET		reason why preferred products cannot be used AND ≥ 3-day trial on a preferred macrolide
		ERYPED 200 SUSPENSION ERYPED 200 SUSPENSION		
		erythromycin base TABLET , CAPSULE PCE (erythromycin)		
		ZMAX (azithromycin) ZITHROMAX (azithromycin)		

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL,CL} REBIF (interferon beta-1a) ^{QL}	AMPYRA (dalfampridine) ^{QL} AUBAGIO (teriflunomide) EXTAVIA (interferon beta-1b) ^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Ampyra[®]: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Gilenya[®]: Requires trial of preferred injectable agent (Avonex[®], Betaseron[®], Copaxone[®], Rebif[®]) Plegridy®: Approved for diagnosis of relapsing MS

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID CAPSULE (nitrofurantoin monohydrate macrocrystals) MACRODANTIN CAPSULE (nitrofurantoin macrocrystals) FURADANTIN SUSPENSION (nitrofurantoin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

NSAIDS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents COX-I SE diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen OTC, Rx (generic for Advil, Motrin) indomethacin CAPSULE (generic for Advil, Motrin) indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen SUSPENSION (Naprosyn) sulindac (generic for Clinoril)	LECTIVE diclofenac potassium (generic for Cataflam) diflunisal (generic for Dolobid) etodolac & sr (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION Ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) mefenamic acid (generic for Ponstel) meloxicam SUSPENSION (generic Mobic) naproxen CR (generic for Naprelan) naproxen enteric coated	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents Drug-specific criteria: Arthrotec[®]: Requires clinical reason why individual ingredients cannot be used Duexis[®]/Vimovo[®]: Requires clinical reason why individual agents cannot be used Meclofenamate: Approvable without trial of preferred agents for menorrhagia Meloxicam suspension: Approved for age ≤ 11 years
	naproxen enteric coated naproxen sodium (generic for Anaprox) oxaprozin (generic for Daypro) piroxicam (generic for Feldene) tolmetin (generic for Tolectin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	IVE (continued) ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution)	 Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents
	DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) ^{QL} TIVORBEX (indomethacin) VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Drug-specific criteria: Sprix[®]: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex[®]: Requires clinical reason why indomethacin capsule cannot be used Zorvolex[®]: Requires trial of oral
NSAID/GI PROTECTANT COMBINATIONS		diclofenac OR clinical reason why
	diclofenac/misoprostol (generic for Arthrotec)	 diclofenac potassium/sodium cannot be used Celebrex[®]:
COX-II SI	ELECTIVE	Rheumatoid Arthritis (RA) and
	celecoxib (generic for Celebrex) ^{CL}	Juvenile RA AND Osteoarthritis with at least ONE risk factor: Approvable with history of GI bleed/ulcer, active peptic ulcer disease, current daily/every other day use of oral corticosteroids, current use of anticoagulents coronary artery or cerebral vascular disease requiring daily aspirin and a trial of meloxicam Approved for age ≥ 65 years ar NOT taking another NSAID (other than daily aspirin)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

NSAIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) <i>PENNSAID</i> PACKET^{NR}, PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector[®]: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid[®]: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid[®] Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren[®]: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
anastrozole (generic for Arimidex) cyclophosphamide (generic for Cytoxan) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate	capecitabine (generic for Xeloda) FARESTON (toremifene) IBRANCE (palbociclib) <i>KISQALI (ribociclib)^{NR}</i> <i>KISQALI FEMARA CO-PACK^{NR}</i> <i>NERLYNX (neratinib)^{NR}</i> TYKERB (lapatinib) <i>VERZENIO (abemaciclib)^{NR}</i>	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer) Fareston[®]: Require clinical reason why tamoxifen cannot be used Letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALKERAN (melphalan) GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) IMBRUVICA (irutinib) JAKAFI (ruxolitinib) LEUKERAN (chlorambucil) MATULANE (procarbazine) mercaptopurine MYLERAN (busulfan) REVLIMID (lenalidomide) SPRYCEL (dasatinib) TASIGNA (nilotinib)	BOSULIF (bosutinib) <i>CALQUENCE (acalabrutinib)</i> ^{NR,QL} FARYDAK (panobinostat) HYDREA (hydroxyurea) ICLUSIG (ponatinib) <i>IDHIFA (enasidenib)</i> ^{NR} imatinib (generic for Gleevec) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) PURIXAN (mercaptopurine) <i>RYDAPT (midostaurin)</i> ^{NR} TABLOID (thioguanine) THALOMID (thalidomide) tretinoin (generic for Vesanoid) VENCLEXTA (venetoclax) ZOLINZA (vorinostat) ZYDELIG (idelalisib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Hydrea: Requires clinical reason why generic cannot be used Tabloid: Prior authorization not required for age <19

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting. NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GILOTRIF (afatinib) HYCAMTIN (topotecan) IRESSA (gefitinib) TARCEVA (erlotinib) XALKORI (crizotinib)	ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{NR} TAGRISSO (osimertinib) ZYKADIA (ceritinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) ZEJULA (niraparib) ^{NR}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	CASODEX (bicalutamide) EMCYT (estramustine) nilutamide (generic for Nilandron) XTANDI (enzalutamide) ZYTIGA (abiraterone)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
		 Nilandron[®]: Approved for males only for metastatic prostate cancer

QL – Quantity/Duration Limit

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

Limit

AL – Age

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Age	ents N	on-Preferred Agents	Prior Authorization/Class Criteria
AFINITOR (everolimus INLYTA (axitinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib	CABOMET LENVIMA	DISPERZ^{CL} 'YX (cabozantinib) (lenvatinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
			 Drug-specific critera Afinitor Disperz[®]: Requires clinical reason why Afinitor[®] cannot be used

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)		 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

AL – Age

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox) VIGAMOX (moxifloxacin)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox)	 approved for patients who have failed a one month trial of TWO preferred agent within the same group Azasite®: Approval only requires trial of erythromycin
MACRO	DLIDES	_ _Drug-specific criteria:
erythromycin	AZASITE (azithromycin)	 Natacyn[®]: Approved for
AMINOGL	YCOSIDES	documented fungal infection
gentamicin SOLUTION, OINTMENT tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin)	GARAMYCIN (gentamicin)	_
OTHER OPHTH	ALMIC AGENTS	_
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	 BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) 	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PATADAY (olopatadine 0.2%) PAZEO (olopatadine)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CORTICO	STEROIDS	•	Non-preferred agents will be
dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) fluorometholone 0.1% (generic for FML) OINTMENT) LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	 FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate 1% 	-	approved for patients who have failed a trial of TWO preferred agents NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	AID		
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen)	ACUVAIL (ketorolac 0.45%) <i>BROMSITE (bromfenac)</i> ^{NR} bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) ketorolac 0.5% (generic for Acular) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)		

OPHTHALMICS, IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine)	XIIDRA (lifitegrast) RESTASIS MULTIDOSE (cyclosporine) ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		 Non-preferred agents will be
Pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within the same group
SYMPATH	IOMIMETICS	
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	
ВЕТА В	LOCKERS	
carteolol (generic for Ocupress) levobunolol (generic for Betagan) metipranolol (generic for Optipranolol) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) ISTALOL (timolol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHY	DRASE INHIBITORS	
AZOPT (brinzolamide) dorzolamide (generic for Trusopt)	TRUSOPT (dorzolamide)	
PROSTAGLA	NDIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINA	TION DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol))	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

OPIATE DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone SL ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient

OPIATE-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products are not appropriate for the patient

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) ciprofloxacin neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/aluminum (generic for Otic Domeboro) acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of BOTH preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

PENICLLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE, SUSPENSION dicloxacillin penicillin VK	amoxicillin ER TABLET MOXATAG (amoxicillin)	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months
	sevelamer carbonate (generic for Renvela) VELPHORO (sucroferric oxyhydroxide)	

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) Aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) DURLAZA (aspirin) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent OR documented clopidogrel resistance Drug-specific criteria: Zontivity[®]: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD)

Use with aspirin and/or clopidogrel

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETE NATAL DHA COMPLETENATE CHEWABLE		Additional covered agents can be looked up using the Drug Look-up Tool
CONCEPT DHA CAPSULE		at:
CONCEPT OB CAPSULE		https://druglookup.fhsc.com/druglooku
DOTHELLE DHA SOFTGEL		pweb/?client=nestate
EXPECTA PRENATAL COMBO PACK		
FOLIVANE-OB CAPSULE		
OB COMPLETE/DHA SOFTGEL PNV PRENATAL PLUS MVI TABLET		
PNV-DHA		
PNV-SELECT TABLET		
PRENATAL CHEWABLE		
PRENATAL FORMULA TABLET		
PRENATAL VITAMIN PLUS LOW IRON		
PREPLUS CA-FE 27MG-FA 1MG		
RULAVITE DHA SOFTGEL		
TARON PRENATAL DHA CAPSULE		
TARON-C DHA CAPSULE TRUST NATAL DHA		
VIRT-ADVANCE TABLET		
VIRT-C DHA SOFTGEL		
VIRT-PN DHA SOFTGEL		
VIRT-VITE GT TABLET		
VOL-PLUS TABLET		
ZATEAN-PN DHA CAPSULE		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting. PULMONARY ARTERIAL HYPERTENSION AGENTS. ORAL AND INHALED

DEMONANT ANTENIAL ITTENTENSION AGENTS, ONAL AND INHALLD			
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria	
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) TRACLEER (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) <i>TRACLEER TABLETS FOR</i> <i>SUSPENSION</i> (bosentan) ^{NR} UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months Drug-specific criteria: Adcirca[®]/Revatio[®]: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas[®]: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH 	

NOT for use in Pregnancy

 Revatio[®] suspension: Requires clinical reason why sildenafil tablets cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODI temazepam 15mg, 30mg (generic for Restoril)	Non-Preferred Agents AZEPINES estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam 7.5mg, 22.5mg triazolam (generic for Halcion) ERS BELSOMRA (suvorexant) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) ^{CL} ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Intermezzo) ZOLPIMIST (zolpidem oral spray)	 Lunesta[®]/ Rozerem[®]/Zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Ativan[®]/Klonopin[®]/Valium[®]: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy Edluar[®]: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Requires documentation of swallowing disorder Flurazepam/Triazolam:
		Requires documentation of swallowing disorder
		 Zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used Zolpimist[®]: Requires documentation of swallowing disorder

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	AMRIX (cyclobenzaprine) ^{CL} carisoprodol (generic for Soma) carisoprodol compound dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) orphenadrine ER SOMA (carisoprodol) ^{CL} tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents Drug-specific criteria: Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason used

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	Low Potency: Non-preferred
hydrocortisone CREAM , OINTMENT (generic for Cortaid) hydrocortisone OTC LOTION hydrocortisone RX LOTION hydrocortisone/aloe OINTMENT , CREAM	alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide GEL) desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) <i>MICORT-HC (hydrocortisone)</i> ^{NR}	agents will be approved for patients who have failed a trial of ONE preferred agents
	TEXACORT (hydrocortisone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply Limit

PDL Updated December 1, 2017 Highlights indicated change from previous posting.

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MEDIUM POTENCY		Non-preferred agents will be
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents
		-
HIGH PO betamethasone valerate (generic for Beta-Val) triamcinolone acetonide OINTMENT, CREAM (generic for Kenalog) triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate (generic for Diprolene) betamethasone dipro/prop gly (augmented) desoximetasone (generic for Topicort) diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient HALOG (halcinonide) KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
VERY HIGH	I POTENCY	•	Non-preferred agents will be
clobetasol emollient (generic for Temovate-E)	APEXICON-E (diflorasone) clobetasol SHAMPOO, LOTION		approved for patients who have failed a trial of TWO preferred agents
clobetasol propionate (generic for Temovate)	clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol)		-9
halobetasol propionate (generic for Ultravate)	OLUX-E /OLUX/OLUX-E CP (clobetasol)		

STIMULANTS AND RELATED ADHD DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE	 ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) MYDAYIS (amphetamine salt combo)^{NR,QL} EVEKEO (amphetamine sulfate) methamphetamine (generic for Desoxyn) VYVANSE (lisdexamphetamine) CHEWABLE ZENZEDI (dextroamphetamine) 	 agent within the same group Drug-specific criteria: Procentra[®]: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

STIMULANTS AND RELATED ADHD DRUGS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphenidate type		 Non-preferred agents will be
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	 approved for patients who have failed a trial of TWO preferred agents
methylphenidate (generic for Ritalin)	Focalin XR)	 Drug-specific criteria: Daytrana[®]: May be approved in
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER)	APTENSIO XR (methylphenidate) ^{NR} COTEMPLA XR-ODT (methylphenidate) ^{NR}	history of substance abuse by parent/caregiver or patient May be approved with documentation of difficulty
QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate) SUSPENSION	methylphenidate CHEWABLE, SOLUTION (generic for Methylin) RITALIN (methylphenidate)	swallowing
	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)	
MISCEI	LANEOUS	
guanfacine ER (generic for Intuniv) STRATTERA (atomoxetine)	atomoxetine (generic for Strattera) ^{NR} clonidine ER (generic for Kapvay) ^{CL}	Note: generic IR guanfacine and Clonidine ER/Guanfacine IR are available without prior authorization
ANA	LEPTICS	
	modafanil (generic for Provigil) ^{CL} armodafinil (generic for Nuvigil) ^{CL}	 Armodafinil: Requires trial of Provigil Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder Modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

Page 56 of 58

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG , 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	 ACTICLATE (doxycycline hyclate)^{NR} demeclocycline^{CL} DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET, SUSPENSION, 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULE^{NR,QL} 	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/ Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	CYTOMEL TABLET (liothyronine) SYNTHROID TABLET (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated December 1, 2017 *Highlights* indicated change from previous posting.

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine (generic for Asacol HD) PENTASA (mesalamine) UCERIS (budesonide)	 approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/Lialda[®]/Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be
RECTAL		 used Giazo[®]: Requires clinical reason
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	why generic balsalazide cannot be used NOT covered in females

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL , TRANSDERMAL	 BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID OINTMENT (nitroglycerin) 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROMIST (nitroglycerin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit