



PDL Updated March 1, 2018 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at <a href="https://druglookup.fhsc.com/druglookupweb/?client=nestate">https://druglookup.fhsc.com/druglookupweb/?client=nestate</a>

#### **Non-Preferred Drug Coverage**

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Amylinomimetic Agents PA Form
- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- GLP-1 Receptor Agonists PA Form
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

- Documentation of Medical Necessity PA Form
- Documentation of Medical Necessity for Quantity Limit or High Dose Override PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ACNE AGENTS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) benzoxyl peroxide GEL, CREAM, WASH, LOTION OTC clindamcyin phosphate SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL (benzoyl peroxide) OTC RETIN-A GEL, CREAMAL	ACANYA (clindamycin and benzoyl peroxide) dapsone (generic forACZONE) adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene/benzoyl peroxide (generic EPIDUO) ATRALIN (tretinoin) BENZACLIN GEL (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/tretinoin (generic for Veltin & Ziana) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) ONEXTON (clindamycin/benzoyl peroxide) RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) TAZORAC (tazarotene) tretinoin CREAM, GELAL tretinoin microspheres (generic for Retin-A Micro) AL	<ul> <li>Non-preferred agents will be approved for patients who have failed THREE preferred agents</li> </ul>

#### with Prior Authorization Criteria PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ALZHEIMER'S DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERA	ASE INHIBITORS	<ul> <li>Non-preferred agents will be</li> </ul>
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	<ul> <li>approved for patients who have failed a 120-day trial of ONE preferred agent within the last 6 months OR</li> <li>Current, stabilized therapy of the non-preferred agent within the previous 45 days</li> </ul>
NMDA RECEPTO	OR ANTAGONIST	
,	NAMENDA (memantine) NAMENDA <b>SOLUTION</b> NAMENDA XR (memantine ER) NAMZARIC (memantine/donepezil) memantine soln (generic for Namenda)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

#### **ANALGESICS, OPIATE LONG-ACTING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) fentanyl 25, 50, 75, 100 mcg PATCH HYSINGLA ER (hydrocodone, extended release) morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) <sup>QL</sup> BELBUCA (buprenorphine, buccal) <sup>CL</sup> buprenorphine TRANSDERMAL (generic for Butrans) <sup>NR</sup> DURAGESIC MATRIX (fentanyl) EMBEDA (morphine sulfate/ naltrexone) fentanyl 37.5, 62.5, 87.5 mcg PATCH <sup>CL</sup> hydromorphone ER (generic for Exalgo) <sup>CL</sup> KADIAN (morphine ER capsule) methadone <sup>CL</sup> MORPHABOND (morphine sulfate) <sup>NR</sup> morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) <sup>CL</sup> oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) <sup>CL</sup> XTAMPZA ER (oxycodone myristate) <sup>QL</sup> ZOHYDRO ER (hydrocodone bitartrate ER)	<ul> <li>Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Exalgo®/Exalgo ER®: Clinical reason why IR hydromorphone can't be used</li> <li>Methadone: Trial of preferred drug not required for end of life care</li> <li>Oxycontin®: Pain contract required for maximum quantity authorization</li> <li>Ultram ER®: Clinical reason why IR tramadol can't be used</li> </ul> </li> <li>Zohydro ER®: Clinical reason why IR hydrocodone can't be used</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

### ANALGESICS, OPIATE SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	<ul> <li>Non-preferred agents will be</li> </ul>
acetaminophen/codeine ELIXIR,     TABLET codeine ORAL hydrocodone/APAP SOLUTION,     TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine ORAL oxycodone TABLET, SOLUTION oxycodone/APAP tramadol	dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NUCYNTA (tapentadol)CL OXAYDO (oxycodone)NR, CL oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone/aspirin oxycodone/aspirin oxycodone/ibuprofen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PANLOR (dihydrocodeine/ acetaminophen/caffeine)NR PRIMLEV (oxycodone/acetaminophen) REPREXAIN (hydrocodeine/ acetaminophen/caffeine) ramadol/APAP —generic for Ultracet TREZIX (dihydrocodeine/ acetaminophen/caffeine)NR XARTEMIS XR (oxycodone/ acetaminophen) SAL butorphanol NASAL SPRAYQL	approved for patients who have failed THREE preferred agents within the last 12 months  Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days.  Drug-specific criteria:  Abstral®/Actiq®/Fentora®/ Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of longacting opiate  Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less  Tramadol/APAP: Clinical reason why individual ingredients can't be used  Xartemis XR®: Approved only for diagnosis of acute pain
	LAZANDA (fentanyl citrate)	
	NSMUCOSAL	
	ABSTRAL (fentanyl) <sup>CL</sup> fentanyl <b>TRANSMUCOSAL</b> (generic for Actiq) <sup>CL</sup> FENTORA (fentanyl) <sup>CL</sup> SUBSYS (fentanyl spray) <sup>CL</sup>	

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANDROGENIC DRUGS (Topical)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) AXIRON (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP   (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Androderm®/Androgel®:</li></ul></li></ul>

#### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE IN	HIBITORS	Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION trandolapril (generic for Mavik)	<ul> <li>approved for patients who have failed TWO preferred agents within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> <li>Drug-specific criteria:</li> <li>Epaned® and Qbrelis® Oral</li> </ul>
ACE INHIBITOR/DIURETIC COMBINATIONS		<b>Solution:</b> Clinical reason why oral tablet is not appropriate
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) EDARBYCLOR (azilsartan/ chlorthalidone) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

### **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLO	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	<ul> <li>approved for patients who have failed TWO preferred agents within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul>
	MODULATOR/	phoraumonzation
benazepril/amlodipine (generic for Lotrel)	amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) TEKAMLO (aliskiren/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT)	<ul> <li>Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure with both preferred agents</li> <li>Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: May be approved witha history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers within the last 12 months</li> </ul>
DIRECT RENI	N INHIBITORS	•
	TEKTURNA (aliskiren)	
	ITOR COMBINATIONS	
	TEKTURNA/HCT (aliskiren/HCTZ)	
	TOR COMBINATION	■ Entresto®: Approved only for
ENTRESTO (sacubitril/valsartan) <sup>CL</sup> ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	NYHA Class II-IV Heart Failure with reduced ejection fraction  Does NOT require class criteria
	BYVALSON (nevibolol/valsartan)	<ul> <li>Byvalson®: Approved for hypertension in those patients not adequately controlled on valsartan 80mg or nebivolol up to 10mg</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTHELMINITICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin pyrantel pamoate OTC STROMECTOL (ivermectin)	EMVERM (mebendazole)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

#### **ANTI-ALLERGENS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	<ul> <li>Class Criteria:         <ul> <li>Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis.</li> <li>Patient has had treatment failure with or contraindication to: antihistamines AND montelukast</li> <li>Clinical reason as to why allergy shots cannot be used.</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>ORALAIR</li> <li>Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.</li> <li>For use in patients 10 through 65 years of age.</li> </ul> </li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIBIOTICS, GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metronidazole TABLET neomycin vancomycin COMPOUNDED ORAL SOLUTION	ALINIA (nitazoxanide) DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE SOLOSEC (secnidazole) <sup>NR</sup> tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Dificid®: Trial and failure with oral vancomycin OR metronidazole is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis)</li> <li>Flagyl ER®: Trial and failure with metronidazole is required</li> <li>Flagyl@Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used</li> <li>Tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis</li> <li>Vancomycin capsules: Trial and failure with metronidazole Trial may be bypassed if initial or recurrent episode of SEVERE C. difficile colitis: Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR Serum creatinine ≥ 1.5 times premorbid level Provider to provide labs for documentation</li> <li>Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomcin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIBIOTICS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) <sup>CL</sup> KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	CAYSTON (aztreonam lysine) <sup>QL,CL</sup> tobramycin (generic for Tobi)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents         ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09</li> <li>Drug-specific criteria:         <ul> <li>Tobi Podhaler®: Requires trial on inhaled solution or documentation why solution cannot be used</li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> </ul> </li> </ul>

#### **ANTIBIOTICS. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic for Polysporin) mupirocin <b>OINTMENT</b> (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	ALTABAX (retapamulin) CENTANY (mupirocin) gentamicin <b>OINTMENT, CREAM</b> mupirocin <b>CREAM</b> (generic for Bactroban)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within the last 12 months</li> <li>Drug-specific criteria:         <ul> <li>Altabax®: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be used</li> <li>Mupirocin® Cream: Clinical reason the ointment cannot be used</li> </ul> </li> </ul>

#### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	<ul> <li>Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within the last 6 months</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTICOAGULANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) <sup>QL</sup>	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within the last 12 months</li> <li>Coumadin®: Clinical reason generic warfarin cannot be used</li> <li>Savaysa®: Approved diagnoses include:         Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR         Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy     </li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		<ul> <li>Non-preferred agents will be</li> </ul>
dronabinol (generic for Marinol) <sup>AL</sup>	CESAMET (nabilone) SYNDROS (dronabinol) <sup>NR</sup>	<ul> <li>approved for patients who have failed ONE preferred agents within the same group</li> </ul>
5HT3 RECEPTO	OR BLOCKERS	
ondansetron (generic for Zofran) <sup>QL</sup> ondansetron ODT (generic for Zofran) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	Torug-specific criteria: ■ Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3
NK-1 RECEPTO	R ANTAGONIST	<ul> <li>antagonist WITHOUT trial of preferred agents</li> </ul>
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) <b>TABLET</b> CL	Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Argeitiding, Rendamysting
TRADITIONAL	ANTIEMETICS	Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide.  Diclegis®: Approved only for treatment of nausea and vomiting of pregnancy in females only Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used  Sancuso®/Zuplenz®: Documentation of oral dosage form
DICLEGIS (doxylamine/pyridoxine) <sup>CL</sup> dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic for Emetrol) prochlorperazine, oral (generic for Compazine) promethazine, oral (generic for Phenergan) promethazine SUPPOSITORIES 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	COMPRO (prochlorperazine rectal) metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg trimethobenzamide, oral (generic for Tigan)	

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### ANTIFUNGALS ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin TABLET, SUSPENSION terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic for Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) <sup>CL</sup> ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) <sup>CL,AL</sup> nystatin <b>POWDER</b> , oral ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) <sup>CL</sup> voriconazole (generic for VFEND) <sup>CL</sup>	Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents  Drug-specific criteria:  Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis  Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis UTIs Cryptococcus: Meningitis, pulmonary infections  Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant  Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole  Mommel®: Requires trial and failure or contraindication to terbinafine  Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/esophageal candidiasis refractory to fluconazole  Sporanox®: Requires trial and failure of generic itraconazole  Sporanox®: Requires trial and failure of generic itraconazole

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIFUNGALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIFUNGAL		<ul> <li>Non-preferred agents will be</li> </ul>
· ·	ALEVAZOL (clotrimazole) OTC BENSAL HP (salicylic acid) ciclopirox CREAM, GEL, SUSPENSION (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Extina®: Requires trial and failure or contraindication to other ketoconazole forms</li> <li>Jublia®: Approved diagnoses include Onychomycosis of the toenails due to <i>T. rubrum</i> OR <i>T. mentagrophytes</i></li> <li>Nystatin/Triamcinolone: individual ingredients available without prior authorization</li> <li>Ciclopirox nail lacquer: No trial required in diabetes, peripheral</li> </ul> </li> </ul>
	ERTACZO (sertaconazole)  EXELDERM (sulconazole)  EXTINA (ketoconazole)  FUNGOID OTC  JUBLIA (efinaconazole)  ketoconazole FOAM (generic for Ketodan)  LAMISIL AT GEL, SPRAY (terbinafine)  OTC  LOPROX (ciclopirox) SUSPENSION  LOTRIMIN AF CREAM OTC  (clotrimazole)  LOTRIMIN ULTRA (bufenafine)  LUZU (luliconazole)  MENTAX (butenafine)  miconazole OTC OINTMENT	vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
clotrimazole/betamethasone CREAM (generic for Lotrisone)	naftifine (generic for Naftin) oxiconazole (generic for Oxistat) selenium sulfide 2.25% tolnaftate POWDER OTC (generic for Tinactin Aero) VUSION (miconazole/ zinc oxide)  OID COMBINATIONS  clotrimazole/betamethasone LOTION   (generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIHISTAMINES, MINIMALLY SEDATING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) levocetirzine (generic for Xyzal) SOLUTION loratadine CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents</li> <li>Combination products not covered – individual products may be covered</li> </ul>

#### **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine <b>TABLET</b> (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine <b>TRANSDERMAL</b> CLORPRES (chlorthalidone/clonidine) methyldopa/hydrochlorothiazide reserpine	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent</li> </ul>

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine <b>CAPSULE</b> (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine <b>TABLET</b> (generic for Colcrys) <sup>CL</sup> DUZALLO (allopurinol/lesinurad) <sup>NR</sup> ULORIC (febuxostat) <sup>CL</sup> ZURAMPIC (lesinurad) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Uloric®: Clinical reason why allopurinol cannot be used</li> <li>Zurampic®: Requires trial of allopurinol and Uloric®</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	<ul> <li>Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan</li> <li>Drug-specific criteria:</li> <li>Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> </ul>

#### **ANTIMIGRAINE AGENTS, TRIPTANSQL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		<ul> <li>Non-preferred agents will be</li> </ul>
RELPAX (eletriptan) rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents  Drug-specific criteria:  Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used  Onzetra, Zembrace: approved for patients who have failed ALL
N/A	ASAL	preferred agents
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL	ALSUMA (sumatriptan) IMITREX (sumatriptan) INJECTION sumatriptan KIT (mfr SUN) SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

#### **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide	EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic for Cogentin)	INERGICS	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within</li> </ul>
trihexyphenidyl (generic for Artane)  COMT IN	HIBITORS	the same groupDrug-specific criteria:
	entacapone (generic for Comtan) tolcapone (generic for Tasmar)	<ul> <li>Carbidopa/Levodopa ODT:         Approved for documented     </li> <li>swallowing disorder</li> </ul>
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex)	AGONISTS  NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic for Mirapex	<ul> <li>COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug</li> <li>Neupro®:</li> </ul>
ropinirole (generic for Requip)	ER) <sup>CL</sup> ropinirole ER (generic for REQUIP XL) <sup>CL</sup>	For Parkinsons: Clinical reason required why preferred agent cannot be used
MAO-B IN	HIBITORS	For Restless Leg (RLS): Requires trial OR
selegiline <b>TABLET</b> (generic for Eldepryl)	rasagiline <sup>QL</sup> (generic for Azilect) selegiline <b>CAPSULE</b> (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) <sup>CL</sup>	Contraindication to ropinirole AND pramipexole  Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required
OTHER ANTIPAR	KINSON'S DRUGS	diagnosis of Parkinson's along with preferred agent trial
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine <b>TABLET</b> carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa)  GOCOVRI ER (amantadine) <sup>NR</sup> RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	Zelapar®: Approved for documented swallowing disorder

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) OXSORALEN-ULTRA (methoxsalen) SORIATANE (acitretin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM calcipotriene SOLUTION	calcipotriene OINTMENT calcitriol (generic for Vectical) calcipotriene/betamethasone         (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) ENSTILAR         (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP         (calcipotriene/betamethasone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

#### **ANTIVIRALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		<ul> <li>Non-preferred agents will be</li> </ul>
acyclovir (generic for Zovirax)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE
famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)		preferred agent
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
RELENZA (zanamivir) <sup>QL</sup>	oseltamivir (generic for Tamiflu) <sup>QL</sup>	■ Sitavig®: Approved for recurrent herpes labialis (cold sores) in
rimantadine (generic for Flumadine)		immunocompetent adults
TAMIFLU (oseltamivir) QL		

#### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir <b>OINTMENT</b> (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone) ZOVIRAX <b>CREAM</b> (acyclovir)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL agent</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET</b> , <b>SOLUTION</b> (generic for Valium) lorazepam <b>INTENSOL</b> , <b>TABLET</b> (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents</li> <li>Drug-specific critera:</li> <li>Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®</li> </ul>

#### BENIGN PROSTATIC HYPERPLASIA (BPH) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	ALPHA BLOCKERS	
alfuzosin (generic for Uroxatral)	CARDURA XL (doxazosin)	approved for patients who have failed a trial of ONE preferred
doxazosin (generic for Cardura)	RAPAFLO (silodosin)	agent within the same group
tamsulosin (generic for Flomax)	UROXATRAL (alfuzosin)	
terazosin (generic for Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Avodart®: Covered for males only
dutasteride (generic for Avodart)	dutasteride/tamsulosin (generic for	Cardura XL®: Requires clinical reason generic IR form cannot be
finasteride (generic for Proscar)	Jalyn)	used
		■ Flomax®: Covered for males only
		Females covered for a 7 day supply with diagnosis of acute
		kidney stones
		■ Jalyn®: Requires clinical reason
		why individual agents cannot be used
		<ul> <li>Proscar®: Covered for males only</li> </ul>
		■ Uroxatral®: Covered for males
		only

PDL Updated March 1, 2018 Highlights indicated change from previous posting

### **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	<u> </u>	Non-preferred agents will be approved for patients who have failed TWO preferred agents within the last 12 months  Drug-specific criteria:  Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease  Coreg CR®: Requires clinical reason generic IR product cannot be used  Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma  Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly
BETA- AND ALP carvedilol (generic for Coreg) labetalol (generic for Trandate)  ANTIARRI sotalol (generic for Betapace)	(generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide	symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol CAPSULE 300mg (generic for Actigall)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>
	tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	<ul> <li>Drug-specific criteria:</li> <li>Myrbetriq®: Covered without trial in contraindication to anticholinergic agents</li> </ul>

#### **BONE RESORPTION SUPRESSION AND RELATED DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		<ul> <li>Non-preferred agents will be approved for</li> </ul>
alendronate (generic for Fosamax) (daily and weekly formulations)	alendronate <b>SOLUTION</b> (generic for Fosamax) <sup>QL</sup>	patients who have failed a trial of ONE preferred agent within the same group
	ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS DQL ibandronate (generic for Boniva)QL risedronate (generic for Actonel)QL  PRESSION AND RELATED DRUGS  EVISTA (raloxifene) FORTEO (teriparatide)QL FORTICAL (calcitonin) NASAL TYMLOS (abaloparatide)NR	<ul> <li>Drug-specific criteria:</li> <li>Actonel® Combinations: Covered as individual agents without prior authorization alendronate cannot be taken on an empty stomach</li> <li>Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used</li> <li>Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification</li> <li>Forteo®: Covered for high risk of fracture High risk of fracture:         BMD -3 or worse         Postmenopausal women with history of non-traumatic fractures         Postmenopausal women with 2 or more clinical risk factors – Family history of non-traumatic fractures, DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis         Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors – more than 2 units of alcohol per day, current smoker</li> <li>Men with primary or hypogonadal osteoporosis</li> <li>Osteoporosis associated with sustained systemic glucocorticoid therapy</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		<ul> <li>Non-preferred agents will be</li> </ul>
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	approved for patients who have failed a trial of ONE preferred agent within the same group
INHALERS -	- Long Acting	Drug-specific criteria:
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	Ventolin HFA®: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/
INHALATIO	N SOLUTION	contraindication/side effect to BOTH
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
Ol	RAL	
albuterol <b>SYRUP</b> terbutaline (generic for Brethine)	albuterol <b>TABLET</b> albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)	

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **CALCIUM CHANNEL BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydro	oyridines	approved for patients who have failed a trial of ONE preferred
nifedipine (generic for Procardia)	isradipine (generic for Dynacirc)	agent within the same group
	nicardipine (generic for Cardene)	
	nimodipine (generic for Nimotop)	Drug-specific criteria:
	NYMALIZE (nimodipine solution)	<ul> <li>Nimodipine: Covered without trial for diagnosis of subarachnoid</li> </ul>
Non-dihyd	ropyridines	hemorrhage
diltiazem (generic for Cardizem)		, and the second
verapamil (generic for Calan, Isoptin)		
LONG-ACTING		
Dihydro	oyridines	
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydropyridines		
diltiazem ER (generic for Cardizem CD)	CALAN SR (verapamil)	
verapamil ER <b>TABLET</b>	diltiazem LA (generic for Cardizem LA)	
·	MATZIM LA (diltiazem)	
	TIAZAC (diltiazem)	
	verapamil ER CAPSULE	
	verapamil 360mg CAPSULE	
	verapamil ER PM (generic for Verelan PM)	

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate TABLETS, CHEWABLE, SUSPENSION	amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN SUSPENSION, TABLET	approved for patients who have failed a 3-day trial of ONE preferred agent
	(amoxicillin/clavulanate)	Drug-specific criteria:
		<ul> <li>Suprax® Tablet/Chewable/</li> <li>Suspension: Requires clinical</li> </ul>
CEPHALOSPORINS	6 - First Generation	reason why capsule or generic
cefadroxil CAPSULE, SUSPENSION (generic for Duricef) cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cefadroxil <b>TABLET</b> (generic for Duricef) cephalexin <b>TABLET</b>	suspension cannot be used
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil) cefuroxime <b>TABLET</b> (generic for Ceftin)	cefaclor (generic for Ceclor) CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	ceftibuten (generic for Cedax)	
cefixime <b>SUSPENSION</b> (generic for Suprax)	cefpodoxime (generic for Vantin) SUPRAX CHEWABLE TABLET,	
SUPRAX CAPSULE (cefixime)	SUSPENSION, TABLET (cefixime)	

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) SPIRIVA (tiotropium)	ANORO ELLIPTA (umeclidinium/vilanterol)  COMBIVENT RESPIMAT (albuterol/ipratropium)  INCRUSE ELIPTA (umeclidnium)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent in the same group OR Patient specific documentation of inability to use traditional inhaler device.
	SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	Drug-specific criteria:  Daliresp®:  Covered for diagnosis of severe COPD associated with chronic bronchitis  Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	<ul> <li>exacerbation in last year upon initial review</li> </ul>
albuterol/ipratropium (generic for Duoneb) ipratropium <b>SOLUTION</b> (generic for	LONHALA (glycopyrrolate inhalation soln) <sup>NR</sup>	
Atrovent)	ACENT	
ORAL	AGENT DALIRESP (roflumilast) <sup>CL</sup>	

#### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) <b>DISP SYR</b> ZARXIO (filgrastim-sndz)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

<sup>AL</sup> – Age Limit

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **COUGH AND COLD, OPIATE COMBINATION**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine <b>SOLUTION</b> promethazine/codeine <b>SOLUTION</b>	hydrocodone/homatropine LORTUSS EX (pseudoephedrine/ codeine/guaifenesin promethazine/phenylephrine/codeine PROMETHAZINE VC-CODEINE (promethazine/phenylephrine/ codeine) TUSNEL C (pseudoephedrine/ codeine/guaifenesin) VIRTUSSIN DAC (pseudoephedrine/ codeine/guaifenesin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **CYSTIC FIBROSIS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ORKAMBI (lumacaftor/ivacaftor) SYMDEKO (tezacaftor/ivacaftor) AL	<ul> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Minimum age: 2 years</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Minimum age: 12 years</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) <sup>CL</sup> ENBREL (etanercept) HUMIRA (adalimumab)	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) KEVZARA (sarilumab) KINERET (anakinra) ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL SILIQ (brodalumab) SIMPONI (golimumab) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) ORAL XELJANZ XR (tofacitinib) ORAL	<ul> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Cosentyx: Requires trial of Humira</li> </ul>

#### **DIURETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	<ul> <li>Non-preferred agents will be</li> </ul>
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET furosemide SOLUTION, TABLET hydrochlorothiazide CAPSULE, TABLET indapamide TABLET metolazone TABLET methyclothiazide TABLET spironolactone TABLET torsemide TABLET	ALDACTONE TABLET (spironolactone)  CAROSPIR (spironolactone) SUSPENSION <sup>NR</sup> DIURIL TABLET (chlorothiazide)  DYRENIUM TABLET (triamterene) eplerenone TABLET (generic for INSPRA) ethacrynic acid CAPSULE (generic for EDECRIN)  LASIX TABLET (furosemide) MICROZIDE (hydrochlorothiazide)	approved for patients who have failed a trial of <b>TWO</b> preferred agent within the same group
COMBINATIO	N PRODUCTS	
amiloride/HCTZ <b>TABLET</b> spironolactone/HCTZ <b>TABLET</b> triamterene/HCTZ <b>CAPSULE, TABLET</b>	ALDACTAZIDE TABLET (spironolactone/HCTZ) DYAZIDE CAPSULE (triamterene/HCTZ) MAXZIDE TABLET (triamterene/HCTZ) MAXZIDE-25 TABLET (triamterene/HCTZ)	

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ENZYME REPLACEMENT, GAUCHERS DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	CERDELGA (eliglustat) ZAVESCA (miglustat)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication</li> </ul>

#### **EPINEPHRINE, SELF-INJECTED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR.	<ul> <li>Non-preferred agents require clinical documentation why the preferred product is not appropriate</li> <li>Brand name product may be authorized in event of documented national shortage of generic product.</li> </ul>

#### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) PROCRIT (rHuEPO)		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### FLUOROQUINOLONES. ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin <b>TABLET</b> (generic for Levaquin)	BAXDELA (delafloxacin) <sup>NR</sup> ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent</li> <li>Ciprofloxacin Suspension:         <ul> <li>Coverable with documented swallowing disorders</li> </ul> </li> <li>Levofloxacin Suspension:         <ul> <li>Coverable with documented swallowing disorders</li> </ul> </li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)</li> </ul>

### PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup>	alosetron (generic for Lotronex) MOVANTIK (naloxegol oxalate) RELISTOR (methylnaltrexone) TABLETQL SYMPROIC (naldemedine)NR TRULANCE (plecanatide)QL VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent</li> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Movantik®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	PRTICOIDS	Non-preferred agents will be
ASMANEX (mometasone) <sup>QL,AL</sup> FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) <sup>AL,CL</sup> ARMONAIR RESPICLICK   (fluticasone) <sup>AL</sup> ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) <sup>AL,QL</sup> FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone) <sup>NR</sup>	approved for patients who have failed a trial of TWO preferred agents within the last 6 months  Drug-specific criteria:  ■ Budesonide respules: Covered without PA for age ≤ 8 years  OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy
GLUCOCORTICOID/BRONCH	HODILATOR COMBINATIONS	-
ADVAIR DISKUS (fluticasone/ salmeterol) <sup>QL</sup> DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) <sup>QL</sup> AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) <sup>NR</sup>	
INHALATION SOLUTION		
	budesonide <b>RESPULES</b> (generic for Pulmicort)	

#### **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK, SOLUTION prednisone TABLET	cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone (generic for Medrol) ORAPRED ODT (prednisolone sodium phosphate) PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate   (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisone INTENSOL RAYOS DR (prednisone) TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older</li> <li>Approved after trial/failure with prednisone</li> </ul>

QL – Quantity/Duration Limit

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **GROWTH HORMONE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	<b>Growth Hormone PA Form</b>
NORDITROPIN (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NUTROPIN AQ (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

#### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	<ul> <li>Non-preferred agents will be</li> </ul>
ADVATE	AFSTYLA	approved for patients who have failed a trial of ONE preferred
ADYNOVATE	OBIZUR	agent
ALPHANATE		
ELOCTATE		
HELIXATE FS		
HEMOFIL-M		
HUMATE-P		
KOATE-DVI <b>KIT, VIAL</b>		
KOGENATE FS		
KOVALTRY		
MONOCLATE-P		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
XYNTHA KIT, SOLOFUSE		
FACT	OR IX	
ALPHANINE SD	IDELVION	
ALPROLIX	<i>REBINYN<sup>NR</sup></i>	
BEBULIN		
BENEFIX		
IXINITY		
MONONINE		
PROFILNINE SD		
RIXUBIS		
	IN COMPLEX-PLASMA DERIVED	
FEIBA NF		
NOVOSEVEN RT		
FACTOR X AND	XIII PRODUCTS	
	COAGADEX <sup>CL</sup>	
	CORIFACT <sup>CL</sup>	
	TRETTENCL	
-	AND PRODUCTS	
WILATE	VONVENDI <sup>CL</sup>	
BISPECIFIC	FACTORS	
	HEMLIBRA <sup>CL,NR</sup>	

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	DIRECT ACTING ANTI-VIRAL	
MAVYRET (glecaprevir/pibrentasvir) <sup>CL</sup> VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) <sup>CL</sup>	DAKLINZA (daclatasvir) CL EPCLUSA (sofosbuvir/velpatasvir) CL HARVONI (sofosbuvir/ledipasvir) CL OLYSIO (simeprevir) CL SOVALDI (sofosbuvir) CL TECHNIVIE (ombitasvir/paritaprevir/ritonavir) CL VIEKIRA PAK/XR (ombitasvir/paritaprevir/ritonavir/dasabuvir) CL ZEPATIER (elbasvir/grazoprevir) CL	<ul> <li>Non-preferred products require trial of preferred agents and will only be considered with documentation of why the preferred product is not appropriate for patient</li> <li>Patients undergoing treatment at the time of preferred status change (January 2018) will be allowed to complete treatment with same drug as started on.</li> </ul>
RIBA	VIRIN	<ul> <li>Patients newly eligible for</li> </ul>
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	Medicaid will be allowed to complete treatment with the
INTER	FERON	original that treatment was initially
PEGASYS (pegylated interferon alfa- 2a) <sup>CL</sup> PEG-INTRON (pegylated interferon alfa-2b) <sup>CL</sup>		authorized by another payor.  Drug-specific criteria:  Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA)

#### **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TABLET</b> (generic for Pepcid) ranitidine <b>TABLET</b> , <b>SYRUP</b> (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment</li> <li>Nizatadine/Cimetidine Solution/Famotidine Suspension:         <ul> <li>Requires clinical reason why ranitidine syrup cannot be used</li> </ul> </li> </ul>

#### HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 R	ECEPTOR AGONIST (GLP-1 RA)	GLP-1 RA PA Form
BYDUREON (exenatide ER) subcutaneous <sup>CL</sup> BYDUREON <b>PEN</b> (exenatide ER) subcutaneous <sup>CL</sup> BYETTA (exenatide) subcutaneous <sup>CL</sup> VICTOZA (liraglutide) subcutaneous <sup>CL</sup>	ADLYXIN (lixisenatide)  BYDUREON BCISE <b>PEN</b> (exenatide) <sup>NR,QL</sup> OZEMPIC (semaglutide) <sup>NR</sup> TANZEUM (albiglutide)  TRULICITY (dulaglutide)	<ul> <li>Preferred agents require metformin trial and diagnosis of diabetes</li> <li>Non-preferred agents will be approved for patients who have:</li> <li>Failed a trial of TWO preferred agents AND</li> <li>Diagnosis of diabetes with HbA1C ≥ 7 AND</li> <li>Trial of Metformin</li> </ul>
INSULIN/GLP-1 RA	A COMBINATIONS	-
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	
AMYLIN	ANALOG	Amylin Analog PA Form
	SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during initiation of therapy</li> </ul>
DIPEPTIDYL PEPTIDAS	SE-4 (DPP-4) INHIBITOR	
JANUMET (sitagliptin/metformin) <sup>QL</sup> JANUMET XR(sitagliptin/metformin) <sup>QL</sup> JANUVIA (sitagliptin) <sup>QL</sup> JENTADUETO (linagliptin/metformin) <sup>QL</sup> TRADJENTA (linagliptin) <sup>QL</sup>	alogliptin (generic for Nesina) <sup>QL</sup> alogliptin/metformin (generic for Kazano) <sup>QL</sup> GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) <sup>QL</sup> KOMBIGLYZE XR (saxagliptin/metformin) <sup>QL</sup> ONGLYZA (saxagliptin) <sup>QL</sup> OSENI (alogliptin/pioglitazone) <sup>QL</sup> QTERN (dapagliflozin/saxagliptin) <sup>NR,QL</sup> STEGLUJAN (ertugliflozin/sitagliptin) <sup>NR,QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL	ADMELOG (insulin lispro) <b>PEN,</b> <b>VIAL</b> <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
HUMALOG MIX VIAL (insulin lispro/lispro protamine)	AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine)	failed a trial of ONE preferred agent
HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL	BASAGLAR (insulin glargine, rec) PEN	Drug-specific criteria:  • Afrezza®: Approved for T1DM on
HUMULIN U-500 <b>VIAL</b> LANTUS SOLOSTAR <b>PEN</b> (insulin glargine)	FIASP (insulin aspart) <b>PEN, VIAL<sup>NR</sup></b> HUMALOG JR. (insulin lispro) U-100 <b>PEN</b> <sup>NR</sup>	long-acting insulin with no current history of smoking or chronic lung disease
LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL	HUMALOG (insulin lispro) U-200 PEN HUMALOG MIX PEN (insulin	<ul> <li>Humulin® R U-500 Kwikpen:</li> <li>Approved for physical reasons –</li> <li>such as dexterity problems and</li> </ul>
NOVOLOG (insulin aspart)  CARTRIDGE, PEN, VIAL	lispro/lispro protamine) HUMULIN 70/30 <b>PEN</b>	vision impairment <ul><li>Usage must be for self-</li></ul>
NOVOLOG MIX <b>PEN, VIAL</b> (insulin aspart/aspart protamine)	HUMULIN R U-500 <b>KWIKPEN</b> CL HUMULIN OTC <b>PEN</b>	<ul><li>administration, not only convenience</li><li>Patient requires &gt;200 units/day</li></ul>
	NOVOLIN (insulin) NOVOLIN 70/30 <b>VIAL</b>	<ul> <li>Safety reason patient can't use vial/syringe</li> </ul>
	TOUJEO SOLOSTAR (insulin glargine)	, c
	TRESIBA (insulin degludec)	

#### **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	<ul> <li>Non-preferred agents will be approved for patients with:</li> <li>Failure of a trial of ONE preferred agent in another class OR</li> <li>T2DM and inadequate glycemic control</li> </ul>

#### HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	<ul> <li>Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used</li> <li>Riomet®: Prior authorization not required for age &lt;7 years</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

PDL Updated March 1, 2018 *Highlights* indicated change from previous posting

#### **HYPOGLYCEMICS, SGLT2**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKANA (canagliflozin) <sup>CL</sup>	INVOKAMET & XR  (canagliflozin/metformin) <sup>QL</sup> JARDIANCE (empagliflozin) <sup>QL</sup> SEGLUROMET  (ertugliflozin/metformin) NR,QL  STEGLATRO (ertugliflozin) <sup>NR,QL</sup> SYNJARDY (empagliflozin/metformin)  SYNJARDY XR (empagliflozin/metformin) <sup>NR,QL</sup> XIGDUO XR  (dapagliflozin/metformin) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>Invokana®/Farxiga®: Approved for diagnosis of diabetes AND a trial of metformin</li> </ul>

#### HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **HYPOGLYCEMICS, TZD**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		•	Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS			
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	•	Combination products: Require clinical reason why individual ingredients cannot be used

#### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	<ul> <li>Non-preferred agents require:</li> <li>Use limited to FDA-approved indications</li> </ul>

#### IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	tacrolimus (generic for Protopic) <sup>CL</sup> DUPIXENT (dupilumab) EUCRISA (crisaborole)	<ul> <li>Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

#### with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) ZYCLARA (imiquimod)	<ul> <li>Non-preferred agents require clinical reason why preferred agent cannot be used</li> </ul>

#### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		<ul> <li>Non-preferred agents will be</li> </ul>
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE
ANTIHIS'	TAMINES	preferred agent within the same group
azelastine 0.1% (generic for Astelin)	DYMISTA (azelastine/fluticasone)	group
azelastine 0.15% (generic for Astepro)	olopatadine (generic for Patanase)	Drug-specific criteria:
PATANASE (olopatadine)		Mometasone: Prior authorization
CORTICOSTEROIDS		NOT required for children ≤ 12 years
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone)	<ul> <li>Budesonide: Approved for use in</li> </ul>
	budesonide Rx (generic for Rhinocort)	Pregnancy (Pregnancy Category B)
	flunisolide (generic for Nasalide)	<ul> <li>Veramyst®: Prior authorization</li> </ul>
	mometasone (generic for Nasonex)	NOT required for children ≤ 12
	OMNARIS (ciclesonide)	years
	QNASL 40 & 80 (beclomethasone)	
	TICANASE (fluticasone)	
	VERAMYST (fluticasone)	
	ZETONNA (ciclesonide)	

#### **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair)	montelukast <b>GRANULES</b> (generic for Singulair) zafirlukast (generic for Accolate) ZYFLO (zileuton) ZYFLO CR (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent</li> <li>Drug-specific criteria:</li> <li>Montelukast granules:         <ul> <li>PA not required for age &lt; 2 years</li> </ul> </li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# LIPOTROPICS OTHER

LIPOTROPICS, OTHER		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol <b>TABLETS</b> (generic for Colestid)	colestipol <b>GRANULES</b> (generic for Colestid) QUESTRAN LIGHT (cholestyramine) WELCHOL (colesevalam)	patients who have failed a trial of ONE preferred agent within the same group  Drug-specific criteria:  Juxtapid®/ Kynamro®: Approved for
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	<ul> <li>diagnosis of homozygous familial hypercholesterolemia (HoFH) OR</li> </ul>
	JUXTAPID (lomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup>	Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants Require faxed copy of REMS PA form  Lovaza®: Approved for TG ≥ 500  Praluent®: Approved for diagnoses of:  atherosclerotic cardiovascular disease (ASCVD)
FIBRIC ACID	DERIVATIVES	
fenofibrate (generic for Tricor) fenofibric acid (generic for Trilipix) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra) fenofibric acid (generic for Fibricor) TRICOR (fenofibrate) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	
NIA	CIN	<ul> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul>
	NIACOR (niacin IR) NIASPAN (niacin ER)  and fish oil are also covered without prior	Maximized high-intensity statin WITH ezetimibe for at 3 continuous months     Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL
	licaid with a prescription*	Repatha®: Approved for:
OMEGA-3 F	omega-3 fatty acids (generic for Lovaza) <sup>CL</sup> VASCEPA (icosapent) <sup>CL</sup>	<ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul>
CHOLESTEROL ABS	ORPTION INHIBITORS	homozygous familial     homozygous familial
	ezetimibe (generic for Zetia)	<ul><li>hypercholesterolemia (HoFH) in age ≥</li><li>13</li></ul>
	BTILISIN/KEXIN TYPE 9 (PCSK9) BITORS	statin-induce rhabdomyolysis  AND  AND
	PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	<ul> <li>Maximized high-intensity statin WITH ezetimibe for 3+ continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Concurrent use of maximally-tolerated statin must continue</li> <li>Vascepa®: Approved for TG ≥ 500</li> <li>WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate</li> <li>Zetia®: Approvd for diagnosis of hypercholesterolemia AND failed statin monotherapy OR statin intolerance/contraindication</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atorvastatin (generic for Lipitor) <sup>QL</sup> lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altoprev<sup>®</sup>: One of the TWO trials must be IR lovastatin</li> <li>Combination products: Require clinical reason why individual</li> </ul>
STATIN COM	atorvastatin/amlodiine (generic for CADUET)  VYTORIN (simvastatin/ezetimibe)	ingredients cannot be used  Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used  Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin

# **MACROLIDES AND KETOLIDES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETO	CLIDES  KETEK (telithromycin)  OLIDES  clarithromycin ER (generic for Biaxin XL)  EES SUSPENSION, TABLET  ERY-TAB  ERYPED 200 SUSPENSION  ERYTHROCIN  erythromycin base TABLET,  CAPSULE  PCE (erythromycin)  ZMAX (azithromycin ER)  ZITHROMAX (azithromycin)	<ul> <li>Ketek®: Requires clinical resaon why patient cannot use preferred macrolide</li> <li>Macrolides: Require clinical reason why preferred products cannot be used AND ≥ 3-day trial on a preferred macrolide</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) <b>SUB-Q</b> RASUVO (methotrexate) <b>SUB-Q</b> TREXALL (methotrexate) <b>TABLET</b> XATMEP (methotrexate) <b>SOLUTION</b>	<ul> <li>Non-preferred agents will be approved for FDA-approved indications</li> <li>Drug-specific criteria:</li> <li>Xatmep<sup>TM</sup>:Indicated for pediatric patients only</li> </ul>

#### **MOVEMENT DISORDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) <sup>CL</sup> INGREZZA (valbenazine) <sup>CL</sup> tetrabenazine (generic for Xenazine) <sup>CL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia</li> <li>Ingrezza: Diagnosis of Tardive Dyskinesia in adults</li> <li>Tetrabenazine: Diagnosis of chorea with Huntington Disease</li> </ul>

#### **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE <b>20mg</b> Syringe Kit (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL,CL</sup> REBIF (interferon beta-1a) <sup>QL</sup>	AMPYRA (dalfampridine) <sup>QL</sup> AUBAGIO (teriflunomide) EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) <sup>QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Gilenya®: Requires trial of preferred injectable agent (Avonex®, Betaseron®, Copaxone®, Rebif®)</li> <li>Plegridy®: Approved for diagnosis of relapsing MS</li> </ul>

 $<sup>^{\</sup>mathrm{QL}}$  – Quantity/Duration Limit

PDL Updated March 1, 2018 Highlights indicated change from previous posting

## **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID CAPSULE (nitrofurantoin monohydrate macrocrystals)  MACRODANTIN CAPSULE (nitrofurantoin macrocrystals)  FURADANTIN SUSPENSION (nitrofurantoin)	Non-preferred agents will be approved for patients who have failed a trial of <b>ONE</b> preferred agent

#### **NSAIDS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SE	LECTIVE	<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen TABLET OTC, Rx (generic for Advil, Motrin) indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril)	diclofenac potassium (generic for Cataflam) diflunisal (generic for Dolobid) etodolac & sr (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION Ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) meclofenamate (generic for Ponstel) meloxicam SUSPENSION (generic Mobic) naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Anaprox) oxaprozin (generic for Daypro) piroxicam (generic for Feldene) tolmetin (generic for Tolectin)	failed no less than 30-day trial of TWO preferred agents  Drug-specific criteria:  Arthrotec®: Requires clinical reason why individual ingredients cannot be used  Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used  Meclofenamate: Approvable without trial of preferred agents for menorrhagia  Meloxicam suspension: Approved for age ≤ 11 years

PDL Updated March 1, 2018 Highlights indicated change from previous posting

## **NSAID (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	COX-I SELECTIVE (continued)	
	ALL BRAND NAME NSAIDs including:  CAMBIA (diclofenac oral solution)  DUEXIS (ibuprofen/famotidine)  SPRIX (ketorolac) <sup>QL</sup> TIVORBEX (indomethacin)  VIMOVO (naprosyn/esomeprazole)  VIVLODEX (meloxican submicronized)  ZIPSOR (diclofenac)  ZORVOLEX (diclofenac)	approved for patients who have failed no less than 30-day trial of TWO preferred agents  Drug-specific criteria:  Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs  Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used
NSAID/GI PROTECTA	ANT COMBINATIONS	diclofenac OR clinical reason why
	diclofenac/misoprostol (generic for Arthrotec)	diclofenac potassium/sodium cannot be used
COX-II SE	ELECTIVE	
celecoxib (generic for Celebrex)		

# **NSAIDS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution)  FLECTOR <b>PATCH</b> (diclofenac)  PENNSAID <b>PACKET</b> <sup>NR</sup> , <b>PUMP</b> (diclofenac)  VOLTAREN <b>GEL</b> (diclofenac)	<ul> <li>Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form</li> </ul>

# PDL Updated March 1, 2018 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a>
for coverage information and prior authorization status for products not listed.

for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, BREAST CANCER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate XELODA (capecitabine)	capecitabine (generic for Xeloda) FARESTON (toremifene) IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK NERLYNX (neratinib) TYKERB (lapatinib) VERZENIO (abemaciclib) <sup>NR</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> <li>Fareston®: Require clinical reason why tamoxifen cannot be used</li> <li>Letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALKERAN (melphalan) GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) IMBRUVICA (irutinib) JAKAFI (ruxolitinib) LEUKERAN (chlorambucil) MATULANE (procarbazine) mercaptopurine MYLERAN (busulfan) REVLIMID (lenalidomide) SPRYCEL (dasatinib) TASIGNA (nilotinib)	BOSULIF (bosutinib)  CALQUENCE (acalabrutinib) <sup>NR,QL</sup> FARYDAK (panobinostat)  HYDREA (hydroxyurea)  ICLUSIG (ponatinib)  IDHIFA (enasidenib)  imatinib (generic for Gleevec)  melphalan (generic for Alkeran)  NINLARO (ixazomib)  POMALYST (pomalidomide)  PURIXAN (mercaptopurine)  RYDAPT (midostaurin)  TABLOID (thioguanine)  THALOMID (thalidomide)  tretinoin (generic for Vesanoid)  VENCLEXTA (venetoclax)  ZOLINZA (vorinostat)  ZYDELIG (idelalisib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> <li>Tabloid (thioguanine): Prior authorization not required for age &lt; 19</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply

PDL Updated March 1, 2018 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GILOTRIF (afatinib) HYCAMTIN (topotecan) IRESSA (gefitinib) TARCEVA (erlotinib) XALKORI (crizotinib)	ALECENSA (alectinib) ALUNBRIG (brigatinib) TAGRISSO (osimertinib) ZYKADIA (ceritinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) cyclophosphamide (generic for Cytoxan) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) ZEJULA (niraparib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

## **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	CASODEX (bicalutamide) EMCYT (estramustine) nilutamide (generic for Nilandron) XTANDI (enzalutamide) ZYTIGA (abiraterone) ERLEADA (apalutamide) <sup>NR, QL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
		<ul> <li>Nilandron®: Approved for males only for metastatic prostate cancer</li> </ul>

CL – Prior Authorization / Class Criteria apply

PDL Updated March 1, 2018 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AFINITOR (everolimus) INLYTA (axitinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR <b>DISPERZ</b> CL CABOMETYX (cabozantinib) LENVIMA (lenvatinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
		<ul> <li>Drug-specific critera</li> <li>Afinitor Disperz®: Requires clinical reason why Afinitor® cannot be used</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)		<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

## with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		Non-preferred agents will be
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan)  MOXEZA (moxifloxacin)  ofloxacin (generic for Ocuflox)  VIGAMOX (moxifloxacin)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox)	<ul> <li>approved for patients who have failed a one month trial of TWO preferred agent within the same group</li> <li>Azasite®: Approval only requires trial of erythromycin</li> </ul>
MACR	OLIDES	Drug-specific criteria:
erythromycin	AZASITE (azithromycin)	Natacyn®: Approved for
AMINOGL	YCOSIDES	documented fungal infection
gentamicin <b>SOLUTION</b> , <b>OINTMENT</b> tobramycin (generic for Tobrex drops) TOBREX <b>OINTMENT</b> (tobramycin)		
OTHER OPHTH	ALMIC AGENTS	
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

## with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

### **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

#### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

## with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CORTICOSTEROIDS			Non-preferred agents will be
DUREZOL (difluprednate) FLAREX (fluorometholone) fluorometholone 0.1% (generic for FML) OINTMENT) LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	FML S.O.P. (fluorometholone 0.1%) LOTEMAX <b>OINTMENT</b> , <b>GEL</b> (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte)		approved for patients who have failed a trial of TWO preferred agents  NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	prednisolone sodium phosphate 1%  AID	-	
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) ketorolac 0.5% (generic for Acular) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)		

# **OPHTHALMICS, IMMUNOMODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	XIIDRA (lifitegrast)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

## with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		<ul> <li>Non-preferred agents will be</li> </ul>
Pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within the same group
SYMPATHO	MIMETICS	
Alphagan P (brimonidine 0.15%)	Alphagan P (brimonidine 0.1%)	
brimonidine 0.2% (generic for	apraclonidine (generic for lopidine)	
Alphagan)	brimonidine P 0.15%	
BETA BLO	OCKERS	
carteolol (generic for Ocupress)	betaxolol (generic for Betoptic)	
levobunolol (generic for Betagan)	BETIMOL (timolol)	
metipranolol (generic for Optipranolol)	BETOPTIC S (betaxolol)	
timolol (generic for Timoptic)	Timolol (generic for Istalol)	
	TIMOPTIC OCUDOSE	
	TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDI	RASE INHIBITORS	
AZOPT (brinzolamide)	TRUSOPT (dorzolamide)	
dorzolamide (generic for Trusopt)		
PROSTAGLAND	OIN ANALOGS	
latanoprost (generic for Xalatan)	bimatoprost (generic for Lumigan)	
TRAVATAN Z (travoprost)	VYZULTA (latanoprostene) <sup>NR</sup>	
	XALATAN (latanoprost)	
	ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol)	COSOPT (dorzolamide/timolol)	
dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)		

# with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# **OPIATE DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE <b>FILM</b> (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine <b>SL</b> buprenorphine/naloxone <b>SL</b> ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent  Non-Preferred: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient

#### **OPIATE-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products are not appropriate for the patient</li> </ul>

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
,	acetic acid/aluminum (generic for Otic Domeboro) acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of BOTH preferred agents</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

#### **PENICLLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE, SUSPENSION dicloxacillin penicillin VK	amoxicillin ER <b>TABLET</b> MOXATAG (amoxicillin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent</li> </ul>

#### PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET, CAPSULE</b> CALPHRON OTC (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) sevelamer carbonate (generic for Renvela) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months</li> </ul>

#### PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) Aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) DURLAZA (aspirin) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent OR documented clopidogrel resistance</li> <li>Drug-specific criteria:</li> <li>Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### PRENATAL VITAMINS

## with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA MDV, SDV (hydroxyprogesterone caproate)	MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) <sup>NR</sup>	<ul> <li>When filled as outpatient prescription, use limited to:         <ul> <li>Singleton pregnancy AND</li> <li>Previous Pre-term delivery AND</li> </ul> </li> <li>No more than 20 doses (administered between 16 -36 weeks gestation)</li> <li>Maximum of 30 days per dispensing</li> </ul>

#### **PROTON PUMP INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents</li> <li>Pediatric Patients:         <ul> <li>Patients ≤ 4 years of age − No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounded suspension.</li> <li>Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:</li></ul></li></ul>

## with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### PULMONARY ARTERIAL HYPERTENSION AGENTS, ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) <sup>CL</sup> LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) TRACLEER (bosentan) TYVASO <b>INHALATION</b> (treprostinil) VENTAVIS <b>INHALATION</b> (iloprost)	ADEMPAS (riociguat) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) TRACLEER TABLETS FOR SUSPENSION (bosentan) <sup>NR</sup> UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®:</li></ul></li></ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

## **SEDATIVE HYPNOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIAZEPINES		■ Lunesta®/ Rozerem®/Zolpidem
temazepam 15mg, 30mg (generic for Restoril)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam 7.5mg, 22.5mg triazolam (generic for Halcion) HERS	ER: Requires a trial with generic zolpidem within the last 12 months AND  Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used  Ativan®/Klonopin®/Valium®:
zaleplon (generic for Sonata) zolpidem (generic for Ambien)	BELSOMRA (suvorexant) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) <sup>CL</sup> ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo) ZOLPIMIST (zolpidem oral spray)	Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy  Edluar®: Requires a trial with generic zolpidem within the last 12 months AND  Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Requires documentation of swallowing disorder  Flurazepam/Triazolam: Requirestrial of BOTH preferred benzodiazepines  Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepines cannot be used  Silenor®: Must meet one of the following:  Contraindication to preferred oral sedative hypnotics  Medical necessity for doxepin dose < 10mg  Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met)  Temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used  Zolpidem/Zolpidem ER:

# PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **SINUS NODE INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
eaclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) nethocarbamol (generic for Robaxin) izanidine TABLET (generic for Zanaflex)	AMRIX (cyclobenzaprine) <sup>CL</sup> carisoprodol (generic for Soma) carisoprodol compound dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic for Skelaxin) orphenadrine ER SOMA (carisoprodol) <sup>CL</sup> tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents</li> <li>Drug-specific criteria:         <ul> <li>Amrix®/Fexmid®: Requires clinicareason why IR cyclobenzaprine cannot be used</li> <li>Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> </ul> </li> <li>Carisoprodol: Approved for Acute, musculoskeletal pain - NO for chronic pain         Use is limited to no more than 30 days</li></ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
LOW P	OTENCY	•	Low Potency: Non-preferred
hydrocortisone CREAM, GEL, OINTMENT (generic for Cortaid)	alclometasone dipropionate (generic for Aclovate)		agents will be approved for patients who have failed a trial of ONE preferred agents
hydrocortisone OTC LOTION	CAPEX <b>SHAMPOO</b> (fluocinolone)		
hydrocortisone RX LOTION	DESONATE (desonide <b>GEL</b> )		
hydrocortisone/aloe OINTMENT, CREAM	desonide <b>LOTION</b> (generic for Desowen) desonide <b>CREAM</b> , <b>OINTMENT</b> (generic for former products Desowen, Tridesilon) fluocinolone 0.01% <b>OIL</b> (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)		

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MEDIUM	POTENCY	Non-preferred agents will be
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>
	prednicarbate (generic for Dermatop)	
HIGH P	OTENCY	
triamcinolone acetonide OINTMENT, CREAM (generic for Kenalog) triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate (generic for Diprolene) betamethasone dipro/prop gly (augmented) betamethasone valerate (generic for Beta-Val) desoximetasone (generic for Topicort) diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient HALOG (halcinonide) KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	

PDL Updated March 1, 2018 Highlights indicated change from previous posting

# STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
VERY HIGH	POTENCY	-	Non-preferred agents will be
clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) OLUX-E /OLUX/OLUX-E CP (clobetasol)		approved for patients who have failed a trial of TWO preferred agents

# STIMULANTS AND RELATED ADHD DRUGS<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo)	ADZENYS ER (amphetamine) <b>SUSPENSION</b> <sup>NR</sup>	agent within the same group
amphetamine salt combination IR	ADZENYS XR (amphetamine)	Drug-specific criteria:
VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	amphetamine salt combination ER (generic for Adderall XR)	<ul> <li>Procentra®: May be approved with documentation of swallowing disorder</li> </ul>
	dextroamphetamine (generic for Dexedrine)	Zenzedi®: Requires clinical reason generic dextroamphetamine IR
	dextroamphetamine <b>SOLUTION</b> (generic for Procentra)	cannot be used
	dextroamphetamine ER (generic for Dexedrine ER)	
	DYANAVEL XR (amphetamine)	
	MYDAYIS (amphetamine salt combo) <sup>QL</sup>	
	EVEKEO (amphetamine sulfate)	
	methamphetamine (generic for Desoxyn)	

# with Prior Authorization Criteria

PDL Updated March 1, 2018 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	Non-preferred agents will be
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	approved for patients who have failed a trial of TWO preferred agents
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)	Drug-specific criteria:  - Daytrana®: May be approved in history of substance abuse by
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) QUILLICHEW ER (methylphenidate)	COTEMPLA XR-ODT (methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin) RITALIN (methylphenidate)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)  CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg	
	methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)	
MISCELL	ANEOUS	
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)	clonidine ER (generic for Kapvay) <sup>CL</sup> STRATTERA (atomoxetine)	Note: generic IR guanfacine and Clonidine ER/Guanfacine IR are available without prior authorization
ANALI	EPTICS	
	modafanil (generic for Provigil) <sup>CL</sup> armodafinil (generic for Nuvigil) <sup>CL</sup>	<ul> <li>Armodafinil: Requires trial of Provigil</li> <li>Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder</li> <li>Modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	demeclocycline CL DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET, SUSPENSION, 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULENR, QL	<ul> <li>Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents</li> <li>Drug-specific criteria:</li> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used</li> <li>Vibramycin® suspension: May be approved with documented swallowing difficulty</li> </ul>

#### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic for Synthroid) liothyronine <b>TABLET</b> (generic for Cytomel) thyroid, pork <b>TABLET</b>	CYTOMEL <b>TABLET</b> (liothyronine) SYNTHROID <b>TABLET</b> (levothyroxine) THYROLAR <b>TABLET</b> (liotrix) TIROSINT <b>TABLET</b> (levothyroxine)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

PDL Updated March 1, 2018 Highlights indicated change from previous posting

#### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
0	RAL	<ul> <li>Non-preferred agents will be</li> </ul>
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine (generic for Asacol HD) PENTASA (mesalamine) UCERIS (budesonide)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be</li> </ul>
RE	CTAL	<ul> <li>used</li> <li>Giazo<sup>®</sup>: Requires clinical reason</li> </ul>
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	why generic balsalazide cannot be used  NOT covered in females

#### **VASODILATORS, CORONARY**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID <b>OINTMENT</b> (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic for Nitrolingual) NITROMIST (nitroglycerin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>