



PDL Updated May 1, 2018 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Amylinomimetic Agents PA Form
- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

- Documentation of Medical Necessity PA Form
- Documentation of Medical Necessity for Quantity Limit or High Dose Override PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) benzoxyl peroxide GEL, CREAM, WASH, LOTION OTC clindamcyin phosphate SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL (benzoyl peroxide) OTC RETIN-A GEL, CREAM ^{AL}	ACANYA (clindamycin and benzoyl peroxide) dapsone (generic forACZONE) adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene/benzoyl peroxide (generic EPIDUO) ATRALIN (tretinoin) BENZACLIN GEL (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/tretinoin (generic for Veltin & Ziana) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) ONEXTON (clindamycin/benzoyl peroxide) RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) TAZORAC (tazarotene) tretinoin CREAM, GELAL tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ALZHEIMER'S DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERA	ASE INHIBITORS	 Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	OR ANTAGONIST	,
·	NAMENDA (memantine) NAMENDA SOLUTION NAMENDA XR (memantine ER) NAMZARIC (memantine/donepezil) memantine soln (generic for Namenda)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

ANALGESICS, OPIATE LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) fentanyl 25, 50, 75, 100 mcg PATCH HYSINGLA ER (hydrocodone, extended release) morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) ^{QL} BELBUCA (buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{NR} DURAGESIC MATRIX (fentanyl) EMBEDA (morphine sulfate/ naltrexone) fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{CL} hydromorphone ER (generic for Exalgo) ^{CL} KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND (morphine sulfate) ^{NR} morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone bitartrate ER)	 Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within the last 6 months Drug-specific criteria: Exalgo®/Exalgo ER®: Clinical reason why IR hydromorphone can't be used Methadone: Trial of preferred drug not required for end of life care Oxycontin®: Pain contract required for maximum quantity authorization Ultram ER®: Clinical reason why IR tramadol can't be used Zohydro ER®: Clinical reason why IR hydrocodone can't be used

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANALGESICS, OPIATE SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	 Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine ORAL oxycodone/APAP tramadol		approved for patients who have failed THREE preferred agents within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Drug-specific criteria: Abstral®/Actiq®/Fentora®/Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of longacting opiate Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason why individual ingredients can't be used Xartemis XR®: Approved only for diagnosis of acute pain
	butorphanol NASAL SPRAY QL LAZANDA (fentanyl citrate)	
BUCCAL/TRA	NSMUCOSAL	
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic for Actiq) ^{CL} FENTORA (fentanyl) ^{CL} SUBSYS (fentanyl spray) ^{CL}	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) AXIRON (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within the last 6 months Drug-specific criteria: Androderm®/Androgel®:

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION trandolapril (generic for Mavik)	 approved for patients who have failed TWO preferred agents within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned® and Qbrelis® Oral
ACE INHIBITOR/DIURETIC COMBINATIONS		Solution: Clinical reason why oral tablet is not appropriate
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) EDARBYCLOR (azilsartan/ chlorthalidone) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOC	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	 approved for patients who have failed TWO preferred agents within the last 12 months Non-preferred combination products may be covered as individual prescriptions without
	MODULATOR/	prior authorization
benazepril/amlodipine (generic for Lotrel)	amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) TEKAMLO (aliskiren/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT) NINHIBITORS	 Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure with both preferred agents Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: May be approved witha history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers within the last 12 months
	TEKTURNA (aliskiren)	
DIRECT RENIN INHIB	ITOR COMBINATIONS	
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBI	TOR COMBINATION	 Entresto[®]: Approved only for
ENTRESTO (sacubitril/valsartan) ^{CL} ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	NYHA Class II-IV Heart Failure with reduced ejection fraction Does NOT require class criteria
	BYVALSON (nevibolol/valsartan)	 Byvalson®: Approved for hypertension in those patients not adequately controlled on valsartan 80mg or nebivolol up to 10mg

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTHELMINITICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin pyrantel pamoate OTC STROMECTOL (ivermectin)	EMVERM (mebendazole)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	 Class Criteria: Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment failure with or contraindication to: antihistamines AND montelukast Clinical reason as to why allergy shots cannot be used. Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age.

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metronidazole TABLET neomycin vancomycin COMPOUNDED ORAL SOLUTION	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE SOLOSEC (secnidazole) ^{NR} tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin OR metronidazole is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used Tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis Vancomycin capsules: Trial and failure with metronidazole Trial may be bypassed if initial or recurrent episode of SEVERE C. difficile colitis: Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR Serum creatinine ≥ 1.5 times premorbid level Provider to provide labs for documentation Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomcin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Tobi)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Tobi Podhaler®: Requires trial on inhaled solution or documentation why solution cannot be used Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required

ANTIBIOTICS. TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	ALTABAX (retapamulin) CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within the last 12 months Drug-specific criteria: Altabax®: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used Mupirocin® Cream: Clinical reason the ointment cannot be used

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within the last 6 months

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{QL}	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within the last 12 months Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dronabinol (generic for Marinol) ^{AL}	BINOIDS CESAMET (nabilone) SYNDROS (dronabinol) ^{NR}	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within the same group
5HT3 RECEPT	OR BLOCKERS	_ and came group
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron)	■ Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist WITHOUT trial of
INIX-1 RECEPTO	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	preferred agents Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide,
TRADITIONAL	ANTIEMETICS	Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose	COMPRO (prochlorperazine rectal) metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg trimethobenzamide, oral (generic for Tigan) BONJESTA (doxylamine/pyridoxine) ^{NR,CL,QL}	

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIFUNGALS ORAL

ANTIFUNGALS, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin TABLET, SUSPENSION terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) ^{CL,AL} nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) ^{CL} voriconazole (generic for VFEND) ^{CL}	Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Ommel®: Requires trial and failure or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial spon oral cannot be used Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	JNGAL	Non-preferred agents will be
clotrimazole CREAM (generic for	ALEVAZOL (clotrimazole) OTC	approved for patients who have failed a trial of TWO preferred agents
Lotrimin) RX, OTC	BENSAL HP (salicylic acid)	within the last 6 months
ketoconazole CREAM, SHAMPOO	ciclopirox CREAM, GEL,	
(generic for Nizoral)	SUSPENSION (generic for	Drug-specific criteria:
LAMISIL AT CREAM (terbinafine) OTC	Ciclodan, Loprox)	 Extina®: Requires trial and failure or contraindication to other
miconazole OTC CREAM, SPRAY, POWDER	ciclopirox NAIL LACQUER (generic for Penlac)	ketoconazole forms
nystatin	ciclopirox SHAMPOO (generic for	■ Jublia®: Approved diagnoses include
selenium sulfide 2.5%	Loprox)	Onychomycosis of the toenails due to <i>T. rubrum</i> OR <i>T. mentagrophytes</i>
terbinafine OTC (generic for Lamisil AT)	clotrimazole SOLUTION RX (generic	Nystatin/Triamcinolone: individual
tolnaftate OTC (generic for Tinactin)	for Lotrimin)	ingredients available without prior authorization
	DESENEX AERO POWDER OTC (miconazole)	■ Ciclopirox nail lacquer: No trial
	econazole (generic for Spectazole)	required in diabetes, peripheral
	ERTACZO (sertaconazole)	vascular disease (PVD), immunocompromised OR
	EXELDERM (sulconazole)	contraindication to oral terbinafine
	EXTINA (ketoconazole)	
	FUNGOID OTC	
	JUBLIA (efinaconazole)	
	ketoconazole FOAM (generic for	
	Ketodan)	
	LAMISIL AT GEL , SPRAY (terbinafine) OTC	
	LOPROX (ciclopirox) SUSPENSION	
	LOTRIMIN AF CREAM OTC (clotrimazole)	
	LOTRIMIN ULTRA (bufenafine)	
	LUZU (luliconazole)	
	MENTAX (butenafine)	
	miconazole OTC OINTMENT	
	naftifine (generic for Naftin)	
	oxiconazole (generic for Oxistat)	
	selenium sulfide 2.25%	
	tolnaftate POWDER OTC (generic for Tinactin Aero)	
	VUSION (miconazole/ zinc oxide)	
ANTIFUNGAL/STER	OID COMBINATIONS	
	clotrimazole/betamethasone LOTION	
(generic for Lotrisone)	(generic for Lotrisone)	
	nystatin/triamcinolone (generic for Mycolog)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. $^{\text{CL}}$ – Prior Authorization / Class Criteria apply $^{\text{QL}}$ – Quantity/Duration Limit

AL – Age Limit

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET , SOLUTION (generic for Zyrtec) loratadine TABLET , SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) levocetirzine (generic for Xyzal) SOLUTION loratadine CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL CLORPRES (chlorthalidone/clonidine) methyldopa/hydrochlorothiazide reserpine	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} DUZALLO (allopurinol/lesinurad) ^{NR} ULORIC (febuxostat) ^{CL} ZURAMPIC (lesinurad) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Uloric®: Clinical reason why allopurinol cannot be used Zurampic®: Requires trial of allopurinol and Uloric®

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia[®]: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
RELPAX (eletriptan) rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig	approved for patients who have failed ALL preferred agents Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
ZMT) NASAL		_ preferred agents
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL	ALSUMA (sumatriptan) IMITREX (sumatriptan) INJECTION sumatriptan KIT (mfr SUN) SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide	EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic for Cogentin)	INERGICS	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within
trihexyphenidyl (generic for Artane) COMT INI	HIBITORS	the same groupDrug-specific criteria:
	entacapone (generic for Comtan) tolcapone (generic for Tasmar)	 Carbidopa/Levodopa ODT: Approved for documented swallowing disorder
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex)	AGONISTS NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex	■ COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug
ropinirole (generic for Requip)	ER) ^{CL} ropinirole ER (generic for REQUIP XL) ^{CL}	 Neupro®: For Parkinsons: Clinical reason required why preferred agent cannot be used
MAO-B IN	HIBITORS	For Restless Leg (RLS):
selegiline TABLET (generic for Eldepryl)	rasagiline ^{QL} (generic for Azilect) selegiline CAPSULE (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	Requires trial OR Contraindication to ropinirole AND pramipexole Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required
OTHER ANTIPAR	KINSON'S DRUGS	diagnosis of Parkinson's along with preferred agent trial
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) GOCOVRI ER (amantadine) ^{NR} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	Zelapar®: Approved for documented swallowing disorder

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) OXSORALEN-ULTRA (methoxsalen) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM calcipotriene SOLUTION	calcipotriene OINTMENT calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		 Non-preferred agents will be
acyclovir (generic for Zovirax)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE
famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)		preferred agent
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
RELENZA (zanamivir)QL	oseltamivir (generic for Tamiflu) ^{QL}	Sitavig®: Approved for recurrent herpes labialis (cold sores) in
rimantadine (generic for Flumadine)		immunocompetent adults
TAMIFLU (oseltamivir) QL		

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone) ZOVIRAX CREAM (acyclovir)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL agent

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLUTION (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents Drug-specific critera: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

BENIGN PROSTATIC HYPERPLASIA (BPH) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	Non-preferred agents will be
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	CARDURA XL (doxazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin) SE (5AR) INHIBITORS dutasteride/tamsulosin (generic for Jalyn)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Avodart®: Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Covered for males only Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used Proscar®: Covered for males only
		 Uroxatral[®]: Covered for males only

PDL Updated May 1, 2018 Highlights indicated change from previous posting

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) bisoprolol (generic for Zebeta) BYSTOLIC (nebivolol)	Non-preferred agents will be approved for patients who have failed TWO preferred agents within the last 12 months Drug-specific criteria:
metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	DUTOPROL (metoprolol XR and HCTZ) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	 Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol CAPSULE 300mg (generic for Actigall)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent
	tolterodine & ER (generic for Detrol/LA)	Drug-specific criteria: Myrbetriq®: Covered without trial
	trospium & ER (generic for Sanctura/XR)	in contraindication to anticholinergic agents

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		 Non-preferred agents will be approved for patients who have failed a trial of ONE
alendronate (generic for Fosamax) (daily and weekly formulations) OTHER BONE RESORPTION SUP	alendronate SOLUTION (generic for Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D ^{QL} ibandronate (generic for Boniva) ^{QL} risedronate (generic for Actonel) ^{QL} PRESSION AND RELATED DRUGS	preferred agent within the same group Drug-specific criteria: Actonel® Combinations: Covered as individual agents without prior authorization Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used
calcitonin-salmon NASAL raloxifene (generic for Evista)	EVISTA (raloxifene) FORTEO (teriparatide) ^{QL} FORTICAL (calcitonin) NASAL TYMLOS (abaloparatide) ^{NR}	 Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors – Family history of non-traumatic fractures, DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors – more than 2 units of alcohol per day, current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of Miacalcin not required

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		 Non-preferred agents will be approved for patients who have
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	failed a trial of ONE preferred agent within the same group
INHALERS -	- Long Acting	Drug-specific criteria:
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	Ventolin HFA®: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/
INHALATIO	N SOLUTION	contraindication/side effect to BOTH
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
OI	RAL	
albuterol SYRUP terbutaline (generic for Brethine)	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	pyridines	approved for patients who havefailed a trial of ONE preferred
nifedipine (generic for Procardia)	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nimodipine (generic for Nimotop)	agent within the same group Drug-specific criteria:
	NYMALIZE (nimodipine solution)	Nimodipine: Covered without trial
Non-dihydı	opyridines	 for diagnosis of subarachnoid hemorrhage
diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)		
LONG-ACTING		_
Dihydrop	pyridines	_
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydı	opyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		 Non-preferred agents will be
amoxicillin/clavulanate TABLETS, CHEWABLE, SUSPENSION	amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN SUSPENSION , TABLET (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent Drug-specific criteria:
		■ Suprax® Tablet/Chewable/
CEPHALOSPORINS	6 – First Generation	Suspension: Requires clinical
cefadroxil CAPSULE, SUSPENSION (generic for Duricef) cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cefadroxil TABLET (generic for Duricef) cephalexin TABLET DAXBIA (cephalexin) ^{NR}	reason why capsule or generic suspension cannot be used
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil) cefuroxime TABLET (generic for Ceftin)	cefaclor (generic for Ceclor) CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef) cefixime SUSPENSION (generic for Suprax) SUPRAX CAPSULE (cefixime)	ceftibuten (generic for Cedax) cefpodoxime (generic for Vantin) SUPRAX CHEWABLE TABLET, SUSPENSION, TABLET (cefixime)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 *Highlights* indicated change from previous posting

CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) SPIRIVA (tiotropium)	ANORO ELLIPTA (umeclidinium/vilanterol) COMBIVENT RESPIMAT (albuterol/ipratropium)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent in the same group OR Patient specific documentation of inability to use traditional inhaler
	INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	 exacerbation in last year upon initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) ^{NR}	
•	AGENT	
	DALIRESP (roflumilast) ^{CL}	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) DISP SYR ZARXIO (filgrastim-sndz)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine SOLUTION promethazine/codeine SOLUTION	hydrocodone/homatropine LORTUSS EX (pseudoephedrine/ codeine/guaifenesin promethazine/phenylephrine/codeine PROMETHAZINE VC-CODEINE (promethazine/phenylephrine/ codeine) TUSNEL C (pseudoephedrine/ codeine/guaifenesin) VIRTUSSIN DAC (pseudoephedrine/ codeine/guaifenesin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET , TABLET (ivacaftor) ORKAMBI (lumacaftor/ivacaftor) SYMDEKO (tezacaftor/ivacaftor) ^{NR, QL,} AL	 Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Minimum age: 2 years Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 12 years

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ^{CL} ENBREL (etanercept) HUMIRA (adalimumab)	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) KEVZARA (sarilumab) KINERET (anakinra) ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL SILIQ (brodalumab) SIMPONI (golimumab) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) ORAL XELJANZ XR (tofacitinib) ORAL	 Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent Drug-specific criteria: Cosentyx: Requires trial of Humira

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET furosemide SOLUTION, TABLET hydrochlorothiazide CAPSULE,	ALDACTONE TABLET (spironolactone) CAROSPIR (spironolactone) SUSPENSION ^{NR} DIURIL TABLET (chlorothiazide) DYRENIUM TABLET (triamterene) eplerenone TABLET (generic for INSPRA) ethacrynic acid CAPSULE (generic for EDECRIN) LASIX TABLET (furosemide) MICROZIDE (hydrochlorothiazide)	approved for patients who have failed a trial of TWO preferred agent within the same group
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET triamterene/HCTZ CAPSULE , TABLET	ALDACTAZIDE TABLET (spironolactone/HCTZ) DYAZIDE CAPSULE (triamterene/HCTZ) MAXZIDE TABLET (triamterene/HCTZ) MAXZIDE-25 TABLET (triamterene/HCTZ)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	CERDELGA (eliglustat) ZAVESCA (miglustat)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication

EPINEPHRINE, SELF-INJECTED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR.	 Non-preferred agents require clinical documentation why the preferred product is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) PROCRIT (rHuEPO)		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ^{NR} ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent Ciprofloxacin Suspension: Coverable with documented swallowing disorders Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

PDL Updated May 1, 2018 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

LINZESS (linaclotide) ^{QL} MOVANTIK (paloyedal oyalata) approve	مطالني معمولة مسالم
RELISTOR (methylnaltrexone) TABLETQL SYMPROIC (naldemedine) ^{NR} TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline) Indicator of IBS D with triator of opioid adult pacancer of the pain after opioid-ir adults with pain after of the constipation of either constipation of either constipations. Trulance of either constipations of the pain after of the pain after of either constipations. Viberzigners of the properties of the pain after of the pain after of either constipations. Viberzigners of the pain after of the pain after of either constipations. Viberzigners of the pain after of the pain after of either constipations. Viberzigners of the pain after	eferred agents will be ed for patients who have a 30-day trial of ONE ed agent fic criteria: ex®: Covered for diagnosis Diarrhea Predominant type al and failure of loperamide ophenoxylate tik®: Covered for diagnosis id-induced constipation in atients with chronic nonpain after trial on at least DTC laxatives or®: Covered for diagnosis of induced constipation in with chronic, non-cancer ter trial of at least TWO exatives (senna, bisacodyl, exatives (senna, bisacodyl, etc.) ce®: Covered for diagnosis of archea Predominant type al and failure of loperamide ophenoxylate

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ASMANEX (mometasone)QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{AL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within the last 6 months Drug-specific criteria: Budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic
GLUCOCORTICOID/BRONCH	FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone) HODILATOR COMBINATIONS	esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) ^{QL} AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) ^{NR}	
INHALATIO	SOLUTION	
	budesonide RESPULES (generic for Pulmicort)	

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK, SOLUTION prednisone TABLET	CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone (generic for Medrol) ORAPRED ODT (prednisolone sodium phosphate) PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older Approved after trial/failure with prednisone Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

PDL Updated May 1, 2018 Highlights indicated change from previous posting

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NORDITROPIN (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NUTROPIN AQ (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

PDL Updated May 1, 2018 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	Non-preferred agents will be
ADVATE	AFSTYLA	approved for patients who have failed a trial of ONE preferred
ADYNOVATE	OBIZUR	agent
ALPHANATE		
ELOCTATE		
HELIXATE FS		
HEMOFIL-M		
HUMATE-P		
KOATE-DVI KIT, VIAL		
KOGENATE FS		
KOVALTRY		
MONOCLATE-P		
NOVOEIGHT		
NUWIQ		
RECOMBINATE		
XYNTHA KIT, SOLOFUSE		
FAC	FOR IX	
ALPHANINE SD	IDELVION	
ALPROLIX	<i>REBINYN^{NR}</i>	
BEBULIN		
BENEFIX		
IXINITY		
MONONINE		
PROFILNINE SD		
RIXUBIS		
	BIN COMPLEX-PLASMA DERIVED	
FEIBA NF		
NOVOSEVEN RT		
FACTOR X AND	XIII PRODUCTS	
	COAGADEX ^{CL}	
	CORIFACT ^{CL}	
	TRETTENCL	
	AND PRODUCTS	
WILATE	VONVENDICL	
BISPECIFI	C FACTORS	
	HEMLIBRA ^{CL,NR}	

PDL Updated May 1, 2018 Highlights indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	DIRECT ACTING ANTI-VIRAL	
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	DAKLINZA (daclatasvir) CL EPCLUSA (sofosbuvir/velpatasvir) CL HARVONI (sofosbuvir/ledipasvir) CL OLYSIO (simeprevir) CL SOVALDI (sofosbuvir) CL TECHNIVIE (ombitasvir/paritaprevir/ritonavir) CL VIEKIRA PAK/XR (ombitasvir/paritaprevir/ritonavir/dasabuvir) CL ZEPATIER (elbasvir/grazoprevir) CL	 Non-preferred products require trial of preferred agents and will only be considered with documentation of why the preferred product is not appropriate for patient Patients undergoing treatment at the time of preferred status change (January 2018) will be allowed to complete treatment with same drug as started on.
RIBA	VIRIN	 Patients newly eligible for
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	Medicaid will be allowed to complete treatment with the
INTER	FERON	original that treatment was initially
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		authorized by another payor. Drug-specific criteria: Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA)

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine TABLET , SYRUP (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment Nizatadine/Cimetidine Solution/Famotidine Suspension: Requires clinical reason why ranitidine syrup cannot be used

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 R	ECEPTOR AGONIST (GLP-1 RA)	
BYDUREON (exenatide ER) subcutaneous ^{CL} BYDUREON PEN (exenatide ER) subcutaneous ^{CL} BYETTA (exenatide) subcutaneous ^{CL} VICTOZA (liraglutide) subcutaneous ^{CL}	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{NR,QL} OZEMPIC (semaglutide) ^{NR} TANZEUM (albiglutide) TRULICITY (dulaglutide)	 Preferred agents require metformin trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents AND Diagnosis of diabetes with HbA1C ≥ 7 AND Trial of Metformin
INSULIN/GLP-1 RA	A COMBINATIONS	-
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	<u>.</u>
AMYLIN	ANALOG	- Amylin Analog PA Form
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR	
JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} OSENI (alogliptin/pioglitazone) ^{QL} QTERN (dapagliflozin/saxagliptin) ^{NR,QL} STEGLUJAN (ertugliflozin/sitagliptin) ^{NR,QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL ^{NR} AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart)PEN, VIAL ^{NR} HUMALOG JR. (insulin lispro) U-100 PEN ^{NR} HUMALOG (insulin lispro) U-200 PEN HUMALOG MIX PEN (insulin lispro/lispro protamine) HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN OTC PEN NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen:

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Riomet®: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. $^{\text{CL}}$ – Prior Authorization / Class Criteria apply $^{\text{QL}}$ – Quantity/Duration Limit

AL – Age Limit

with Prior Authorization Criteria PDL Updated May 1, 2018 *Highlights* indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL}	INVOKAMET & XR (canagliflozin/metformin)QL JARDIANCE (empagliflozin)QL SEGLUROMET (ertugliflozin/metformin)NR,QL STEGLATRO (ertugliflozin)NR,QL SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin)NR,QL XIGDUO XR (dapagliflozin/metformin)QL	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent Invokana®/Farxiga®: Approved for diagnosis of diabetes AND a trial of metformin

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		•	Non preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS			
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	•	Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	 Non-preferred agents require: Use limited to FDA-approved indications

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	tacrolimus (generic for Protopic) ^{CL} DUPIXENT (dupilumab) EUCRISA (crisaborole)	 Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent cannot be used

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		 Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE
ANTIHIS'	TAMINES	preferred agent within the same
azelastine 0.1% (generic for Astelin)	DYMISTA (azelastine/fluticasone)	- group
azelastine 0.15% (generic for Astepro)	olopatadine (generic for Patanase)	Drug-specific criteria:
PATANASE (olopatadine)		Mometasone: Prior authorization
CORTICOSTEROIDS		 NOT required for children ≤ 12 years
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone)	 Budesonide: Approved for use in
	budesonide Rx (generic for Rhinocort)	Pregnancy (Pregnancy Category B)
	flunisolide (generic for Nasalide)	 Veramyst®: Prior authorization
	mometasone (generic for Nasonex)	NOT required for children ≤ 12
	OMNARIS (ciclesonide)	years
	QNASL 40 & 80 (beclomethasone)	
	TICANASE (fluticasone)	
	VERAMYST (fluticasone)	
	ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) ZYFLO (zileuton) ZYFLO CR (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent Drug-specific criteria: Montelukast granules: PA not required for age < 2 years

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine) WELCHOL (colesevalam)	patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Juxtapid®/ Kynamro®: Approved for
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	 diagnosis of homozygous familial hypercholesterolemia (HoFH) OR
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
	DERIVATIVES	derivatives, omega-3 agents, bile acid
fenofibrate (generic for Tricor) fenofibric acid (generic for Trilipix) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra) fenofibric acid (generic for Fibricor) TRICOR (fenofibrate) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	sequestrants Require faxed copy of REMS PA form Lovaza®: Approved for TG ≥ 500 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial
NIA	ACIN	hypercholesterolemia (HeFH)
	NIACOR (niacin IR) NIASPAN (niacin ER) Ind fish oil are also covered without prior dicaid with a prescription*	 AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL
	ATTY ACIDS	Repatha®: Approved for:
	omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL} ORPTION INHIBITORS	 adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥
	ezetimibe (generic for Zetia)	13
	JBTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS PRALUENT (alorocumab) ^{CL}	 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months
	REPATHA (evolocumab) ^{CL}	Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa®: Approved for TG ≥ 500 WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate Zetia®: Approvd for diagnosis of hypercholesterolemia AND failed statin monotherapy OR statin intolerance/contraindication

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	TINS	Non-preferred agents will be
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin) ^{NR}	approved for patients who have failed a trial of TWO preferred agent within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual
STATIN COM	BINATIONS	ingredients cannot be used
	atorvastatin/amlodiine (generic for CADUET) VYTORIN (simvastatin/ezetimibe)	 Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETO	CLIDES KETEK (telithromycin) OLIDES clarithromycin ER (generic for Biaxin XL) EES SUSPENSION, TABLET ERY-TAB ERYPED 200 SUSPENSION ERYTHROCIN erythromycin base TABLET, CAPSULE PCE (erythromycin) ZMAX (azithromycin ER) ZITHROMAX (azithromycin)	 Ketek®: Requires clinical resaon why patient cannot use preferred macrolide Macrolides: Require clinical reason why preferred products cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Updated May 1, 2018 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	Drug-specific criteria: Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia Ingrezza: Diagnosis of Tardive Dyskinesia in adults Tetrabenazine: Diagnosis of chorea with Huntington Disease

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL,CL} REBIF (interferon beta-1a) ^{QL}	AMPYRA (dalfampridine) ^{QL} AUBAGIO (teriflunomide) EXTAVIA (interferon beta-1b) ^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Gilenya®: Requires trial of preferred injectable agent (Avonex®, Betaseron®, Copaxone®, Rebif®) Plegridy®: Approved for diagnosis of relapsing MS

PDL Updated May 1, 2018 Highlights indicated change from previous posting

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID CAPSULE (nitrofurantoin monohydrate macrocrystals) MACRODANTIN CAPSULE (nitrofurantoin macrocrystals) FURADANTIN SUSPENSION (nitrofurantoin)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

NSAIDS

diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen TABLET OTC, Rx (generic for Advil, Motrin) indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabroxen Rx, OTC (generic for Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents TWO preferred agents	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Naprosyn) naproxen enteric coated sulindac (generic for Clinoril) Ketoprofen & ER (generic for Orudis) meclofenamate (generic for Meclomen) mefenamic acid (generic for Ponstel) meloxicam SUSPENSION (generic Mobic) naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Anaprox) oxaprozin (generic for Daypro) piroxicam (generic for Teldene) tolmetin (generic for Orudis) menorrhagia Meloxicam suspension: Approved for age ≤ 11 years	diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen TABLET OTC, Rx (generic for Advil, Motrin) indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated	diclofenac potassium (generic for Cataflam) diflunisal (generic for Dolobid) etodolac & sr (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION Ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) meclofenamate (generic for Ponstel) meloxicam SUSPENSION (generic Mobic) naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Anaprox) oxaprozin (generic for Daypro) piroxicam (generic for Feldene)	 Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents Arthrotec®: Requires clinical reason why individual ingredients cannot be used Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used Meclofenamate: Approvable without trial of preferred agents for menorrhagia Meloxicam suspension:

PDL Updated May 1, 2018 Highlights indicated change from previous posting

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) ^{QL} TIVORBEX (indomethacin) VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Non-preferred agents will be approved for patients who have failed no less than 30-day trial of TWO preferred agents Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral
NSAID/GI PROTECT/	ANT COMBINATIONS	diclofenac OR clinical reason why
	diclofenac/misoprostol (generic for Arthrotec)	diclofenac potassium/sodium cannot be used
COX-II SE	ELECTIVE	
celecoxib (generic for Celebrex)		

NSAIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET ^{NR} , PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

Willi Filor Authorization Criteria

PDL Updated May 1, 2018 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate XELODA (capecitabine)	capecitabine (generic for Xeloda) FARESTON (toremifene) IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK NERLYNX (neratinib) TYKERB (lapatinib) VERZENIO (abemaciclib) NR	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer) Fareston®: Require clinical reason why tamoxifen cannot be used Letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALKERAN (melphalan) GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) IMBRUVICA (irutinib) JAKAFI (ruxolitinib) LEUKERAN (chlorambucil) MATULANE (procarbazine) mercaptopurine MYLERAN (busulfan) REVLIMID (lenalidomide) SPRYCEL (dasatinib) TASIGNA (nilotinib)	BOSULIF (bosutinib) CALQUENCE (acalabrutinib) ^{NR,QL} FARYDAK (panobinostat) HYDREA (hydroxyurea) ICLUSIG (ponatinib) IDHIFA (enasidenib) imatinib (generic for Gleevec) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) PURIXAN (mercaptopurine) RYDAPT (midostaurin) TABLOID (thioguanine) THALOMID (thalidomide) tretinoin (generic for Vesanoid) VENCLEXTA (venetoclax) ZOLINZA (vorinostat) ZYDELIG (idelalisib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Tabloid (thioguanine): Prior authorization not required for age < 19

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply

PDL Updated May 1, 2018 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GILOTRIF (afatinib) HYCAMTIN (topotecan) IRESSA (gefitinib) TARCEVA (erlotinib) XALKORI (crizotinib)	ALECENSA (alectinib) ALUNBRIG (brigatinib) TAGRISSO (osimertinib) ZYKADIA (ceritinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) cyclophosphamide (generic for Cytoxan) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) ZEJULA (niraparib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	CASODEX (bicalutamide) EMCYT (estramustine) nilutamide (generic for Nilandron) XTANDI (enzalutamide) ZYTIGA (abiraterone) ERLEADA (apalutamide) ^{NR, QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
		 Nilandron®: Approved for males only for metastatic prostate cancer

PDL Updated May 1, 2018 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AFINITOR (everolimus) INLYTA (axitinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR DISPERZ CL CABOMETYX (cabozantinib) LENVIMA (lenvatinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
		 Drug-specific critera Afinitor Disperz®: Requires clinical reason why Afinitor® cannot be used

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)		 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox) VIGAMOX (moxifloxacin)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox)	 approved for patients who have failed a one month trial of TWO preferred agent within the same group Azasite®: Approval only requires trial of erythromycin
MACR	OLIDES	Drug-specific criteria:
erythromycin	AZASITE (azithromycin)	Natacyn®: Approved for
AMINOGL	YCOSIDES	documented fungal infection
gentamicin SOLUTION , OINTMENT tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin)		
OTHER OPHTHALMIC AGENTS		
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		 Non-preferred agents will be
DUREZOL (difluprednate) FLAREX (fluorometholone) fluorometholone 0.1% (generic for FML) OINTMENT) LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	AID	-
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) ketorolac 0.5% (generic for Acular) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		 Non-preferred agents will be
Pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within the same group
SYMPATHO	MIMETICS	
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	
BETA BLO	OCKERS	
carteolol (generic for Ocupress) levobunolol (generic for Betagan) metipranolol (generic for Optipranolol) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) Timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDI	RASE INHIBITORS	
AZOPT (brinzolamide) dorzolamide (generic for Trusopt)	TRUSOPT (dorzolamide)	
PROSTAGLAND	OIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) VYZULTA (latanoprostene) ^{NR} XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

OPIATE DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone SL ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient

OPIATE-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products are not appropriate for the patient

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/aluminum (generic for Otic Domeboro) acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of BOTH preferred agents

PDL Updated May 1, 2018 Highlights indicated change from previous posting

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

PENICLLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE, SUSPENSION dicloxacillin penicillin VK	amoxicillin ER TABLET MOXATAG (amoxicillin)	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET , CAPSULE CALPHRON OTC (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) sevelamer carbonate (generic for Renvela) VELPHORO (sucroferric oxyhydroxide)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) Aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) DURLAZA (aspirin) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

PDL Updated May 1, 2018 Highlights indicated change from previous posting

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETE NATAL DHA COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE DOTHELLE DHA SOFTGEL EXPECTA PRENATAL COMBO PACK FOLIVANE-OB CAPSULE NIVA-PLUS TABLET OB COMPLETE/DHA SOFTGEL PNV PRENATAL PLUS MVI TABLET PNV-DHA PNV-SELECT TABLET PRENATAL CHEWABLE PRENATAL FORMULA TABLET PRENATAL VITAMIN PLUS LOW IRON PREPLUS CA-FE 27MG-FA 1MG RULAVITE DHA SOFTGEL TARON PRENATAL DHA CAPSULE	Non-Preferred Agents	Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate
VIRT-PN DHA SOFTGEL VIRT-VITE GT TABLET VOL-PLUS TABLET ZATEAN-PN DHA CAPSULE		

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA MDV, SDV (hydroxyprogesterone caproate)	MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) ^{NR}	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents Compounded Suspension: Patients ≤ 4 years of age − No PA required for lansoprazole 30mg or omeprazole 20mg capsules (used to compound suspensions) Patients ≥ 5 years if age: Only approve non-preferred for GI diagnosis if: Patient can not swallow whole generic omeprazole capsules OR, Patient specific documentation of why omeprazole capsules sprinkled in applesauce is not appropriate for patient Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage, but are acceptable as trial instead of Omeprazole 20mg Rx Prevacid Solutab: may be approved after trial of compounded suspension

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

PULMONARY ARTERIAL HYPERTENSION AGENTS, ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) TRACLEER (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) TRACLEER TABLETS FOR SUSPENSION (bosentan) ^{NR} UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®:

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

PDL Updated May 1, 2018 Highlights indicated change from previous posting

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
caclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) nethocarbamol (generic for Robaxin) izanidine TABLET (generic for Zanaflex)	AMRIX (cyclobenzaprine) ^{CL} carisoprodol (generic for Soma) carisoprodol compound dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) orphenadrine ER SOMA (carisoprodol) ^{CL} tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents Drug-specific criteria: Amrix®/Fexmid®: Requires clinicareason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use Carisoprodol: Approved for Acute, musculoskeletal pain - NO for chronic pain Use is limited to no more than 30 days

PDL Updated May 1, 2018 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
LOW P	LOW POTENCY		Low Potency: Non-preferred
hydrocortisone CREAM, GEL, OINTMENT (generic for Cortaid)	alclometasone dipropionate (generic for Aclovate)		agents will be approved for patients who have failed a trial of ONE preferred agents
hydrocortisone OTC LOTION	CAPEX SHAMPOO (fluocinolone)		
hydrocortisone RX LOTION	DESONATE (desonide GEL)		
hydrocortisone/aloe OINTMENT, CREAM	desonide LOTION (generic for Desowen) desonide CREAM , OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)		

PDL Updated May 1, 2018 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MEDIUM POTENCY		 Non-preferred agents will be
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%)	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents
	prednicarbate (generic for Dermatop)	
HIGH P	OTENCY	
triamcinolone acetonide OINTMENT, CREAM (generic for Kenalog) triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate (generic for Diprolene) betamethasone dipro/prop gly (augmented) betamethasone valerate (generic for Beta-Val) desoximetasone (generic for Topicort) diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient HALOG (halcinonide) KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
VERY HIGH	I POTENCY	• N	on-preferred agents will be
clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) OLUX-E /OLUX/OLUX-E CP (clobetasol)	fa	pproved for patients who have alled a trial of TWO preferred gents

STIMULANTS AND RELATED ADHD DRUGS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Amphet	amine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo)	ADZENYS ER (amphetamine) SUSPENSION ^{NR} ADZENYS VB (amphetamine)	agent within the same group Drug-specific criteria:
amphetamine salt combination IR /YVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR)	 Procentra®: May be approved wit documentation of swallowing disorder
	dextroamphetamine (generic for Dexedrine)	 Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR
	dextroamphetamine SOLUTION (generic for Procentra)	cannot be used
	dextroamphetamine ER (generic for Dexedrine ER)	
	DYANAVEL XR (amphetamine)	
	MYDAYIS (amphetamine salt combo)QL	
	EVEKEO (amphetamine sulfate)	
	methamphetamine (generic for Desoxyn)	
	ZENZEDI (dextroamphetamine)	

with Prior Authorization Criteria

PDL Updated May 1, 2018 *Highlights* indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	 Non-preferred agents will be
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	 approved for patients who have failed a trial of TWO preferred agents
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)	Drug-specific criteria: - Daytrana®: May be approved in history of substance abuse by
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) QUILLICHEW ER (methylphenidate)	COTEMPLA XR-ODT (methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin) RITALIN (methylphenidate)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)	
MISCELI	ANEOUS	
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)	clonidine ER (generic for Kapvay) ^{CL} STRATTERA (atomoxetine)	Note: generic IR guanfacine and Clonidine ER/Guanfacine IR are available without prior authorization
ANAL	EPTICS	
	modafanil (generic for Provigil) ^{CL} armodafinil (generic for Nuvigil) ^{CL}	 Armodafinil: Requires trial of Provigil Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder Modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder

PDL Updated May 1, 2018 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	demeclocycline ^{CL} DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET, SUSPENSION, 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULE ^{NR,QL}	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	CYTOMEL TABLET (liothyronine) SYNTHROID TABLET (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

with Prior Authorization Criteria

PDL Updated May 1, 2018 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine (generic for Asacol HD) PENTASA (mesalamine) UCERIS (budesonide)	approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be
RE	CTAL	 used Giazo[®]: Requires clinical reason
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	why generic balsalazide cannot be used NOT covered in females

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROMIST (nitroglycerin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent