



May 2018 P&T Changes Effective July 19, 2018 Highlights indicate P&T changes

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

#### **Non-Preferred Drug Coverage**

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

- Documentation of Medical Necessity PA Form
- Documentation of Medical Necessity for Quantity Limit or High Dose Override PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

Highlights indicate May 2018 P&T changes

# **ACNE AGENTS. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamcyin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAMAL	ACANYA (clindamycin and benzoyl peroxide) adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene/benzoyl peroxide (generic EPIDUO) ATRALIN (tretinoin) AVAR (sulfacetamine sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoxyl peroxide CLEANSER, CLEANSING BAR, OTC benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/tretinoin (generic for Veltin & Ziana) dapsone (generic for ACZONE) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) OVACE PLUS (sulfacetamind sodium) RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) TAZORAC (tazarotene) tretinoin CREAM, GELAL tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents

Highlights indicate May 2018 P&T changes

#### **ALZHEIMER'S DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		<ul> <li>Non-preferred agents will be</li> </ul>
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	<ul> <li>approved for patients who have failed a 120-day trial of ONE preferred agent within the last 6 months OR</li> <li>Current, stabilized therapy of the non-preferred agent within the previous 45 days</li> </ul>
NMDA RECEPTO	OR ANTAGONIST	,
memantine (generic for Namenda)	NAMENDA (memantine) NAMENDA <b>SOLUTION</b> NAMENDA XR (memantine ER) NAMZARIC (memantine/donepezil) memantine soln (generic for Namenda)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

#### ANALGESICS. OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) <sup>QL</sup> EMBEDA (morphine sulfate/ naltrexone)  Gentanyl 25, 50, 75, 100 mcg PATCH  HYSINGLA ER (hydrocodone, extended release)  morphine ER TABLET (generic for MS Contin, Oramorph SR)  OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) <sup>QL</sup> BELBUCA (buprenorphine, buccal) <sup>CL</sup> buprenorphine TRANSDERMAL (generic for Butrans) <sup>QL</sup> DURAGESIC MATRIX (fentanyl) fentanyl 37.5, 62.5, 87.5 mcg PATCH <sup>CL</sup> hydromorphone ER (generic for Exalgo) <sup>CL</sup> KADIAN (morphine ER capsule) methadone <sup>CL</sup> MORPHABOND (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) <sup>CL</sup> oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) <sup>CL</sup> XTAMPZA ER (oxycodone myristate) <sup>QL</sup> ZOHYDRO ER (hydrocodone bitartrate ER)	<ul> <li>Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents for patients who have failed no less than 30-day trial of TWO preferred agents within the last 6 months</li> <li>Exalgo®/Exalgo ER®: Clinical reason why IR hydromorphone can't be used</li> <li>Methadone: Trial of preferred drug not required for end of life care</li> <li>Oxycontin®: Pain contract required for maximum quantity authorization</li> <li>Ultram ER®: Clinical reason why IR tramadol can't be used</li> <li>Zohydro ER®: Clinical reason why IR hydrocodone can't be used</li> </ul>

Highlights indicate May 2018 P&T changes

# ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine ORAL oxycodone/APAP tramadol  FIO  IBUIL levo mep morr NUC OXA oxyco	w/codeine w/codeine/codeine/codeine w/cocodeine/acetamin/caffeine w/cocodeine/acetamin/caffeine w/cocodeine/aspirin/caffeine w/cocodeine/aspirin/caffeine w/cocodeine/aspirin/caffeine w/cocodeine/aspirin/caffeine w/cocodeine/caffeine) w/comorphone ORAL LIQUID, TABLET, SUPPOSITORY (generication of Dilaudid) DONE (hydrocodone/ibuprofen) w/cocodone/cocodone/ibuprofen) w/cocodone/c	<ul> <li>approved for patients who have failed THREE preferred agents within the last 12 months</li> <li>Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days.</li> <li>Drug-specific criteria:         <ul> <li>Abstral®/Actiq®/Fentora®/Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of longacting opiate</li> <li>Nucynta®: Approved only for diagnosis of acute pain, for 30</li> </ul> </li> </ul>

 $<sup>^{\</sup>mathrm{QL}}$  – Quantity/Duration Limit

Highlights indicate May 2018 P&T changes

# ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol <b>NASAL SPRAY</b> QL LAZANDA (fentanyl citrate)	
BUCCAL/TRA	BUCCAL/TRANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL SUBSYS (fentanyl spray)CL	

# **ANDROGENIC DRUGS (Topical)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Androderm®/Androgel®:</li></ul></li></ul>

Highlights indicate May 2018 P&T changes

#### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		<ul> <li>Non-preferred agents will be</li> </ul>
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION	approved for patients who have failed TWO preferred agents within the last 12 months
quinapril (generic for Accupril) ramipril (generic for Altace)	fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION trandolapril (generic for Mavik)	<ul> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> <li>Drug-specific criteria:</li> <li>Epaned® and Qbrelis® Oral</li> </ul>
ACE INHIBITOR/DIURETIC COMBINATIONS		Solution: Clinical reason why oral tablet is not appropriate
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

Highlights indicate May 2018 P&T changes

# **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT)	approved for patients who have failed TWO preferred agents within the last 12 months  Non-preferred combination products may be covered as individual prescriptions without
	MODULATOR/	prior authorization
benazepril/amlodipine (generic for Lotrel)	amlodipine/olmesartan/HCTZ (generic for Tribenzor)  PRESTALIA (perindopril/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT)	Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure with both preferred agents  Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: May be approved witha history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers within the last 12 months
DIRECT RENI	N INHIBITORS	
	TEKTURNA (aliskiren)	
DIRECT RENIN INHIB	ITOR COMBINATIONS	
	TEKTURNA/HCT (aliskiren/HCTZ)	
	TOR COMBINATION	Entresto®: Approved only for
ENTRESTO (sacubitril/valsartan) <sup>CL</sup>		NYHA Class II-IV Heart Failure with reduced ejection fraction
ANGIOTENSIN RECEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS		Does NOT require class criteria
	BYVALSON (nevibolol/valsartan)	<ul> <li>Byvalson®: Approved for hypertension in those patients not adequately controlled on valsartan 80mg or nebivolol up to 10mg</li> </ul>

Highlights indicate May 2018 P&T changes

#### **ANTHELMINITICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin pyrantel pamoate OTC STROMECTOL (ivermectin)	EMVERM (mebendazole) praziquantel (generic for Biltricide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

#### **ANTI-ALLERGENS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
timothy/	kentucky blue grass mixed llergen extract)  Drug	es Criteria:  Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis.  Patient has had treatment failure with or contraindication to: antihistamines AND montelukast  Clinical reason as to why allergy shots cannot be used.  G-specific criteria:  ORALAIR  Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.  For use in patients 10 through

Highlights indicate May 2018 P&T changes

#### ANTIBIOTICS, GASTROINTESTINAL

Highlights indicate May 2018 P&T changes

# **ANTIBIOTICS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) <sup>CL</sup> KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	CAYSTON (aztreonam lysine) <sup>QL,CL</sup> tobramycin (generic for Tobi)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents         ICD10 Group = E84, ICD9 =         277.00, 277.01, 277.02, 277.03,         277.09</li> <li>Drug-specific criteria:         <ul> <li>Tobi Podhaler®: Requires trial on inhaled solution or documentation why solution cannot be used</li> </ul> </li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> </ul>

#### **ANTIBIOTICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic for Polysporin) mupirocin <b>OINTMENT</b> (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within the last 12 months</li> <li>Drug-specific criteria:         <ul> <li>Altabax®: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be used</li> <li>Mupirocin® Cream: Clinical reason the ointment cannot be used</li> </ul> </li> </ul>

#### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	<ul> <li>Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within the last 6 months</li> </ul>

Highlights indicate May 2018 P&T changes

#### **ANTICOAGULANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) <sup>QL</sup>	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within the last 12 months</li> <li>Coumadin®: Clinical reason generic warfarin cannot be used</li> <li>Savaysa®: Approved diagnoses include:         <ul> <li>Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR</li> <li>Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy</li> </ul> </li> </ul>

Highlights indicate May 2018 P&T changes

#### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNA	BINOIDS	Non-preferred agents will be
dronabinol (generic for Marinol) <sup>AL</sup>	CESAMET (nabilone)  SYNDROS (dronabinol) <sup>AL, CL</sup>	approved for patients who have failed ONE preferred agents within the same group
5HT3 RECEPT	OR BLOCKERS	<ul> <li>SYNDROS – documentation of inability to swallow solid dosage</li> </ul>
ondansetron (generic for Zofran) <sup>QL</sup> ondansetron ODT (generic for Zofran) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	forms.  Drug-specific criteria:  Akynzeo®/Emend®/Varubi®:
NK-1 RECEPTO	R ANTAGONIST	Approved for Moderately/Highly emetogenic chemotherapy with
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) <b>TABLET</b> CL	dexamethasone and a 5-HT3 antagonist WITHOUT trial of preferred agents Regimens include: AC combination
TRADITIONAL	ANTIEMETICS	(Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin,
DICLEGIS (doxylamine/pyridoxine) <sup>CL,QL</sup> dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine rectal) metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib.

Highlights indicate May 2018 P&T changes

#### **ANTIFUNGALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents  clotrimazole (mucous membrane, troche) fluconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin TABLET, SUSPENSION terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic for Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) <sup>CL</sup> ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) <sup>CL,AL</sup> nystatin <b>POWDER</b> , oral ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) <sup>CL</sup> voriconazole (generic for VFEND) <sup>CL</sup>	Prior Authorization/Class Criteria  Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents  Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Onmel®: Requires trial and failure or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Candida krusei), Esophageal Candidasis, Blastomycosis, S. apiospermum and Fusarium spp.,

Highlights indicate May 2018 P&T changes

# **ANTIFUNGALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
· · · · · · · · · · · · · · · · · · ·	FUNGAL  ALEVAZOL (clotrimazole) OTC  BENSAL HP (salicylic acid)  ciclopirox CREAM, GEL, SUSPENSION	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within the last 6 months
LAMISIL AT CREAM (terbinafine) OTC miconazole OTC CREAM, POWDER nystatin selenium sulfide 2.5% terbinafine OTC (generic for Lamisil AT) tolnaftate AERO POWDER, CREAM, POWDER,OTC (generic for Tinactin)	ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) FUNGOID OTC JUBLIA (efinaconazole) ketoconazole FOAM (generic for Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (bufenafine) LUZU (luliconazole) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY naftifine (generic for Naftin) oxiconazole (generic for Oxistat) selenium sulfide 2.25% TINACTIN AERO POWDER OTC tolnaftate SPRAY, OTC VUSION (miconazole/ zinc oxide)	<ul> <li>Extina®: Requires trial and failure o contraindication to other ketoconazole forms</li> <li>Jublia®: Approved diagnoses include Onychomycosis of the toenails due to <i>T. rubrum</i> OR <i>T. mentagrophytes</i></li> <li>Nystatin/Triamcinolone: individual ingredients available without prior authorization</li> <li>Ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine</li> </ul>
ANTIFUNGAL/STEF	ROID COMBINATIONS	
(generic for Lotrisone)	clotrimazole/betamethasone <b>LOTION</b> (generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

# **ANTIHISTAMINES, MINIMALLY SEDATING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine <b>TABLET</b> , <b>SOLUTION</b> (generic for Zyrtec) loratadine <b>TABLET</b> , <b>SOLUTION</b> (generic for Claritin) levocetirizine <b>TABLET</b> (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) levocetirzine (generic for Xyzal) SOLUTION loratadine CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents</li> <li>Combination products not covered – individual products may be covered</li> </ul>

#### **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine <b>TABLET</b> (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL CLORPRES (chlorthalidone/clonidine) methyldopa/hydrochlorothiazide reserpine	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent</li> </ul>

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine <b>CAPSULE</b> (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine <b>TABLET</b> (generic for Colcrys) <sup>CL</sup> DUZALLO (allopurinol/lesinurad) <sup>NR</sup> ULORIC (febuxostat) <sup>CL</sup> ZURAMPIC (lesinurad) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Uloric®: Clinical reason why allopurinol cannot be used</li> <li>Zurampic®: Requires trial of allopurinol and Uloric®</li> </ul>

Highlights indicate May 2018 P&T changes

# **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	AIMOVIG AUTOINJECTOR erenumab-aooe) <sup>NR, QL</sup> CAFERGOT (ergotamine/caffeine)  CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL  ERGOMAR SUBLINGUAL (ergotamine tartrate)  MIGERGOT (ergotamine/caffeine) RECTAL  MIGRANAL (dihydroergotamine) NASAL	<ul> <li>Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan</li> <li>Drug-specific criteria:</li> <li>Cambia<sup>®</sup>: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> </ul>

# **ANTIMIGRAINE AGENTS, TRIPTANSQL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig ZMT)  SAL	approved for patients who have failed ALL preferred agents  Drug-specific criteria:  Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used  Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	
INJEC	TABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) <b>INJECTION</b> SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

Highlights indicate May 2018 P&T changes

# **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide   (generic for RID, A-200) SKLICE (ivermectin)	EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

#### ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		approved for patients who have failed ONE preferred agents within the same group
COMT IN	HIBITORS	
	entacapone (generic for Comtan) tolcapone (generic for Tasmar)	Drug-specific criteria:  Carbidopa/Levodopa ODT:  Approved for documented
DOPAMINE	AGONISTS	swallowing disorder
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)	NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic for Mirapex ER) <sup>CL</sup>	<ul> <li>COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug</li> <li>Neupro®:</li> </ul>
	ropinirole ER (generic for REQUIP XL) <sup>CL</sup>	For Parkinsons: Clinical reason required why preferred agent
MAO-B IN	IHIBITORS	cannot be used
selegiline <b>TABLET</b> (generic for Eldepryl)	rasagiline <sup>QL</sup> (generic for Azilect) selegiline <b>CAPSULE</b> (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) <sup>CL</sup>	For Restless Leg (RLS):     Requires trial OR     Contraindication to ropinirole     AND pramipexole  Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial
OTHER ANTIPAR	KINSON'S DRUGS	Ropinerole ER: Required
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine <b>TABLET</b> carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) GOCOVRI (amantadine) <sup>NR, QL</sup> OSMOLEX ER (amantadine) <sup>NR, QL</sup> RYTARY (carbidopa/levodopa) STALEVO	diagnosis of Parkinson's along with preferred agent trial  • Zelapar®: Approved for documented swallowing disorder

Highlights indicate May 2018 P&T changes

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) OXSORALEN-ULTRA (methoxsalen) SORIATANE (acitretin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

#### ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM calcipotriene SOLUTION	calcipotriene OINTMENT calcitriol (generic for Vectical) calcipotriene/betamethasone   (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) ENSTILAR   (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP   (calcipotriene/betamethasone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

#### ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		<ul> <li>Non-preferred agents will be</li> </ul>
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE preferred agent
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
RELENZA (zanamivir) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup>	oseltamivir (generic for Tamiflu) <sup>QL</sup> rimantadine (generic for Flumadine)	Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults

#### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir <b>OINTMENT</b> (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone) ZOVIRAX <b>CREAM</b> (acyclovir)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL agent</li> </ul>

Highlights indicate May 2018 P&T changes

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET</b> , <b>SOLUTION</b> (generic for Valium) lorazepam <b>INTENSOL</b> , <b>TABLET</b> (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents</li> <li>Drug-specific critera:         <ul> <li>Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®</li> </ul> </li> </ul>

#### **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) DUTOPROL (metoprolol XR and HCTZ) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents</li> <li>Drug-specific criteria:         <ul> <li>Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease</li> <li>Coreg CR®: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL)</li> <li>Requires clinical reason generic sotalol cannot be used</li> </ul> </li> </ul>
BETA- AND AL	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARF	RHYTHMIC	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol <b>CAPSULE</b> 300mg (generic for Actigall)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> </ul>

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Myrbetriq®: Covered without trial in contraindication to anticholinergic agents</li> </ul>

Highlights indicate May 2018 P&T changes

#### **BONE RESORPTION SUPRESSION AND RELATED DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSE	PHONATES	Non-preferred agents will be approved for
alendronate (generic for Fosamax) (daily and weekly formulations)	alendronate <b>SOLUTION</b> (generic for Fosamax) <sup>QL</sup> ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel)	patients who have failed a trial of ONE preferred agent within the same group  Drug-specific criteria:  Actonel® Combinations: Covered as individual agents without prior authorization  Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty
OTHER RONE RESORPTION SUR	FOSAMAX PLUS D <sup>QL</sup> ibandronate (generic for Boniva) <sup>QL</sup> risedronate (generic for Actonel) <sup>QL</sup> PRESSION AND RELATED DRUGS	stomach  Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used
calcitonin-salmon NASAL	EVISTA (raloxifene)	Etidronate disodium: Trial not required for
raloxifene (generic for Evista)	FORTEO (teriparatide) <sup>QL</sup> TYMLOS (abaloparatide)	diagnosis of hetertrophic ossification  Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors − Family history of non- traumatic fractures, DXA BMD T-score ≤ - 2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors − more than 2 units of alcohol per day, current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of Miacalcin not required

Highlights indicate May 2018 P&T changes

# **BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	ALPHA BLOCKERS	
alfuzosin (generic for Uroxatral)	CARDURA XL (doxazosin)	approved for patients who have failed a trial of ONE preferred
doxazosin (generic for Cardura)	RAPAFLO (silodosin)	agent within the same group
tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	UROXATRAL (alfuzosin)	Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Avodart®: Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	<ul> <li>Cardura XL<sup>®</sup>: Requires clinical reason generic IR form cannot be used</li> </ul>
		<ul> <li>Flomax®: Covered for males only Females covered for a 7 day supply with diagnosis of acute kidney stones</li> </ul>
		<ul> <li>Jalyn®: Requires clinical reason why individual agents cannot be used</li> </ul>
		<ul> <li>Proscar®: Covered for males only</li> <li>Uroxatral®: Covered for males only</li> </ul>

#### **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS - Short Acting		<ul> <li>Non-preferred agents will be</li> </ul>
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)  INHALERS - SEREVENT (salmeterol)	PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol) - Long Acting ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	approved for patients who have failed a trial of ONE preferred agent within the same group  Torug-specific criteria:  Ventolin HFA®: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	N SOLUTION BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	<ul> <li>contraindication/side effect to BOTH</li> <li>Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product</li> </ul>
ORAL		
albuterol <b>SYRUP</b> terbutaline (generic for Brethine)	albuterol <b>TABLET</b> albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)	

Highlights indicate May 2018 P&T changes

# **CALCIUM CHANNEL BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	pyridines	approved for patients who have failed a trial of ONE preferred
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	agent within the same group  Drug-specific criteria:  Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy
Non-dihydi	opyridines	<ul> <li>Induced Hypertension (PIH)</li> </ul>
diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)		<ul> <li>Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage</li> </ul>
LONG-	ACTING	
Dihydrop	pyridines	
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil) nisoldipine (generic for Sular)	
Non-dihydı	opyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER <b>TABLET</b>	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

Highlights indicate May 2018 P&T changes

# CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/ amoxicillin/clavulanate TABLETS,	ASE INHIBITOR COMBINATIONS  amoxicillin/clavulanate, CHEWABLE	Non-preferred agents will be approved for patients who have
SUSPENSION	amoxicillin/clavulanate XR	failed a 3-day trial of ONE preferred agent
	(generic for Augmentin XR)	protottod agont
	AUGMENTIN SUSPENSION, TABLET	
	(amoxicillin/clavulanate)	<ul> <li>Suprax® Tablet / Suspension: Requires clinical reason why</li> </ul>
CEPHALOSPORIN	S – First Generation	capsule or generic suspension
cefadroxil CAPSULE, SUSPENSION (generic for Duricef)	cefadroxil <b>TABLET</b> (generic for Duricef)	cannot be used
cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cephalexin TABLET  DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime <b>TABLET</b> (generic for Ceftin)	CEFTIN (cefuroxime) <b>TABLET</b> , <b>SUSPENSION</b>	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef) SUPRAX CAPSULE, CHEWABLE TABLET (cefixime)	cefixime SUSPENSION (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX SUSPENSION, TABLET (cefixime)	

# Nebraska Medicaid Preferred Drug List

#### with Prior Authorization Criteria

Highlights indicate May 2018 P&T changes

# CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS		Non-preferred agents will be
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) SPIRIVA (tiotropium)	ANORO ELLIPTA (umeclidinium/vilanterol)  COMBIVENT RESPIMAT (albuterol/ipratropium)  INCRUSE ELIPTA (umeclidnium)  SEEBRI NEOHALER (glycopyrolate)  SPIRIVA RESPIMAT (tiotropium)  STIOLTO RESPIMAT (tiotropium/olodaterol)  TUDORZA PRESSAIR (aclidinium br)  UTIBRON NEOHALER (indacaterol/glycopyrolate)	approved for patients who have failed a trial of ONE preferred agent in the same group OR Patient specific documentation of inability to use traditional inhaler device.  Drug-specific criteria:  Daliresp®:  Covered for diagnosis of severe COPD associated with chronic bronchitis  Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	<ul> <li>exacerbation in last year upon initial review</li> </ul>
albuterol/ipratropium (generic for Duoneb)	LONHALA (glycopyrrolate inhalation soln) <sup>NR</sup>	
ipratropium <b>SOLUTION</b> (generic for Atrovent)		
ORAL	AGENT	
	DALIRESP (roflumilast) <sup>CL</sup>	

#### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) <b>DISP SYR</b> ZARXIO (filgrastim-sndz)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **CONTRACEPTIVES, ORAL**

All reviewed agents are recommended preferred at this time.

Only those products for review are listed.

Brand name products may be subject to Maximum Allowable Cost (MAC) pricing Specific agents that are not listed below can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ethynodiol d-ethinyl estradiol levonorgestrel/ethinyl estradiol melodotta 24 FE (norethindrone-e. estradiol/iron) my choice otc (levonorgestrel)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL - Age Limit

Highlights indicate May 2018 P&T changes

# COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine <b>SOLUTION</b> promethazine/codeine <b>SOLUTION</b>	hydrocodone/homatropine  LORTUSS EX (pseudoephedrine/ codeine/guaifenesin promethazine/phenylephrine/codeine PROMETHAZINE VC-CODEINE (promethazine/phenylephrine/ codeine)  TUSNEL C (pseudoephedrine/ codeine/guaifenesin)  VIRTUSSIN DAC (pseudoephedrine/ codeine/guaifenesin)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

#### CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ORKAMBI (lumacaftor/ivacaftor) SYMDEKO (tezacaftor/ivacaftor) QL, AL	<ul> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Minimum age: 2 years</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Minimum age: 12 years</li> </ul>

Highlights indicate May 2018 P&T changes

#### **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) <sup>CL</sup> ENBREL (etanercept) <sup>QL</sup> HUMIRA (adalimumab) <sup>QL</sup>	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) <sup>QL</sup> KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL <sup>NR,QL</sup> ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL QL SILIQ (brodalumab) SIMPONI (golimumab) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) <sup>AL</sup> TREMFYA (guselkumab) <sup>QL</sup> XELJANZ (tofacitinib) ORAL <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Cosentyx: Requires trial of Humira</li> </ul>

#### **DIURETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	Non-preferred agents will be
amiloride TABLET cumetanide TABLET chlorothiazide TABLET chlorothiazide TABLET chlorothiazide TABLET chlorothiazide SOLUTION, TABLET chlorothiazide CAPSULE, TABLET chlorothiazide TABLET	ALDACTONE TABLET (spironolactone)  CAROSPIR (spironolactone) SUSPENSION  DIURIL TABLET (chlorothiazide)  DYRENIUM TABLET (triamterene) eplerenone TABLET (generic for INSPRA) ethacrynic acid CAPSULE (generic for EDECRIN)  LASIX TABLET (furosemide) methyclothiazide TABLET  MICROZIDE (hydrochlorothiazide)	Non-preferred agents will be approved for patients who have failed a trial of <b>TWO</b> preferred agent within the same group
COMBINATIO	N PRODUCTS	
amiloride/HCTZ <b>TABLET</b> spironolactone/HCTZ <b>TABLET</b> triamterene/HCTZ <b>CAPSULE, TABLET</b>	ALDACTAZIDE TABLET (spironolactone/HCTZ) DYAZIDE CAPSULE (triamterene/HCTZ) MAXZIDE TABLET (triamterene/HCTZ) MAXZIDE-25 TABLET (triamterene/HCTZ)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

#### **ENZYME REPLACEMENT, GAUCHERS DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	CERDELGA (eliglustat) ZAVESCA (miglustat)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication</li> </ul>

#### **EPINEPHRINE, SELF-INJECTED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR.	Non-preferred agents require clinical documentation why the preferred product is not appropriate  Brand name product may be authorized in event of documented national shortage of generic product.

#### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	RETACRIT (EPOETIN ALFA- EPBX) <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) evofloxacin <b>TABLET</b> (generic for Levaquin)	ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent</li> <li>Drug-specific criteria:         <ul> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Levofloxacin Suspension: Coverable with documented swallowing disorders</li> </ul> </li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)</li> </ul>

Highlights indicate May 2018 P&T changes

#### **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup>	alosetron (generic for Lotronex) RELISTOR (methylnaltrexone) TABLET <sup>QL</sup> SYMPROIC (naldemedine) TRULANCE (plecanatide) <sup>QL</sup> VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent</li> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Movantik®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik</li> <li>Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives and failure of Movantik</li> <li>Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

Highlights indicate May 2018 P&T changes

#### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	GLUCOCORTICOIDS	
ASMANEX (mometasone) <sup>QL,AL</sup> FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) <sup>AL,CL</sup> ARMONAIR RESPICLICK  (fluticasone) <sup>AL</sup> ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) <sup>AL,QL</sup> FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone) <sup>NR</sup>	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Budesonide respules: Covered without PA for age ≤ 8 years</li> <li>OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy</li> </ul>
GLUCOCORTICOID/BRONCH	HODILATOR COMBINATIONS	_
ADVAIR DISKUS (fluticasone/ salmeterol) <sup>QL</sup> DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) <sup>QL</sup> AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) <sup>NR</sup>	
INHALATION	SOLUTION	
	budesonide <b>RESPULES</b> (generic for Pulmicort)	

# GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK, SOLUTION prednisone TABLET	CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone (generic for Medrol) ORAPRED ODT (prednisolone sodium phosphate) PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate   (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisone INTENSOL RAYOS DR (prednisone) TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older</li> <li>Approved after trial/failure with prednisone</li> </ul> </li> <li>Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

#### **GROWTH HORMONE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria
NORDITROPIN (somatropin)  NUTROPIN AQ (somatropin)	OMNITROPE (somatropin) SAIZEN (somatropin)	Olowii Floriione Oniona
· · ·	SEROSTIM (somatropin)	
	ZOMACTON (somatropin) ZORBTIVE (somatropin)	
	ZORBTIVE (Somatropin)	

#### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

#### **HEMOPHILIA TREATMENTS**

FACT		Prior Authorization/Class Criteria
I ACI	PR VIII	Non-preferred agents will be
DVATE DYNOVATE PHANATE OCTATE ELIXATE FS EMOFIL-M JMATE-P DATE-DVI KIT, VIAL DGENATE FS DVALTRY DNOCLATE-P DVOEIGHT JWIQ ECOMBINATE	AFSTYLA OBIZUR	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

# Highlights indicate May 2018 P&T changes

# **HEMOPHILIA TREATMENTS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR IX	
ALPHANINE SD	IDELVION	
ALPROLIX	<i>REBINYN<sup>NR</sup></i>	
BEBULIN		
BENEFIX		
IXINITY		
MONONINE		
PROFILNINE SD		
RIXUBIS		
FACTOR VIIA AND PROTHROMB	IN COMPLEX-PLASMA DERIVED	
FEIBA NF		
NOVOSEVEN RT		
FACTOR X AND	XIII PRODUCTS	
	COAGADEX <sup>CL</sup>	
	CORIFACTCL	
	TRETTENCL	
	AND PRODUCTS	
WILATE	VONVENDICL	
BISPECIFIC	FACTORS	
	HEMLIBRA <sup>CL,NR</sup>	

#### **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir <b>TABLET</b> lamivudine hbv <b>TABLET</b>	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Highlights indicate May 2018 P&T changes

#### **HEPATITIS C TREATMENTS**

Highlights indicate May 2018 P&T changes

#### **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TABLET</b> (generic for Pepcid) ranitidine <b>TABLET</b> , <b>SYRUP</b> (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment</li> <li>Nizatadine/Cimetidine Solution/Famotidine Suspension:         Requires clinical reason why ranitidine syrup cannot be used</li> </ul>

#### **HIV / AIDSCL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIV CCR5 A	NTAGONISTS	<ul> <li>Non-preferred agents will be</li> </ul>
SELZENTRY <b>SOLN, TAB</b> (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patient
CYTOCHROME P450 INHIBITORS		<ul> <li>specific documentation of why the preferred products are not</li> </ul>
TYBOST (cobicistat) <sup>QL</sup>		appropriate for patient
		<ul> <li>Patients undergoing treatment at the time of any preferred status</li> </ul>
FUSION I	NHIBITORS	change will be allowed to continue
FUZEON <b>SUB-Q</b> (enfuvirtide) <sup>QL</sup>		therapy
INTEGRAS	E INHIBITORS	Diagnosis of HIV/AIDS
GENVOYA  (elvitegravier/cobicistat/emtricitabin e/tenofovir alafenamide) <sup>QL, AL</sup> ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir) <sup>QL</sup> ISENTRESS HD (raltegravir)  JULUCA (dolutegravir/rilpivirine) <sup>QL</sup> TIVICAY (dolutegravir)		<ul> <li>Prophylaxis, both pre and post exposure covered</li> </ul>
N	IRTIs	
EDURANT (rilpivirine) INTELENCE (etravirine) <sup>QL</sup> nevirapine <b>TAB</b> (generic for Viramune) nevirapine er (generic for Viramune XR RESCRIPTOR (delavirdine) SUSTIVA <b>CAP, TAB</b> (efavirenz) VIRAMUNE <b>SUSP</b> (nevirapine)	efavirenz (generic for Sustiva) VIRAMUNE <b>TAB</b> (nevirapine) VIRAMUNE XR (nevirapine extended release)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

#### Highlights indicate May 2018 P&T changes

# HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NRTIs		
abacavir <b>SOLN, TAB</b> (generic for	CIMDUO (lamivudine/tenofovir	
Ziagen)	disoproxil fumarate) <sup>NR,QL</sup>	
didanosine CAP DR (generic for	EPIVIR (lamivudine)	
Videx EC)	RETROVIR (zidovudine)	
EMTRIVA CAP, SOLN (emtricitabine)	SYMFI (efavirenz/lamivudine/tenofovir	
lamivudine <b>SOLN, TAB</b> (generic for	disoproxil fumarate) <sup>NR,QL</sup>	
Epivir)	SYMFI LO (efavirenz/lamivudine/	
stavudine CAP, SOLN (generic	tenofovir disoproxil fumarate) <sup>NR,QL</sup>	
for Zerit)	tenofovir disoproxil fumarate TAB	
VIDEX <b>SOLN</b> (didanosine)	(generic for Viread)	
VIREAD (tenofovir disoproxil fumarate)	VIDEX EC (didanosine)	
zidovudine CAP, SYRUP, TAB (generic	· · · · · · · · · · · · · · · · · · ·	
for Retrovir)	ZIAGEN (abacavir)	
NRTI COMBINATIONS		
abacavir/lamivudine (generic for	COMBIVIR (zidovudine/lamivudine)	
EPZICOM)	EPZICOM (abacavir sulfate/lamivudine)	
abacavir/lamivudine/zidovudine	TRIZIVIR	
(generic for Trizivir)	(abacavir/zidovudine/lamivudine)	
ATRIPLA (tenofovir disoproxil fumarate/	The state of the s	
emtricitabine/efavirenz)		
BIKTARVY (bictegravir/emtricitabine/		
tenofovir alafenamide) <sup>QL</sup>		
COMPLERA		
(rilpivirine/emtricitabine/tenofovir		
disoproxil fumarate)		
DESCOVY (emtricitabine/tenofovir		
alafenamide) <sup>QL</sup>		
lamivudine/zidovudine (generic for		
COMBIVIR)		
ODEFSEY		
(emtricitabine/rilpivirine/tenofovir		
alafenamide) <sup>QL</sup>		
STRIBILD		
(elvitegravir/cobicistat/emtricitabin		
e/tenofovir disoproxil fumarate) <sup>QL</sup>		
TRIUMEQ		
(dolutegravir/abacavir/lamivudine)		
TRUVADA (tenofovir disoproxil		
fumarate/emtricitabine)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

# **HIV / AIDSCL CONTINUED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE INHIBITORS		
APTIVUS CAP, SOLN (tipranavir) CRIXIVAN (indinavir) EVOTAZ(atazanavir sulfate/cobicistat) <sup>QL</sup> INVIRASE (saquinavir) KALETRA TAB (lopinavir/ritonavir) LEXIVA SUSP, TAB (fosamprenavir) lopinavir/ritonavir SOLN (generic for Kaletra) NORVIR SOLN, TAB (ritonavir) PREZCOBIX (darunavir/cobicistat) <sup>QL</sup> PREZISTA SUSP, TAB darunavir) REYATAZ CAP, POWDER PACK (atazanavir) VIRACEPT (nelfinavir)	atazanavir CAP (generic for Reyataz) fosamprenavir TAB(generic for Lexiva) ritonavir TAB (generic for Norvir) KALETRA SOLN (lopinavir/ritonavir) NORVIR POWDER PACK <sup>NR</sup>	
VIRACEPT (nelfinavir)		

Highlights indicate May 2018 P&T changes

### HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

## HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) <sup>CL</sup>	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide)  BYDUREON BCISE PEN   (exenatide) <sup>QL</sup> OZEMPIC (semaglutide)  TANZEUM (albiglutide)  TRULICITY (dulaglutide)  A COMBINATIONS  SOLIQUA (insulin glargine/lixisenatide)  XULTOPHY (insulin degludec/liraglutide)	trial and diagnosis of diabetes  Non-preferred agents will be approved for patients who have:  Failed a trial of TWO preferred agents AND  Diagnosis of diabetes with HbA1C ≥ 7 AND  Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	ANALOG	
	SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during initiation of therapy</li> </ul>
DIPEPTIDYL PEPTIDAS	SE-4 (DPP-4) INHIBITOR	
GLYXAMBI (empagliflozin/linagliptin)QL JANUMET (sitagliptin/metformin)QL JANUMET XR(sitagliptin/metformin)QL JANUVIA (sitagliptin)QL JENTADUETO (linagliptin/metformin)QL TRADJENTA (linagliptin)QL	alogliptin (generic for Nesina) <sup>QL</sup> alogliptin/metformin (generic for Kazano) <sup>QL</sup> JENTADUETO XR (linagliptin/metformin) <sup>QL</sup> KOMBIGLYZE XR (saxagliptin/metformin) <sup>QL</sup> ONGLYZA (saxagliptin) <sup>QL</sup> alogliptin/pioglitazone (generic for Oseni) <sup>QL</sup> QTERN (dapagliflozin/saxagliptin) <sup>QL</sup> STEGLUJAN (ertugliflozin/sitagliptin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Highlights indicate May 2018 P&T changes

# HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart)PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPENCL HUMULIN OTC PEN NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:         <ul> <li>Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin® R U-500 Kwikpen:</li></ul></li></ul>

# **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	<ul> <li>Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another class OR T2DM and inadequate glycemic control</li> </ul>

## HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	<ul> <li>Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used</li> <li>Riomet®: Prior authorization not required for age &lt;7 years</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

#### **HYPOGLYCEMICS, SGLT2**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKANA (canagliflozin) <sup>CL</sup> JARDIANCE (empagliflozin) <sup>QL,CL</sup>	INVOKAMET & XR	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent</li> <li>Farxiga/Invokana/Jardiance:         Approved for diagnosis of diabetes AND a trial of metformin     </li> </ul>

## HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

## **HYPOGLYCEMICS, TZD**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
THIZAOLIDINE	THIZAOLIDINEDIONES (TZDs)		<ul> <li>Non-preferred agents will be</li> </ul>
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS			
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	•	Combination products: Require clinical reason why individual ingredients cannot be used

#### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	<ul> <li>Non-preferred agents require:</li> <li>Use limited to FDA-approved indications</li> </ul>

## IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	tacrolimus (generic for Protopic) <sup>CL</sup> DUPIXENT (dupilumab) EUCRISA (crisaborole)	<ul> <li>Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

Highlights indicate May 2018 P&T changes

# **IMMUNOMODULATORS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) ZYCLARA (imiquimod)	<ul> <li>Non-preferred agents require clinical reason why preferred agent cannot be used</li> </ul>

## **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine cyclosporine CAPSULE, cyclosporine, modified CAPSULE mycophenolate mofetil CAPSULE, TABLET RAPAMUNE (sirolimus) SOLUTION Sirolimus TABLET tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) CAPSULE, SUSPENSION, TABLET cyclosporine SOFTGEL cyclosporine, modified SOLUTION ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION IMURAN (azathioprine) mycophenolate mofetil SUSPENSION mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) NEORAL (cyclosporine, modified) CAPSULE, SOLUTION PROGRAF (tacrolimus) RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Patients established on existing therapy will be allowed to continue</li> </ul>

Highlights indicate May 2018 P&T changes

#### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		<ul> <li>Non-preferred agents will be</li> </ul>
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE
ANTIHIS	ΓAMINES	preferred agent within the same group
azelastine 0.1% (generic for Astelin)	DYMISTA (azelastine/fluticasone)	group
azelastine 0.15% (generic for Astepro)	PATANASE (olopatadine)	Drug-specific criteria:
olopatadine (generic for Patanase)		<ul> <li>Mometasone: Prior authorization</li> <li>NOT required for children ≤ 12</li> </ul>
CORTICOS	STEROIDS	years
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) ZETONNA (ciclesonide)	<ul> <li>Budesonide: Approved for use in Pregnancy (Pregnancy Category B)</li> <li>Veramyst®: Prior authorization NOT required for children ≤ 12 years</li> </ul>

#### **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair)	montelukast <b>GRANULES</b> (generic for Singulair) zafirlukast (generic for Accolate) ZYFLO (zileuton) ZYFLO CR (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent</li> <li>Drug-specific criteria:         <ul> <li>Montelukast granules:</li> <li>PA not required for age &lt; 2 years</li> </ul> </li> </ul>

#### LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin <b>CAPSULE</b> clindamycin palmitate <b>SOLUTION</b> linezolid <b>TABLET</b>	CLEOCIN (clindamycin hcl) CAPSULE  CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Highlights indicate May 2018 P&T changes

## LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol <b>TABLETS</b> (generic for Colestid)	colesevelam (generic for Welchol) colestipol <b>GRANULES</b> (generic for Colestid) QUESTRAN LIGHT (cholestyramine)	patients who have failed a trial of ONE preferred agent within the same group  Drug-specific criteria:  Juxtapid®/ Kynamro®: Approved for
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	<ul> <li>diagnosis of homozygous familial hypercholesterolemia (HoFH) OR</li> </ul>
	JUXTAPID (lomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup>	Treatment failure/maximized dosing/contraindication to ALL the following:
FIBRIC ACID	DERIVATIVES	<ul> <li>statins, ezetimibe, niacin, fibric acid</li> <li>derivatives, omega-3 agents, bile acid</li> </ul>
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra)	sequestrants  Require faxed copy of REMS PA form
	fenofibric acid (generic for Fibricor)  fenofibric acid (generic for Trilipix)  TRICOR (fenofibrate)  TRIGLIDE (fenofibrate)	<ul> <li>Lovaza®: Approved for TG ≥ 500</li> <li>Praluent®: Approved for diagnoses of:         <ul> <li>atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial</li> </ul> </li> </ul>
	TRILIPIX (fenofibric acid)	hypercholesterolemia (HeFH)
NI <i>A</i>	CIN	AND
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	<ul> <li>Maximized high-intensity statin WITH ezetimibe for at 3 continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100</li> </ul>
	nd fish oil are also covered without prior licaid with a prescription*	mg/dL  Repatha®: Approved for:
OMEGA-3 F	ATTY ACIDS	<ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> </ul>
	omega-3 fatty acids (generic for Lovaza) <sup>CL</sup>	<ul> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul>
CHOLECTEROL ARC	VASCEPA (icosapent) <sup>CL</sup>	<ul> <li>homozygous familial hypercholesterolemia (HoFH) in age ≥ 13</li> </ul>
ezetimibe (generic for Zetia)	ORPTION INHIBITORS	statin-induce rhabdomyolysis
PROPROTEIN CONVERTASE SU	IBTILISIN/KEXIN TYPE 9 (PCSK9)	<ul><li>AND</li><li>Maximized high-intensity statin WITH</li></ul>
INH	PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	ezetimibe for 3+ continuous months  • Failure to reach target LDL-C levels:     ASCVD - < 70 mg/dL, HeFH - < 100     mg/dL  • Concurrent use of maximally-tolerated statin must continue  • Vascepa®: Approved for TG ≥ 500  • WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate  • Zetia®: Approvd for diagnosis of hypercholesterolemia AND failed statin monotherapy OR statin intolerance/contraindication

Highlights indicate May 2018 P&T changes

## LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		<ul> <li>Non-preferred agents will be</li> </ul>
atorvastatin (generic for Lipitor) <sup>QL</sup> lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin) <sup>NR</sup>	approved for patients who have failed a trial of TWO preferred agent within the last 12 months  Drug-specific criteria:  Altoprev®: One of the TWO trials must be IR lovastatin  Combination products: Require clinical reason why individual
STATIN COM	BINATIONS	ingredients cannot be used
	atorvastatin/amlodiine (generic for CADUET) simvastatin/ezetimibe (generic for Vytorin)	<ul> <li>Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

## **MACROLIDES AND KETOLIDES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETO	CLIDES  KETEK (telithromycin)  OLIDES  clarithromycin ER (generic for Biaxin XL)  EES SUSPENSION, TABLET  ERY-TAB  ERYPED 200 SUSPENSION  ERYTHROCIN  erythromycin base TABLET,  CAPSULE  PCE (erythromycin)  ZMAX (azithromycin ER)  ZITHROMAX (azithromycin)	<ul> <li>Ketek®: Requires clinical resaon why patient cannot use preferred macrolide</li> <li>Macrolides: Require clinical reason why preferred products cannot be used AND ≥ 3-day trial on a preferred macrolide</li> </ul>

Highlights indicate May 2018 P&T changes

#### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) <b>SUB-Q</b> RASUVO (methotrexate) <b>SUB-Q</b> TREXALL (methotrexate) <b>TABLET</b> XATMEP (methotrexate) <b>SOLUTION</b>	<ul> <li>Non-preferred agents will be approved for FDA-approved indications</li> <li>Drug-specific criteria:</li> <li>Xatmep<sup>TM</sup>:Indicated for pediatric patients only</li> </ul>

#### **MOVEMENT DISORDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) <sup>CL</sup> INGREZZA (valbenazine) <sup>CL</sup> tetrabenazine (generic for Xenazine) <sup>CL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia</li> <li>Ingrezza: Diagnosis of Tardive Dyskinesia in adults</li> <li>Tetrabenazine: Diagnosis of chorea with Huntington Disease</li> </ul>

## **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE <b>20mg</b> Syringe Kit (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL,GL</sup> REBIF (interferon beta-1a) <sup>QL</sup>	AMPYRA (dalfampridine) <sup>QL</sup> AUBAGIO (teriflunomide) EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) <sup>QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> <li>Drug-specific criteria:</li> <li>Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Gilenya®: Requires trial of preferred injectable agent (Avonex®, Betaseron®, Copaxone®, Rebif®)</li> <li>Plegridy®: Approved for diagnosis of relapsing MS</li> </ul>

Highlights indicate May 2018 P&T changes

## **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID <b>CAPSULE</b> (nitrofurantoin monohydrate macrocrystals) MACRODANTIN <b>CAPSULE</b> (nitrofurantoin macrocrystals) FURADANTIN <b>SUSPENSION</b> (nitrofurantoin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **NSAIDS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SE diclofenac sodium (generic for Voltaren)	diclofenac potassium (generic for	Non-preferred agents will be approved for patients who have failed no less than 30-day trial of
diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen TABLET OTC, Rx (generic for Advil, Motrin) indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril)	diclofenac potassium (generic for Cataflam) diflunisal (generic for Dolobid) etodolac & sr (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION Ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) meclofenamate (generic for Ponstel) meloxicam SUSPENSION (generic Mobic) naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Anaprox)	
	oxaprozin (generic for Daypro) piroxicam (generic for Feldene) tolmetin (generic for Tolectin)	

Highlights indicate May 2018 P&T changes

## **NSAID (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTI	COX-I SELECTIVE (continued)	
	ALL BRAND NAME NSAIDs including:  CAMBIA (diclofenac oral solution)  DUEXIS (ibuprofen/famotidine)  SPRIX (ketorolac) <sup>QL</sup> TIVORBEX (indomethacin)  VIMOVO (naprosyn/esomeprazole)  VIVLODEX (meloxican submicronized)  ZIPSOR (diclofenac)  ZORVOLEX (diclofenac)	approved for patients who have failed no less than 30-day trial of TWO preferred agents  Drug-specific criteria:  Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs  Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used  Zorvolex®: Requires trial of oral
NSAID/GI PROTECTA	ANT COMBINATIONS	diclofenac OR clinical reason why
	diclofenac/misoprostol (generic for Arthrotec)	diclofenac potassium/sodium cannot be used
COX-II SELECTIVE		
celecoxib (generic for Celebrex)		

## **NSAIDS. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution)  FLECTOR <b>PATCH</b> (diclofenac) <i>PENNSAID PACKET<sup>NR</sup></i> , <b>PUMP</b> (diclofenac)  VOLTAREN <b>GEL</b> (diclofenac)	<ul> <li>Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form</li> </ul>

Highlights indicate May 2018 P&T changes

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, BREAST CANCER**

## **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALKERAN (melphalan) GLEEVEC (imatinib) nydroxyurea (generic for Hydrea) MBRUVICA (irutinib) JAKAFI (ruxolitinib) LEUKERAN (chlorambucil) MATULANE (procarbazine) mercaptopurine MYLERAN (busulfan) REVLIMID (lenalidomide) SPRYCEL (dasatinib) TASIGNA (nilotinib)	BOSULIF (bosutinib)  CALQUENCE (acalabrutinib) <sup>NR,QL</sup> FARYDAK (panobinostat)  HYDREA (hydroxyurea)  ICLUSIG (ponatinib)  IDHIFA (enasidenib)  imatinib (generic for Gleevec)  melphalan (generic for Alkeran)  NINLARO (ixazomib)  POMALYST (pomalidomide)  PURIXAN (mercaptopurine)  RYDAPT (midostaurin)  TABLOID (thioguanine)  THALOMID (thalidomide)  tretinoin (generic for Vesanoid)  VENCLEXTA (venetoclax)  ZOLINZA (vorinostat)  ZYDELIG (idelalisib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> <li>Tabloid (thioguanine): Prior authorization not required for age &lt; 19</li> </ul>

Highlights indicate May 2018 P&T changes

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GILOTRIF (afatinib) HYCAMTIN (topotecan) IRESSA (gefitinib) TARCEVA (erlotinib) XALKORI (crizotinib)	ALECENSA (alectinib) ALUNBRIG (brigatinib) TAGRISSO (osimertinib) ZYKADIA (ceritinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) cyclophosphamide (generic for Cytoxan) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) ZEJULA (niraparib)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

#### **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	CASODEX (bicalutamide) EMCYT (estramustine) ERLEADA (apalutamide) <sup>NR, QL</sup> nilutamide (generic for Nilandron) XTANDI (enzalutamide) ZYTIGA (abiraterone) YONSA (abiraterone acet, submicronized) <sup>NR</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Nilandron®: Approved for males only for metastatic prostate cancer</li> </ul>

Highlights indicate May 2018 P&T changes

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AFINITOR (everolimus) INLYTA (axitinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR <b>DISPERZ</b> <sup>CL</sup> CABOMETYX (cabozantinib) LENVIMA (lenvatinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
		Drug-specific critera  • Afinitor Disperz®: Requires clinical reason why Afinitor® cannot be used

#### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)		<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

Highlights indicate May 2018 P&T changes

## **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	Non-preferred agents will be
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan)  MOXEZA (moxifloxacin)  ofloxacin (generic for Ocuflox)  VIGAMOX (moxifloxacin)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox)	<ul> <li>approved for patients who have failed a one month trial of TWO preferred agent within the same group</li> <li>Azasite®: Approval only requires trial of erythromycin</li> </ul>
MACRO	OLIDES	Drug-specific criteria:
erythromycin	AZASITE (azithromycin)	Natacyn®: Approved for
AMINOGL	YCOSIDES	documented fungal infection
tobramycin (generic for Tobrex drops)  TOBREX OINTMENT (tobramycin)	AL MIO A OFNITO	
	ALMIC AGENTS	-
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Highlights indicate May 2018 P&T changes

## **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSPENSION (generic for Tobradex)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>
	TOBRADEX S.T. (tobramycin and dexamethasone)	
	ZYLET (loteprednol, tobramycin)	

## **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

Highlights indicate May 2018 P&T changes

## **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		Non-preferred agents will be
DUREZOL (difluprednate) FLAREX (fluorometholone) fluorometholone 0.1% (generic for FML) OINTMENT) LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	FML S.O.P. (fluorometholone 0.1%) LOTEMAX <b>OINTMENT</b> , <b>GEL</b> (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte)	<ul> <li>approved for patients who have failed a trial of TWO preferred agents</li> <li>NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent</li> </ul>
NS	prednisolone sodium phosphate 1%  AID	-
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) ketorolac 0.5% (generic for Acular) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

## **OPHTHALMICS, IMMUNOMODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	XIIDRA (lifitegrast)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Highlights indicate May 2018 P&T changes

## **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		Non-preferred agents will be
Pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within the same group
SYMPATHO	MIMETICS	<u> </u>
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	
BETA BLO	OCKERS	
carteolol (generic for Ocupress) levobunolol (generic for Betagan) metipranolol (generic for Optipranolol) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDI	RASE INHIBITORS	
AZOPT (brinzolamide) dorzolamide (generic for Trusopt)	TRUSOPT (dorzolamide)	
PROSTAGLAND	OIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan)  VYZULTA (latanoprostene)  XALATAN (latanoprost)  ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol)	

Highlights indicate May 2018 P&T changes

#### **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE <b>FILM</b> (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine <b>SL</b> buprenorphine/naloxone <b>FILM</b> , <b>SL</b> ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent  Non-Preferred:  Diagnosis of Opioid Use Disorder, NOT approved for pain management  Verification of "X" DEA license number of prescriber  No concomitant opioids  Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient

#### **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products are not appropriate for the patient</li> </ul>

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

#### **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/aluminum (generic for Otic Domeboro) acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of BOTH preferred agents</li> </ul>

Highlights indicate May 2018 P&T changes

## PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS, ORAL AND INHALED)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) <sup>CL</sup> LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) TRACLEER (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> </ul> </li> <li>Adempas®:         <ul> <li>PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH</li></ul></li></ul>

#### **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> </ul>

Highlights indicate May 2018 P&T changes

## PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW  child multivitamins chew otc (pedi multivit 19/folic acid) CHEW  CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW  children's chewables otc (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit/iron)  fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS  multivitamins with fluoride (pedi multivit 2/fluoride) DROPS  multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS  MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvit A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW pedi mvi 17 with fluoride CHEW POLY-VI-SOL OTC (pedi multivit 81) DROPS  POLY-VI-SOL WITH IRON (pedi multivit 80/ferrous sulfate) DROPS  TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS  VITALETS OTC (pedi multivit 36/iron) CHEW	AQUADEKS (pedi multivit 40/phytonadione)  ESCAVITE (pedi multivit 47/iron/fluoride)  ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW  ESCAVITE LQ (pedi multivit 86/iron/fluoride)  FLORIVA (pedi multivit 85/fluoride)  CHEW  FLORIVA PLUS (pedi multivit 130/fluoride) DROPS  multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K)  POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW  POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS  POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW  POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS  QUFLORA (pedi multivit 84/fluoride)  QUFLORA FE (pedi multivit A, C, D3, 38/fluoride)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents</li> <li>Drug specific criteria:</li> <li>Aquadeks: Approved for diagnosis of Cystic Fibrosis</li> </ul>

#### **PENICILLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent</li> </ul>
dicloxacillin penicillin VK		protetted agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{\text{CL}}$  – Prior Authorization / Class Criteria apply  $^{\text{QL}}$  – Quantity/Duration Limit

AL – Age Limit

Highlights indicate May 2018 P&T changes

#### **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET</b> , <b>CAPSULE</b> CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate <b>CAPSULE</b> ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months</li> </ul>

#### PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) Aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent OR documented clopidogrel resistance</li> <li>Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel</li> </ul>

#### **PRENATAL VITAMINS**

Only Preferred Agents, and Non-Preferred Agent changes are shown

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE PRENATA TAB CHEW pnv #15/iron fum & ps cmp/fa pnv #16/iron fum & ps/fa/om-3 pnv combo #47/iron/fa #1/dha pnv with ca, #72/iron/fa pnv with ca, #74/iron/fa TARON-PREX PRENATAL VOL-PLUS TABLET		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents</li> <li>Additional covered agents can be looked up using the Drug Look-up Tool at:         <ul> <li>https://druglookup.fhsc.com/druglookupweb/?client=nestate</li> </ul> </li> </ul>

Highlights indicate May 2018 P&T changes

## PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA MDV, SDV (hydroxyprogesterone caproate)	MAKENA <b>AUTO INJECTOR</b> (hydroxyprogesterone caproate) <sup>NR</sup>	<ul> <li>When filled as outpatient prescription, use limited to:         <ul> <li>Singleton pregnancy AND</li> <li>Previous Pre-term delivery AND</li> </ul> </li> <li>No more than 20 doses (administered between 16 -36 weeks gestation)</li> <li>Maximum of 30 days per dispensing</li> </ul>

#### **PROTON PUMP INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents</li> <li>Pediatric Patients:         <ul> <li>Patients ≤ 4 years of age − No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounded suspension.</li></ul></li></ul>

Highlights indicate May 2018 P&T changes

#### SEDATIVE HYPNOTICS

flurazepam (generic for Dalmane) temazepam 7.5mg, 22.5mg triazolam (generic for Halcion)  Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used  Ativan®/Klonopin®/Valium®: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy HETLIOZ (tasimelteon) ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo)  AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used  Edluar®: Requires a trial with generic zolpidem within the last 1 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
remazepam 15mg, 30mg (generic for Restoril)  Restoril)  ltiurazepam (generic for Dalmane) temazepam 7.5mg, 22.5mg triazolam (generic for Halcion)  Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used  OTHERS  Raleplon (generic for Sonata) EDLUAR (suvorexant) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo)  SILENOR (doxepin) Zolpidem SL (generic for Intermezzo)	BENZOI	DIAZEPINES	
swallowing disorder  Flurazepam/Triazolam: Requirestrial of BOTH preferred benzodiazepines  Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred	temazepam 15mg, 30mg (generic for Restoril)  O1 zaleplon (generic for Sonata)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam 7.5mg, 22.5mg triazolam (generic for Halcion)  THERS  BELSOMRA (suvorexant) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) CL ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Ambien CR)	<ul> <li>Lunesta®/ Rozerem®/Zolpidem         ER: Requires a trial with generic zolpidem within the last 12 months AND         Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used</li> <li>Ativan®/Klonopin®/Valium®:         Requires trial of generic         Approvable for seizure diagnosis and documentation of seizure activity on generic therapy</li> <li>Edluar®: Requires a trial with generic zolpidem within the last 12 months AND         Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Requires documentation of swallowing disorder</li> <li>Flurazepam/Triazolam:         Requirestrial of BOTH preferred benzodiazepines</li> <li>Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepines cannot be used</li> <li>Silenor®: Must meet one of the</li> </ul>
preferred oral sedative			<ul> <li>hypnotics</li> <li>Medical necessity for doxepin dose &lt; 10mg</li> <li>Age greater than 65 year old or hepatic impairment (3mg dose will be approved if this criteria is met)</li> </ul>
<ul> <li>Medical necessity for doxepin dose &lt; 10mg</li> <li>Age greater than 65 year old or hepatic impairmen (3mg dose will be approved if this criteria is met)</li> </ul>			Requires clinical reason why 15mg/30mg cannot be used  Zolpidem/Zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg  Zolpidem SL: Requires clinical
<ul> <li>Medical necessity for doxepin dose &lt; 10mg</li> <li>Age greater than 65 year old or hepatic impairmen (3mg dose will be approved if this criteria is met)</li> <li>Temazepam 7.5mg/22.5mg:         Requires clinical reason why 15mg/30mg cannot be used</li> <li>Zolpidem/Zolpidem ER:         Maximum daily dose for females Zolpidem 5mg; Zolpidem ER® 6.25mg</li> </ul>			<ul> <li>zannot be used</li> <li>Zolpimist<sup>®</sup>: Requires documentation of swallowing disorder</li> </ul>

Highlights indicate May 2018 P&T changes

#### **SINUS NODE INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

SKELETAL MUSCLE RELAXANTS		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	AMRIX (cyclobenzaprine) <sup>CL</sup> carisoprodol (generic for Soma) carisoprodol compound dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic for Skelaxin) orphenadrine ER PARAFON FORTE (chlorzoxazone) SOMA (carisoprodol) <sup>CL</sup> tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents</li> <li>Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used         Approved only for acute muscle spasms         NOT approved for chronic use</li> <li>Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain         Use is limited to no more than 30 days         Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone®: Requires clinical reason why chlorzoxazone cannot be used</li> <li>Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> </ul>

Highlights indicate May 2018 P&T changes

## STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	■ Low Potency: Non-preferred
hydrocortisone CREAM, GEL, OINTMENT (generic for Cortaid) hydrocortisone OTC LOTION hydrocortisone RX LOTION hydrocortisone/aloe OINTMENT, CREAM	alclometasone dipropionate (generic for Aclovate)  CAPEX SHAMPOO (fluocinolone)  DESONATE (desonide GEL)  desonide LOTION (generic for Desowen)  desonide CREAM, OINTMENT  (generic for former products Desowen, Tridesilon)  fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS)  MICORT-HC (hydrocortisone)	agents will be approved for patients who have failed a trial of ONE preferred agents
MEDIUM	POTENCY	Non-preferred agents will be
fluticasone propionate CREAM,    OINTMENT (generic for Cutivate) mometasone furoate CREAM,    OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION   (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	approved for patients who have failed a trial of TWO preferred agents

Highlights indicate May 2018 P&T changes

# **STEROIDS, TOPICAL (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH P	OTENCY	
triamcinolone acetonide <b>OINTMENT</b> , <b>CREAM</b> (generic for Kenalog)	amcinonide CREAM, LOTION, OINTMENT	
triamcinolone <b>LOTION</b>	betamethasone dipropionate (generic for Diprolene) betamethasone dipro/prop gly (augmented)	
	betamethasone valerate (generic for Beta-Val)	
	desoximetasone (generic for Topicort)	
	diflorasone diacetate fluocinonide <b>SOLUTION</b>	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone <b>SPRAY</b> (generic for Kenalog spray) TRIANEX <b>OINTMENT</b> (triamcinolone)	
	VANOS (fluocinonide)	

VERY HIGH POTENCY		•	Non-preferred agents will be
clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) clobetasol <b>SHAMPOO</b> , <b>LOTION</b> clobetasol propionate <b>FOAM</b> , <b>SPRAY</b> CLOBEX (clobetasol) OLUX-E /OLUX/OLUX-E CP (clobetasol)		approved for patients who have failed a trial of TWO preferred agents

Highlights indicate May 2018 P&T changes

## STIMULANTS AND RELATED ADHD DRUGSAL

Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS	
mine type	approved for patients who have failed a trial of ONE preferred
ADZENYS ER (amphetamine) SUSPENSION <sup>NR</sup> ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) MYDAYIS (amphetamine salt combo) <sup>QL</sup> EVEKEO (amphetamine sulfate) methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	
	MULANTS  mine type  ADZENYS ER (amphetamine) SUSPENSION <sup>NR</sup> ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) MYDAYIS (amphetamine salt combo) <sup>QL</sup> EVEKEO (amphetamine sulfate) methamphetamine (generic for Desoxyn)

Highlights indicate May 2018 P&T changes

# STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylpher	nidate type	<ul> <li>Non-preferred agents will be</li> </ul>
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	approved for patients who have failed a trial of TWO preferred agents
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)  COTEMPLA XR-ODT	Drug-specific criteria:  Daytrana®: May be approved in history of substance abuse by
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER)	(methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate suspension)	RITALIN (methylphenidate)  DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)  CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)	
MISCELL	methylphenidate ER 72mg <sup>NR, QL</sup>	Notes generic ID groundering and
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)	clonidine ER (generic for Kapvay) <sup>CL</sup> STRATTERA (atomoxetine)	Note: generic IR guanfacine and Clonidine ER/Guanfacine IR are available without prior authorization
ANALE	EPTICS	
	modafanil (generic for Provigil) <sup>CL</sup> armodafinil (generic for Nuvigil) <sup>CL</sup>	<ul> <li>Armodafinil: Requires trial of Provigil         Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder     </li> <li>Modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder</li> </ul>

Highlights indicate May 2018 P&T changes

#### **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	demeclocycline <sup>CL</sup> DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET, SUSPENSION, 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULE QL	<ul> <li>Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents</li> <li>Drug-specific criteria:         <ul> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used</li> <li>Vibramycin® suspension: May be approved with documented swallowing difficulty</li> </ul> </li> </ul>

#### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic for Synthroid) liothyronine <b>TABLET</b> (generic for Cytomel) thyroid, pork <b>TABLET</b>	CYTOMEL <b>TABLET</b> (liothyronine) LEVO-T (levothyroxine) SYNTHROID <b>TABLET</b> (levothyroxine) THYROLAR <b>TABLET</b> (liotrix) TIROSINT <b>TABLET</b> (levothyroxine)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>

Highlights indicate May 2018 P&T changes

#### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) PENTASA (mesalamine) UCERIS (budesonide)	approved for patients who have failed a trial of ONE preferred agent  Drug-specific criteria:  Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be
RECTAL		<ul> <li>used</li> <li>Giazo<sup>®</sup>: Requires clinical reason</li> </ul>
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	why generic balsalazide cannot be used  NOT covered in females

#### **VASODILATORS, CORONARY**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID <b>OINTMENT</b> (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic for Nitrolingual) NITROLINGUAL SPRAY NITROMIST (nitroglycerin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>