

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated October 1, 2018 *Highlights* indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- <u>Growth Hormone PA Form</u>
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: <u>https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf</u>

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamcyin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAM ^{AL}	Non-Preferred Agents adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) ATRALIN (tretinoin) AVAR (sulfacetamine sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/ benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Benzamycin) EVIDUO FORTE GEL W/PUMP erythromycin GEL of BOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide)	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed THREE preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ALZHEIMER'S DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTER	ASE INHIBITORS	Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	DR ANTAGONIST	
	memantine ER (generic for Namenda XR) memantine soln (generic for Namenda) NAMENDA (memantine) NAMENDA SOLUTION NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) ^{QL} EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH HYSINGLA ER (hydrocodone, extended release) morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) ^{QL} BELBUCA (buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} DURAGESIC MATRIX (fentanyl) fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{CL} hydromorphone ER (generic for Exalgo) ^{CL} KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for re- formulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone bitartrate ER)	 Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents Drug-specific criteria: Exalgo®/Exalgo ER®: Clinical reason why IR hydromorphone can't be used Methadone: Trial of preferred drug not required for end of life care Oxycontin®: Pain contract required for maximum quantity authorization Ultram ER®: Clinical reason why IR tramadol can't be used Zohydro ER®: Clinical reason why IR hydrocodone can't be used

PDL Updated October 1, 2018 Highlights indicated change from previous posting ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
0	RAL	 Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET	butalbital/caffeine/APAP w/codeine	approved for patients who have failed THREE preferred agents within the last 12 months
codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET norphine ORAL byycodone TABLET, SOLUTION byycodone/APAP ramadol	 butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NUCYNTA (tapentadol)^{CL} OXAYDO (oxycodone)^{CL} oxycodone/acetaminophen 	 Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive Drug-specific criteria: Abstral®/Actiq®/Fentora®/ Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of long- acting opiate Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason why individual ingredients can't be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTING^{QL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol NASAL SPRAY^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRA	ANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL SUBSYS (fentanyl spray)CL	

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Axiron) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within the last 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		 Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc)	 approved for patients who have failed TWO preferred agents within the last 12 months Non-preferred combination products may be covered as individual prescriptions without
	perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION trandolapril (generic for Mavik)	Drug-specific criteria: • Epaned [®] and Qbrelis [®] Oral
ACE INHIBITOR/DIURETIC COMBINATIONS		Solution: Clinical reason why oral tablet is not appropriate
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	
ANGIOTENSIN REC	EPTOR BLOCKERS	
irbesartan (generic for Avapro) Iosartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		 Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT)	 approved for patients who have failed TWO preferred agents within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior without prior and pri
	MODULATOR/	prior authorization
benazepril/amlodipine (generic for Lotrel)	OCKER COMBINATIONS amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT)	 Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure with both preferred agents Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: May be approved with a history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers within the last 12 months
DIRECT RENI	N INHIBITORS	
	TEKTURNA (aliskiren)	
DIRECT RENIN INHIB	ITOR COMBINATIONS	
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBI	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{CL}		
ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	 Byvalson[®]: Approved for hypertension in those patients not adequately controlled on valsartan 80mg or nebivolol up to 10mg

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTHELMINITICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin pyrantel pamoate OTC STROMECTOL (ivermectin)	EMVERM (mebendazole) praziquantel (generic for Biltricide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract)	 Class Criteria: Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment failure with or contraindication to: antihistamines AND montelukast Clinical reason as to why allergy shots cannot be used. Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollen-specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age.

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metronidazole TABLET neomycin vancomycin COMPOUNDED ORAL SOLUTION	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin)	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in
	FIRVANQ (vancomycin) SOLUTION ^{NR} FLAGYL ER (metronidazole)	this review, they are available withou prior authorization
	metronidazole CAPSULE	Drug-specific criteria:
	paromomycin SOLOSEC (secnidazole)	 Alinia[®]: Trial and failure with metronidazole is required for a diagnosis of giardiasis
	tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin)	 Dificid[®]: Trial and failure with oral vancomycin is required for a diagnos of C. difficile diarrhea (pseudomembranous colitis)
	XIFAXAN (rifaximin)	Firvanq: Requires patient specific documentation of why the compounded product is not
		 appropriate for patient Flagyl ER[®]: Trial and failure with metronidazole is required
		 Flagyl[®]/Metronidazole 375mg capsules and Flagyl ER[®]/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular release expend to used
		 regular-release cannot be used Tinidazole: Trial and failure/ contraindication to metronidazole required
		Approvable diagnoses include: Giardia
		Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis
		 Vancomycin capsules: Trial and failure with metronidazole
		Trial may be bypassed if initial or recurrent episode of SEVERE C. difficile colitis
		SEVERE C. difficile colitis:
		Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR
		Serum creatinine ≥ 1.5 times premorbid level
		Provider to provide labs for documentation
		 Xifaxan[®]: Approvable diagnoses include:
		Travelers diarrhea resistant to quinolones
		Hepatic encephalopathy with treatm failure of lactulose or neomcin
		Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil [®] AND Imodium [®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

^{QL} – Quantity/Duration Limit

October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Tobi)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within the last 12 months
Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine		 Drug-specific criteria: Altabax[®]: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used Mupirocin[®] Cream: Clinical reason the ointment cannot be used

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within the last 6 months

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{QL}	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		 Non-preferred agents will be
dronabinol (generic for Marinol) ^{AL}	CESAMET (nabilone) SYNDROS (dronabinol) ^{AL, CL}	approved for patients who have failed ONE preferred agents within the same group
5HT3 RECEPT	OR BLOCKERS	 SYNDROS – documentation of inability to swallow solid dosage
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	Drug-specific criteria: • Akynzeo®/Emend [®] /Varubi®:
NK-1 RECEPTO	R ANTAGONIST	Approved for Moderately/Highly emetogenic chemotherapy with
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TABLET ^{CL}	dexamethasone and a 5-HT3 antagonist WITHOUT trial of preferred agents <u>Regimens include</u> : AC combination
TRADITIONAL ANTIEMETICS		(Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic for Emetrol) prochlorperazine, oral (generic for Compazine) promethazine, oral (generic for Phenergan) promethazine SUPPOSITORIES 12.5mg, 25mg	BONJESTA (doxylamine/pyridoxine) ^{,CL,QL} COMPRO (prochlorperazine rectal) metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	 Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis[®]/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy
TRANSDERM-SCOP (scopolamine)		 Metozolv ODT[®]: Documentation or inability to swallow or Clinical reason oral liquid cannot be used

Sancuso[®]/Zuplenz[®]: Documentation of oral dosage form intolerance .

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIFUNGALS. ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET hystatin TABLET, SUSPENSION terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) ^{CLAL} nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) ^{CL} voriconazole (generic for VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Onmel®: Requires trial and failure or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure or canta fine-resistant dermatophytes, Oropharyngeal/esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Liquid: Clinical reason oral cannot be used Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS) Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal candidiasis refractory to fluconazole

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

 Clottimizole CREAM (generic for Lottimin) RX, OTC RENSAL HP (salicylic acid) (generic for Nizoral) LAMISIL AT CREAM, (fethinafine) OTC miconazole OTC CREAM, POWDER nystatin selenium sulfide 2.5% terbinafine OTC (generic for Lamisil AT) tolnattate AERO POWDER, CREAM, POWDER, OTC (generic for Tinactin) DESNEX AERO POWDER OTC (miconazole) containdication to other tor Loprox) containdication to conter tor Loprox) containdication to other tor Loprox) containdication to other testocnazole) EXTINA (ketoconazole) EXTINA (ketoconazole) EXTINA (ketoconazole) Contraindication to oral terbinafine OTC (clotrimazole) LOTRIMIN LTRA (butenafine) Uliconazole (Generic for Luzu) MENTAX (butenafine) Uliconazole (Generic for Coxistat) selenium sulfide 2.25% TINACTIN AERO POWDER OTC tolnafate SPRAY, OTC VUSION (miconazole/ zinc oxide) 	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 Clottimizole CREAM (generic for Lottimin) RX, OTC RENSAL HP (salicylic acid) (generic for Nizoral) LAMISIL AT CREAM, (fethinafine) OTC miconazole OTC CREAM, POWDER nystatin selenium sulfide 2.5% terbinafine OTC (generic for Lamisil AT) tolnattate AERO POWDER, CREAM, POWDER, OTC (generic for Tinactin) DESNEX AERO POWDER OTC (miconazole) containdication to other tor Loprox) containdication to conter tor Loprox) containdication to other tor Loprox) containdication to other testocnazole) EXTINA (ketoconazole) EXTINA (ketoconazole) EXTINA (ketoconazole) Contraindication to oral terbinafine OTC (clotrimazole) LOTRIMIN LTRA (butenafine) Uliconazole (Generic for Luzu) MENTAX (butenafine) Uliconazole (Generic for Coxistat) selenium sulfide 2.25% TINACTIN AERO POWDER OTC tolnafate SPRAY, OTC VUSION (miconazole/ zinc oxide) 	ANTIF	UNGAL	Non-preferred agents will be
	clotrimazole CREAM (generic for Lotrimin) RX, OTC ketoconazole CREAM, SHAMPOO (generic for Nizoral) LAMISIL AT CREAM (terbinafine) OTC miconazole OTC CREAM, POWDER nystatin selenium sulfide 2.5% terbinafine OTC (generic for Lamisil AT) tolnaftate AERO POWDER, CREAM,	ALEVAZOL (clotrimazole) OTC BENSAL HP (salicylic acid) ciclopirox CREAM , GEL , SUSPENSION (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) FUNGOID OTC JUBLIA (efinaconazole) KERIDYN (tavaborole) ketoconazole FOAM (generic for Ketodan) LAMISIL AT GEL , SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION , SHAMPOO , CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (bufenafine) Iuliconazole (generic for Luzu) MENTAX (butenafine) miconazole OTC OINTMENT , SPRAY naftifine (generic for Naftin) oxiconazole (generic for Oxistat) selenium sulfide 2.25% TINACTIN AERO POWDER OTC tolnaftate SPRAY , OTC	 approved for patients who have failed a trial of TWO preferred agents within the last 6 months Drug-specific criteria: Extina[®]: Requires trial and failure or contraindication to other ketoconazole forms Jublia[®]: Approved diagnoses include Onychomycosis of the toenails due to <i>T. rubrum</i> OR <i>T. mentagrophytes</i> Nystatin/Triamcinolone: individual ingredients available without prior authorization Ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR
ANTIFUNGAL/STEROID COMBINATIONS	ANTIFUNGAL/STER		

clotrimazole/betamethasone CREAM (generic for Lotrisone)

clotrimazole/betamethasone LOTION (generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) levocetirzine (generic for Xyzal) SOLUTION loratadine CHEWABLE , DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL CLORPRES (chlorthalidone/clonidine) methyldopa/hydrochlorothiazide reserpine	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} <i>DUZALLO (allopurinol/lesinurad)^{NR}</i> ULORIC (febuxostat) ^{CL} ZURAMPIC (lesinurad) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis Uloric[®]: Clinical reason why allopurinol cannot be used Zurampic[®]: Requires trial of

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

^{QL} – Quantity/Duration Limit

allopurinol and Uloric®

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	AJOVY (fremanezumab-vfrm) ^{NR, QL, CL} AIMOVIG AUTOINJECTOR (erenumab-aooe) ^{NR, QL, CL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia[®]: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Aimovig and <i>Ajovy</i>: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	RAL	Non-preferred agents will be
RELPAX (eletriptan) rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig ZMT)	 approved for patients who have failed ALL preferred agents Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	-
INJEC	TABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	
Unless otherwise specified, the listing of a particul	ar brand or generic name includes all dosage forn	ns of that drug.

CL – Prior Authorization / Class Criteria apply

 QL – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION ^{NR} EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins) ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		 Non-preferred agents will be approved for patients who have failed ONE preferred agents within the same group
	HIBITORS entacapone (generic for Comtan) tolcapone (generic for Tasmar) AGONISTS NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for REQUIP XL) ^{CL}	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug Neupro[®]: For Parkinsons: Clinical reason required why preferred agent
MAO-B IN selegiline TABLET (generic for Eldepryl)	HIBITORS rasagiline ^{QL} (generic for Azilect) selegiline CAPSULE (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole • Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial
OTHER ANTIPAR amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	KINSON'S DRUGS amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) GOCOVRI (amantadine) ^{NR, QL} OSMOLEX ER (amantadine) ^{NR, QL} RYTARY (carbidopa/levodopa) STALEVO	 Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar[®]: Approved for documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 QL – Quantity/Duration Limit

October 1, 2018

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) OXSORALEN-ULTRA (methoxsalen) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM calcipotriene SOLUTION	calcipotriene OINTMENT calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

ANTIVIRALS, ORAL

Preferred Age	nts	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir (generic for Zov		ETIC DRUGS SITAVIG (acyclovir buccal)	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE
famciclovir (generic for F valacyclovir (generic for)			preferred agent
	ANTI-INFLUI	ENZA DRUGS	Drug-specific criteria:
RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL}	-	oseltamivir (generic for Tamiflu) ^{QL} rimantadine (generic for Flumadine)	 Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone) ZOVIRAX CREAM (acyclovir)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION (generic for Valium) lorazepam INTENSOL, TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents Drug-specific critera: Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR lorazepam Intensol[®]
		trial of diazepam solution OR lorazepam Intensol®

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA BL atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)		 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents Drug-specific criteria: Bystolic[®]: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR[®]: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF		
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	

ANTIARRHYTHMIC

sotalol (generic for Betapace)

SOTYLIZE (sotalol)

PDL Updated October 1, 2018 Highlights indicated change from previous posting

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol CAPSULE 300mg (generic for Actigall)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent Drug-specific criteria: Myrbetriq[®]: Covered without trial in contraindication to anticholinergic agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOS	PHONATES	 Non-preferred agents will be
alendronate (generic for Fosamax) (daily and weekly formulations)	PHONATES alendronate SOLUTION (generic for Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D ^{QL} ibandronate (generic for Boniva) ^{QL} risedronate (generic for Actonel) ^{QL} PRESSION AND RELATED DRUGS EVISTA (raloxifene) FORTEO (teriparatide) ^{QL} TYMLOS (abaloparatide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covere as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto[®]: Requires clinical reasor why alendronate tablets OR Fosamax[®] solution cannot be use Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo[®]: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 o more clinical risk factors – Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 monti at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BW T-score ≤ -2.5 at any site with an clinical risk factors – more than 2 units of alcohol per day, current smoker Men with primary or hypogonada osteoporosis Osteoporosis associated with sustained systemic glucocorticoid

PDL Updated October 1, 2018 Highlights indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	Non-preferred agents will be
	CARDURA XL (doxazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin) SE (5AR) INHIBITORS	 approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Avodart[®]: Covered for males only Cardura XL[®]: Requires clinical
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Flomax[®]: Covered for males only Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used Proscar[®]: Covered for males only Uroxatral[®]: Covered for males only

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS –	Short Acting	Non-preferred agents will be
PROAIR HFA (albuterol)	PROAIR RESPICLICK (albuterol)	 approved for patients who have failed a trial of ONE preferred
PROVENTIL HFA (albuterol)	VENTOLIN HFA (albuterol)	agent within the same group
	XOPENEX HFA (levalbuterol)	
INHALERS -	- Long Acting	Drug-specific criteria:
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol)	 Ventolin HFA[®]: Requires trial and failure on Proventil HFA[®] AND
	STRIVERDI RESPIMAT (olodaterol)	Proair HFA® OR allergy/
INHALATIO	N SOLUTION	 contraindication/side effect to BOTH
albuterol (2.5mg/3ml premix or	BROVANA (arformoterol)	Xopenex [®] : Covered for cardiac
2.5mg/0.5ml)	levalbuterol (generic for Xopenex)	diagnoses or side effect of
albuterol 100 mg/20 mL	PERFOROMIST (formoterol)	tachycardia with albuterol product
albuterol low dose (0.63mg/3ml & 1.25mg/3ml)		
		_
ORAL		_
albuterol SYRUP	albuterol TABLET	
terbutaline (generic for Brethine)	albuterol ER (generic for Vospire ER)	
	metaproterenol (formerly generic for Alupent)	

PDL Updated October 1, 2018 Highlights indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	oyridines	 approved for patients who have failed a trial of ONE preferred
	isradipine (generic for Dynacirc)	agent within the same group
	nicardipine (generic for Cardene)	
	nifedipine (generic for Procardia)	Drug-specific criteria:
	nimodipine (generic for Nimotop)	 Nifedipine: May be approved
	NYMALIZE (nimodipine solution)	without trial for diagnosis of Preterm Labor or Pregnancy - Induced Hypertension (PIH)
Non-dihydr	ropyridines	- Nimodipine: Covered without trial
diltiazem (generic for Cardizem)		for diagnosis of subarachnoid
verapamil (generic for Calan, Isoptin)		hemorrhage
LONG-ACTING		
Dihydror	oyridines	
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydi	ropyridines	-
diltiazem ER (generic for Cardizem CD)	CALAN SR (verapamil)	-
verapamil ER TABLET	diltiazem LA (generic for Cardizem LA)	
	MATZIM LA (diltiazem)	
	TIAZAC (diltiazem)	
	verapamil ER CAPSULE	
	verapamil 360mg CAPSULE	
	verapamil ER PM (generic for Verelan PM)	

PDL Updated October 1, 2018 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate TABLETS,	amoxicillin/clavulanate, CHEWABLE	 approved for patients who have failed a 3-day trial of ONE
SUSPENSION	amoxicillin/clavulanate XR	preferred agent
	(generic for Augmentin XR)	
	AUGMENTIN SUSPENSION, TABLET	
	(amoxicillin/clavulanate)	Suprax [®] Tablet / Suspension:
CEPHALOSPORIN	S – First Generation	Requires clinical reason why capsule or generic suspension
efadroxil CAPSULE, SUSPENSION	cefadroxil TABLET (generic for	cannot be used
(generic for Duricef)	Duricef)	
cephalexin CAPSULE, SUSPENSION	cephalexin TABLET	
(generic for Keflex)	DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
efprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
efuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS – Third Generation		
efdinir (generic for Omnicef)	cefixime SUSPENSION (generic for	
SUPRAX CAPSULE, CHEWABLE	Suprax)	
TABLET (cefixime)	cefpodoxime (generic for Vantin)	
	SUPRAX SUSPENSION, TABLET (cefixime)	

PDL Updated October 1, 2018 *Highlights* indicated change from previous posting CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INH/ ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) SPIRIVA (tiotropium)	Non-Preferred Agents ALERS ANORO ELLIPTA (umeclidinium/vilanterol) COMBIVENT RESPIMAT (albuterol/ ipratropium) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate) N SOLUTION LONHALA (glycopyrrolate inhalation	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent in the same group OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon initial review
albuterol/ipratropium (generic for Duoneb)	soln) ^{NR}	
pratropium SOLUTION (generic for Atrovent)		_
ORAL	AGENT	

DALIRESP (roflumilast)CL

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) DISP SYR <i>NIVESTYM (filgrastim) SYR^{NR}</i> ZARXIO (filgrastim-sndz)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

 QL – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine SOLUTION promethazine/codeine SOLUTION	 hydrocodone/homatropine LORTUSS EX (pseudoephedrine/ codeine/guaifenesin promethazine/phenylephrine/codeine PROMETHAZINE VC-CODEINE (promethazine/phenylephrine/ codeine) TUSNEL C (pseudoephedrine/ codeine/guaifenesin) VIRTUSSIN DAC (pseudoephedrine/ codeine/guaifenesin) 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL}	 Drug-specific criteria: Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Minimum age: 2 years Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years for tablet Minimum age: 2 years for packet Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 12 years

PDL Updated October 1, 2018 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ^{CL} ENBREL (etanercept) ^{QL} HUMIRA (adalimumab) ^{QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} <i>ILUMYA (tildrakizumab) SUB-Q^{NR}</i> KEVZARA (sarilumab) SUB-Q^{NR} KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) <i>OLUMIANT (baricitinib) ORAL^{NR,QL}</i> ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL ^{QL} SILIQ (brodalumab) SIMPONI (golimumab) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL ^{QL}	 Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent Drug-specific criteria: Cosentyx: Requires trial of Humira

DIURETICS

ODUCTS ACTONE TABLET	 Non-preferred agents will be approved for patients who have
CTONE TABLET	approved for patients who have
pironolactone) OSPIR (spironolactone) USPENSION IL TABLET (chlorothiazide) ENIUM TABLET (triamterene) enone TABLET (generic for NSPRA) rynic acid CAPSULE (generic for	failed a trial of TWO preferred agent within the same group
DECRIN) X TABLET (furosemide) yclothiazide TABLET ROZIDE (hydrochlorothiazide)	
DUCTS	
CTAZIDE TABLET pironolactone/HCTZ) (IDE CAPSULE iamterene/HCTZ) ZIDE TABLET iamterene/HCTZ) ZIDE-25 TABLET iamterene/HCTZ)	
	DSPIR (spironolactone) USPENSION IL TABLET (chlorothiazide) ENIUM TABLET (triamterene) enone TABLET (generic for ISPRA) rynic acid CAPSULE (generic for DECRIN) (TABLET (furosemide) /clothiazide TABLET OZIDE (hydrochlorothiazide) DUCTS CTAZIDE TABLET bironolactone/HCTZ) IDE CAPSULE amterene/HCTZ) CIDE TABLET amterene/HCTZ) CIDE-25 TABLET

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

^{QL} – Quantity/Duration Limit October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication

EPINEPHRINE, SELF-INJECTED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR.	 Non-preferred agents require clinical documentation why the preferred product is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	RETACRIT (EPOETIN ALFA- EPBX) ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin Suspension: Coverable with documented swallowing disorders Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LINZESS (linaclotide) ^{qL} MOVANTIK (naloxegol oxalate) ^{qL}	alosetron (generic for Lotronex) RELISTOR (methylnaltrexone) TABLET^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of lBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

PDL Updated October 1, 2018 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	ORTICOIDS	 Non-preferred agents will be
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{AL,QL} FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone) ^{NR}	 approved for patients who have failed a trial of TWO preferred agents within the last 6 months Drug-specific criteria: Budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	-
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) ^{QL} AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) <i>TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)</i> ^{NR}	_
INHALATION SOLUTION		
	budesonide RESPULES (generic for Pulmicort)	

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK, SOLUTION prednisone TABLET	CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLET ^{CL} ENTOCORT EC (budesonide) methylprednisolone (generic for Medrol) ORAPRED ODT (prednisolone sodium phosphate) PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older Approved after trial/failure with prednisone Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient
	prednisolone sodium phosphate ODT	
	prednisone INTENSOL	
	RAYOS DR (prednisone) TABLET	

PDL Updated October 1, 2018 Highlights indicated change from previous posting

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NORDITROPIN (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NUTROPIN AQ (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
	FACTOR VIII	•	Non-preferred agents will be
ADVATE	AFSTYLA		approved for patients who have failed a trial of ONE preferred
ADYNOVATE	JIVI ^{NR,AL}		agent
ALPHANATE	OBIZUR		
ELOCTATE			
HELIXATE FS			
HEMOFIL-M			
HUMATE-P			
KOATE-DVI KIT, VIAL			
KOGENATE FS			
ATINTHA KIT, SOLOFUSE			
KOVALTRY MONOCLATE-P NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE			

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR IX	
ALPHANINE SD	IDELVION	
ALPROLIX	REBINYN ^{NR}	
BEBULIN		
BENEFIX		
IXINITY		
MONONINE		
PROFILNINE SD		
RIXUBIS		
	IN COMPLEX-PLASMA DERIVED	
FEIBA NF		
NOVOSEVEN RT		
FACTOR X AND	XIII PRODUCTS	
	COAGADEX ^{CL}	
	AND PRODUCTS	
WILATE	VONVENDI ^{CL}	
BISPECIFIC	C FACTORS	
	HEMLIBRA ^{CL,NR}	

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTI	NG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL} RIBA ribavirin 200mg TABLET, CAPSULE	DAKLINZA (daclatasvir) ^{CL} EPCLUSA (sofosbuvir/velpatasvir) ^{CL} HARVONI (sofosbuvir/ledipasvir) ^{CL} OLYSIO (simeprevir) ^{CL} SOVALDI (sofosbuvir) ^{CL} TECHNIVIE (ombitasvir/paritaprevir/ ritonavir) ^{CL} VIEKIRA PAK/XR (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL} VIRIN REBETOL (ribavirin) FERON	 Hepatitis C Criteria Non-preferred products require trial of preferred agents and will only be considered with documentation of why the preferred product is not appropriate for patient Patients undergoing treatment at the time of preferred status change (January 2018) will be allowed to complete treatment with same drug as started on Patients newly eligible for Medicaid will be allowed to complete treatment with same drug as started on Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin Harvoni: For genotype 1 with decompensated cirrhosis along with ribavirin For use in children ages 12 to 17 Post liver transplant for genotype 1 or 4 Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis or with compensated cirrhosis or with compensated cirrhosis

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine TABLET, SYRUP (generic for Zantac)		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Cimetidine: Approved for viral <i>M.</i> <i>contagiosum</i> or common wart <i>V.</i> Vulgaris treatment Nizatadine/Cimetidine Solution/ Famotidine Suspension: Requires clinical reason why ranitidine syrup cannot be used

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIV CCR5 AN	HIV CCR5 ANTAGONISTS	
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patient
CYTOCHROME F	450 INHIBITORS	 specific documentation of why the preferred products are not
TYBOST (cobicistat) ^{QL}		appropriate for patient
		 Patients undergoing treatment at the time of any preferred status
FUSION IN	HIBITORS	change will be allowed to continue
FUZEON SUB-Q (enfuvirtide) ^{QL}		therapy Diagnosis of HIV/AIDS
INTEGRASE	INHIBITORS	 Prophylaxis, both pre and post
GENVOYA (elvitegravier/cobicistat/emtricitabin e/tenofovir alafenamide) ^{QL, AL} ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir) ^{QL} ISENTRESS HD (raltegravir) JULUCA (dolutegravir/rilpivirine) ^{QL} TIVICAY (dolutegravir)		exposure covered
NNF	RTIs	
EDURANT (rilpivirine) INTELENCE (etravirine) ^{QL} nevirapine TAB (generic for Viramune) nevirapine er (generic for Viramune XR) RESCRIPTOR (delavirdine) SUSTIVA CAP, TAB (efavirenz)	efavirenz (generic for Sustiva) <i>PIFELTRO (doravirine)^{NR,QL}</i> VIRAMUNE TAB (nevirapine) VIRAMUNE XR (nevirapine extended release)	

VIRAMUNE **SUSP** (nevirapine)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NRTIS		
 abacavir SOLN, TAB (generic for Ziagen) didanosine CAP DR (generic for Videx EC) EMTRIVA CAP, SOLN (emtricitabine) lamivudine SOLN, TAB (generic for Epivir) stavudine CAP, SOLN (generic for Zerit) VIDEX SOLN (didanosine) VIREAD (tenofovir disoproxil fumarate) zidovudine CAP, SYRUP, TAB (generic for Retrovir) 	EPIVIR (lamivudine) RETROVIR (zidovudine) tenofovir disoproxil fumarate TAB (generic for Viread) VIDEX EC (didanosine) ZERIT CAP , SOLN (stavudine) ZIAGEN (abacavir)	
PROTEASE	INHIBITORS	
APTIVUS CAP , SOLN (tipranavir) CRIXIVAN (indinavir) EVOTAZ(atazanavir sulfate/cobicistat) ^{QL} INVIRASE (saquinavir) KALETRA TAB (lopinavir/ritonavir) LEXIVA SUSP , TAB (fosamprenavir) lopinavir/ritonavir SOLN (generic for Kaletra) NORVIR SOLN , TAB (ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} PREZISTA SUSP , TAB darunavir) REYATAZ CAP , POWDER PACK (atazanavir) VIRACEPT (nelfinavir)	atazanavir CAP (generic for Reyataz) fosamprenavir TAB (generic for Lexiva) ritonavir TAB (generic for Norvir) KALETRA SOLN (lopinavir/ritonavir) NORVIR POWDER PACK ^{NR}	

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HIV / AIDS^{CL} CONTINUED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATIONS		
EPZICOM) abacavir/lamivudine/zidovudine (generic for Trizivir) ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate) DESCOVY (emtricitabine/tenofovir alafenamide) ^{QL} lamivudine/zidovudine (generic for COMBIVIR)	CIMDUO (lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} COMBIVIR (zidovudine/lamivudine) DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} EPZICOM (abacavir sulfate/lamivudine) SYMFI (efavirenz/lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) ^{NR,QL} SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide) ^{NR,QL} TRIZIVIR (abacavir/zidovudine/lamivudine	

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HYPOGI YCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST (GLP-1 RA) ^{CL}		Preferred agents require metformin
subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)	 trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents AND Diagnosis of diabetes with HbA10 ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
INSULIN/GLP-1 RA	COMBINATIONS	-
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	
AMYLIN A	ANALOG	
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during <u>initiation</u> of therapy
DIPEPTIDYL PEPTIDASI	E-4 (DPP-4) INHIBITOR	
JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} alogliptin/pioglitazone (generic for Oseni) ^{QL} QTERN (dapagliflozin/saxagliptin) ^{QL} STEGLUJAN (ertugliflozin/sitagliptin) ^{QL}	Non-preferred agents will be approved for patients who have faile a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN 70/30 PEN HUMULIN OTC PEN NOVOLIN (insulin) NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Afrezza[®]: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin[®] R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self- administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Riomet[®]: Prior authorization not required for age <7 years

PDL Updated October 1, 2018 Highlights indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL}	INVOKAMET & XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/ metformin) ^{QL} XIGDUO XR (dapagliflozin/metformin) ^{QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agent	ts Non-Preferred	Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone OFEV (nintedanib esy	/	Non-preferred agents require: Use limited to FDA-approved indications

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	tacrolimus (generic for Protopic) ^{CL} DUPIXENT (dupilumab) EUCRISA (crisaborole)	 Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

PDL Updated October 1, 2018 Highlights indicated change from previous posting

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine cyclosporine CAPSULE , cyclosporine, modified CAPSULE mycophenolate mofetil CAPSULE , TABLET RAPAMUNE (sirolimus) SOLUTION Sirolimus TABLET tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) CAPSULE, SUSPENSION, TABLET cyclosporine SOFTGEL cyclosporine, modified SOLUTION ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION IMURAN (azathioprine) mycophenolate mofetil SUSPENSION mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) NEORAL (cyclosporine, modified) CAPSULE, SOLUTION PROGRAF (tacrolimus) RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Patients established on existing therapy will be allowed to continue

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	 Non-preferred agents will be
ipratropium (generic for Atrovent)		 approved for patients who have failed a 30-day trial of ONE
ANTIHIS	TAMINES	preferred agent within the same
azelastine 0.1% (generic for Astelin)	DYMISTA (azelastine/fluticasone)	- group
azelastine 0.15% (generic for Astepro)	PATANASE (olopatadine)	Drug-specific criteria:
olopatadine (generic for Patanase)		 Mometasone: Prior authorization
CORTICO	STEROIDS	 NOT required for children ≤ 12 years
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone)	Budesonide: Approved for use in
	budesonide Rx (generic for Rhinocort)	Pregnancy (Pregnancy Category B)
	flunisolide (generic for Nasalide)	 Veramyst®: Prior authorization
	mometasone (generic for Nasonex)	NOT required for children ≤ 12
	OMNARIS (ciclesonide)	years
	QNASL 40 & 80 (beclomethasone)	
	TICANASE (fluticasone)	
	VERAMYST (fluticasone)	
	ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent
	ZYFLO CR (zileuton)	 Drug-specific criteria: Montelukast granules: PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTIC linezolid TABLET	 CLEOCIN (clindamycin hcl) CAPSULE CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

PDL Updated October 1, 2018 Highlights indicated change from previous posting

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	colesevelam (generic for Welchol) TABLET, PACKET colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine)	 patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Juxtapid[®]/ Kynamro[®]: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH) OR
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	Treatment failure/maximized
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	DERIVATIVES fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix) TRICOR (fenofibrate) TRIGLIDE (fenofibric acid) ACIN NIACOR (niacin IR) NIASPAN (niacin ER)	 sequestrants Require faxed copy of REMS PA form Lovaza®: Approved for TG ≥ 500 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD ASCVD Failure to reach target LDL-C levels: ASCVD APPRIAD
Several other forms of OTC Niacin and fish oil are also covered without prior authorization under Medicaid with a prescription OMEGA-3 FATTY ACIDS omega-3 fatty acids (generic for Lovaza) ^{CL}		 adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH)
	VASCEPA (icosapent) ^{CL}	 homozygous familial hypercholesterolemia (HoFH) in age ≥
	ORPTION INHIBITORS	13
ezetimibe (generic for Zetia)		statin-induce rhabdomyolysis
	JBTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS	 AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months
	PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa®: Approved for TG ≥ 500 WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate

PDL Updated October 1, 2018 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		 Non-preferred agents will be
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin) ^{NR}	 approved for patients who have failed a trial of TWO preferred agent within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual
STATIN COM	IBINATIONS	ingredients cannot be used
	atorvastatin/amlodiine (generic for CADUET) simvastatin/ezetimibe (generic for Vytorin)	 Lescol XL[®]: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin[®]: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETO		 Ketek[®]: Requires clinical resaon why patient cannot use preferred
MACD	KETEK (telithromycin) OLIDES	macrolide
azithromycin (generic for Zithromax) clarithromycin TABLET, SUSPENSION (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) EES SUSPENSION, TABLET ERY-TAB ERYPED SUSPENSION ERYTHROCIN erythromycin base TABLET, CAPSULE PCE (erythromycin) ZMAX (azithromycin ER) ZITHROMAX (azithromycin)	■ Macrolides: Require clinical reason why preferred products cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Updated October 1, 2018 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	 Drug-specific criteria: Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia Ingrezza: Diagnosis of Tardive Dyskinesia in adults Tetrabenazine:Diagnosis of chorea with Huntington Disease

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} REBIF (interferon beta-1a) ^{QL}	AUBAGIO (teriflunomide) <i>dalfampridine (generic to Ampyra)</i> ^{QL} EXTAVIA (interferon beta-1b) ^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Ampyra[®]: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy®: Approved for diagnosis of relapsing MS

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID CAPSULE (nitrofurantoin monohydrate macrocrystals) MACRODANTIN CAPSULE (nitrofurantoin macrocrystals) FURADANTIN SUSPENSION (nitrofurantoin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

NSAIDS

PDL Updated October 1, 2018 Highlights indicated change from previous posting

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	IVE (continued)	Non-preferred agents will be
	ALL BRAND NAME NSAIDs including:	approved for patients who have failed no less than 30-day trial of TWO preferred agents
	CAMBIA (diclofenac oral solution)	' 0
	DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) ^{QL} TIVORBEX (indomethacin) VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Drug-specific criteria: Sprix[®]: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex[®]: Requires clinical reason why indomethacin capsules cannot be used Zorvolex[®]: Requires trial of oral
NSAID/GI PROTECT	ANT COMBINATIONS	diclofenac OR clinical reason why
	diclofenac/misoprostol (generic for Arthrotec)	diclofenac potassium/sodium cannot be used
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

NSAIDS. TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET, PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector[®]: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial o oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid[®]: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid[®] Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren[®]: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate XELODA (capecitabine)	capecitabine (generic for Xeloda) FARESTON (toremifene) IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK NERLYNX (neratinib) TYKERB (lapatinib) VERZENIO (abemaciclib) ^{NR}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer) Fareston[®]: Require clinical reason why tamoxifen cannot be used Letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALKERAN (melphalan) GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) IMBRUVICA (irutinib) JAKAFI (ruxolitinib) LEUKERAN (chlorambucil) MATULANE (procarbazine) mercaptopurine MYLERAN (busulfan) REVLIMID (lenalidomide) SPRYCEL (dasatinib) TASIGNA (nilotinib)	BOSULIF (bosutinib) <i>CALQUENCE (acalabrutinib)</i> ^{NR,QL} FARYDAK (panobinostat) HYDREA (hydroxyurea) ICLUSIG (ponatinib) IDHIFA (enasidenib) imatinib (generic for Gleevec) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) PURIXAN (mercaptopurine) RYDAPT (midostaurin) TABLOID (thioguanine) THALOMID (thalidomide) <i>TIBSOVO (ivosidenib)</i> ^{NR,QL} tretinoin (generic for Vesanoid) VENCLEXTA (venetoclax) ZOLINZA (vorinostat) ZYDELIG (idelalisib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Tabloid (thioguanine): Prior authorization not required for age < 19

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

PDL Updated October 1, 2018 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GILOTRIF (afatinib) HYCAMTIN (topotecan) IRESSA (gefitinib) TARCEVA (erlotinib) XALKORI (crizotinib)	ALECENSA (alectinib) ALUNBRIG (brigatinib) TAGRISSO (osimertinib) ZYKADIA (ceritinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) cyclophosphamide (generic for Cytoxan) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) ZEJULA (niraparib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	CASODEX (bicalutamide) EMCYT (estramustine) <i>ERLEADA (apalutamide)^{NR, QL}</i> nilutamide (generic for Nilandron) XTANDI (enzalutamide) ZYTIGA (abiraterone) YONSA (abiraterone acet, submicronized) ^{NR}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Nilandron[®]: Approved for males only for metastatic prostate cancer

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

PDL Updated October 1, 2018 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AFINITOR (everolimus) INLYTA (axitinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR DISPERZ ^{CL} CABOMETYX (cabozantinib) LENVIMA (lenvatinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor Disperz[®]: Requires clinical reason why Afinitor® cannot be used

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COTELLIC (cobimetinib) ERIVEDGE (vismodegib) MEKINIST (trametinib) ODOMZO (sonidegib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)	BRAFTOVI (encorafenib) ^{NR} MEKTOVI (binimetinib) ^{NR}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Updated October 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox) VIGAMOX (moxifloxacin)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox)	 approved for patients who have failed a one month trial of TWO preferred agent within the same group Azasite®: Approval only requires trial of erythromycin
MACRO	DLIDES	_ Drug-specific criteria:
erythromycin	AZASITE (azithromycin)	 Natacyn[®]: Approved for
AMINOGL	YCOSIDES	documented fungal infection
gentamicin SOLUTION, OINTMENT tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin) OTHER OPHTH	ALMIC AGENTS	-
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

PDL Updated October 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CORTICO	STEROIDS	•	Non-preferred agents will be
DUREZOL (difluprednate) FLAREX (fluorometholone) fluorometholone 0.1% (generic for FML) OINTMENT) LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	 FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) 	-	approved for patients who have failed a trial of TWO preferred agents NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	prednisolone sodium phosphate 1%	-	
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) ketorolac 0.5% (generic for Acular) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	-	

OPHTHALMICS, ANTI-INFLAMMATORY/IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

PDL Updated October 1, 2018 Highlights indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	TICS	 Non-preferred agents will be
Pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	 approved for patients who have failed a trial of ONE preferred agent within the same group
SYMPATHO	MIMETICS	
Alphagan P (brimonidine 0.15%)	Alphagan P (brimonidine 0.1%)	
brimonidine 0.2% (generic for Alphagan)	apraclonidine (generic for lopidine) brimonidine P 0.15%	
BETA BLC	DCKERS	
carteolol (generic for Ocupress) levobunolol (generic for Betagan) metipranolol (generic for Optipranolol) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	
AZOPT (brinzolamide) dorzolamide (generic for Trusopt)	TRUSOPT (dorzolamide)	-
PROSTAGLAND	DIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) <i>VYZULTA (latanoprostene)^{NR}</i> XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol/PF (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)	COSOPT/PF (dorzolamide/timolol)	

PDL Updated October 1, 2018 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone SL <i>LUCEMYRA (lofexidine)</i> ^{NR, QL} ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed ConsentNon-Preferred:Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv:• Diagnosis of Opioid Use Disorder, NOT approved for pain management• Verification of "X" DEA license number of prescriber• No concomitant opioids• Failed trial of preferred drug or patient-specific documentation of why preferred product not approprivate for patientDrug-specific criteria:• Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products are not appropriate for the patient

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone)	CIPRO HC (ciprofloxacin/ hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred
neomycin/polymyxin/hydrocortisone (generic for Cortisporin)	ciprofloxacin COLY-MYCIN S(neomycin/	failed a trial of ONE preferred agent
ofloxacin (generic for Floxin)	hydrocortisone/colistin)	
	OTOVEL (ciprofloxacin/fluocinolone)	

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/aluminum (generic for Otic Domeboro) acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of BOTH preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

PDL Updated October 1, 2018 *Highlights* indicated change from previous posting PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS, ORAL AND INHALED)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) ^{CL} TRACLEER (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis afte surgical treatment or inoperable CTEPH NOT for use in Pregnancy Revatio® suspension: Requires clinical reason why sildenafil tablets cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents

PDL Updated October 1, 2018 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

PEDIATRIC VITAMIN PREPARATIONS				
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria		
 CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvit A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW poLY-VI-SOL OTC (pedi multivit 81) DROPS POLY-VI-SOL WITH IRON (pedi multivit 80/ferrous sulfate) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS VITALETS OTC (pedi multivit 36/iron) CHEW 	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS POLY-VI-FLOR (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS QUFLORA (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 44/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLOR (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents Drug specific criteria: Aquadeks: Approved for diagnosis of Cystic Fibrosis 		

PENICILLINS

Preferred Agents

amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE

dicloxacillin penicillin VK Non-Preferred Agents

Prior Authorization/Class Criteria

Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent

.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) VELPHORO (sucroferric	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the last 6 months
	oxyhydroxide)	

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) Aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent OR documented clopidogrel resistance
	ZONTIVITY (vorapaxar) ^{CL}	 Drug-specific criteria: Zontivity[®]: Approved for reduction of thrombotic cardiovascular events in history of MI or with

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE PRENATA TAB CHEW pnv #15/iron fum & ps cmp/fa pnv #16/iron fum & ps/fa/om-3 pnv combo #47/iron/fa #1/dha		 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents
pnv with ca, #72/iron/fa pnv with ca, #74/iron/fa TARON-PREX PRENATAL VOL-PLUS TABLET		Additional covered agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/druglooku</u> <u>pweb/?client=nestate</u>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

PDL Updated October 1, 2018 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena) SDV <i>MAKENA</i> AUTO INJECTOR (hydroxyprogesterone caproate) ^{NR}	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing Drug-specific criteria: Makena Auto Injector: Provide patient specific clinical documentation of why the preferred product is not appropriate for the patient

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents Pediatric Patients: Patients ≤4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥5 years if age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODI	AZEPINES	Lunesta [®] / Rozerem [®] /Zolpidem
BENZODI. temazepam 15mg, 30mg (generic for Restoril)		 Lunesta[®]/ Rozerem[®]/Zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Ativan[®]/Klonopin[®]/Valium[®]: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy Edluar[®]: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapines cannot be used Requires documentation of swallowing disorder Flurazepam/Triazolam: Requirestrial of BOTH preferred benzodiazepines Hetlioz[®]: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepines Metlioz[®]: Requires trial with generic documentation to preferred oral sedative hypnotics Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be
		 Age greater than 65 years old or hepatic impairment
		 Temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used
		 Zolpidem/Zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg Zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used
		 Zolpimist[®]: Requires documentation of swallowing disorder

PDL Updated October 1, 2018 Highlights indicated change from previous posting

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) ^{QL} methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	AMRIX (cyclobenzaprine) ^{CL} carisoprodol (generic for Soma) carisoprodol compound dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) orphenadrine ER PARAFON FORTE (chlorzoxazone) SOMA (carisoprodol) ^{CL} tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents Drug-specific criteria: Amrix[®]/Fexmid[®]: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why chlorzoxazone cannot be used Soma[®] 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex[®] Capsules: Requires clinical reason used

PDL Updated October 1, 2018 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	
hydrocortisone CREAM, GEL, OINTMENT (generic for Cortaid) hydrocortisone OTC LOTION hydrocortisone RX LOTION hydrocortisone/aloe OINTMENT, CREAM	alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide GEL) desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS)	Low Potency: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents
	MICORT-HC (hydrocortisone)	
	TEXACORT (hydrocortisone)	
MEDIUM	POTENCY	 Non-preferred agents will be
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	approved for patients who have failed a trial of TWO preferred agents

PDL Updated October 1, 2018 Highlights indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH P	OTENCY	
triamcinolone acetonide OINTMENT , CREAM (generic for Kenalog)	amcinonide CREAM, LOTION, OINTMENT	
triamcinolone LOTION	betamethasone dipropionate (generic for Diprolene) betamethasone dipro/prop gly (augmented)	
	betamethasone valerate (generic for Beta-Val)	
	desoximetasone (generic for Topicort)	
	diflorasone diacetate fluocinonide SOLUTION	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone SPRAY (generic for	
	Kenalog spray) TRIANEX OINTMENT (triamcinolone)	
	VANOS (fluocinonide)	

VERY HIGH POTENCY		•	Non-preferred agents will be
clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) clobetasol SHAMPOO , LOTION clobetasol propionate FOAM , SPRAY CLOBEX (clobetasol) OLUX-E /OLUX/OLUX-E CP (clobetasol)	-	approved for patients who have failed a trial of TWO preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply October 1, 2018

PDL Updated October 1, 2018 Highlights indicated change from previous posting STIMULANTS AND RELATED ADHD DRUGSAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria	
CNS ST	IMULANTS	 Non-preferred agents will be 	
Amphet	amine type	approved for patients who have failed a trial of ONE preferred	
ADDERALL XR (amphetamine salt combo)	ADZENYS ER (amphetamine) SUSPENSION ^{NR}	agent within the same group	
amphetamine salt combination IR	ADZENYS XR (amphetamine)	Drug-specific criteria:	
VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	amphetamine salt combination ER (generic for Adderall XR)	 Procentra[®]: May be approved wit documentation of swallowing disorder 	
	dextroamphetamine (generic for Dexedrine)	 Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR 	
	dextroamphetamine SOLUTION (generic for Procentra)	cannot be used	
	dextroamphetamine ER (generic for Dexedrine ER)		
	DYANAVEL XR (amphetamine)		
	MYDAYIS (amphetamine salt combo) ^{QL}		
	EVEKEO (amphetamine sulfate)		
	methamphetamine (generic for		
	Desoxyn)		
	ZENZEDI (dextroamphetamine)		

PDL Updated October 1, 2018 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylph	enidate type	 Non-preferred agents will be
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	 approved for patients who have failed a trial of TWO preferred agents
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)	 Drug-specific criteria: Daytrana[®]: May be approved in history of substance abuse by
nethylphenidate ER 10mg, 20mg generic for Ritalin SR, Metadate ER)	COTEMPLA XR-ODT (methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin) RITALIN (methylphenidate)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate)	
,	methylphenidate 30/70 (generic for Metadate CD)	
	methylphenidate 50/50 (generic for RITALIN LA)	
	methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) methylphenidate ER 72mg (generic for RELEXXI) ^{QL}	
MISCEL	LANEOUS	- Note: generic IR guanfacine and
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)	clonidine ER (generic for Kapvay) ^{CL} STRATTERA (atomoxetine)	Clonidine ER/Guanfacine IR are available without prior authorization
ANA	LEPTICS	
	modafanil (generic for Provigil) ^{CL} armodafinil (generic for Nuvigil) ^{CL}	 Armodafinil: Requires trial of Provigil Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder Modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder

PDL Updated October 1, 2018 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	demeclocycline ^{CL} DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET , SUSPENSION , 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULE ^{,QL}	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	CYTOMEL TABLET (liothyronine) LEVO-T (levothyroxine) SYNTHROID TABLET (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit

PDL Updated October 1, 2018 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide ER (generic Uceris) DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) PENTASA (mesalamine)	 approved for patients who have failed a trial of ONE preferred agent Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/Lialda[®]/Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be used Giazo[®]: Requires clinical reason
RECTAL		why generic balsalazide cannot be
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	NOT covered in females

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	 BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROLINGUAL SPRAY NITROMIST (nitroglycerin) 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit