

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated May 1, 2019 *Highlights* indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: <u>https://nebraska.fhsc.com/priorauth/paforms.asp</u>

- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: <u>https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf</u>

PDL Update May 1, 2019 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL

ACINE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamcyin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAM ^{AL}	adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) ALTRENO (tretinoin) ^{NR, AL} ATRALIN (tretinoin) AVAR (sulfacetamine sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/ benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR, OTC benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/tretinoin (generic for Veltin & Ziana) dapsone (generic for ACZONE) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) OVACE PLUS (sulfacetamind sodium) <i>PLIXDA (adapalene) SWAB^{N/R}</i> RETIN-A MICRO (tretinoin microspheres) ^{AL} sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) TAZORAC (tazarotene) tretinoin CREAM, GEL ^{AL} tretinoin microspheres (generic for Retin-A Micro) ^{AL}	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ALZHEIMER'S DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		 Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET	 approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months
EXELON Transdermal (rivastigmine)	galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	OR ANTAGONIST	previous 45 days
	memantine ER (generic for Namenda XR) memantine soln (generic for Namenda) NAMENDA (memantine) NAMENDA SOLUTION NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) ^{QL} EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH HYSINGLA ER (hydrocodone, extended release) morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) ^{QL} BELBUCA (buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} DURAGESIC MATRIX (fentanyl) fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{CL} hydromorphone ER (generic for Exalgo) ^{CL} KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for re- formulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone bitartrate ER)	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Trial of preferred drug not required for end of life care Oxycontin[®]: Pain contract required for maximum quantity authorization

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORAL	 Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET codeine ORAL	APADAZ (benzhydrocodone/APAP) ^{NR,CL,QL} benzhydrocodone/APAP (generic for Apadaz) ^{NR,CL,QL}	approved for patients who have failed THREE preferred agents within this drug class within the last 12 months
hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine ORAL oxycodone TABLET, SOLUTION oxycodone/APAP tramadol	butalbital/caffeine/APAP w/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine)	 Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day
	 NUCYNTA (tapentadol)^{CL} OXAYDO (oxycodone)^{CL} oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone/aspirin oxycodone CONCENTRATE oxycodone/ibuprofen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone)^{NR} tramadol/APAP –generic for Ultracet XARTEMIS XR (oxycodone/ acetaminophen) 	 Drug-specific criteria: Abstral[®]/Actiq[®]/Fentora[®]/ Onsolis[®]/Subsys[®] (fentanyl): Approved only for diagnosis of cancer AND current use of long- acting opiate Apadaz: Approval for 14 days or less Nucynta[®]: Approved only for diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason why individual ingredients can't be used Xartemis XR[®]: Approved only for diagnosis of acute pain

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTING^{QL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol NASAL SPRAY^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRA	ANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL SUBSYS (fentanyl spray)CL	

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Axiron) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril)	approved for patients who have failed TWO preferred agents within this drug class within the last 12 months
ramipril (generic for Altace)	moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION	 Non-preferred combination products may be covered as individual prescriptions without prior authorization
	trandolapril (generic for Mavik)	Drug-specific criteria:
ACE INHIBITOR/DIURETIC COMBINATIONS		• Epaned [®] and Qbrelis [®] Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT)	failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as
	MODULATOR/	individual prescriptions without prior authorization
CALCIUM CHANNEL BL	OCKER COMBINATIONS	
benazepril/amlodipine (generic for Lotrel)	 amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT) 	Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure of preferred agent
DIRECT RENI	N INHIBITORS	Diss of Dessis July in its is a Diss of
	aliskiren (generic for Tekturna) ^{QL}	Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
DIRECT RENIN INHIBITOR COMBINATIONS		May be approved witha history of TWO preferred ACE Inhibitors or
	TEKTURNA/HCT (aliskiren/HCTZ)	Angiotensin Receptor Blockers within the last 12 months
NEPRILYSIN INHIBI	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{CL}		
ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	

CEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS ANGIOTENSIN RE

BYVALSON (nevibolol/valsartan)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTHELMINITICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin STROMECTOL (ivermectin)	EMVERM (mebendazole) praziquantel (generic for Biltricide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months
		 Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract)	 Class Criteria: Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment failure with or contraindication to: antihistamines AND montelukast Clinical reason as to why allergy shots cannot be used. Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollen-specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through
		65 years of age.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
netronidazole TABLET	ALINIA (nitazoxanide) SUSPENSION	Note: Although azithromycin,
eomycin	DIFICID (fidaxomicin)	ciprofloxacin, and trimethoprim/
ancomycin COMPOUNDED ORAL	FIRVANQ (vancomycin)	sulfmethoxazole are not included in this review, they are available witho
SOLUTION	SOLUTIONNR	prior authorization
	FLAGYL ER (metronidazole)	
	metronidazole CAPSULE	Drug-specific criteria:
	paromomycin	Alinia [®] : Trial and failure with
	SOLOSEC (secnidazole)	metronidazole is required for a
		diagnosis of giardiasis
	tinidazole (generic for Tindamax)	 Dificid[®]: Trial and failure with oral
	vancomycin CAPSULE (generic for	vancomycin is required for a diagno of C. difficile diarrhea
	Vancocin)	(pseudomembranous colitis)
	XIFAXAN (rifaximin)	• Firvanq: Requires patient specific
		documentation of why the
		compounded product is not
		appropriate for patient
		 Flagyl ER[®]: Trial and failure with metronidazole is required
		Flagyl [®] /Metronidazole 375mg
		capsules and Flagyl ER [®] /
		Metronidazole 750mg ER tabs:
		Clinical reason why the generic
		 regular-release cannot be used tinidazole: Trial and failure/
		contraindication to metronidazole
		required
		Approvable diagnoses include:
		Giardia
		Amebiasis intestinal or liver absces
		Bacterial vaginosis or trichomoniasi
		• Vancomycin capsules: Trial and
		failure with metronidazole
		Trial may be bypassed if initial or recurrent episode of SEVERE C.
		difficile colitis
		SEVERE C. difficile colitis:
		Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR
		Serum creatinine ≥ 1.5 times
		premorbid level
		Provider to provide labs for documentation
		 Xifaxan[®]: Approvable diagnoses include:
		Travelers diarrhea resistant to quinolones
		Hepatic encephalopathy with treatm failure of lactulose or neomcin
		Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment
		failure of Lomotil [®] AND Imodium [®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{QL} – Quantity/Duration Limit

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

BETHKIS (tobramycin) ^{CL} ARIKAYCE (amikacin liposomal inh susp) ^{MR} • Diagnosis of Cystic Fibrosis is required for all agents TOBI-PODHALER (tobramycin) ^{CL,QL} CAYSTON (aztreonam lysine) ^{QL,CL} • Diagnosis of Cystic Fibrosis is required for all agents CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Tobi) • Diagnosis of Cystic Fibrosis is required for all agents Drug-specific criteria: • Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy • Cayston [®] : Trial of tobramycin via nebulizer and demonstration of			Prior Authorization/Class Criteria
 TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used 	KITABIS PAK (tobramycin) ^{CL}	<i>susp)^{NR}</i> CAYSTON (aztreonam lysine) ^{QL,CL}	 required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation why nebulized

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Altabax[®]: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be used Mupirocin[®] Cream: Clinical reason the ointment cannot be used

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{QL}	BEVYXXA (betrixaban maleate) ^{NR,QL} fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin[®]: Clinical reason generic warfarin cannot be used Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR
		Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

reason oral liquid cannot be used Sancuso[®]/Zuplenz[®]: Documentation of oral dosage form . intolerance

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents otrimazole (mucous membrane, troche) uconazole (generic for Diflucan) riseofulvin SUSPENSION riseofulvin microsized TABLET ystatin TABLET, SUSPENSION erbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) ^{CL,AL} nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole)	 Non-preferred agents will be approve for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis,
	<i>TOLSURA (itraconazole)^{NR,CL}</i> voriconazole (generic for VFEND) ^{CL}	 UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil[®]: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropeni hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil[®] Suspension: Oropharyngeal/esophageal candidias refractory to itraconazole and/or
		 fluconazole Onmel[®]: Requires trial and failure or contraindication to terbinafine Sporanox[®]/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox[®]: Requires trial and failure of generic itraconazole
		 Sporanox[®] Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis Vfend[®]: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHE Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, <i>S. apiospermum</i> and <i>Fusarium spp.</i>, Oropharyngeal/esophageal candidiasi

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

Mycolog)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirzine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} ULORIC (febuxostat) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis Uloric[®]: Clinical reason why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	AJOVY (fremanezumab-vfrm) ^{NR, QL, CL} AIMOVIG AUTOINJECTOR (erenumab-aooe) ^{NR, QL, CL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL <i>EMGALITY (galcanezumab-gnlm)^{NR, CL}</i> ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia[®]: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF RELPAX (eletriptan) ^{QL} rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	RAL almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet 85-500mg) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	_
INJEC	INJECTABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	_

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION ^{NR} EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins) ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		 Non-preferred agents will be approved for patients who have failed ONE preferred agents within this drug class
COMT IN DOPAMINE bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip) MAO-B IN selegiline TABLET (generic for Eldepryl)	HIBITORS entacapone (generic for Comtan) tolcapone (generic for Tasmar) AGONISTS NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL} HIBITORS rasagiline (generic for Azilect) ^{QL} selegiline CAPSULE (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) ^{CL} KINSON'S DRUGS amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa)	
carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	DUOPA (carbidopa/levadopa) GOCOVRI (amantadine) ^{QL} <i>INBRIJA (levodopa) INHALER^{NR,CL,QL}</i> OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	 Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar[®]: Approved for documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HER	PETIC DRUGS	Non-preferred agents will be
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLU	JENZA DRUGS	
RELENZA (zanamivir) ^{QL}	oseltamivir (generic for Tamiflu) ^{QL}	 Drug-specific criteria: Sitavig[®]: Approved for recurrent
TAMIFLU (oseltamivir) ^{QL}	rimantadine (generic for Flumadine) XOFLUZA (baloxavir marboxil) ^{NR,QL,AL}	herpes labialis (cold sores) in immunocompetent adults
		Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION (generic for Valium) lorazepam INTENSOL, TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific critera: Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR lorazepam Intensol[®]

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
, i i i i i i i i i i i i i i i i i i i	Acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) <i>KAPSPARGO SPRINKLE (metoprolol</i> <i>ER)</i> ^{NR} LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Bystolic[®]: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR[®]: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL)
BETA- AND ALI carvedilol (generic for Coreg) labetalol (generic for Trandate)	pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol) PHA-BLOCKERS carvedilol ER (generic for Coreg CR)	
ANTIARF	HYTHMIC	

sotalol (generic for Betapace)

SOTYLIZE (sotalol)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol CAPSULE 300mg (generic for Actigall)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetrig[®]: Covered without trial in contraindication to anticholinergic agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOS	PHONATES	Non-preferred agents will be
alendronate (generic for Fosamax) (daily and weekly formulations)	ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D ^{QL} ibandronate (generic for Boniva) ^{QL} risedronate (generic for Actonel) ^{QL} PRESSION AND RELATED DRUGS EVISTA (raloxifene) FORTEO (teriparatide) ^{QL} TYMLOS (abaloparatide)	 approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covere as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto[®]: Requires clinical reaso why alendronate tablets OR Fosamax[®] solution cannot be use Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo[®]: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors – Family history of non-traumatic fractures, DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 month at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BM T-score ≤ -2.5 at any site, factors – more than 2 units of alcohol per day, current smoker
		Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

PDL Update May 1, 2019 Highlights indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	Non-preferred agents will be
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	CARDURA XL (doxazosin) silodosin (generic for Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
5-ALPHA-REDUCTA	SE (5AR) INHIBITORS	• Avodart [®] : Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax[®]: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used Proscar[®]: Covered for males only Uroxatral[®]: Covered for males only

BRONCHODILATORS, BETA AGONIST

Non-Preferred Agents	Prior Authorization/Class Criteria
Short Acting	 Non-preferred agents will be approved for patients who have
albuterol sul. HFA (generic for ProAir HFA, <i>Proventil HFA</i> , Ventolin HFA)	failed a trial of ONE preferred agent within this drug class
PROAIR RESPICLICK (albuterol)	
HFA)	 Drug-specific criteria: Ventolin HFA[®]: Requires trial and failure on Proventil HFA[®] AND
- Long Acting	Proair HFA® OR allergy/
ARCAPTA NEOHALER (indacaterol)	 contraindication/side effect to BOTH
STRIVERDI RESPIMAT (olodaterol)	- Xopenex [®] : Covered for cardiac
N SOLUTION	diagnoses or side effect of
BROVANA (arformoterol)	tachycardia with albuterol product
PERFOROMIST (formoterol)	
RAL	
albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)	-
	Short Acting albuterol sul. HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) PROAIR RESPICLICK (albuterol) levalbuterol HFA (generic for Xopenex HFA) • Long Acting ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol) N SOLUTION BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol) RAL albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydror	oyridines	 approved for patients who have failed a trial of ONE preferred
	isradipine (generic for Dynacirc)	agent within this drug class
	nicardipine (generic for Cardene)	
	nifedipine (generic for Procardia)	Drug-specific criteria:
	nimodipine (generic for Nimotop)	Nifedipine: May be approved
	NYMALIZE (nimodipine solution)	without trial for diagnosis of Preterm Labor or Pregnancy
Non-dihydr	ropyridines	 Induced Hypertension (PIH) Nimodipine: Covered without trial
diltiazem (generic for Cardizem)		for diagnosis of subarachnoid
verapamil (generic for Calan, Isoptin)		hemorrhage
LONG-ACTING		
Dihydropyridines		
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydi	ropyridines	_
diltiazem ER (generic for Cardizem CD)	CALAN SR (verapamil)	-
verapamil ER TABLET	diltiazem LA (generic for Cardizem LA)	
	MATZIM LA (diltiazem)	
	TIAZAC (diltiazem)	
	verapamil ER CAPSULE	
	verapamil 360mg CAPSULE	
	verapamil ER PM (generic for Verelan PM)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

PDL Update May 1, 2019 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	ASE INHIBITOR COMBINATIONS	 Non-preferred agents will be
amoxicillin/clavulanate TABLETS,	amoxicillin/clavulanate, CHEWABLE	approved for patients who have failed a 3-day trial of ONE
SUSPENSION	amoxicillin/clavulanate XR	preferred agent within the same
	(generic for Augmentin XR)	group
	AUGMENTIN SUSPENSION, TABLET	
	(amoxicillin/clavulanate)	Drug-specific criteria:
		 Suprax[®] Tablet / Suspension: Requires clinical reason why
CEPHALOSPORIN	S – First Generation	capsule or generic suspension
cefadroxil CAPSULE, SUSPENSION	cefadroxil TABLET (generic for	cannot be used
(generic for Duricef)		
cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	-
cefuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	cefixime SUSPENSION (generic for	
SUPRAX CAPSULE, CHEWABLE	Suprax)	
TABLET (cefixime)	cefpodoxime (generic for Vantin)	
	SUPRAX SUSPENSION, TABLET (cefixime)	
	. ,	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 *Highlights* indicated change from previous posting

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) DISP SYR NIVESTYM (filgrastim-aafi) SYR,VIAL ZARXIO (filgrastim-sndz)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) COMBIVENT RESPIMAT (albuterol/ ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol) SPIRIVA (tiotropium)	ANORO ELLIPTA (umeclidinium/vilanterol) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
INHALATIO	N SOLUTION	initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin) ^{NR}	
ORAL	AGENT	
	DALIRESP (roflumilast) ^{CL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine LIQUID promethazine/codeine SYRUP	hydrocodone/homatropine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL}	 Drug-specific criteria: Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Minimum age: 6 months Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years for tablet Minimum age: 2 years for packet Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 12 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ^{CL} ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL^{QL} ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL ^{QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) ^{NR} STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL^{QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Cosentyx: Requires trial of Humira

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET furosemide SOLUTION, TABLET hydrochlorothiazide CAPSULE, TABLET indapamide TABLET metolazone TABLET spironolactone TABLET torsemide TABLET	ALDACTONE TABLET (spironolactone) CAROSPIR (spironolactone) SUSPENSION DIURIL TABLET (chlorothiazide) eplerenone TABLET (generic for INSPRA) ethacrynic acid CAPSULE (generic for EDECRIN) LASIX TABLET (furosemide) methyclothiazide TABLET MICROZIDE (hydrochlorothiazide)	approved for patients who have failed a trial of TWO preferred agent within this drug class
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET triamterene/HCTZ CAPSULE, TABLET	ALDACTAZIDE TABLET (spironolactone/HCTZ) DYAZIDE CAPSULE (triamterene/HCTZ) MAXZIDE TABLET (triamterene/HCTZ) MAXZIDE-25 TABLET (triamterene/HCTZ)	
Unless otherwise specified, the listing of a particular CL – Prior Authorization / Class Criteria apply	ar brand or generic name includes all dosage forms ^{QL} – Quantity/Duration Limit	of that drug. ^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR. SYMJEPI ^{NR}	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate
		Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update May 1, 2019 Highlights indicated change from previous posting

FLUOROQUINOLONES, ORAL

ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin• Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug classBAXDELA (delafloxacin) ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin• Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug classBaxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)• Baxdela: Coverable with documented swallowing disorders• Levofloxacin Suspension: Coverable with documented swallowing disorders• Ofloxacin Suspension: Coverable with documented swallowing disorders• Devofloxacin Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	Non-Preferred Agents alosetron (generic for Lotronex) <i>MOTEGRITY (prucalopride succinate)^{NR}</i> RELISTOR (methylnaltrexone) TABLET^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer
		 pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non- cancer pain after trial on at least TWO OTC laxatives and failure of Movantik
		 Trulance[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide
		AND diphenoxylate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{AL,QL} FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	 Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic
GLUCOCORTICOID/BRONCH		esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy.
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) ^{QL} BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol (generic for Advair Diskus) fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus)	For other indications, must have failed a trial of two preferred agents within this drug class, within the
	budesonide RESPULES (generic for Pulmicort)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET 	CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) <i>DXEVO (dexamethasone)</i> ^{N/R} EMFLAZA (deflazacort) SUSPENSION, TABLET ^{CL} ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older Approved after trial/failure with prednisone Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NORDITROPIN (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NUTROPIN AQ (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

 $^{\mbox{NR}}$ – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	 Non-preferred agents will be
ADVATE ALPHANATE HUMATE-P MONOCLATE-P NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	ADYNOVATE AFSTYLA ELOCTATE HELIXATE FS HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT, VIAL KOGENATE FS KOVALTRY OBIZUR	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-17-19 will be allowed to continue same therapy
FACT	OR IX	
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX BEBULIN IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROME	IN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
	XIII PRODUCTS	
CORIFACT ^{CL}	COAGADEX ^{CL} TRETTEN ^{CL}	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI ^{CL}	
BISPECIFI	C FACTORS	
	HEMLIBRA ^{CL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	DAKLINZA (daclatasvir) ^{CL} OLYSIO (simeprevir) ^{CL} sofosbuvir/ledipasvir (generic for Harvoni) ^{CL} sofosbuvir/velpatasvir (generic for Epclusa) ^{CL} SOVALDI (sofosbuvir) ^{CL} TECHNIVIE (ombitasvir/paritaprevir/ ritonavir) ^{CL} VIEKIRA PAK/XR (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients undergoing treatment at the time of preferred status change (January 2018) will be allowed to complete treatment with same drug as started on Patients newly eligible for Medicaid will be allowed to
RIBA	VIRIN	complete treatment with the
	REBETOL (ribavirin) FERON	original that treatment was initially authorized by another payor
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		 Drug-specific criteria:Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin Harvoni: For genotype 1 with decompensated cirrhosis along with ribavirin For use in children ages 12 to 17 Post liver transplant for genotype 1 or 4 Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine TABLET, SYRUP (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: cimetidine: Approved for viral <i>M.</i> <i>contagiosum</i> or common wart <i>V.</i> Vulgaris treatment nizatadine/cimetidine solution/ famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIV CCR5 ANTAGONISTS		 Non-preferred agents will be
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patient
CYTOCHROME F	2450 INHIBITORS	specific documentation of why the preferred products within this drug
TYBOST (cobicistat) ^{QL}		class are not appropriate for patient
FUSION IN	HIBITORS	 Patients undergoing treatment at the time of any preferred status
FUZEON SUB-Q (enfuvirtide) ^{QL}		change will be allowed to continue therapy
INTEGRASE	INHIBITORS	 Diagnosis of HIV/AIDS
GENVOYA (elvitegravier/cobicistat/emtricitabin e/tenofovir alafenamide) ^{QL, AL} ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir) ^{QL} ISENTRESS HD (raltegravir) JULUCA (dolutegravir/rilpivirine) ^{QL} TIVICAY (dolutegravir)		 Prophylaxis, both pre and post exposure covered
NNF	RTIs	-
EDURANT (rilpivirine) INTELENCE (etravirine) ^{QL} nevirapine TAB (generic for Viramune) nevirapine er (generic for Viramune XR) RESCRIPTOR (delavirdine) SUSTIVA CAP, TAB (efavirenz) VIRAMUNE SUSP (nevirapine)	efavirenz (generic for Sustiva) PIFELTRO (doravirine) ^{NR, QL} VIRAMUNE TAB (nevirapine) VIRAMUNE XR (nevirapine extended release)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NR	TIs	
 abacavir SOLN, TAB (generic for Ziagen) didanosine CAP DR (generic for Videx EC) EMTRIVA CAP, SOLN (emtricitabine) lamivudine SOLN, TAB (generic for Epivir) stavudine CAP, SOLN (generic for Zerit) VIDEX SOLN (didanosine) VIREAD (tenofovir disoproxil fumarate) zidovudine CAP, SYRUP, TAB (generic for Retrovir) 	EPIVIR (lamivudine) RETROVIR (zidovudine) tenofovir disoproxil fumarate TAB (generic for Viread) VIDEX EC (didanosine) ZERIT CAP , SOLN (stavudine) ZIAGEN (abacavir)	
PROTEASE	INHIBITORS	
APTIVUS CAP , SOLN (tipranavir) CRIXIVAN (indinavir) EVOTAZ(atazanavir sulfate/cobicistat) ^{QL} INVIRASE (saquinavir) KALETRA TAB (lopinavir/ritonavir) LEXIVA SUSP , TAB (fosamprenavir) lopinavir/ritonavir SOLN (generic for Kaletra) NORVIR SOLN , TAB (ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} PREZISTA SUSP , TAB darunavir) REYATAZ CAP , POWDER PACK (atazanavir) VIRACEPT (nelfinavir)	atazanavir CAP (generic for Reyataz) fosamprenavir TAB(generic for Lexiva) ritonavir TAB (generic for Norvir) KALETRA SOLN (lopinavir/ritonavir) <i>NORVIR POWDER PACK^{NR}</i>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

HIV / AIDS^{CL} CONTINUED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINA	TIONS	
 abacavir/lamivudine (generic for EPZICOM) abacavir/lamivudine/zidovudine (generic for Trizivir) ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide)^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate) DESCOVY (emtricitabine/tenofovir alafenamide)^{QL} Iamivudine/zidovudine (generic for COMBIVIR) ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide)^{QL} STRIBILD (elvitegravir/cobicistat/emtricitabine/te nofovir disoproxil fumarate)^{QL} TRIUMEQ (dolutegravir/abacavir/lamivudine) TRUVADA (tenofovir disoproxil fumarate/emtricitabine) 	CIMDUO (lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} COMBIVIR (zidovudine/lamivudine) <i>DELSTRIGO</i> <i>(doravirine/lamivudine/tenofovir disoproxil fumarate)^{NR,QL}</i> <i>DOVATO (dolutegravir/lamifudine)</i> ^{NR,QL} EPZICOM (abacavir sulfate/lamivudine) SYMFI (efavirenz/lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) ^{NR,QL} SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide) ^{NR,QL} TRIZIVIR (abacavir/zidovudine/lamivudin	e

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS. INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)	 trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND Diagnosis of diabetes with HbA10 ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
	XULTOPHY (insulin degludec/liraglutide)	
AMYLIN		
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during <u>initiation</u> of therapy
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR	
GLYXAMBI (empagliflozin/linagliptin) ^{QL} JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} alogliptin/pioglitazone (generic for Oseni) ^{QL} QTERN (dapagliflozin/saxagliptin) ^{QL} STEGLUJAN	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN OTC PEN insulin lispro (generic for Humalog) PEN, VIAL NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza[®]: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin[®] R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self- administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Riomet[®]: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 *Highlights* indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL}	INVOKAMET & XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/ metformin) ^{QL} XIGDUO XR (dapagliflozin/metformin) ^{QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDIN	IEDIONES (TZDs)	 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	 Non-preferred agents require: Use limited to FDA-approved indications

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) ^{CL} EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine cyclosporine CAPSULE, cyclosporine, modified CAPSULE mycophenolate mofetil CAPSULE, TABLET RAPAMUNE (sirolimus) SOLUTION sirolimus TABLET tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) CAPSULE, SUSPENSION, TABLET cyclosporine SOFTGEL cyclosporine, modified SOLUTION ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION IMURAN (azathioprine) mycophenolate mofetil SUSPENSION mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) NEORAL (cyclosporine, modified) CAPSULE, SOLUTION PROGRAF (tacrolimus) CAPSULE, PACKET ^{NR} RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus (generic for Rapamune) SOLUTION ZORTRESS (everolimus)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) DYMISTA (azelastine/fluticasone) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	B)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class
		 Drug-specific criteria: montelukast granules: PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin hcl) CAPSULE CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	TABLET, PACKET colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine)	 patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Juxtapid[®]/ Kynamro[®]: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH) OR
TREATMENT OF HOMOZYGOUS	AMILIAL HYPERCHOLESTEROLEMIA	- Treatment failure/maximized
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
FIBRIC ACI	D DERIVATIVES	derivatives, omega-3 agents, bile acid sequestrants
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix) TRICOR (fenofibrate) TRILIPIX (fenofibric acid)	 Require faxed copy of REMS PA form Lovaza[®]: Approved for TG ≥ 500 Praluent[®]: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH)
N		AND Maximized high-intensity statin WITH
	NIACOR (niacin IR) NIASPAN (niacin ER) and fish oil are also covered without prior edicaid with a prescription*	 ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL
OMEGA-3 FATTY ACIDS		cardiovascular disease (ASCVD)
	omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL} SORPTION INHIBITORS	 heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13
ezetimibe (generic for Zetia)		statin-induce rhabdomyolysis AND
	SUBTILISIN/KEXIN TYPE 9 (PCSK9) HIBITORS PRALUENT (alorocumab) ^{CL}	Maximized high-intensity statin WITH ezetimibe for 3+ continuous months
	REPATHA (evolocumab) ^{CL}	 Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa®: Approved for TG ≥ 500 WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		 Non-preferred agents will be
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin) ^{NR}	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN COMBINATIONS		clinical reason why individual
	atorvastatin/amlodiine (generic for CADUET) simvastatin/ezetimibe (generic for Vytorin)	 ingredients cannot be used Lescol XL[®]: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin[®]: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETC	LIDES	Ketek [®] : Requires clinical resaon
	KETEK (telithromycin)	why patient cannot use preferred macrolide
MACR	OLIDES	-• Macrolides: Require clinical
azithromycin (generic for Zithromax) clarithromycin TABLET , SUSPENSION (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) EES SUSPENSION, TABLET ERY-TAB ERYPED SUSPENSION ERYTHROCIN erythromycin base TABLET , CAPSULE erythromycin ethylsuccinate SUSP PCE (erythromycin) ZMAX (azithromycin ER)	reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK tetrabenazine (generic for Xenazine) ^{CL}	 Drug-specific criteria: Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia Ingrezza: Diagnosis of Tardive Dyskinesia in adults tetrabenazine: Diagnosis of chorea with Huntington Disease

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} REBIF (interferon beta-1a) ^{QL}	 AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra)^{QL} EXTAVIA (interferon beta-1b)^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone)^{QL} MAVENCLAD (cladiribine)^{NR} MAYZENT (siponimod)^{NR,QL} PLEGRIDY (peginterferon beta-1a)^{QL} TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab) 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra[®]: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy®: Approved for diagnosis of relapsing MS

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID CAPSULE (nitrofurantoin monohydrate macrocrystals) MACRODANTIN CAPSULE (nitrofurantoin macrocrystals) FURADANTIN SUSPENSION (nitrofurantoin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

NSAID

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTI		 Drug-specific criteria: Sprix[®]: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex[®]: Requires clinical reason why indomethacin capsules cannot be used
NSAID/GI PROTECTA	VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Zorvolex[®]: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
	diclofenac/misoprostol (generic for Arthrotec)	_' _
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

NSAIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET, PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector[®]: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid[®]: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid[®] Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren[®]: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
СНЕМОТ	HERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE BLOCKADE		capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	toremifene (generic for Fareston) ^{CL}	 Fareston[®]: Require clinical reason why tamoxifen cannot be used Ietrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTHER		for short term use
	NERLYNX (neratinib) TYKERB (lapatinib) <i>TALZENNA (talazoparib tosylate)^{NR, QL}</i>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update May 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALL	 Non-preferred agents DO NOT
mercaptopurine	PURIXAN (mercaptopurine)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use
	AML	from current treatment guidelines
IMBRUVICA (irutinib) LEUKERAN (chlorambucil)	DAURISMO (glasdegib maleate) ^{NR,QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{NR, QL} CLL COPIKTRA (duvelisib) ^{NR,QL} VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	 Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used imatinib: Requires trial of Gleevec or clinical reason Gleevec cannot be used melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used
		 Tabloid: Prior authorization not required for age <19
	CML	 Tasigna: Patients receiving
GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) imatinib (generic for Gleevec) ^{CL} TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy
	MPN	-
JAKAFI (ruxolitinib)		_
	ZELOMA	-
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide)	
C	THER	
MATULANE (procarbazine)	CALQUENCE (acalabrutinib) ^{QL} TABLOID (thioguanine) tretinoin (generic for Vesanoid) ZOLINZA (vorinostat)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

PDL Update May 1, 2019 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A	NLK	 Non-preferred agents DO NOT
ALECENSA (alectinib)	ALUNBRIG (brigatinib) <i>LORBRENA (lorlatinib)^{NR,QL}</i> ZYKADIA (ceritinib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK	/ ROS1	
XALKORI (crizotinib)		
E	GFR	
GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib)	VIZIMPRO (dacomitinib) ^{NR,QL}	
10	HER	
HYCAMTIN (topotecan)		

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	BALVERSA (erdafitinib) ^{NR} COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{NR,QL} ZEJULA (niraparib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) XTANDI (enzalutamide) YONSA (abiraterone acet, submicronized)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR (everolimus) AFINITOR DISPERZ (everolimus) CABOMETYX (cabozantinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Affinitor, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASA	LCELL	 Non-preferred agents DO NOT
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF MUTATION		
BRAFTOVI (encorafenib)		Drug-specific critera
COTELLIC (cobimetinib) MEKINIST (trametinib) MEKTOVI (binimetinib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)		 Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

PDL Update May 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) VIGAMOX (moxifloxacin)	 Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn[®]: Approved for
MACRO	DLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGL	YCOSIDES	-
gentamicin SOLUTION, OINTMENT tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin) OTHER OPHTH polymyxin B/trimethoprim (generic for Polytrim)	ALMIC AGENTS bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitr sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION , OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		 Non-preferred agents will be approved for patients who have
DUREZOL (difluprednate) fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	AID	-
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	_

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) ^{NR,QL} XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		 Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	MIMETICS	Drug-specific criteria:
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	 Rhopressa: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60
BETA BLC	OCKERS	days
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
	,	-
AZOPT (brinzolamide)		_
dorzolamide (generic for Trusopt)		
PROSTAGLAND	IN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF (generic for Cosopt PF)	
ОТН	FR	
RHOPRESSA (netarsudil) ^{CL}	ROCKLATAN (netarsudil and latanoprost) ^{NR}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone SL <i>LUCEMYRA (lofexidine)^{NR, QL}</i> ZUBSOLV (buprenorphine/naloxone)	 Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
	OTOVEL (ciprofloxacin/fluocinolone)	

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) ^{CL} TRACLEER (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ambrisentan (generic for Letairis) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy Revatio® suspension: Requires clinical reason why sildenafil tablets cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

^{QL} – Quantity/Duration Limit

PDL Update May 1, 2019 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) luoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS offant-toddler multivit drop OTC (pediatric multivit no. 165 drops) offant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) offant-toddler tri-vit drop (vit a pamintate/vit c/vit d3 drops) nultivitamins with fluoride (pedi multivit 2/fluoride) DROPS	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 33/fluoride) DROPS POLY-VI-FLOR (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: Aquadeks: Approved for diagnos of Cystic Fibrosis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric	 N a fa a 	on-preferred agents will be pproved for patients who have ailed a trial of ONE preferred gent within this drug class within he last 6 months
	oxvhvdroxide)		

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

Use with aspirin and/or clopidogrel

PDL Update May 1, 2019 Highlights indicated change from previous posting

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL		 Non-preferred agents will be
complete natal dha (pnv2/iron b-g suc-p/fa/omega-3)		approved for patients who have
calcium-pnv 28-1-250mg SOFTGEL		failed a trial of or are intolerant to
classic prenatal TABLET (prenatal vit/fe fum/fa)		TWO preferred agents within this
COMPLETENATE CHEWABLE		drug class
CONCEPT DHA CAPSULE		
CONCEPT OB CAPSULE		
elite-ob CAPLET (fe c/fa)		
folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa)		Additional assured aganta can be
MARNATAL-F CAPSULE		Additional covered agents can be looked up using the Drug Look-up Tool
niva-plus TABLET (pnv with ca,no.74/iron/fa)		at:
PRENATA TAB CHEW		
		https://druglookup.fhsc.com/druglooku pweb/?client=nestate
pnv with ca, #72/iron/fa		
pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha)		
pnv-ob+dha combo pack (pnv22/iron		
cbn&gluc/fa/dss/dha)		
pnv-vp-u CAPSULE		
prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha)		
prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
prenatal vitamin TABLET (pnv#124/iron/fa)		
prenatal no.137/iron/fa OTC		
pretab 29mg-1 TABLET (pnv#78/iron/fa)		
PUREFE PLUS		
PUREFE OB PLUS		
taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-		
3)		
TARON-PREX PRENATAL		
TRINATAL RX 1		
triveen-duo dha combo pack		
(pnv53/iron b-g hcl-p/fa/omega3)		
trust natal dha (pnv2/iron b-g suc-p/fa/omega-3)		
virtprex CAPSULE (pnv66/iron fum/fa/dss/dha)		
virt-c dha SOFTGEL (pnv#16/iron fum &ps/fa/om-3)		
virt-nate dha SOFTGEL (pnv 11-iron fum-fa-om3)		
virt-pm dha SOFTGEL (pnv combo#47/iron/fa		
#1/dha)		
virt-pn TABLET (pnv w-ca no.40/iron fum/fa cmb		
no.1)		
virt-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)		
virt-select CAPSULE (pnv80/iron fum/fa/dss/dha)		
virt-vite gt TABLET (prenatal vit 16/iron cb/fa/dss)		
VOL-PLUS TABLET		
vp-ch-pnv prenatal SOFTGEL		
vp-heme ob TABLET (pnv#21/iron/ps& heme		
polyp/fa)		
zatean-pn dha CAPSULE (pnv #47/iron/fa #1/dha)		
zatean-pri plus SOFTGEL (prv/ca		
no.68/iron/fa1/dha)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -3 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply May 1, 2019

PDL Update May 1, 2019 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) ^{QL} methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	carisoprodol (generic for Soma) carisoprodol compound cyclobenzaprine ER (generic for AMRIX) ^{CL} dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) <i>NORGESIC FORTE (orphenadrine/ASA/caffeine)</i> orphenadrine ER PARAFON FORTE (chlorzoxazone) SOMA (carisoprodol) ^{CL} tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: Amrix[®]/Fexmid[®]: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why 350mg generic strength cannot be used Zanaflex[®] Capsules: Requires clinical reason used

PDL Update May 1, 2019 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
	TEXACORT (hydrocortisone) POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	_	Prior Authorization/Class Criteria
HIGH PC	DTENCY	•	High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM	amcinonide CREAM, LOTION, OINTMENT		agents will be approved for patients who have failed a trial of TWO preferred agents within this
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glyc		drug class
	betamethasone valerate		
	desoximetasone		
	diflorasone diacetate fluocinonide SOLUTION		
	fluocinonide CREAM, GEL, OINTMENT		
	fluocinonide emollient		
	HALOG (halcinonide)		
	KENALOG AEROSOL (triamcinolone)		
	SERNIVO (betamethasone dipropionate)		
	triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone)		
	VANOS (fluocinonide)		

VERY HIGH	I POTENCY	•	Very High Potency Non-preferred
clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION ^{NR} clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM ^{NR,AL,QL} OLUX-E /OLUX/OLUX-E CP (clobetasol)	-	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting STIMULANTS AND RELATED ADHD DRUGSAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Ampheta	amine type	approved for patients who have failed a trial of ONE preferred
Ampheta DDERALL XR (amphetamine salt combo) mphetamine salt combination IR YVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS ER (amphetamine) SUSPENSION ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) MYDAYIS (amphetamine salt combo) ^{QL} methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	 Non-preferred agents will be
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	 approved for patients who have failed a trial of TWO preferred agents within this drug class
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)	Drug-specific criteria: Daytrana[®]: May be approved in bistory of substance abuse by
nethylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) QUILLICHEW ER (methylphenidate)	COTEMPLA XR-ODT (methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin) RITALIN (methylphenidate)	history of substance abuse by parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) methylphenidate ER 72mg (generic for RELEXXI) ^{QL}	
MISCELI	ANEOUS	- Note: generic guenfecine ID and
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv) ^{QL}	clonidine ER (generic for Kapvay) ^{CL} STRATTERA (atomoxetine)	-Note: generic guanfacine IR and clonidine IR are available without prior authorization
ANAL	EPTICS	
	modafanil (generic for Provigil) ^{CL} armodafinil (generic for Nuvigil) ^{CL}	 armodafinil: Requires trial of Provigil Approved ONLY for: Sleep Apne Narcolepsy, Shift Work Sleep disorder modafinil: Approved ONLY for: Sleep Apnea, Narcolepsy, Shift Work Sleep disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG , 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	demeclocycline ^{CL} DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET, SUSPENSION, 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) <i>NUZYRA (omadacycline)^{NR}</i> SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULE , ^{QL}	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/ Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	CYTOMEL TABLET (liothyronine) LEVO-T (levothyroxine) SYNTHROID TABLET (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine) <i>TIROSINT-SOL (LIQUID)</i> <i>(levothyroxine)</i> ^{NR,CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2019 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide ER (generic Uceris) DELZICOL DR (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) PENTASA (mesalamine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/Lialda[®]/Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be used Giazo[®]: Requires clinical reason
RECTAL		why generic balsalazide cannot be
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	 used NOT covered in females

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROLINGUAL SPRAY NITROMIST (nitroglycerin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A