



DEPT. OF HEALTH AND HUMAN SERVICES

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated June 1, 2019 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ACNE AGENTS. TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamcyin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAMAL	adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) ALTRENO (tretinoin) ^{NR, AL} ATRALIN (tretinoin) AVAR (sulfacetamine sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/ benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR, OTC benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/tretinoin (generic for Veltin & Ziana) dapsone (generic for ACZONE) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) OVACE PLUS (sulfacetamind sodium) PLIXDA (adapalene) SWAB ^{NR} RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) TAZORAC (tazarotene) tretinoin CREAM, GEL ^{AL} tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ALZHEIMER'S DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERA	CHOLINESTERASE INHIBITORS	
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the
NMDA RECEPTO	OR ANTAGONIST	previous 45 days
,	memantine ER (generic for Namenda XR) memantine soln (generic for Namenda) NAMENDA (memantine) NAMENDA SOLUTION NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) ^{QL} EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH HYSINGLA ER (hydrocodone, extended release) morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) ^{QL} BELBUCA (buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} DURAGESIC MATRIX (fentanyl) fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{CL} hydromorphone ER (generic for Exalgo) ^{CL} KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Ultram ER & CONZIP) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone bitartrate ER)	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Trial of preferred drug not required for end of life care Methadone: Will only be approved for use in pain control Oxycontin®: Pain contract required for maximum quantity authorization

AL – Age Limit

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL

acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/APAP SOLUTION, TABLET hydrocodone/Ibuprofen hydromorphone TABLET morphine ORAL oxycodone/APAP tramadol APADAZ (benzhydrocodone/APAP) (generic for Apadaz) NR.CL.QL benzhydrocodone/APAP wcodeine butalbital compound wcodeine (butalbital/ASA/caffeine/codeine) carisoprodol/ASA/codeine) dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Diaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) ^{N/R} NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} oxycodone/Acetaminophen SOLUTION oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone/Bourofen (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) REPREXAIN (hydrocodone/buprofen) REPREXAIN (hydrocodone) ^{N/R} Papa Apa Apa Apa Apa Apa Apa Ap	Prior Authorization/Class Criteria	Prior Auth	Non-Preferred Agents	Preferred Agents
TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET morphine ORAL oxycodone TABLET morphine ORAL oxycodone/APAP morphine ORAL norphine SUPPOSITORY norphine SUPPOSITORIES national meperidine (generic for Demerol) morphine SUPPOSITORIES national meperidine (generic for Demerol) morphine SUPPOSITORIES national meperidine (generic for Demerol) morphine SUPPOSITORIES national morphine SUPPOSITORIES natio	on-preferred agents will be		RAL	OF
XARTEMIS XR (oxycodone/ acetaminophen) ZAMICET (hydrocodone/ acetaminophen)	proved for patients who have iled THREE preferred agents thin this drug class within the last 2 months ote: for short acting opiate tablets and capsules there is a maximum uantity limit of #150 per 30 days. eginning Oct. 11, 2018: Opiate nits for opiate naïve patients will onsist of rescriptions limited to a 7 day apply, AND nitial opiate prescription fill limited maximum of 50 Morphine illigram Equivalents (MME) per ay a per limits may only be exceeded the patient specific documentation medical necessity, with camples such as, cancer agnosis, end-of-life care, alliative care, Sickle Cell Anemia, a prescriber attestation that attent is not recently opiate naive opposed only for diagnosis of ancer AND current use of long-ting opiate padaz: Approved only for 14 days or as ucynta®: Approved only for agnosis of acute pain, for 30 ays or less ramadol/APAP: Clinical reason thy individual ingredients can't be	approved failed THR within this 12 months Note: for s and capsu quantity lir Beginning limits for o consist of -prescriptic supply, AN -initial opia to maximu Milligram E day These limi with patier of medical examples diagnosis, palliative or prescrib patient is r Drug-specific of Abstral®// Onsolis®/ Approved cancer AN acting opia Apadaz: less Nucynta® diagnosis days or les Tramadol, why individused Xartemis	(benzhydrocodone/APAP)NR,CL,QL benzhydrocodone/APAP) (generic for Apadaz)NR,CL,QL butalbital/caffeine/APAP	acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine ORAL oxycodone/APAP

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
1	IASAL	
	butorphanol NASAL SPRAYQL LAZANDA (fentanyl citrate)	
BUCCAL/T	RANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL SUBSYS (fentanyl spray)CL	

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone)	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Axiron) testosterone (generic for Fortesta) testosterone (generics for Testim) testosterone (generic for Vogelxo)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®:

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INI	HIBITORS	Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	trandolapril (generic for Mavik)	Drug-specific criteria:
ACE INHIBITOR/DIUF	RETIC COMBINATIONS	 Epaned[®] and Qbrelis[®] Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REG	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOC	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT)	products may be covered as
	MODULATOR/	individual prescriptions without prior authorization
benazepril/amlodipine (generic for Lotrel)	amlodipine/olmesartan/HCTZ (generic for Tribenzor) PRESTALIA (perindopril/amlodipine) olmesartan/amlodipine (generic for Azor) telmisartan/amlodipine (generic for Twynsta) trandolapril/verapamil (generic for Tarka) valsartan/amlodipine (generic for Exforge) valsartan/amlodipine/HCTZ (generic for Exforge HCT)	Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure of preferred agent
DIRECT RENI	N INHIBITORS	Pinad Pania lal II itana (Pinad
	aliskiren (generic for Tekturna) ^{QL}	 Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
DIRECT RENIN INHIB	ITOR COMBINATIONS	May be approved witha history of TWO preferred ACE Inhibitors or
	TEKTURNA/HCT (aliskiren/HCTZ)	Angiotensin Receptor Blockers within the last 12 months
NEPRILYSIN INHIBI	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{CL}		
ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin STROMECTOL (ivermectin)	EMVERM (mebendazole) praziquantel (generic for Biltricide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment failure with or contraindication to: antihistamines AND montelukast Clinical reason as to why allergy shots cannot be used. Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age.

PDL Update June 1, 2019 *Highlights* indicated change from previous posting **ANTIBIOTICS. GASTROINTESTINA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metronidazole TABLET neomycin vancomycin COMPOUNDED ORAL SOLUTION	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin) FIRVANQ (vancomycin) SOLUTION ^{NR}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization
	FLAGYL ER (metronidazole) metronidazole CAPSULE paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	 Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin is required for a diagnosi of C. difficile diarrhea (pseudomembranous colitis) Firvanq: Requires patient specific documentation of why the compounded product is not
		 appropriate for patient Flagyl ER®: Trial and failure with metronidazole is required Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic
		 regular-release cannot be used tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia
		Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis Vancomycin capsules: Trial and failure with metronidazole Trial may be bypassed if initial or
		recurrent episode of SEVERE C. difficile colitis SEVERE C. difficile colitis: Leukocytosis w/WBC ≥ 15,000 cells/microliter, OR
		Serum creatinine ≥ 1.5 times premorbid level Provider to provide labs for documentation
		Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones
		Hepatic encephalopathy with treatment failure of lactulose or neomcin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – A

^{AL} – Age Limit

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTIBIOTICS, INHALED

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Altabax®: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be used Mupirocin® Cream: Clinical reason the ointment cannot be used

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal	METROGEL (metronidazole, vaginal) NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

AL – Age Limit

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{QL}	BEVYXXA (betrixaban maleate) ^{NR,QL} fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include:

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dronabinol (generic for Marinol) ^{AL} 5HT3 RECEPTO	CESAMET (nabilone) SYNDROS (dronabinol) ^{AL, CL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same group SYNDROS – documentation of
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	inability to swallow solid dosage forms. Drug-specific criteria: Akynzeo®/Emend®/Varubi®:
NK-1 RECEPTO	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist WITHOUT trial of preferred agents
TRADITIONAL DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic for Dramamine) hydroxyzine (generic for Vistaril) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic for Emetrol) prochlorperazine, oral (generic for Compazine) promethazine, oral (generic for Phenergan) promethazine SUPPOSITORIES 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)		Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of intolerance

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin TABLET, SUSPENSION terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) NOXAFIL (posaconazole) ^{CL,AL} nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole) TOLSURA (itraconazole) ^{NR,CL} voriconazole (generic for VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTIFUNGALS TOPICAL

miconazole OTC CREAM, POWDER nystatin selenium sulfide 2.5% terbinafine OTC (generic for Lamisil AT) tolnaftate AERO POWDER, CREAM, POWDER,OTC (generic for Tinactin) ESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole) EXELDERM (sulconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) EXTINA (ketoconazole) EXTINA (finaconazole) KERIDYN (tavaborole) ketoconazole FOAM (generic for Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole)	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina: Requires trial and failur or contraindication to other ketoconazole forms Jublia: Approved diagnoses includ Onychomycosis of the toenails due to T.rubrum OR T. Mentagrophytes nystatin/triamcinolone: Indivudua ingredients available without prior authorization ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
Lotrimin) RX, OTC Retoconazole CREAM, SHAMPOO (generic for Nizoral) LAMISIL AT CREAM (terbinafine) OTC miconazole OTC CREAM, POWDER nystatin Selenium sulfide 2.5% eerbinafine OTC (generic for Lamisil AT) colnaftate AERO POWDER, CREAM, POWDER, OTC (generic for Tinactin) POWDER, OTC (generic for Tinactin) DESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole) ERTACZO (sertaconazole) EXTINA (ketoconazole) EXTINA (ketoconazole) EXTINA (ketoconazole) KERIDYN (tavaborole)	failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina: Requires trial and failur or contraindication to other ketoconazole forms Jublia: Approved diagnoses includ Onychomycosis of the toenails due to T.rubrum OR T. Mentagrophytes nystatin/triamcinolone: Indivudua ingredients available without prior authorization ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR
LOTRIMIN ULTRA (bufenafine) luliconazole (generic for Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum	

AL – Age Limit

PDL Update June 1, 2019 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirzine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} ULORIC (febuxostat) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Uloric®: Clinical reason why allopurinol cannot be used

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	AJOVY (fremanezumab-vfrm) ^{NR, QL, CL} AIMOVIG AUTOINJECTOR	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	RAL	 Non-preferred agents will be
RELPAX (eletriptan) ^{QL} rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet 85-500mg) TREXIMET (sumatriptan/naproxen) zolmitriptan (generic for Zomig/Zomig	approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) ZOMIG (zolmitriptan)	
INJEC	TABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION ^{NR} EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins) ^{NR}	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL benztropine (generic for Cogentin)	INERGICS	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within
trihexyphenidyl (generic for Artane) COMT INI		this drug class
	tolcapone (generic for Tasmar)	Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)	NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	 COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or
selegiline TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) QL selegiline CAPSULE (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®:
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{NR,CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented swallowing disorder

AL – Age Limit

PDL Update June 1, 2019 Highlights indicated change from previous posting

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	DUOBRII (halobetasol	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	ETIC DRUGS SITAVIG (acyclovir buccal)	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUI RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL}	oseltamivir (generic for Tamiflu) ^{QL} rimantadine (generic for Flumadine) XOFLUZA (baloxavir marboxil) ^{NR,QL,AL}	 Drug-specific criteria: Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLUTION (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific critera: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) ^{NR} LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol CAPSULE 300mg (generic for Actigall)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		 Non-preferred agents will be
alendronate (generic for Fosamax) (daily and weekly formulations)	alendronate SOLUTION (generic for Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D ^{QL} ibandronate (generic for Boniva) ^{QL} risedronate (generic for Actonel) ^{QL} PRESSION AND RELATED DRUGS EVISTA (raloxifene) FORTEO (teriparatide) ^{QL} TYMLOS (abaloparatide)	approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel® Combinations: Covered as individual agents without prior authorization Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors — Family history of non-traumatic fractures, DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors — more than 2 units of alcohol per day, current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of Miacalcin not required

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	CARDURA XL (doxazosin) silodosin (generic for Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	- Avodart®: Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used Proscar®: Covered for males only Uroxatral®: Covered for males only

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS - Short Acting		 Non-preferred agents will be
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	albuterol sul. HFA (generic for ProAir HFA, <i>Proventil HFA</i> , Ventolin HFA) PROAIR RESPICLICK (albuterol) levalbuterol HFA (generic for Xopenex HFA)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ventolin HFA®: Requires trial and failure on Proventil HFA® AND
INHALERS -	- Long Acting	Proair HFA® OR allergy/
INHALATIO albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol) N SOLUTION BROVANA (arformoterol) levalbuterol (generic for Xopenex)	contraindication/side effect to BOTH Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	PERFOROMIST (formoterol)	
	RAL	
albuterol SYRUP terbutaline (generic for Brethine)	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)	

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	pyridines	approved for patients who have
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution) ropyridines	failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid
verapamil (generic for Calan, Isoptin)		hemorrhage
LONG-	ACTING	
Dihydrop	pyridines	
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil) nisoldipine (generic for Sular)	
Non-dihydı	ropyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate, CHEWABLE amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN SUSPENSION, TABLET (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group Drug-specific criteria: Suprax® Tablet / Suspension:
CEPHALOSPORINS	S – First Generation	Requires clinical reason why
cefadroxil CAPSULE, SUSPENSION (generic for Duricef) cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cefadroxil TABLET (generic for Duricef) cephalexin TABLET DAXBIA (cephalexin)	capsule or generic suspension cannot be used
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil) cefuroxime TABLET (generic for Ceftin)	cefaclor (generic for Ceclor) CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef) SUPRAX CAPSULE, CHEWABLE TABLET (cefixime)	cefixime CAPSULE, SUSPENSION (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX SUSPENSION, TABLET (cefixime)	

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) DISP SYR NIVESTYM (filgrastim-aafi) SYR,VIAL ZARXIO (filgrastim-sndz)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE	ANORO ELLIPTA (umeclidinium/vilanterol) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	 exacerbation in last year upon initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin) ^{NR}	
ORAL	AGENT	
	DALIRESP (roflumilast) ^{CL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

AL – Age Limit

CL – Prior Authorization / Class Criteria apply

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine LIQUID promethazine/codeine SYRUP	hydrocodone/homatropine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL}	 Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Minimum age: 6 months Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years for tablet Minimum age: 2 years for packet Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 12 years

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ^{CL} ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{QL} ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL ^{QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) ^{NR} STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL ^{QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Cosentyx: Requires trial of Humira

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	 Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET furosemide SOLUTION, TABLET hydrochlorothiazide CAPSULE, TABLET indapamide TABLET metolazone TABLET spironolactone TABLET torsemide TABLET	ALDACTONE TABLET (spironolactone) CAROSPIR (spironolactone) SUSPENSION DIURIL TABLET (chlorothiazide) eplerenone TABLET (generic for INSPRA) ethacrynic acid CAPSULE (generic for EDECRIN) LASIX TABLET (furosemide) methyclothiazide TABLET MICROZIDE (hydrochlorothiazide)	approved for patients who have failed a trial of TWO preferred agent within this drug class
COMBINATIO	N PRODUCTS	•
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET triamterene/HCTZ CAPSULE, TABLET	ALDACTAZIDE TABLET (spironolactone/HCTZ) DYAZIDE CAPSULE (triamterene/HCTZ) MAXZIDE TABLET (triamterene/HCTZ) MAXZIDE-25 TABLET (triamterene/HCTZ)	

^{AL} – Age Limit

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR. SYMJEPI ^{NR}	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure
		of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin Suspension: Coverable with documented swallowing disorders
		 Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) ^{NR} RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) QL DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol)QL BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol (generic for Advair Diskus) fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus)	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the
	Pulmicort)	

PDL Update June 1, 2019 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET	CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) NR EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisone sodium phosphate ODT prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older Approved after trial/failure with prednisone Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NORDITROPIN (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NUTROPIN AQ (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	 Non-preferred agents will be
ADVATE ALPHANATE HUMATE-P MONOCLATE-P NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	ADYNOVATE AFSTYLA ELOCTATE HELIXATE FS HEMOFIL-M JIVIAL KOATE-DVI KIT, VIAL KOGENATE FS KOVALTRY OBIZUR	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-17-19 will be allowed to continue same therapy
FAC	TOR IX	
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX BEBULIN IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROM	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
	XIII PRODUCTS	
CORIFACT ^{CL}	COAGADEX ^{CL} TRETTEN ^{CL}	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI ^{CL}	
BISPECIFI	C FACTORS	
	HEMLIBRA ^{CL}	

PDL Update June 1, 2019 Highlights indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HEPATITIS C TREATMENTS		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	DAKLINZA (daclatasvir) CL OLYSIO (simeprevir)CL sofosbuvir/ledipasvir (generic for Harvoni)CL sofosbuvir/velpatasvir (generic for Epclusa)CL SOVALDI (sofosbuvir)CL TECHNIVIE (ombitasvir/paritaprevir/ ritonavir) CL VIEKIRA PAK/XR (ombitasvir/ paritaprevir/ritonavir/dasabuvir)CL	Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients undergoing treatment at the time of preferred status change (January 2018) will be allowed to complete treatment with same drug as started on
	ZEPATIER (elbasvir/grazoprevir) ^{CL}	 Patients newly eligible for Medicaid will be allowed to
RIBA	VIRIN	complete treatment with the original that treatment was initially
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	authorized by another payor
INTER	FERON	
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}	LICON	Drug-specific criteria: Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin Harvoni: For genotype 1 with decompensated cirrhosis along with ribavirin For use in children ages 12 to 17 Post liver transplant for genotype 1 or 4 Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine TABLET , SYRUP (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment nizatadine/cimetidine solution/famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIV CCR5 ANTAGONISTS		 Non-preferred agents will be
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patien
CYTOCHROME	P450 INHIBITORS	specific documentation of why the preferred products within this drug
TYBOST (cobicistat) ^{QL}		class are not appropriate for patient
FUSION I	NHIBITORS	Patients undergoing treatment at the time of any preferred status
FUZEON SUB-Q (enfuvirtide) ^{QL}		change will be allowed to continue
INTEGRAS	E INHIBITORS	therapyDiagnosis of HIV/AIDS
GENVOYA (elvitegravier/cobicistat/emtricitabin e/tenofovir alafenamide) ^{QL, AL} ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir) ^{QL} ISENTRESS HD (raltegravir) JULUCA (dolutegravir/rilpivirine) ^{QL} TIVICAY (dolutegravir)		 Prophylaxis, both pre and post exposure covered
NN	IRTIs	
EDURANT (rilpivirine) INTELENCE (etravirine) ^{QL} nevirapine TAB (generic for Viramune) nevirapine er (generic for Viramune XR RESCRIPTOR (delavirdine) SUSTIVA CAP , TAB (efavirenz) VIRAMUNE SUSP (nevirapine)	efavirenz (generic for Sustiva) PIFELTRO (doravirine) ^{NR,QL} VIRAMUNE TAB (nevirapine) VIRAMUNE XR (nevirapine) extended release)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply CL – Quantity/Duration Limit CL – All CL – Al

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NR	Tis	
Ziagen) didanosine CAP DR (generic for Videx EC) EMTRIVA CAP, SOLN (emtricitabine) lamivudine SOLN, TAB (generic for	EPIVIR (lamivudine) RETROVIR (zidovudine) tenofovir disoproxil fumarate TAB (generic for Viread) VIDEX EC (didanosine) ZERIT CAP , SOLN (stavudine) ZIAGEN (abacavir)	
PROTEASE	INHIBITORS	
CRIXIVAN (indinavir) EVOTAZ(atazanavir sulfate/cobicistat) ^{QL} INVIRASE (saquinavir) KALETRA TAB (lopinavir/ritonavir)	atazanavir CAP (generic for Reyataz) fosamprenavir TAB(generic for Lexiva) ritonavir TAB (generic for Norvir) KALETRA SOLN (lopinavir/ritonavir) NORVIR POWDER PACK ^{NR}	

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

HIV / AIDSCL CONTINUED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINA	ATIONS	
abacavir/lamivudine (generic for EPZICOM) abacavir/lamivudine/zidovudine (generic for Trizivir) ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate) DESCOVY (emtricitabine/tenofovir alafenamide) lamivudine/zidovudine (generic for COMBIVIR) ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide) STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate) TRIUMEQ (dolutegravir/abacavir/lamivudine) TRUVADA (tenofovir disoproxil fumarate/emtricitabine)	CIMDUO (lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} COMBIVIR (zidovudine/lamivudine) DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} DOVATO (dolutegravir/lamifudine) ^{NR,QL} EPZICOM (abacavir sulfate/lamivudine) SYMFI (efavirenz/lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} SYMFI LO (efavirenz/lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide) ^{NR,QL} TRIZIVIR (abacavir/zidovudine/lamivudine)	

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)	trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND Diagnosis of diabetes with HbA1C ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
AMVIIN	ANALOG	
		 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR	
GLYXAMBI (empagliflozin/linagliptin) ^{QL} JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} alogliptin/pioglitazone (generic for Oseni) ^{QL} QTERN (dapagliflozin/saxagliptin) ^{QL} STEGLUJAN (ertugliflozin/sitagliptin) ^{QL}	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPENCL HUMULIN OTC PEN insulin lispro (generic for Humalog) PEN, VIAL NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen:

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Riomet®: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Update June 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL}	INVOKAMET & XR (canagliflozin/metformin)QL SEGLUROMET (ertugliflozin/metformin)QL STEGLATRO (ertugliflozin)QL SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin)QL XIGDUO XR (dapagliflozin/metformin)QL	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
THIZAOLIDINE	THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS			within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	-	Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	 Non-preferred agents require: Use limited to FDA-approved indications

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) ^{CL} EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication

IMMUNOMODULATORS. TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

PDL Update June 1, 2019 Highlights indicated change from previous posting

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine cyclosporine CAPSULE, cyclosporine, modified CAPSULE mycophenolate mofetil CAPSULE, TABLET RAPAMUNE (sirolimus) SOLUTION sirolimus TABLET tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) CAPSULE, SUSPENSION, TABLET cyclosporine SOFTGEL cyclosporine, modified SOLUTION ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION IMURAN (azathioprine) mycophenolate mofetil SUSPENSION mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) NEORAL (cyclosporine, modified) CAPSULE, SOLUTION PROGRAF (tacrolimus) CAPSULE, PACKET ^{NR} RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus (generic for Rapamune) SOLUTION ZORTRESS (everolimus)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

PDL Update June 1, 2019 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS* azelastine 0.1% (generic for Astelin)	FAMINES azelastine 0.15% (generic for Astepro)	drug class Drug-specific criteria: mometasone: Prior authorization
	DYMISTA (azelastine/fluticasone) olopatadine (generic for Patanase)	NOT required for children ≤ 12 years
CORTICOS	STEROIDS	 budesonide: Approved for use in Pregnancy (Pregnancy Category B)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class
		Drug-specific criteria:montelukast granules:PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin hcl) CAPSULE CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	colesevelam (generic for Welchol) TABLET, PACKET colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine) MILIAL HYPERCHOLESTEROLEMIA	patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH) OR
TREATMENT OF HOMOZIGOUS FA	JUXTAPID (lomitapide) ^{CL}	Treatment failure/maximized
	KYNAMRO (mipomersen) ^{CL}	dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
FIBRIC ACID	DERIVATIVES	derivatives, omega-3 agents, bile acid sequestrants
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix) TRICOR (fenofibrate) TRILIPIX (fenofibric acid)	Require faxed copy of REMS PA form Lovaza®: Approved for TG ≥ 500 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH)
NIA	CIN	ANDMaximized high-intensity statin WITH
	NIACOR (niacin IR) NIASPAN (niacin ER) Independent of the content	 ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: Approved for: adult diagnoses of atherosclerotic
	ATTY ACIDS	cardiovascular disease (ASCVD)
CHOLESTEROL ABSO ezetimibe (generic for Zetia)	omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL} ORPTION INHIBITORS	 heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis
		AND
	PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa®: Approved for TG ≥ 500 WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	TINS	 Non-preferred agents will be
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin (generic for Lescol) LESCOL & XL (fluvastatin & ER) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin) ^{NR}	approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN COM	MBINATIONS	clinical reason why individual
	atorvastatin/amlodiine (generic for CADUET) simvastatin/ezetimibe (generic for Vytorin)	 ingredients cannot be used Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETC	CLIDES KETEK (telithromycin) OLIDES clarithromycin ER (generic for Biaxin XL) EES SUSPENSION, TABLET ERY-TAB ERYPED SUSPENSION ERYTHROCIN erythromycin base TABLET, CAPSULE erythromycin ethylsuccinate SUSP PCE (erythromycin) ZMAX (azithromycin ER)	 Ketek®: Requires clinical resaon why patient cannot use preferred macrolide Macrolides: Require clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: Xatmep™:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK tetrabenazine (generic for Xenazine) ^{CL}	 Drug-specific criteria: Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia Ingrezza: Diagnosis of Tardive Dyskinesia in adults tetrabenazine: Diagnosis of chorea with Huntington Disease

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} REBIF (interferon beta-1a) ^{QL}	AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) ^{QL} MAVENCLAD (cladiribine) ^{NR} MAYZENT (siponimod) ^{NR,QL} PLEGRIDY (peginterferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate) ZINBRYTA (daclizumab)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy®: Approved for diagnosis of relapsing MS

PDL Update June 1, 2019 Highlights indicated change from previous posting

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	MACROBID CAPSULE (nitrofurantoin monohydrate macrocrystals) MACRODANTIN CAPSULE (nitrofurantoin macrocrystals) FURADANTIN SUSPENSION (nitrofurantoin)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

NSAID

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium (generic for Voltaren) diclofenac SR (generic for Voltaren-XR) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic)	diclofenac potassium (generic for Cataflam, Zipsor) diflunisal (generic for Dolobid) etodolac & SR (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION	 Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: Arthrotec®: Requires clinical reason why individual ingredients cannot be used Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used meclofenamate: Approvable
,,	INDOCIN RECTAL, SUSPENSION ketoprofen & ER (generic for Orudis) meclofenamate (generic for Meclomen) mefenamic acid (generic for Ponstel) meloxicam SUSPENSION (generic Mobic) naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Anaprox) oxaprozin (generic for Daypro) piroxicam (generic for Feldene)	agents cannot be used
	QMIIZ ODT (meloxicam) ^{NR,QL} tolmetin (generic for Tolectin)	

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	IVE (continued)	
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) ^{QL} TIVORBEX (indomethacin) VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	Drug-specific criteria: Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECT/	ANT COMBINATIONS	- .
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

NSAIDS. TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET, PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT	THERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE BLOCKADE		capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin)	toremifene (generic for Fareston) ^{CL}	cannot be used Fareston®: Require clinical reason
letrozole (generic for Femara) tamoxifen citrate (generic for		why tamoxifen cannot be used letrozole: Approved for diagnosis
Nolvadex)		of breast cancer with day supply greater than 12 – NOT approved
OTHER		for short term use
	NERLYNX (neratinib)	
	TYKERB (lapatinib)	
	TALZENNA (talazoparib tosylate) ^{NR, QL}	

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine A	PURIXAN (mercaptopurine)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation
IMBRUVICA (irutinib) LEUKERAN (chlorambucil)	DAURISMO (glasdegib maleate) ^{NR,QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{NR,QL} LL COPIKTRA (duvelisib) ^{NR,QL} VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	 submitted supporting off-label use from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used imatinib: Requires trial of Gleevec or clinical reason Gleevec cannot be used melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Tabloid: Prior authorization not required for age <19 Tasigna: Patients receiving
GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) imatinib (generic for Gleevec) ^{CL} TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy
М	PN	
JAKAFI (ruxolitinib)		
MYE	LOMA	
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide)	
ОТ	HER	
MATULANE (procarbazine)	CALQUENCE (acalabrutinib) ^{QL} TABLOID (thioguanine) tretinoin (generic for Vesanoid) ZOLINZA (vorinostat)	

CL – Prior Authorization / Class Criteria apply

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALK	Non-preferred agents DO NOT
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) ^{NR,QL} ZYKADIA (ceritinib) CAPSULE, TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
4	ALK / ROS1	
XALKORI (crizotinib)		
	EGFR	
GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib)	erlotinib (generic for Tarceva) VIZIMPRO (dacomitinib) ^{NR,QL}	
	OTHER	
HYCAMTIN (topotecan)		

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	BALVERSA (erdafitinib) ^{NR} COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{NR,QL} ZEJULA (niraparib)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) XTANDI (enzalutamide) YONSA (abiraterone acet, submicronized)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

^{AL} – Age Limit

PDL Update June 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR (everolimus) AFINITOR DISPERZ (everolimus) CABOMETYX (cabozantinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Affinitor, which changed from preferred to non-preferred on 1-17 19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) MEKTOVI (binimetinib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)	MUTATION	Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

CL – Prior Authorization / Class Criteria apply

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for
MACRO	DLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGL	YCOSIDES	_
tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin) OTHER OPHTH polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

AL – Age Limit

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION , OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	Non-preferred agents will be
DUREZOL (difluprednate) fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	SAID	
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) ^{NR,QL} XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO.	rics	 Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	MIMETICS	Drug-specific criteria:
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	 Rhopressa: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60
BETA BLO	OCKERS	days
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDR	RASE INHIBITORS	
AZOPT (brinzolamide) dorzolamide (generic for Trusopt)		
PROSTAGLAND	IN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF (generic for Cosopt PF)	
ОТН	ER	
RHOPRESSA (netarsudil) ^{CL}	ROCKLATAN (netarsudil and latanoprost) ^{NR}	

PDL Update June 1, 2019 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone SL <i>LUCEMYRA (lofexidine)</i> ^{NR, QL} ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

PDL Update June 1, 2019 Highlights indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil (generic for Revatio) (for PAH only) ^{CL} TRACLEER (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) bosentan TABLET (generic for Tracleer) ambrisentan (generic for Letairis) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) REVATIO SUSPENSION (for PAH only) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®:

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW Child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 23/folic acid) CHEW Children's chewables otc (pedi multivit 23/folic acid) CHEW Children's vitamins with iron otc (pedi multivit 78/iron/fluoride) CHEW Children's vitamins with iron otc (pedi multivit 23/folic acid) CHEW Children's vitamins with iron otc (pedi multivit 30/fluoride) FLORIVA PLUS OTC and Rx (pedi multivit 30/fluoride) DROPS multivit A, C, D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit no. 165 drops) Infant-toddler multivit no. 165 drops) AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 78/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 85/fluoride) CHEW FLORIVA (pedi multivit 85/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 33/fluoride) DROPS Infant-toddler multivit no. 165 drops)
infant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a pamintate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvit A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW POLY-VI-SOL OTC (pedi multivit 81) DROPS POLY-VI-SOL WITH IRON (pedi multivit 80/ferrous sulfate) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS Tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml VITALETS OTC (pedi multivit 36/iron)

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CHEWABLE TABLET, CAPSULE, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET , CAPSULE CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) prasugrel (generic for Effient) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity[®]: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

PRENATAL VITAMINS

c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE elite-ob CAPLET (fe c/fa) folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) pnv-ob+dha combo pack (pnv22/iron	Agents	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class
calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE clite-ob CAPLET (fe c/fa) clivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW conv with ca, #72/iron/fa conv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) conv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) conv-vp-u CAPSULE crenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) corenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this
calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE clite-ob CAPLET (fe c/fa) olivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW onv with ca, #72/iron/fa onv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) onv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) onv-vp-u CAPSULE orenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		failed a trial of or are intolerant to TWO preferred agents within this
Alassic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE Ditte-ob CAPLET (fe c/fa) Divane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE Diva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW Divy with ca, #72/iron/fa Divy-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) Divy-ob+dha combo pack (pnv22/iron CDn&gluc/fa/dss/dha) Divy-vp-u CAPSULE Divenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) Divenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		TWO preferred agents within this
COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE dite-ob CAPLET (fe c/fa) colivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE diva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW diva-vith ca, #72/iron/fa diva-vob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) diva-vp-u CAPSULE divenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) divenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		drug class
CONCEPT DHA CAPSULE CONCEPT OB CAPSULE Silite-ob CAPLET (fe c/fa) colivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE siliva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW conv with ca, #72/iron/fa conv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) conv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) conv-vp-u CAPSULE corenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) corenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
CONCEPT OB CAPSULE Selite-ob CAPLET (fe c/fa) colivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE siva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW conv with ca, #72/iron/fa conv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) conv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) conv-vp-u CAPSULE corenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) corenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
elite-ob CAPLET (fe c/fa) colivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE coliva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW conv with ca, #72/iron/fa conv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) conv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) conv-vp-u CAPSULE corenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) corenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
olivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE hiva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW hov with ca, #72/iron/fa hov-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) hov-vp-u CAPSULE hrenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) hove-ob-dissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
MARNATAL-F CAPSULE niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW nov with ca, #72/iron/fa nov-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) nov-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) nov-vp-u CAPSULE renaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		Additional covered agents can be
prevalus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW Prevalue of the canal control of		looked up using the Drug Look-up To
PRENATA TAB CHEW prov with ca, #72/iron/fa prov-dha SOFTGEL (prov combo#47/iron/fa #1/dha) prov-ob+dha combo pack (prov22/iron cbn&gluc/fa/dss/dha) prov-vp-u CAPSULE prenaissance CAPSULE (prov80/iron fum/fa/dss/dha) prov-orenaissance plus SOFTGEL (prov69/iron/fa/dss/dha)		at:
onv with ca, #72/iron/fa onv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) onv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) onv-vp-u CAPSULE orenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		https://druglookup.fhsc.com/druglook
onv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) onv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) onv-vp-u CAPSULE orenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		pweb/?client=nestate
onv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) onv-vp-u CAPSULE orenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		prost tolione hodiate
cbn&gluc/fa/dss/dha) onv-vp-u CAPSULE orenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
orenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) orenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
prenatal no.137/iron/fa OTC		
pretab 29mg-1 TABLET (pnv#78/iron/fa)		
PUREFE PLUS		
PUREFE OB PLUS		
aron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-		
3)		
TARON-PREX PRENATAL		
TRINATAL RX 1		
riveen-duo dha combo pack		
(pnv53/iron b-g hcl-p/fa/omega3)		
rust natal dha (pnv2/iron b-g suc-p/fa/omega-3)		
virtprex CAPSULE (pnv66/iron fum/fa/dss/dha)		
virt-c dha SOFTGEL (pnv#16/iron fum &ps/fa/om-3)		
virt-nate dha SOFTGEL (pnv 11-iron fum-fa-om3)		
rirt-pm dha SOFTGEL (pnv combo#47/iron/fa		
#1/dha)		
virt-pn TABLET (pnv w-ca no.40/iron fum/fa cmb		
10.1)		
virt-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)		
rirt-select CAPSULE (pnv80/iron fum/fa/dss/dha)		
rirt-vite gt TABLET (prenatal vit 16/iron cb/fa/dss)		
/OL-PLUS TABLET		
/p-ch-pnv prenatal SOFTGEL		
/p-heme ob TABLET (pnv#21/iron/ps& heme		
polyp/fa)		
zatean-pn dha CAPSULE (pnv #47/iron/fa #1/dha)		
catean-pn plus SOFTGEL (pnv/ca		
no.68/iron/fa1/dha)		

PDL Update June 1, 2019 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) PREVACID Rx, SOLU-TAB (lansoprazole) PRILOSEC (omeprazole) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients > 5 years if age- Only approve non-preferred for Gl diagnosis if:

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

SEDATIVE HYPNOTICS

temazepam 15mg, 30mg (generic for Restoril) stemazepam 15mg, 30mg (generic for Restoril) stemazepam (generic for Dalmane) temazepam (generic for Restoril) stemazepam (generic for Restoril)	Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used Ativan®/Klonopin®/Valium®: Requires trial of generic Approvable for seizure diagnosis
Restoril) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion) OTHERS zaleplon (generic for Sonata) zolpidem (generic for Ambien) BELSOMRA (suvorexant) EDLUAR (zolpidem sublingual)	ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used Ativan®/Klonopin®/Valium®: Requires trial of generic Approvable for seizure diagnosis
HETLIOZ (tasimelteon) ^{CL} ROZEREM (ramelteon) SILENOR (doxepin) zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo) ZOLPIMIST (zolpidem oral spray)	and documentation of seizure activity on generic therapy Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder flurazepam/triazolam: Requires trial of preferred benzodiazepine Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used Silenor®: Must meet ONE of the following: Contraindication to preferred oral sedative hypnotics Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used Zolpimist®: Requires clinical reason why half of zolpidem tablet cannot be used Zolpimist®: Requires documentation of swallowing disorder

PDL Update June 1, 2019 Highlights indicated change from previous posting

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
chlorzoxazone (generic for Parafon) cyclobenzaprine (generic for Flexeril) methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	carisoprodol (generic for Soma) carisoprodol compound cyclobenzaprine ER (generic for AMRIX) ^{CL} dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) SOMA (carisoprodol) ^{CL} tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW F	OTENCY	Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT , CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glyc	drug class
	betamethasone valerate	
	desoximetasone	
	diflorasone diacetate fluocinonide SOLUTION	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone SPRAY (generic for Kenalog spray)	
	TRIANEX OINTMENT (triamcinolone)	
	VANOS (fluocinonide)	

VERY HIGH POTEN	CY
-----------------	----

clobetasol emollient (generic for Temovate-E) clobetasol propionate (generic for Temovate) halobetasol propionate (generic for

Ultravate)

APEXICON-E (diflorasone) BRYHALI (halobetasol prop) **LOTION**^{NR} clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAMNR,AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol)

Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGSAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS ER (amphetamine) SUSPENSION ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) MYDAYIS (amphetamine salt combo) methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

with Prior Authorization Criteria

PDL Update June 1, 2019 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphenidate type		Non-preferred agents will be
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	approved for patients who have failed a trial of TWO preferred agents within this drug class
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)	 Drug-specific criteria: Daytrana®: May be approved in history of substance abuse by
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER)	COTEMPLA XR-ODT (methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLICHEW ER (methylphenidate)	RITALIN (methylphenidate)	
QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) methylphenidate ER 72mg (generic for RELEXXI)QL	
MISCELL	ANEOUS	-Note: generic guanfacine IR and
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)QL	clonidine ER (generic for Kapvay) ^{CL} STRATTERA (atomoxetine)	clonidine IR are available without prior authorization
ANALI	EPTICS	
	modafanil (generic for Provigil) ^{CL} armodafinil (generic for Nuvigil) ^{CL}	 armodafinil: Requires trial of Provigil

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE minocycline HCI CAPSULE (generic for Minocin, Dynacin)	demeclocycline ^{CL} DORYX (doxycycline pelletized) doxycycline hyclate DR (generic for Vibratabs) doxycycline monohydrate TABLET, SUSPENSION, 40mg, 75MG and 150MG CAPSULES (Monodox, Adoxa) doxycycline monohydrate (generic for Oracea) minocycline HCI TABLET (generic for Dynacin, Murac) minocycline HCI ER (generic for Solodyn) NUZYRA (omadacycline) ^{NR} SOLODYN (minocycline HCI) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSPENSION (doxycycline) XIMINO (minocycline ER) CAPSULE, QL	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	CYTOMEL TABLET (liothyronine) LEVO-T (levothyroxine) SYNTHROID TABLET (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) ^{NR,CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

with Prior Authorization Criteria

PDL Update June 1, 2019 *Highlights* indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide ER (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine DR (generic for Delzicol) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used Giazo®: Requires clinical reason
RECTAL		why generic balsalazide cannot be used
CANASA (mesalamine)	mesalamine sf ROWASA (mesalamine)	NOT covered in females

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER TABLET isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET NITROSTAT SUBLINGUAL (nitroglycerin)	BIDIL (isosorbide dinitrate/hydralazine) DILATRATE-SR (isosorbide dinitrate) GONITRO (nitroglycerin) ISORDIL (isosorbide dinitrate) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROLINGUAL SPRAY NITROMIST (nitroglycerin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class