



**DEPT. OF HEALTH AND HUMAN SERVICES** 

# Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated October 1, 2019 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

#### **Non-Preferred Drug Coverage**

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamcyin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAMAL	adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) ALTRENO (tretinoin)AL ATRALIN (tretinoin) AVAR (sulfacetamine sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/ benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR, OTC benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin FOAM, LOTION clindamycin GEL clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/tretinoin (generic for Veltin & Ziana) dapsone (generic for ACZONE) DIFFERIN GEL OTC EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) OVACE PLUS (sulfacetamind sodium) PLIXDA (adapalene) SWAB RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM TAZORAC (tazarotene) TRETIN-X (tretinoin) tretinoin CREAM, GELAL tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class  Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ALZHEIMER'S DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER)	<ul> <li>Current, stabilized therapy of the</li> </ul>
NMDA RECEPTO	rivastigmine (generic for Exelon)  OR ANTAGONIST	non-preferred agent within the previous 45 days
,	memantine ER (generic for Namenda XR) memantine soln (generic for Namenda) NAMENDA (memantine) NAMENDA <b>SOLUTION</b> NAMZARIC (memantine/donepezil)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANALGESICS, OPIOID LONG-ACTING**

BUTRANS (buprenorphine, transdermal) <sup>QL</sup> EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH <sup>QL</sup> morphine ER TABLET (generic for MS Contin, Oramorph SR)  OXYCONTIN (oxycodone ER)  ARYMO ER (morphine sulfate ER) <sup>QL</sup> BELBUCA (buprenorphine, buccal) <sup>CL</sup> buprenorphine TRANSDERMAL (generic for Butrans) <sup>QL</sup> URAGESIC MATRIX (fentanyl) <sup>QL</sup> fentanyl 37.5, 62.5, 87.5 mcg PATCH <sup>QL</sup> hydromorphone ER (generic for Exalgo) <sup>CL</sup> HYSINGLA ER (hydrocodone, extended release) KADIAN (morphine ER capsule) methadone <sup>CL</sup> MORPHABOND ER (morphine  Morphadone, Will cally be	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
morphine ER CAPSULE (generic for Avinza, Kadian)  NUCYNTA ER (tapentadol) <sup>CL</sup> oxycodone ER (generic for reformulated Oxycontin)  oxymorphone ER (generic for Opana ER)  tramadol extended release (generic for Conzip, Ryzolt, Ultram ER) <sup>CL</sup> XTAMPZA ER (oxycodone myristate) <sup>QL</sup> ZOHYDRO ER (hydrocodone bitartrate ER)	transdermal) <sup>QL</sup> EMBEDA (morphine sulfate/ naltrexone) tentanyl 25, 50, 75, 100 mcg PATCH <sup>QL</sup> morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	BELBUCA (buprenorphine, buccal) <sup>CL</sup> buprenorphine TRANSDERMAL   (generic for Butrans) <sup>QL</sup> DURAGESIC MATRIX (fentanyl) <sup>QL</sup> fentanyl 37.5, 62.5, 87.5 mcg   PATCH <sup>QL</sup> hydromorphone ER (generic for   Exalgo) <sup>CL</sup> HYSINGLA ER (hydrocodone,   extended release)  KADIAN (morphine ER capsule) methadone <sup>CL</sup> MORPHABOND ER (morphine   sulfate) morphine ER CAPSULE (generic for   Avinza, Kadian)  NUCYNTA ER (tapentadol) <sup>CL</sup> oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana   ER)  tramadol extended release (generic   for Conzip, Ryzolt, Ultram ER) <sup>CL</sup> XTAMPZA ER (oxycodone   myristate) <sup>QL</sup> ZOHYDRO ER (hydrocodone	<ul> <li>does not recommend long acting opioids when beginning opioid treatment.</li> <li>Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days</li> <li>Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care</li> <li>Oxycontin®: Pain contract required for maximum quantity</li> </ul> </li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### ANALGESICS, OPIOID SHORT-ACTINGQL

codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/Ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET Oxycodone TABLET, SOLUTION Oxycodone/APAP tramadol  Marcoline/APAP  hydrocodeine/apaprono ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/Ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup> OXAYDO (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup> OXAYDO (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup> OXAYDO (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup> OXCOONE CAPSULE OXycodone CAPSULE OXycodone/Apapinin OXycodone/Apa	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET mydrocodone/APAP SOLUTION, TABLET mydrocodone/Ibuprofen hydrocodone/Ibuprofen hydrocodone/Ibuprofen mydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET oxycodone TABLET, morphine CONC SOLUTION oxycodone/APAP tramadol  TABLET morphine CONC SOLUTION oxycodone/APAP tramadol  TABLET morphine CONC SOLUTION oxycodone/APAP tramadol  TABLET  TableT, Surposition oxycodone TABLET morphine CONC SOLUTION oxycodone/APAP tramadol  TABLET  butalbital/caffeine/APAP w/codeine carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FICRINAL/CODEINE (butalbital/ ASA/codeine/acffeine) hydromorphone ORAL LIQUID, TABLET, SurpOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/Ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol)CL OXAYDO (oxycodone/Acataminophen SOLUTION oxycodone CAPSULE oxycodone/Acataminophen SOLUTION oxycodone/Acataminophen SOLUTION oxycodone/Acataminophen SOLUTION oxycodone/acataminophen SOLUTION oxycodone/acataminophen PRIMLEV (oxycodone/acataminophen) ROXYBOND (oxycodone) ROXYBOND (oxycodone) tramadol/APAP (generic for Ultracet) XARTEMIS XR (oxycodone/acatex)  swith ints drug class within the 12 months with inthe Idam or particulated within the 12 months with inthe Idam or particulated within the 12 months with inthe Idam or particulated within the 12 months with inthe Idam or particulated within the 12 months  with inthe Idam or particulated within the 12 months  with inthe Idam or particulated within the 12 months  Note: for short acting opiate table and capsules there is a maximul quantity limit of #150 per 30 day  ballotated reflexed enterinor (carisoprodol/ASA/caffeine/cafeine)  butalbital/caffeine/cafeine/cafeine/cafeine/cafeine/cafeine/limited to a 7 day supply, AND  -initial opiate prescription fill limit to maximum of 50 Morphine  butalbital/caffeine/cafeine/cafeine/cafeine/cafeine/cafeine/limited to a 7 day su	0	RAL	Non-preferred agents will be
acetaminophen)	acetaminophen/codeine ELIXIR, TABLET codeine ORAL hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET oxycodone TABLET, SOLUTION oxycodone/APAP	APADAZ (benzhydrocodone/APAP) <sup>CL</sup> benzhydrocodone/APAP (generic for Apadaz <sup>CL</sup> butalbital/caffeine/APAP w/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup> OXAYDO (oxycodone) <sup>CL</sup> oxycodone/acetaminophen SOLUTION oxycodone/acetaminophen SOLUTION oxycodone/acetaminophen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone/ acetaminophen) ZAMICET (hydrocodone/	approved for patients who have failed THREE preferred agents within this drug class within the last 12 months  Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days.  Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day  These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive  Drug-specific criteria:  Abstral®/Actiq®/Fentora®/ Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of longacting opiate  Apadaz: Approval for 14 days or less  Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less  Tramadol/APAP: Clinical reason why individual ingredients can't be used  Xartemis XR®: Approved only for

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
N/	NASAL	
	butorphanol <b>NASAL SPRAY</b> <sup>QL</sup> LAZANDA (fentanyl citrate)	
BUCCAL/TR	ANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL SUBSYS (fentanyl spray)CL	

### **ANDROGENIC DRUGS (Topical)**

	Non-Preferred Agents	Prior Authorization/Class Criteria
estosterone gel PACKET, PUMP (generic for Vogelxo) <sup>CL</sup>	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Axiron) testosterone (generic for Fortesta) testosterone (generics for Testim)	<ul> <li>Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause</li> <li>In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Androderm®/Androgel®:</li></ul></li></ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL – Age Limit

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION	approved for patients who have failed ONE preferred agent within this drug class within the last 12 months
quinapril (generic for Accupril) ramipril (generic for Altace)	fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION	<ul> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul>
	trandolapril (generic for Mavik)	Drug-specific criteria:
ACE INHIBITOR/DIURETIC COMBINATIONS		Figure 2 Epaned® and Qbrelis® Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REG	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLO	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT)	products may be covered as
	MODULATOR/	individual prescriptions without prior authorization
amlodipine/benazepril (generic for Lotrel) amlodipine/valsartan (generic for Exforge) amlodipine/valsartan/HCTZ (generic for Exforge HCT)	amlodipine/olmesartan (generic for Azor) amlodipine/olmesartan/HCTZ (generic for Tribenzor) amlodipine/telmisartan (generic for Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic for Tarka)	<ul> <li>Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure of preferred agent</li> </ul>
DIRECT RENI	N INHIBITORS	
	aliskiren (generic for Tekturna)QL	- Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
DIRECT RENIN INHIB	ITOR COMBINATIONS	May be approved witha history of TWO preferred ACE Inhibitors or
	TEKTURNA/HCT (aliskiren/HCTZ)	Angiotensin Receptor Blockers within the last 12 months
NEPRILYSIN INHIB	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) <sup>CL</sup>		
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTHELMINTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin STROMECTOL (ivermectin)	EGATEN (triclabendazole) <sup>NR,AL</sup> EMVERM (mebendazole) praziquantel (generic for Biltricide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

#### ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	<ul> <li>Class Criteria:         <ul> <li>Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis.</li> <li>Patient has had treatment failure with or contraindication to: antihistamines AND montelukast</li> <li>Clinical reason as to why allergy shots cannot be used.</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>ORALAIR</li> <li>Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.</li> <li>For use in patients 10 through 65 years of age.</li> </ul> </li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTIBIOTICS, GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Drug-specific criteria:         <ul> <li>Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis)</li> <li>Flagyl ER®: Trial and failure with metronidazole is required</li> <li>Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used</li> <li>tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis</li> <li>vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient</li> <li>Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomcin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®</li> </ul> </li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTIBIOTICS, INHALED**

Preferred Agents	ANon-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) <sup>CL</sup> KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	ARIKAYCE (amikacin liposomal inh susp) <sup>CL</sup> CAYSTON (aztreonam lysine) <sup>QL,CL</sup> tobramycin (generic for Tobi)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents         ICD10 Group = E84, ICD9 =         277.00, 277.01, 277.02, 277.03,         277.09</li> <li>Drug-specific criteria:         <ul> <li>Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy</li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> </ul> </li> <li>Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used</li> </ul>

### **ANTIBIOTICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic for Polysporin) mupirocin <b>OINTMENT</b> (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/pramoxi ne	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months</li> <li>Drug-specific criteria:         <ul> <li>Altabax®: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be use.</li> <li>Mupirocin® Cream: Clinical reason the ointment cannot be used</li> </ul> </li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	CLEOCIN <b>CREAM</b> (clindamycin) METROGEL (metronidazole, vaginal)	<ul> <li>Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months</li> </ul>

### **ANTICOAGULANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents  ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) <sup>CLon2.5mg,QL</sup>	Non-Preferred Agents  BEVYXXA (betrixaban maleate) <sup>NR,QL</sup> fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months  Drug-specific criteria:     Coumadin®: Clinical reason generic warfarin cannot be used     Savaysa®: Approved diagnoses include:     Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR     Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulent therapy     Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events
		(cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery disease

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dronabinol (generic for Marinol) <sup>AL</sup>	CESAMET (nabilone) SYNDROS (dronabinol) <sup>AL, CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same</li> </ul>
	OR BLOCKERS	group SYNDROS – documentation of
ondansetron (generic for Zofran) <sup>QL</sup> ondansetron ODT (generic for Zofran) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	inability to swallow solid dosage forms.  Drug-specific criteria:
NK-1 RECEPTO	R ANTAGONIST	<ul> <li>Akynzeo®/Emend®/Varubi®:</li> <li>Approved for Moderately/Highly</li> </ul>
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) <b>TABLET</b> CL	emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist WITHOUT trial of preferred agents
TRADITIONAL	ANTIEMETICS	Regimens include: AC combination (Doxorubicin or Epirubicin with
DICLEGIS (doxylamine/pyridoxine) <sup>CL,QL</sup> dimenhydrinate (generic for Dramamine) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine),CL,QL COMPRO (prochlorperazine rectal) doxylamine/pyridoxine (generic for Diclegis),CL,QL metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	antagonist WITHOUT trial of preferred agents

PDL Update October 1, 2019 Highlights indicated change from previous posting

ANTIFUNGALS, ORAL		•
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic for Lamisil)	Non-Preferred Agents  CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic for Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) <sup>CL</sup> ketoconazole (generic for Nizoral) nystatin POWDER, oral ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic for Noxafil) <sup>AL,CL</sup> TOLSURA (itraconazole) <sup>CL</sup> voriconazole (generic for VFEND) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis</li> <li>Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs</li> <li>Cryptococcus: Meningitis, pulmonary</li> </ul>
	Voliconazore (generic for VI END)	<ul> <li>infections</li> <li>Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant</li> <li>Noxafil® Suspension:         <ul> <li>Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole</li> <li>Onmel®: Requires trial and failure or contraindication to terbinafine</li> <li>Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal</li> </ul> </li> </ul>
		<ul> <li>candidiasis refractory to fluconazole</li> <li>Sporanox®: Requires trial and failure of generic itraconazole</li> <li>Sporanox® Liquid: Clinical reason solid oral cannot be used</li> <li>Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole</li> <li>Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

refractory to fluconazole

# PDL Update October 1, 2019 *Highlights* indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	Non-preferred agents will be
clotrimazole CREAM (generic for Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic for Nizoral) LAMISIL (tervinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic for Lamisil AT) tolnaftate AERO POWDER, CREAM, POWDER,OTC (generic for Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION   (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC   (miconazole) econazole (generic for Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) KERIDYN (tavaborole) ketoconazole FOAM (generic for Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine)   OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC   (clotrimazole) LOTRIMIN ULTRA (bufenafine) luliconazole (generic for Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum   (generic for Vusion) naftifine CREAM, GEL (generic for Naftin) oxiconazole (generic Bensal HP) tolnaftate SPRAY, OTC	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Extina: Requires trial and failure or contraindication to other ketoconazole forms</li> <li>Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i></li> <li>nystatin/triamcinolone: Indivudual ingredients available without prior authorization</li> <li>ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine</li> </ul> </li> </ul>
	clotrimazole/betamethasone LOTION	
(generic for Lotrisone)	(generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

### ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine <b>TABLET</b> , <b>SOLUTION</b> (generic for Zyrtec) loratadine <b>TABLET</b> , <b>SOLUTION</b> (generic for Claritin) levocetirizine <b>TABLET</b> (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) <sup>QL</sup> levocetirzine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class</li> <li>Combination products not covered – individual products may be covered</li> </ul>

### **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine <b>TABLET</b> (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine <b>TRANSDERMAL</b> methyldopa/hydrochlorothiazide	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class</li> </ul>

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine <b>CAPSULE</b> (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine <b>TABLET</b> (generic for Colcrys) <sup>CL</sup> febuxostat (generic for Uloric) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Uloric®: Clinical reason why allopurinol cannot be used</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MGALITY (galcanezumab-gnlm) <sup>CL,QL</sup> PEN, SYR	AIMOVIG AUTOINJECTOR (erenumab-aooe)CL,QL AJOVY (fremanezumab-vfrm)CL,QL CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	<ul> <li>Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan</li> <li>Drug-specific criteria:</li> <li>Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> <li>Emgality indicated for treatment of episodic cluster headaches</li> <li>Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)</li> <li>In addition, Aimovig and Ajovy require a trial of Emgality or patient specific documentation of why Emgality is not appropriate for patient</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 *Highlights* indicated change from previous posting **ANTIMIGRAINE AGENTS, TRIPTANS**<sup>QL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
O	RAL	Non-preferred agents will be
RELPAX (eletriptan) <sup>QL</sup> rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet) zolmitriptan (generic for Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents within this drug class  Drug-specific criteria:  Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used  Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
N	ASAL	-
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) <sup>NR</sup> ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

### ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide   (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		<ul> <li>Non-preferred agents will be</li> </ul>
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		approved for patients who have failed ONE preferred agents within this drug class
COMT IN	HIBITORS	tilis didy class
DOPAMINE	entacapone (generic for Comtan) tolcapone (generic for Tasmar)	Drug-specific criteria:  Carbidopa/Levodopa ODT: Approved for documented swallowing disorder
bromocriptine (generic for Parlodel)	NEUPRO (rotigotine) <sup>CL</sup>	COMT Inhibitors: Approved if using
pramipexole (generic for Mirapex) ropinirole (generic for Requip)	pramipexole ER (generic for Mirapex ER) <sup>CL</sup>	as add-on therapy with levodopa- containing drug  Gocovri: Required diagnosis of
	ropinirole ER (generic for Requip XL) <sup>CL</sup>	Parkinson's disease and had trial of or is intolerant to amantadine AND must
MAO-B INI selegiline TABLET (generic for	rasagiline (generic for Azilect) QL	<ul> <li>be used as an add-on therapy with levodopa-containing drug</li> </ul>
Eldepryl)	selegiline <b>CAPSULE</b> (gen. for Eldepryl)  XADAGO (safinamide)	<ul> <li>Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa</li> </ul>
	ZELAPAR (selegiline) <sup>CL</sup>	agent
OTHER ANTIDARI		- Neupro®:
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) GOCOVRI (amantadine) <sup>QL</sup> INBRIJA (levodopa) INHALER <sup>NR,CL,QL</sup> NOURIANZ (istradefylline) <sup>NR,CL,QL</sup> OSMOLEX ER (amantadine) <sup>QL</sup> RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	For Parkinsons: Clinical reason required why preferred agent cannot be used  For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole  Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent  Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR  Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial  Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial  Zelapar®: Approved for documented swallowing disorder

October 1, 2019

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

### **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol proprionate/tazarotene) <sup>NR</sup> ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

### **ANTIVIRALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	NZA DRUGS	-Drug epocific critorio:
oseltamivir (generic for Tamiflu) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup>	rimantadine (generic for Flumadine) RELENZA (zanamivir) <sup>QL</sup> XOFLUZA (baloxavir marboxil) <sup>AL,CL,QL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults</li> <li>Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, <b>OINTMENT</b> (generic for Zovirax)  DENAVIR (penciclovir)  XERESE (acyclovir/hydrocortisone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent</li> </ul>

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET</b> , <b>SOLUTION</b> (generic for Valium) lorazepam <b>INTENSOL</b> , <b>TABLET</b> (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class</li> <li>Drug-specific critera:         <ul> <li>Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®</li> </ul> </li> </ul>

### PDL Update October 1, 2019 *Highlights* indicated change from previous posting

### **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral	Prior Authorization/Class Criteria  Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class  Drug-specific criteria:
bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	<ul> <li>Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease</li> </ul>
BETA- AND ALF	PHA-BLOCKERS	_
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	HYTHMIC	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol <b>CAPSULE</b> 300mg (generic for Actigall)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Myrbetriq®: Covered without trial in contraindication to anticholinergic agents</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **BONE RESORPTION SUPRESSION AND RELATED DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		<ul> <li>Non-preferred agents will be</li> </ul>
BISPHOS lendronate (generic for Fosamax) (daily and weekly formulations)	<u> </u>	

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	CARDURA XL (doxazosin) silodosin (generic for Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	• Avodart®: Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	<ul> <li>Cardura XL®: Requires clinical reason generic IR form cannot be used</li> <li>Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones</li> <li>Jalyn®: Requires clinical reason why individual agents cannot be used</li> <li>Proscar®: Covered for males only</li> <li>Uroxatral®: Covered for males only</li> </ul>

### **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		<ul> <li>Non-preferred agents will be</li> </ul>
PROAIR HFA (albuterol)	albuterol sul. HFA (generic for ProAir	approved for patients who have failed a trial of ONE preferred
PROVENTIL HFA (albuterol)	HFA, <i>Proventil HFA</i> , Ventolin HFA)	agent within this drug class
	PROAIR RESPICLICK (albuterol)	
	levalbuterol HFA (generic for Xopenex	Drug-specific criteria:
	HFA)	<ul> <li>Ventolin HFA®: Requires trial and failure on Proventil HFA® AND</li> </ul>
INHALERS -	- Long Acting	Proair HFA® OR allergy/
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol)	contraindication/side effect to BOTH
	STRIVERDI RESPIMAT (olodaterol)	- Xopenex®: Covered for cardiac
INHALATIO	N SOLUTION	diagnoses or side effect of
albuterol (2.5mg/3ml premix or	BROVANA (arformoterol)	tachycardia with albuterol product
2.5mg/0.5ml)	levalbuterol (generic for Xopenex)	
albuterol 100 mg/20 mL	PERFOROMIST (formoterol)	
albuterol low dose (0.63mg/3ml &		
1.25mg/3ml)		-
	RAL	
albuterol SYRUP	albuterol TABLET	
terbutaline (generic for Brethine)	albuterol ER (generic for Vospire ER)	
	metaproterenol (formerly generic for Alupent)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL – Age Limit

### with Prior Authorization Criteria

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

### **CALCIUM CHANNEL BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be approved for patients who have
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	<ul> <li>failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH)</li> <li>Nimodipine: Covered without trial for diagnosis of subarachnoid</li> </ul> </li> </ul>
verapamil (generic for Calan, Isoptin)		hemorrhage - Katerzia: May be approved with
LONG-ACTING		documented swallowing difficulty
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil)  KATERZIA SUSP (amlodipine) <sup>NR,QL</sup> nisoldipine (generic for Sular)	_
Non-dihydi	ropyridines	_
diltiazem ER (generic for Cardizem CD) verapamil ER <b>TABLET</b>	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate, CHEWABLE amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN <b>SUSPENSION</b> , <b>TABLET</b> (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic for Duricef) cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cefadroxil TABLET (generic for Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil) cefuroxime <b>TABLET</b> (generic for Ceftin)	cefaclor (generic for Ceclor) CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -		
cefdinir (generic for Omnicef)	cefixime CAPSULE, SUSPENSION (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) <b>DISP SYR</b> NIVESTYM (filgrastim-aafi) <b>SYR,VIAL</b> ZARXIO (filgrastim-sndz)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

### COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	ANORO ELLIPTA (umeclidinium/vilanterol)  DUAKLIR PRESSAIR (aclidinium br and formoterol fum) <sup>NR</sup> INCRUSE ELIPTA (umeclidnium)  SEEBRI NEOHALER (glycopyrolate)  SPIRIVA RESPIMAT (tiotropium)  TUDORZA PRESSAIR (aclidinium br)  UTIBRON NEOHALER (indacaterol/glycopyrolate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device.</li> <li>Drug-specific criteria:         <ul> <li>Daliresp®:</li> <li>Covered for diagnosis of severe COPD associated with chronic bronchitis</li> <li>Requires trial of a bronchodilator Requires documentation of one</li> </ul> </li> </ul>
INHALATIOI	N SOLUTION	exacerbation in last year upon initial review
albuterol/ipratropium (generic for Duoneb) ipratropium <b>SOLUTION</b> (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln)  YUPELRI (revefenacin) <sup>NR</sup>	ilitiai ieview
ORAL AGENT		
	DALIRESP (roflumilast) <sup>CL</sup>	

October 1, 2019

Page 28 of 75

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **COUGH AND COLD, OPIATE COMBINATION**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine LIQUID promethazine/codeine SYRUP	hydrocodone/homatropine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age</li> </ul>

### CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO <b>PACKET, TABLET</b> (ivacaftor) <sup>QL, AL</sup> ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET <sup>QL, AL</sup> SYMDEKO (tezacaftor/ivacaftor) <sup>QL, AL</sup>	<ul> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Minimum age: 6 months</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years for tablet</li> <li>Minimum age: 2 years for packet</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Minimum age: 6 years</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) <sup>CL</sup> ENBREL (etanercept) <b>KIT, MINI CART, PEN</b> <sup>QL</sup> HUMIRA (adalimumab) <sup>QL</sup>	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) <sup>QL</sup> ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL <sup>QL</sup> ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL <sup>QL</sup> RINVOQ ER (upadacitinib) <sup>NR,CL,QL</sup> SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) <sup>NR</sup> STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) <sup>AL</sup> TREMFYA (guselkumab) <sup>QL</sup> XELJANZ (tofacitinib) ORAL <sup>QL</sup>	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required.</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis.</li> <li>Cosentyx: Requires trial of Humira</li> <li>Rinvoq ER: Requires documentation of inadequate response or intolerance to methotrexate</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **DIURETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEI	NT PRODUCTS	Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorothialidone TABLET (generic for Diuril) furosemide SOLUTION, TABLET   (generic for Lasix) hydrochlorothiazide CAPSULE,     TABLET (generic for Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic for Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic for Inspra) ethacrynic acid CAPSULE (generic for Edecrin)) methyclothiazide TABLET triamterene (generic for Dyrenium)	approved for patients who have failed a trial of <b>TWO</b> preferred agents within this drug class
COMBINATIO	N PRODUCTS	
amiloride/HCTZ <b>TABLET</b> spironolactone/HCTZ <b>TABLET</b> (generic for Aldactazide) triamterene/HCTZ <b>CAPSULE, TABLET</b> (generic for Dyazide, Maxzide (25))		

### **ENZYME REPLACEMENT, GAUCHERS DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
` ` ` ,	CERDELGA (eliglustat) miglustat (generic Zavesca)	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Drug-specific criteria:</li> <li>Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR. SYMJEPI <sup>NR</sup>	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate  Brand name product may be authorized in event of documented national shortage of generic product.

### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

### FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Levofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup>	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLETQL SYMPROIC (naldemedine) TRULANCE (plecanatide)QL VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class</li> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik</li> <li>Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik</li> <li>Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

### with Prior Authorization Criteria

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)  GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) QL DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AEROSPAN (flunisolide) ALVESCO (ciclesonide)AL,CL ARMONAIR RESPICLICK	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months  Drug-specific criteria:  budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the
INHALATION SOLUTION		-
,	budesonide <b>RESPULES</b> (generic for Pulmicort)	

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET	cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) NR EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older         <ul> <li>Approved after trial/failure with prednisone</li> </ul> </li> <li>Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient</li> </ul>

#### **GROWTH HORMONE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACTOR VIII		Non-preferred agents will be
ADVATE ALPHANATE HUMATE-P MONOCLATE-P NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	ADYNOVATE AFSTYLA ELOCTATE HELIXATE FS HEMOFIL-M JIVIAL KOATE-DVI KIT, VIAL KOGENATE FS KOVALTRY OBIZUR	approved for patients who have failed a trial of ONE preferred agent within this drug class  Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-17-19 will be allowed to continue same therapy
FA	CTOR IX	
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX BEBULIN IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIa AND PROTHRO	MBIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
FACTOR X AND XIII PRODUCTS		
CORIFACT <sup>CL</sup>	COAGADEX <sup>CL</sup> TRETTEN <sup>CL</sup>	
VON WILLEE	RAND PRODUCTS	
WILATE	VONVENDI <sup>CL</sup>	
BISPEC	FIC FACTORS	
	HEMLIBRA <sup>CL</sup>	

### **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

#### **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) <sup>CL</sup> VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) <sup>CL</sup>	DAKLINZA (daclatasvir) CL OLYSIO (simeprevir)CL sofosbuvir/ledipasvir (generic for Harvoni)CL sofosbuvir/velpatasvir (generic for Epclusa)CL SOVALDI (sofosbuvir)CL TECHNIVIE (ombitasvir/paritaprevir/ ritonavir)CL VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir)CL ZEPATIER (elbasvir/grazoprevir)CL	Hepatitis C Criteria  Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient  Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor  Drug-specific criteria:Trial with Mavyret
RIBA	VIRIN	_not required in the following:
	REBETOL (ribavirin)	<ul> <li>Epclusa: For genotype 1-6 with decompensated cirrhosis along</li> </ul>
PEGASYS (pegylated interferon alfa-2a) <sup>CL</sup> PEG-INTRON (pegylated interferon alfa-2b) <sup>CL</sup>	FERON	<ul> <li>with ribavirin</li> <li>Harvoni:         <ul> <li>For genotype 1 with decompensated cirrhosis along with ribavirin</li> <li>Post liver transplant for genotype 1 or 4</li> </ul> </li> <li>Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis</li> </ul>

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

### HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TABLET</b> (generic for Pepcid) ranitidine <b>TABLET, SYRUP</b> (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment</li> <li>nizatadine/cimetidine solution/famotidine suspension: Required clinical reason why ranitidine syrup cannot be used</li> </ul> </li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 ANT	AGONISTS	<ul> <li>Non-preferred agents will be</li> </ul>
SELZENTRY SOLN, TAB (maraviroc)		<ul> <li>approved for patients who have a diagnosis of HIV/AIDS and patient</li> <li>specific documentation of why the</li> </ul>
FUSION IN	IHIBITORS	preferred products within this drug
FUZEON SUB-Q (enfuvirtide)QL		class are not appropriate for patient, including, but not limited to, drug resistance or concomitant
INTEGRASE STRAND TRAN	ISFER INHIBITORS (INSTIS)	conditions not recommended with
	NSCRIPTASE INHIBITORS (NNRTIS)	preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
EDURANT (rilpivirine)	efavirenz (generic for Sustiva)	
INTELENCE (etravirine) <sup>QL</sup> PIFELTRO (doravirine) <sup>QL</sup>	nevirapine <b>TAB</b> (generic for Viramune)	
· · · · · · · · · · · · · · · · · · ·	nevirapine er (generic for Viramune XR)	
	RESCRIPTOR (delavirdine)	
	VIRAMUNE <b>SUSP</b> (nevirapine)	
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIs)	-
abacavir SOLN, TAB (generic for	didanosine CAP DR (generic for	
Ziagen)	Videx EC)	
EMTRIVA CAP, SOLN (emtricitabine) lamivudine SOLN, TAB (generic for	EPIVIR (lamivudine) RETROVIR (zidovudine)	
Epivir)	stavudine CAP (generic	
zidovudine CAP, SYRUP, TAB (generic	for Zerit)	
for Retrovir)	VIDEX <b>SOLN</b> (didanosine)	
	ZIAGEN (abacavir)	

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NUCLEOTIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NRTIs)	
renofovir disoproxil fumarate <b>TAB</b> (generic for Viread)		
PHARMACO	(INETIC ENHANCER	
TYBOST (cobicistat) <sup>QL</sup>		
PROTEA	SE INHIBITORS	
atazanavir <b>CAP</b> (generic for Reyataz) LEXIVA <b>SUSP, TAB</b> (fosamprenavir) NORVIR <b>TAB</b> (ritonavir) PREZISTA <b>SUSP, TAB</b> darunavir)	APTIVUS CAP, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic for Lexiva) INVIRASE (saquinavir) NORVIR POWDER PACK NORVIR SOLN (ritonavir) REYATAZ POWDER PACK (atazanavir) ritonavir TAB (generic for Norvir) VIRACEPT (nelfinavir)	
COMBINATION NUCLEOS(T)IDE F	REVERSE TRANSCRIPTASE INHIBITORS	
Epzicom) abacavir/lamivudine/zidovudine (generic for Trizivir)	COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir disoproxil fumarate) <sup>NR,QL</sup> TRIZIVIR (abacavir/ lamivudine/zidovudine)	

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	SE INHIBITORS (PIs) or PIs plus INETIC ENHANCER	
EVOTAZ(atazanavir sulfate/cobicistat) <sup>QL</sup> KALETRA <b>TAB</b> (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) <sup>QL</sup> lopinavir/ritonavir <b>SOLN</b> (generic for Kaletra)	KALETRA <b>SOLN</b> (lopinavir/ritonavir)	
COMBINATION PROD	JCTS - MULTIPLE CLASSES	
ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz)  BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) <sup>QL</sup> COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate)  DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate) <sup>QL</sup> GENVOYA (elvitegravier/cobicistat/emtricitatione/tenofovir alafenamide) <sup>QL, AL</sup> ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide) <sup>QL</sup> STRIBILD (elvitegravir/cobicistat/emtricitabione/tenofovir disoproxil fumarate) <sup>QL</sup> SYMFI (efavirenz/lamivudine/tenofovodisoproxil fumarate) <sup>QL</sup> SYMFI LO (efavirenz/lamivudine/tenofovir disoproxil fumarate) <sup>QL</sup> SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide) <sup>QL</sup> TRIUMEQ (dolutegravir/abacavir/lamivudine/tenofovir disoproxil/amivudine/tenofovir alafenamide) <sup>QL</sup>		

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) <sup>CL</sup>	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) <sup>QL</sup> OZEMPIC (semaglutide) RYBELSUS (semaglutide) <sup>NR</sup> TANZEUM (albiglutide) TRULICITY (dulaglutide) A COMBINATIONS SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin	trial and diagnosis of diabetes  Non-preferred agents will be approved for patients who have:  Failed a trial of TWO preferred agents within GLP-1 RA  AND  Diagnosis of diabetes with HbA1C ≥ 7 AND  Trial of metformin, or contraindication or intolerance to metformin
	degludec/liraglutide)	
AWITLIN	ANALOG SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during initiation of therapy</li> </ul>
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR	
GLYXAMBI (empagliflozin/linagliptin) <sup>QL</sup> JANUMET (sitagliptin/metformin) <sup>QL</sup> JANUMET XR(sitagliptin/metformin) <sup>QL</sup> JANUVIA (sitagliptin) <sup>QL</sup> JENTADUETO (linagliptin/metformin) <sup>QL</sup> TRADJENTA (linagliptin) <sup>QL</sup>	alogliptin (generic for Nesina) <sup>QL</sup> alogliptin/metformin (generic for Kazano) <sup>QL</sup> JENTADUETO XR (linagliptin/metformin) <sup>QL</sup> KOMBIGLYZE XR (saxagliptin/metformin) <sup>QL</sup> ONGLYZA (saxagliptin) <sup>QL</sup> alogliptin/pioglitazone (generic for Oseni) <sup>QL</sup> QTERN (dapagliflozin/saxagliptin) <sup>QL</sup> STEGLUJAN (ertugliflozin/sitagliptin) <sup>QL</sup>	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPENCL HUMULIN OTC PEN insulin lispro (generic for Humalog) PEN, VIAL NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin® R U-500 Kwikpen:</li></ul></li></ul>

#### **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	<ul> <li>Non-preferred agents will be approved for patients with:</li> <li>Failure of a trial of ONE preferred agent in another Hypoglycemic class OR</li> <li>T2DM and inadequate glycemic control</li> </ul>

#### **HYPOGLYCEMICS, METFORMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	<ul> <li>Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used</li> <li>Riomet®: Prior authorization not required for age &lt;7 years</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **HYPOGLYCEMICS, SGLT2**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKANA (canagliflozin) <sup>CL</sup> JARDIANCE (empagliflozin) <sup>QL, CL</sup>	INVOKAMET & XR (canagliflozin/metformin) <sup>QL</sup> SEGLUROMET (ertugliflozin/metformin) <sup>QL</sup> STEGLATRO (ertugliflozin) <sup>QL</sup> SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) <sup>QL</sup> XIGDUO XR (dapagliflozin/metformin) <sup>QL</sup>	<ul> <li>Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin</li> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

#### HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### **HYPOGLYCEMICS, TZD**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINE	THIZAOLIDINEDIONES (TZDs)	
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

#### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	<ul> <li>Non-preferred agents require:</li> <li>Use limited to FDA-approved indications</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) <sup>CL</sup> EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) <sup>CL</sup>	<ul> <li>Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product within this drug class</li> <li>Drug-specific criteria:</li> <li>Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid</li> </ul>

#### **IMMUNOMODULATORS. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic for Neoral) mycophenolate mofetil CAPSULE, TABLET (generic for Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic for Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate mofetil SUSPENSION (generic for Cellcept) mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKETNR RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus (generic for Rapamune) SOLUTION, TABLET ZORTRESS (everolimus)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class  Patients established on existing therapy will be allowed to continue

#### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	Tdrug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) DYMISTA (azelastine/fluticasone) olopatadine (generic for Patanase)	<ul> <li>Drug-specific criteria:</li> <li>mometasone: Prior authorization NOT required for children ≤ 12 years</li> <li>budesonide: Approved for use in Pregnancy (Pregnancy Category</li> </ul>
CORTICOS	STEROIDS	В)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	<ul> <li>Veramyst®: Prior authorization NOT required for children ≤ 12 years</li> <li>Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair)	montelukast <b>GRANULES</b> (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>montelukast granules:</li> </ul>
		<ul> <li>montelukast granules:</li> <li>PA not required for age &lt; 2 years</li> </ul>

#### LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin <b>CAPSULE</b> clindamycin palmitate <b>SOLUTION</b> linezolid <b>TABLET</b>	CLEOCIN (clindamycin hcl) CAPSULE - CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol <b>TABLETS</b> (generic for Colestid)	colesevelam (generic for Welchol)  TABLET, PACKET  colestipol GRANULES (generic for Colestid)  QUESTRAN LIGHT (cholestyramine)	patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	hypercholesterolemia (HoFH) OR
FIRRIC ACID	JUXTAPID (lomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup> <b>DERIVATIVES</b>	<ul> <li>Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid</li> </ul>
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix)	<ul> <li>sequestrants         Require faxed copy of REMS PA form</li> <li>Lovaza®: Approved for TG ≥ 500</li> <li>Praluent®: Approved for diagnoses of:         <ul> <li>atherosclerotic cardiovascular disease (ASCVD)</li> </ul> </li> </ul>
NI <i>A</i>	CIN	heterozygous familial
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	hypercholesterolemia (HeFH)  AND  Maximized high-intensity statin WITH ezetimibe for at 3 continuous months
authorization under Med	nd fish oil are also covered without prior licaid with a prescription* ATTY ACIDS	<ul> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> </ul>
	omega-3 fatty acids (generic for Lovaza) <sup>CL</sup> VASCEPA (icosapent) <sup>CL</sup>	<ul> <li>Repatha®: Approved for:</li> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial</li> </ul>
	ORPTION INHIBITORS	hypercholesterolemia (HeFH) homozygous familial
	IBTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS	<ul> <li>homozygous familial hypercholesterolemia (HoFH) in age ≥ 13</li> <li>statin-induce rhabdomyolysis</li> </ul>
	PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	Maximized high-intensity statin WITH ezetimibe for 3+ continuous months     Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL     Concurrent use of maximally-tolerated statin must continue      Vascepa®: Approved for TG ≥ 500      WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

#### LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		Non-preferred agents will be
atorvastatin (generic for Lipitor) <sup>QL</sup> lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin ER) <sup>CL</sup> EZALLOR SPRINKLE  (rosuvastatin) <sup>NR,QL</sup> fluvastatin/ER (generic for Lescol/XL)  LIVALO (pitavastatin)  ZYPITAMAG (pitavastatin)	approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months  Drug-specific criteria:  Altoprev®: One of the TWO trials must be IR lovastatin  Combination products: Require
STATIN COMBINATIONS		clinical reason why individual ingredients cannot be used
	atorvastatin/amlodipine (generic for Caduet) simvastatin/ezetimibe (generic for Vytorin)	<ul> <li>Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

#### **MACROLIDES AND KETOLIDES, ORAL**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
KETO	LIDES	-	Ketek®: Requires clinical resaon
	KETEK (telithromycin)		why patient cannot use preferred macrolide
MACR	OLIDES	_	Macrolides: Require clinical
azithromycin (generic for Zithromax) clarithromycin <b>TABLET</b> , <b>SUSPENSION</b> (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL)  E.E.S. SUSPENSION, TABLET  ERY-TAB  ERYPED SUSPENSION  ERYTHROCIN  erythromycin base TABLET,  CAPSULE  erythromycin ethylsuccinate  SUSPENSION  ZITHROMAX (azithromycin)		reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) <b>SUB-Q</b> RASUVO (methotrexate) <b>SUB-Q</b> TREXALL (methotrexate) <b>TABLET</b> XATMEP (methotrexate) <b>SOLUTION</b>	<ul> <li>Non-preferred agents will be approved for FDA-approved indications</li> <li>Drug-specific criteria:</li> <li>Xatmep™:Indicated for pediatric patients only</li> </ul>

#### **MOVEMENT DISORDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) <sup>CL</sup> INGREZZA (valbenazine) <sup>CL</sup> CAP, INITIATION PACK tetrabenazine (generic for Xenazine) <sup>CL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia</li> <li>Ingrezza: Diagnosis of Tardive Dyskinesia in adults</li> <li>tetrabenazine: Diagnosis of chorea with Huntington Disease</li> </ul>

#### **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE <b>20mg</b> Syringe Kit (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL</sup> REBIF (interferon beta-1a) <sup>QL</sup> TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra) <sup>QL</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) <sup>QL</sup> MAVENCLAD (cladiribine) <sup>NR</sup> MAYZENT (siponimod) <sup>NR,QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Plegridy®: Approved for diagnosis of relapsing MS</li> </ul> </li> </ul>

#### **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin <b>SUSPENSION</b> (generic for Furadantin) nitrofurantoin macrocrystals <b>CAPSULE</b> (generic for Macrodantin)		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

#### **NSAID**

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **NSAID (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
· ·	VE (continued)  ALL BRAND NAME NSAIDs including:  CAMBIA (diclofenac oral solution)  DUEXIS (ibuprofen/famotidine)  SPRIX (ketorolac) <sup>QL</sup> TIVORBEX (indomethacin)	Drug-specific criteria:  Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs  Tivorbex®: Requires clinical
	VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	reason why indomethacin capsules cannot be used  Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECTA	ANT COMBINATIONS	•
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

#### **NSAIDS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET, PUMP (diclofenac) VOLTAREN GEL (diclofenac)	<ul> <li>Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial or oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA <b>CO-PACK</b> VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT	THERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) <sup>CL</sup>	<ul> <li>anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> </ul>
HORMONE	BLOCKADE	capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin)	toremifene (generic for Fareston) <sup>CL</sup>	cannot be used  Fareston®: Require clinical reason
letrozole (generic for Femara)		why tamoxifen cannot be used
tamoxifen citrate (generic for Nolvadex)		<ul> <li>letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved</li> </ul>
OTHER		for short term use
	NERLYNX (neratinib)  PIQRAY (alpelisib) <sup>NR</sup> TYKERB (lapatinib)  TALZENNA (talazoparib tosylate) <sup>NR, QL</sup>	

October 1, 2019

Page **53** of **75** 

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use</li> </ul>
	DAURISMO (glasdegib maleate) <sup>NR,QL</sup> IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) <sup>QL</sup> XOSPATA (gilteritinib) <sup>NR,QL</sup> CLL  COPIKTRA (duvelisib) <sup>NR,QL</sup> VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	from current treatment guidelines  Drug-specific critera  Hydrea®: Requires clinical reason why generic cannot be used  imatinib: Requires trial of Gleevec or clinical reason Gleevec cannot be used  melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used  Tabloid: Prior authorization not
GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) imatinib (generic for Gleevec) <sup>CL</sup> TASIGNA (nilotinib) <sup>CL</sup>	required for age <19  Tasigna: Patients receiving Tasigna, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy  Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone
JAKAFI (ruxolitinib)	/IPN	_
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) <sup>NR, CL</sup>	
01	THER	
MATULANE (procarbazine)	CALQUENCE (acalabrutinib) <sup>QL</sup> INREBIC (fedratinib dihydrochloride) <sup>NR,QL</sup> TABLOID (thioguanine) tretinoin (generic for Vesanoid) ZOLINZA (vorinostat)	

PDL Update October 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALK		<ul> <li>Non-preferred agents DO NOT</li> </ul>
ALECENSA (alectinib)	ALUNBRIG (brigatinib)  LORBRENA (lorlatinib) <sup>NR,QL</sup> ZYKADIA (ceritinib) CAPSULE,  TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK / R	OS1 / NTRK	
XALKORI (crizotinib)	ROZLYTREK (entrectinib) <sup>NR,AL,QL</sup>	
	EGFR	
GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib)	erlotinib (generic for Tarceva) VIZIMPRO (dacomitinib) <sup>NR,QL</sup>	
	THER	
HYCAMTIN (topotecan)		

#### **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	BALVERSA (erdafitinib) <sup>NR</sup> COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) <sup>NR,QL</sup> VITRAKVI (larotrectinib) CAPSULE, SOLUTION <sup>NR,QL</sup> ZEJULA (niraparib)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) <sup>QL</sup> nilutamide (generic for Nilandron) NUBEQA (darolutamide) <sup>NR,QL</sup> XTANDI (enzalutamide) YONSA (abiraterone acet, submicronized)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR (everolimus) AFINITOR <b>DISPERZ</b> (everolimus) CABOMETYX (cabozantinib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Afinitor: Patients receiving Affinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
BRAF M BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) MEKTOVI (binimetinib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)	UTATION	<ul> <li>Drug-specific critera</li> <li>Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		<ul> <li>Non-preferred agents will be</li> </ul>
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan)  MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) VIGAMOX (moxifloxacin)	<ul> <li>approved for patients who have failed a one month trial of TWO preferred agent within this drug class</li> <li>Azasite®: Approval only requires trial of erythromycin</li> <li>Drug-specific criteria:</li> <li>Natacyn®: Approved for</li> </ul>
MACRO	OLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGL	YCOSIDES	
gentamicin <b>SOLUTION</b> , <b>OINTMENT</b> tobramycin (generic for Tobrex drops) TOBREX <b>OINTMENT</b> (tobramycin)		
OTHER OPHTH	ALMIC AGENTS	
polymyxin B/trimethoprim (generic for Polytrim)	bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone FOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

#### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		Non-preferred agents will be
DUREZOL (difluprednate)  fluorometholone 0.1% (generic for FML) OINTMENT  LOTEMAX SOLUTION (loteprednol 0.5%)  MAXIDEX (dexamethasone)  PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent</li> </ul>
NS	AID	
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) <sup>NR,QL</sup> XIIDRA (lifitegrast)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		<ul> <li>Non-preferred agents will be</li> </ul>
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	MIMETICS	Drug-specific criteria:
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	<ul> <li>Rhopressa: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60</li> </ul>
BETA BLO	OCKERS	days
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDR	RASE INHIBITORS	
AZOPT (brinzolamide)		
dorzolamide (generic for Trusopt)		
PROSTAGLAND	IN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine)	dorzolamide/timolol PF (generic for Cosopt PF)	
ОТН	ER	
RHOPRESSA (netarsudil) <sup>CL</sup>	ROCKLATAN (netarsudil and latanoprost) <sup>NR</sup>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL – Age Limit

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine)QL ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent  Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv:  Diagnosis of Opioid Use Disorder, NOT approved for pain management  Verification of "X" DEA license number of prescriber  No concomitant opioids  Failed trial of preferred drug or patient-specific documentation of why preferred product not appropriate for patient  Drug-specific criteria:  Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

#### **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient</li> </ul>

#### **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) <sup>CL</sup> LETAIRIS (ambrisentan) sildenafil <b>TABLET</b> (generic for Revatio)	ADEMPAS (riociguat) ambrisentan (generic for Letairis) bosentan TABLET (generic for Tracleer) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic for Revatio) (for PAH only) <sup>CL</sup> tadalafil (generic for Adcirca) <sup>CL</sup> TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®:</li></ul></li></ul>

#### **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

#### with Prior Authorization Criteria

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

### PEDIATRIC VITAMIN PREPARATIONS

CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 19/iron furn) CHEW  Child multivitamins chew otc (pedi multivit 40/iphytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE (pedi multivit 73/iron/fluoride) CHEW  Children's chewables otc (pedi multivit 23/iron/fluoride) CHEW  Children's chewables otc (pedi multivit 23/iron/fluoride) CHEW  Children's vitamins with iron otc (pedi multivit 23/iron/fluoride) CHEW  Children's vitamins with iron otc (pedi multivit 130/fluoride) CHEW  Children's vitamins with iron otc (pedi multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW  FLORIVA PLUS OTC and Rx (pedi multivit 33/fluoride) CHEW  POLY-VI-FLOR (pedi multivit 34/iron/fluoride) CHEW  POLY-VI-FLOR (pedi multivit 34/iron/fluoride) CHEW  POLY-VI-FLOR (pedi multivit 34/iron/fluoride) CHEW  POLY-VI-SOL OTC (pedi multivit 34/iron/fluoride) CHEW  POLY-VI-SOL OTC (vit A palmitate/vit CVit D3) DROPS  Tri-VI-FLOR (pedi multivit 36/iron) CHEW  POLY-VI-SOL OTC (vit A palmitate/vit CVit D3) DROPS  Tri-VI-FLOR (pedi multivit 36/iron) CHEW  POLY-VI-SOL OTC (pedi multivit 36/iron) CHEW  POLY-VI-FLOR (pedi multivit 37/luoride) CHEW  POLY-VI-FLOR (pedi multivit 37/luoride) CHEW  POLY-VI-FLOR (pedi multivit 37/luoride) CHEW  POLY-VI-FLOR (pedi multiv	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW  child multivitamins chew otc (pedi multivit 19/folic acid) CHEW  CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW  children's chewables otc (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit/iron)  fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS  infant-toddler multivit drop OTC (pediatric multivit no. 165 drops) infant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a pamintate/vit c/vit d3 drops)  multivitamins with fluoride (pedi multivit 2/fluoride) DROPS  multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS  MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvit A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW pedi mvi 17 with fluoride CHEW pedi mvi 17 with fluoride CHEW POLY-VI-SOL OTC (pedi multivit 81) DROPS  POLY-VI-SOL OTC (pedi multivit 81) DROPS  TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS  tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml  VITALETS OTC (pedi multivit 36/iron)	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>Drug specific criteria:</li> <li>Aquadeks: Approved for diagnosis</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **PENICILLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>

#### **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET, CAPSULE</b> CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> </ul>

#### PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine) prasugrel (generic for Effient)	aspirin/dipyridamole (generic for Aggrenox) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance</li> <li>Drug-specific criteria:</li> <li>Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### PRENATAL VITAMINS

complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE clossic prenatal TABLET (prenatal vit/fe fum/fa) CONCEPT DHA CAPSULE clossic prenatal TABLET (prenatal vit/fe fum/fa) CONCEPT DHA CAPSULE clossic prenatal TABLET (prenatal vit/fe fum/fa) CONCEPT DHA CAPSULE clitt-ob CAPLET (fe c/fa) folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-ob-dha combo pack (pnv22/iron cob-dpluc/fa/dss/dha) pnv-y-b CAPSULE prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenatal vitamin TABLET (pnv#18/iron/fa) PUREFE PLUS PUREFE DUS PUREFE OB PLUS taron-c dha CAPSULE (pnv#16/iron fum &ps:/fa/om-3) TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack (pnv53/iron b-g hcl-p/fa/omega3) virt-c dha SOFTGEL (pnv/ea no.68/iron/fa/dss/dha) virt-or dha SOFTGEL (pnv/ea no.68/iron/fa/dss) virt-pn TABLET (pnv w-ca no.40/iron fum/fa chs) virt-pn plus SOFTGEL (pnv/ea no.68/iron/fa/dss) VOL-PLUS TABLET vy-ch-pnv prenatal SOFTGEL (pnv#21/iron/ps& heme polyp/fa) zatean-pn dha CAPSULE (pnv#47/iron/fa #1/dha) zatean-pn plus SOFTGEL (pnv#47/iron/fa #1/dha)	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE elite-ob CAPLET (fe c/fa) folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE prenaissance plus SOFTGEL (pnv80/iron fum/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) PUREFE PLUS PUREFE PLUS PUREFE OB PLUS taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3) TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class</li> <li>Additional covered agents can be looked up using the Drug Look-up Tool at:</li> <li><a href="https://druglookup.fhsc.com/druglooku">https://druglookup.fhsc.com/druglooku</a></li> </ul>

October 1, 2019

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	<ul> <li>When filled as outpatient prescription, use limited to:         <ul> <li>Singleton pregnancy AND</li> <li>Previous Pre-term delivery AND</li> <li>No more than 20 doses (administered between 16 -36 weeks gestation)</li> </ul> </li> <li>Maximum of 30 days per dispensing</li> </ul>

#### **PROTON PUMP INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) rabeprazole (generic for Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class</li> <li>Pediatric Patients:         <ul> <li>Patients &lt; 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounded suspension.</li></ul></li></ul>

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

#### **SEDATIVE HYPNOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIA	AZEPINES	■ Lunesta®/ Rozerem®/zolpidem
emazepam 15mg, 30mg (generic for Restoril)  OTH aleplon (generic for Sonata) olpidem (generic for Ambien)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	■ Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used ■ Ativan®/Klonopin®/Valium®: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy ■ Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder ■ flurazepam/triazolam: Requires trial of preferred benzodiazepine ■ Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used ■ Silenor®: Must meet ONE of the following:  ○ Contraindication to preferred oral sedative hypnotics  ○ Medical necessity for doxepin dose < 10mg  ○ Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) ■ temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used ■ zolpidem/zolpidem ER: Maximun daily dose for females: Zolpidem 5mg; Zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used ■ Zolpimist®: Requires documentation of swallowing disorder

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **SINUS NODE INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR <b>SOLUTION</b> , <b>TABLET</b> (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

#### SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon Forte) cyclobenzaprine (generic for Flexeril) methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	carisoprodol (generic for Soma) <sup>CL,QL</sup> carisoprodol compound cyclobenzaprine ER (generic for AMRIX) <sup>CL</sup> dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic for Skelaxin) NORGESIC FORTE   (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used</li> <li>Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> </ul> </li> <li>carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain</li> <li>Use is limited to no more than 30 days</li> <li>Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone®: Requires clinical reason why chlorzoxazone cannot be used</li> <li>Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT   (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM,    OINTMENT (generic for Cutivate) mometasone furoate CREAM,    OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION   (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### STEROIDS, TOPICAL (Continued)

HIGH POTENCY		<ul> <li>High Potency Non-preferred</li> </ul>
triamcinolone acetonide <b>OINTMENT</b> , <b>CREAM</b>	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this
triamcinolone <b>LOTION</b>	betamethasone dipropionate betamethasone / propylene glyc	drug class
	betamethasone valerate	
	desoximetasone	
	diflorasone diacetate fluocinonide <b>SOLUTION</b>	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	halcinonide <b>CREAM</b> (generic for Halog)	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone <b>SPRAY</b> (generic for Kenalog spray)	
	TRIANEX <b>OINTMENT</b> (triamcinolone)	
	VANOS (fluocinonide)	

#### **VERY HIGH POTENCY**

clobetasol emollient (generic for Temovate-E)

clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION

halobetasol propionate (generic for Ultravate)

APEXICON-E (diflorasone)
BRYHALI (halobetasol prop)

LOTIONNR

clobetasol **SHAMPOO**, **LOTION**clobetasol propionate **FOAM**, **SPRAY**CLOBEX (clobetasol)
halobetasol propionate **FOAM**NR,AL,QL
OLUX-E /OLUX/OLUX-E CP
(clobetasol)

 Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

#### with Prior Authorization Criteria

PDL Update October 1, 2019 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED ADHD DRUGS**<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS Amphetamine type		Non-preferred agents will be
		approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS ER (amphetamine) SUSPENSION  ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) <sup>NR</sup> MYDAYIS (amphetamine salt combo) <sup>QL</sup> methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class  Drug-specific criteria:  Procentra®: May be approved with documentation of swallowing disorder  Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

#### with Prior Authorization Criteria

PDL Update October 1, 2019 Highlights indicated change from previous posting

### STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphenidate type		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	failed a trial of TWO preferred agents within this drug class
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)COTEMPLA XR-ODT	<ul> <li>Drug-specific criteria:</li> <li>Daytrana®: May be approved in history of substance abuse by</li> </ul>
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER)	(methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate suspension)	PAYTRANA (methylphenidate)  methylphenidate 30/70 (generic for Metadate CD)  methylphenidate 50/50 (generic for RITALIN LA)  methylphenidate ER (generic for Ritalin SR)  CONCERTA (methylphenidate ER)  18mg, 27mg, 36mg, 54mg  methylphenidate ER 18mg, 27mg,  36mg, 54mg (generic Concerta)  methylphenidate ER 72mg (generic for RELEXXI)  ADHANSIA XR (methylphenidate)  NR, QL  JORNAY PM (methylphenidate)	

PDL Update October 1, 2019 *Highlights* indicated change from previous posting

#### STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and —clonidine IR are available without
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv) <sup>QL</sup>	clonidine ER (generic for Kapvay) <sup>CL</sup> STRATTERA (atomoxetine)	prior authorization
ANAL	EPTICS	Armodafinil, Sunosi, and Wakix:  Deguire trial of modefinil
	modafanil (generic for Provigil) <sup>CL</sup> armodafinil (generic for Nuvigil) <sup>CL</sup> SUNOSI (solriamfetol) <sup>NR,CL,QL</sup> WAKIX (pitolisant) <sup>NR,CL,QL</sup>	Require trial of modafinil  armodafinil and modafinil: approved only for:  Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed  Narcolepsy with documentation of diagnosis via sleep study  Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift  Sunosi approved only for:  Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed  Narcolepsy with documentation of diagnosis via sleep study  Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP (generic for Vibramycin 25MG) doxycycline monohydrate TAB minocycline HCL CAPSULE (generic for Minocin, Dynacin) minocycline HCL TABLET (generic for Dynacin, Myrac)	demeclocycline (generic for Declomycin) <sup>CL</sup> DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic for Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa, Monodox, Oracea) minocycline HCL ER (generic for Solodyn) NUZYRA (omadacycline) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) CAPSULE,QL	<ul> <li>Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used</li> <li>Vibramycin® suspension: May be approved with documented swallowing difficulty</li> </ul> </li> </ul>

#### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic for Synthroid) liothyronine <b>TABLET</b> (generic for Cytomel) thyroid, pork <b>TABLET</b>	EUTHYROX (levothyroxine) <sup>NR</sup> LEVO-T (levothyroxine) THYROLAR <b>TABLET</b> (liotrix) TIROSINT <b>TABLET</b> (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Tirosint-Sol: May be approved with documented swallowing difficulty</li> </ul>

PDL Update October 1, 2019 Highlights indicated change from previous posting

#### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine (generic for Delzicol) PENTASA (mesalamine)	failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Asacol HD®/Delzicol DR®/ Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used  Giazo®: Requires clinical reason
REC	TAL	why generic balsalazide cannot be
CANASA (mesalamine) mesalamine <b>ENEMA</b> (generic Rowasa)	mesalamine <b>SUPPOSITORY</b> (generic for Canasa) UCERIS (budesonide)	used NOT covered in females

#### **UTERINE DISORDER TREATMENT - ENDOMETRIOSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium)QL,CL (must have an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive before approval)		Drug-specific criteria:  Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

#### **VASODILATORS. CORONARY**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR and Isordil) isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/hydralazine) <sup>CL</sup> GONITRO (nitroglycerin) NITRO-BID <b>OINTMENT</b> (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic for Nitrolingual) NITROMIST (nitroglycerin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients</li> </ul>