



DEPT. OF HEALTH AND HUMAN SERVICES

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated November 1, 2019 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug LookUp on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamcyin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAMAL	adapalene CREAM, GEL, GEL W/PUMP (generic Differin) adapalene SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) AKLIEF (trifarotene) ^{NR, AL} ALTRENO (tretinoin) ^{AL}	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ALZHEIMER'S DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		 Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 Current, stabilized therapy of the non-preferred agent within the
NMDA RECEPTO	OR ANTAGONIST	previous 45 days
	memantine ER (generic for Namenda XR) memantine soln (generic for Namenda) NAMENDA (memantine) NAMENDA SOLUTION NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANALGESICS, OPIOID LONG-ACTING

BUTRANS (buprenorphine, transdermal) ^{QL} EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER) ARYMO ER (morphine sulfate ER) ^{QL} buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} buprenorphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER) DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} HYSINGLA ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone, extended release) KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND ER (morphine sulfate ER) ^{QL} does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class MORPHABOND ER (morphine sulfate ER) ^{QL} DURAGESIC MATRIX (fentanyl) ^{QL} Fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} HYSINGLA ER (hydrocodone, extended release) MORPHABOND ER (morphine sulfate ER) ^{QL} DURAGESIC MATRIX (fentanyl) ^{QL} Foreferred agents require previous use of a long acting opioid treatment. Preferred agents within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for two in pair control or	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Conzip, Ryzolt, Ultram ER) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone bitartrate ER)	transdermal) ^{QL} EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	BELBUCA (buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} DURAGESIC MATRIX (fentanyI) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone, extended release) KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND ER (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Conzip, Ryzolt, Ultram ER) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL} ZOHYDRO ER (hydrocodone	 does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin®: Pain contract required for maximum quantity

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL

oral acetaminophen/codeine ELIXIR, TABLET codeine Oral APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic for Apadaz, CL	
TABLET benzhydrocodone/APAP (generic for	approved for notionts who have
hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET oxycodone TABLET, SOLUTION oxycodone/APAP tramadol tramadol butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/aspirin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine)caffeine) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} Oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone CONCENTRATE oxycodone/ibuprofen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone) ROXYBOND (oxycodone) tramadol/APAP (generic for Ultracet) XARTEMIS XR (oxycodone/ acetaminophen) ZAMICET (hydrocodone/ acetaminophen) ZAMICET (hydrocodone/	approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive Drug-specific criteria: Abstral®/Actiq®/Fentora®/ Onsolis®/ Subsys® (fentanyl): Approved only for diagnosis of cancer AND current use of longacting opiate Apadaz: Approval for 14 days or less Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason why individual ingredients can't be used Xartemis XR®: Approved only for diagnosis of acute pain

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NASAL		
	butorphanol NASAL SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRA	ANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL SUBSYS (fentanyl spray)CL	

ANDROGENIC DRUGS (Topical)

	Non-Preferred Agents	
estosterone gel PACKET, PUMP (generic for Vogelxo) ^{CL}	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_ Age Limit

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION	 approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	trandolapril (generic for Mavik)	Drug-specific criteria:
ACE INHIBITOR/DIURETIC COMBINATIONS		Epaned® and Qbrelis® Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT)	products may be covered as
	MODULATOR/	individual prescriptions without prior authorization
amlodipine/benazepril (generic for Lotrel) amlodipine/valsartan (generic for Exforge) amlodipine/valsartan/HCTZ (generic for Exforge HCT)	amlodipine/olmesartan (generic for Azor) amlodipine/olmesartan/HCTZ (generic for Tribenzor) amlodipine/telmisartan (generic for Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic for Tarka)	Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure of preferred agent
DIRECT RENIN INHIBITORS		
	aliskiren (generic for Tekturna)QL	- Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
DIRECT RENIN INHIB	ITOR COMBINATIONS	May be approved witha history of TWO preferred ACE Inhibitors or
	TEKTURNA/HCT (aliskiren/HCTZ)	Angiotensin Receptor Blockers within the last 12 months
NEPRILYSIN INHIBITOR COMBINATION		Walling and last 12 months
ENTRESTO (sacubitril/valsartan) ^{CL}		
ANGIOTENSIN RECEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS		
	BYVALSON (nevibolol/valsartan)	

PDL Update November 1, 2019 Highlights indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin STROMECTOL (ivermectin)	EGATEN (triclabendazole) ^{NR,AL} EMVERM (mebendazole) praziquantel (generic for Biltricide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	 Class Criteria: Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment failure with or contraindication to: antihistamines AND montelukast Clinical reason as to why allergy shots cannot be used. Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age.

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Difficid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomcin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

PDL Update November 1, 2019 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents	ANon-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh susp) ^{CL} CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Tobi)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/pramoxi ne	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Altabax®: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be use. Mupirocin® Cream: Clinical reason the ointment cannot be used

PDL Update November 1, 2019 Highlights indicated change from previous posting

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the las 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{CLon2.5mg,QL}	BEVYXXA (betrixaban maleate) ^{NR,QL} fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months
ARELIO (IIVaioxabaii)		Drug-specific criteria:
		Coumadin®: Clinical reason
		generic warfarin cannot be used
		 Savaysa®: Approved diagnoses include:
		Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR
		Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of
		 parenteral anticoagulent therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events
		(cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery disease

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAE	BINOIDS	 Non-preferred agents will be
dronabinol (generic for Marinol) ^{AL}	CESAMET (nabilone) SYNDROS (dronabinol) ^{AL, CL}	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group SYNDROS documentation of
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 SYNDROS – documentation of inability to swallow solid dosage forms. Drug-specific criteria:
NK-1 RECEPTO	R ANTAGONIST	Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist WITHOUT trial of preferred agents
TRADITIONAL	ANTIEMETICS	Regimens include: AC combination (Doxorubicin or Epirubicin with
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic for Dramamine) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine rectal) doxylamine/pyridoxine (generic for Diclegis)CL,QL metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	•

PDL Update November 1, 2019 Highlights indicated change from previous posting

ANTIFUNGALS, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic for Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic for Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic for Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} voriconazole (generic for VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – CL – Prior Authorization / Class Criteria apply AL Age Limit

refractory to fluconazole

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	Non-preferred agents will be
Clotrimazole CREAM (generic for Lotrimin) RX, OTC Clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic for Nizoral) LAMISIL (tervinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic for Lamisil AT) tolnaftate AERO POWDER, CREAM, POWDER,OTC (generic for Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> nystatin/triamcinolone: Indivudual ingredients available without prior authorization ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
	tolnaftate SPRAY, OTC	
ANTIFUNGAL/STER	OID COMBINATIONS	
clotrimazole/betamethasone CREAM	clotrimazole/betamethasone LOTION	
(generic for Lotrisone)	(generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET , SOLUTION (generic for Zyrtec) loratadine TABLET , SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg)QL levocetirzine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} febuxostat (generic for Uloric) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Uloric®: Clinical reason why allopurinol cannot be used

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

EMGALITY (galcanezumab-gnlm) ^{CL,QL} PEN, SYR AIMOVIG AUTOINJECTOR (erenumab-aooe) ^{CL,QL} AJOVY (fremanezumab-vfrm) ^{CL,QL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium)	Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan
dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality indicated for treatment of episodic cluster headaches Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig and Ajovy require a trial of Emgality or patient specific documentation of why Emgality is not appropriate for patient

PDL Update November 1, 2019 *Highlights* indicated change from previous posting **ANTIMIGRAINE AGENTS, TRIPTANS**^{QL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Ol	RAL	Non-preferred agents will be
RELPAX (eletriptan) ^{QL} rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet) zolmitriptan (generic for Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA NA	SAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) ^{NR} ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIPARKINSON'S DRUGS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	 Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)	HIBITORS	approved for patients who have failed ONE preferred agents within this drug class
COMITINI		
	entacapone (generic for Comtan)	Drug-specific criteria:
5.55.11111	tolcapone (generic for Tasmar)	 Carbidopa/Levodopa ODT: Approved for documented swallowing disorder
	AGONISTS	COMT Inhibitors: Approved if using
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)	NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	as add-on therapy with levodopa- containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or
MAO-B IN	HIBITORS	is intolerant to amantadine AND must
selegiline TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) QL selegiline CAPSULE (gen. for Eldepryl) XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	 be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®:
OTHER ANTIPARI	KINSON'S DRUGS	For Parkinsons: Clinical reason
amantadine CAPSULE, SYRUP (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	amantadine TABLET carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levadopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{NR,CL,QL} NOURIANZ (istradefylline) ^{NR,CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented

PDL Update November 1, 2019 Highlights indicated change from previous posting

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol proprionate/tazarotene) ^{NR} ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	NZA DRUGS	-Drug epocific critoria:
oseltamivir (generic for Tamiflu) ^{QL} TAMIFLU (oseltamivir) ^{QL}	rimantadine (generic for Flumadine) RELENZA (zanamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Drug-specific criteria: Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLUTION (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific critera: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

PDL Update November 1, 2019 Highlights indicated change from previous posting

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	HYTHMIC	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid) ursodiol CAPSULE 300mg (generic for Actigall)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

alendronate (generic for Fosamax) (daily and weekly formulations) alendronate SOLUTION (generic for Fosamax) (daily and weekly formulations) alendronate SOLUTION (generic for Fosamax) (daily and weekly formulations) aTELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS Dol. ibandronate (generic for Boniva) risedronate (generic for Boniva) risedronate (generic for Actonel) OTHER BONE RESORPTION SUPPRESSION AND RELATED DRUGS calcitonin-salmon NASAL TYMLOS (abaloparatide) EVISTA (raloxifene) FORTEO (teriparaticle) ol. TYMLOS (abaloparatide) Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 1 history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 mont at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BM
alendronate (generic for Fosamax) ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS DQL ibandronate (generic for Boniva) risedronate (generic for Actonel) OTHER BONE RESORPTION SUPPRESSION AND RELATED DRUGS calcitonin-salmon NASAL raloxifene (generic for Evista) EVISTA (raloxifene) FORTEO (teriparatide) FORTEO (teriparatide) FORTEO (teriparatide) FORTEO (teriparatide) Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 montia t7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BM
T-score ≤ -2.5 at any site with any clinical risk factors – more than 2 units of alcohol per day, current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of Miacalcin not required

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)

ALPHA BLOCKERS alfuzosin (generic for Uroxatral) CARDURA XL (doxazosin)	Non-preferred agents will be approved for patients who have
alfuzosin (generic for Uroxatral) CARDURA XL (doxazosin)	approved for patients who have
doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin) 5-ALPHA-REDUCTASE (5AR) INHIBITORS dutasteride (generic for Avodart) finasteride (generic for Proscar) dutasteride (generic for Proscar)	failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Avodart®: Covered for males only Cardura VI ® Paguiros dinical

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		Non-preferred agents will be
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	albuterol sul. HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) PROAIR DIGIHALER (albuterol) ^{NR} PROAIR RESPICLICK (albuterol) levalbuterol HFA (generic for Xopenex	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ventolin HFA®: Requires trial and
	HFA)	failure on Proventil HFA® AND Proair HFA® OR allergy/
INHALERS -	- Long Acting	contraindication/side effect to BOTH
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol)	Xopenex®: Covered for cardiac
	STRIVERDI RESPIMAT (olodaterol)	diagnoses or side effect of
INHALATIO	N SOLUTION	tachycardia with albuterol product
albuterol (2.5mg/3ml premix or	BROVANA (arformoterol)	
2.5mg/0.5ml)	levalbuterol (generic for Xopenex)	
albuterol 100 mg/20 mL	PERFOROMIST (formoterol)	
albuterol low dose (0.63mg/3ml & 1.25mg/3ml)		
	RAL	
albuterol SYRUP terbutaline (generic for Brethine)	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 1, 2019

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	pyridines	approved for patients who have
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution) ropyridines	failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage
LONG-ACTING		 Katerzia: May be approved with documented swallowing difficulty
Dihydrop	pyridines	
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil) KATERZIA SUSP (amlodipine) ^{NR,QL} nisoldipine (generic for Sular)	
Non-dihydı	ropyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

November 1, 2019

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxionini/olavalariato T/IDELTO,	amoxicillin/clavulanate, CHEWABLE	approved for patients who have failed a 3-day trial of ONE
SUSPENSION	amoxicillin/clavulanate XR	preferred agent within the same
	(generic for Augmentin XR)	group
	AUGMENTIN SUSPENSION, TABLET	
	(amoxicillin/clavulanate)	
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION	cefadroxil TABLET (generic for	
(generic for Duricef)	Duricef)	
cephalexin CAPSULE, SUSPENSION	cephalexin TABLET DAXBIA (cephalexin)	
(generic for Keflex)	DANSIA (COPIICIONII)	_
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) TABLET , SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	cefixime CAPSULE, SUSPENSION (generic for Suprax)	
	cefpodoxime (generic for Vantin)	
	SUPRAX CAPSULE, CHEWABLE	
	TAB, SUSPENSION, TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN (filgrastim) DISP SYR NIVESTYM (filgrastim-aafi) SYR,VIAL ZARXIO (filgrastim-sndz)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update November 1, 2019 Highlights indicated change from previous posting

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	ANORO ELLIPTA (umeclidinium/vilanterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) ^{NR} INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Reguires documentation of one
INHALATIO	N SOLUTION	exacerbation in last year upon initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin) ^{NR}	ii iitiai Teview
ORAL AGENT		
	DALIRESP (roflumilast) ^{CL}	

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
guaifenesin/codeine LIQUID promethazine/codeine SYRUP	hydrocodone/homatropine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class All codeine or hydrocodone containing cough and cold combinations are limited to > 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET , TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} <i>TRIKAFTA</i> (elexacaftor, tezacaftor, ivacaftor) ^{NR,AL}	 Kalydeco®: Diagnosis of CF and documentation of the drug-specific FDA-approved mutation of CFTR gene Minimum age: 6 months Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years for tablet Minimum age: 2 years for packet Symdeko: Diagnosis of CF and documentation of the drug specific FDA approved mutation of CFTR gene. Minimum age: 6 years Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene Minimum age: 12

Willi Filor Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ^{CL} ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{QL} ORENCIA (abatacept) SUB-Q OTEZLA (apremilast) ORAL ^{QL} RINVOQ ER (upadacitinib) ^{NR,CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) ^{NR} STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL ^{QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Cosentyx: Requires trial of Humira Rinvoq ER: Requires documentation of inadequate response or intolerance to methotrexate

PDL Update November 1, 2019 Highlights indicated change from previous posting

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGE	NT PRODUCTS	Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic for Diuril) furosemide SOLUTION, TABLET (generic for Lasix) hydrochlorothiazide CAPSULE, TABLET (generic for Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic for Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic for Inspra) ethacrynic acid CAPSULE (generic for Edecrin)) methyclothiazide TABLET triamterene (generic for Dyrenium)	approved for patients who have failed a trial of TWO preferred agents within this drug class
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic for Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic for Dyazide, Maxzide (25))		

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (generic for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) EPIPEN EPIPEN JR. SYMJEPI ^{NR}	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin Suspension: Coverable with documented swallowing disorders Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLETQL SYMPROIC (naldemedine) TRULANCE (plecanatide) VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{AL,QL} FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy.
ADVAIR DISKUS (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	ADVAIR HFA (fluticasone/salmeterol) ^{QL} BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol (generic for Advair Diskus) ^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus) ^{QL}	For other indications, must have failed a trial of two preferred agents within this drug class, within the
INHALATION SOLUTION		
	budesonide RESPULES (generic for Pulmicort)	

PDL Update November 1, 2019 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET	cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) NR EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 5 years of age and older Approved after trial/failure with prednisone Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

H. PYLORI TREATMENTS

•	Non-Preferred Agents	Prior Authorization/Class Criteria
tetracycline) ^{QL}	soprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} IECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update November 1, 2019 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACTOR VIII		Non-preferred agents will be
ADVATE ALPHANATE HUMATE-P MONOCLATE-P NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	ADYNOVATE AFSTYLA ELOCTATE HELIXATE FS HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT, VIAL KOGENATE FS KOVALTRY OBIZUR	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-17-19 will be allowed to continue same therapy
FA	CTOR IX	
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX BEBULIN IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROI	MBIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
FACTOR X AND XIII PRODUCTS		
CORIFACT ^{CL}	COAGADEX ^{CL} TRETTEN ^{CL}	
VON WILLEBRAND PRODUCTS		
WILATE	VONVENDICL	
BISPECI	FIC FACTORS	
	HEMLIBRA ^{CL}	

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}		Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria:Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along
		with ribavirin - Harvoni:
RIBA	VIRIN	 For genotype 1 with
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	decompensated cirrhosis along with ribavirin
PEGASYS (pegylated interferon alfa-2a) CL PEG-INTRON (pegylated interferon alfa-2b) CL	FERON	 Post liver transplant for genotype 1 or 4 For pediatric patients ages 3 to 11 years old with FDA indications Sovaldi: For pediatric patients ages 3 to 11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

PDL Update November 1, 2019 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine TABLET, SYRUP (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment nizatadine/cimetidine solution/famotidine suspension: Require clinical reason why ranitidine syrup cannot be used

PDL Update November 1, 2019 Highlights indicated change from previous posting

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria	
CCR5 ANT	AGONISTS	 Non-preferred agents will be 	
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have diagnosis of HIV/AIDS and pati	approved for patients who have a diagnosis of HIV/AIDS and patient
FUSION IN	IHIBITORS	specific documentation of why preferred products within this d	
FUZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for patient, including, but not limite to, drug resistance or concomit	d
INTEGRASE STRAND TRAN	ISFER INHIBITORS (INSTIS)	conditions not recommended w	
ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir)QL ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)		 preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure 	
NON-NUCLEOSIDE REVERSE TRAI	NSCRIPTASE INHIBITORS (NNRTIS)	Prophylaxis	
· · ·	efavirenz (generic for Sustiva) nevirapine TAB (generic for Viramune) nevirapine er (generic for Viramune XR) RESCRIPTOR (delavirdine) VIRAMUNE SUSP (nevirapine)		
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIs)	_	
	didanosine CAP DR (generic for Videx EC) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAP (generic for Zerit) VIDEX SOLN (didanosine) ZIAGEN (abacavir)		

November 1, 2019

PDL Update November 1, 2019 Highlights indicated change from previous posting

HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NUCLEOTIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NRTIs)	
tenofovir disoproxil fumarate TAB (generic for Viread)		
PHARMACO	(INETIC ENHANCER	
TYBOST (cobicistat) ^{QL}		
PROTEA	SE INHIBITORS	
atazanavir CAP (generic for Reyataz) LEXIVA SUSP , TAB (fosamprenavir) NORVIR TAB (ritonavir) PREZISTA SUSP , TAB darunavir)	APTIVUS CAP, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic for Lexiva) INVIRASE (saquinavir) NORVIR POWDER PACK NORVIR SOLN (ritonavir) REYATAZ POWDER PACK (atazanavir) ritonavir TAB (generic for Norvir) VIRACEPT (nelfinavir)	
COMBINATION NUCLEOS(T)IDE F	REVERSE TRANSCRIPTASE INHIBITORS	
Epzicom) abacavir/lamivudine/zidovudine (generic for Trizivir)	COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir disoproxil fumarate) ^{NR,QL} TRIZIVIR (abacavir/ lamivudine/zidovudine)	

PDL Update November 1, 2019 Highlights indicated change from previous posting

HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER	
EVOTAZ(atazanavir sulfate/cobicistat) ^{QL} KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN (generic for Kaletra)	KALETRA SOLN (lopinavir/ritonavir)	
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate) DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate) ^{QL} GENVOYA (elvitegravier/cobicistat/emtricitabin ne/tenofovir alafenamide) ^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide) ^{QL} STRIBILD (elvitegravir/cobicistat/emtricitabin e/tenofovir disoproxil fumarate) ^{QL} SYMFI (efavirenz/lamivudine/tenofovir disoproxil fumarate) ^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) ^{QL} SYMTUZA (darunavir, cobicistat,		
disoproxil fumarate) ^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) ^{QL}		

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin	trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND Diagnosis of diabetes with HbA1C ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
	degludec/liraglutide)	
AMYLIN	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR	· · · · · · · · · · · · · · · · · · ·
GLYXAMBI (empagliflozin/linagliptin) ^{QL} JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} alogliptin/pioglitazone (generic for Oseni) ^{QL} QTERN (dapagliflozin/saxagliptin) ^{QL} STEGLUJAN (ertugliflozin/sitagliptin) ^{QL}	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPENCL HUMULIN OTC PEN insulin lispro (generic for Humalog) PEN, VIAL NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen:

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Riomet®: Prior authorization not required for age <7 years

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL}	INVOKAMET & XR	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ESBRIET (pirfenidone) OFEV (nintedanib esylate)	 Non-preferred agents require: Use limited to FDA-approved indications

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) ^{CL} EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require:Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic for Neoral) mycophenolate mofetil CAPSULE, TABLET (generic for Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic for Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate mofetil SUSPENSION (generic for Cellcept) mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKETNR RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus (generic for Rapamune) SOLUTION, TABLET ZORTRESS (everolimus)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	Tdrug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) DYMISTA (azelastine/fluticasone) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	 B) Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update November 1, 2019 Highlights indicated change from previous posting

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules:
		PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin hcl) CAPSULE - CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update November 1, 2019 Highlights indicated change from previous posting

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	colesevelam (generic for Welchol) TABLET, PACKET colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine)	patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	hypercholesterolemia (HoFH) OR
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
FIBRIC ACID	DERIVATIVES	derivatives, omega-3 agents, bile acidsequestrants
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix)	 Require faxed copy of REMS PA form Lovaza®: Approved for TG ≥ 500 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD)
NI <i>A</i>	CIN	 heterozygous familial
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	hypercholesterolemia (HeFH) AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months
authorization under Med	nd fish oil are also covered without prior licaid with a prescription*	 Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL
OMEGA-3 F	ATTY ACIDS	Repatha®: Approved for:
	omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL}	 adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)
CHOLESTEROL ABS	ORPTION INHIBITORS	 heterozygous familial hypercholesterolemia (HeFH)
ezetimibe (generic for Zetia)		 homozygous familial
PROPROTEIN CONVERTASE SU	BTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS	hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis
	PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa®: Approved for TG ≥ 500 WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate

PDL Update November 1, 2019 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	STATINS	
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin ER) ^{cL} EZALLOR SPRINKLE (rosuvastatin) ^{NR,QL} fluvastatin/ER (generic for Lescol/XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN COM	STATIN COMBINATIONS	
	atorvastatin/amlodipine (generic for Caduet) simvastatin/ezetimibe (generic for Vytorin)	 ingredients cannot be used Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETOLIDES		• Ketek®: Requires clinical resaon
	KETEK (telithromycin)	why patient cannot use preferredmacrolide
MACR	OLIDES	- Macrolides: Require clinical
azithromycin (generic for Zithromax) clarithromycin TABLET, SUSPENSION (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) E.E.S. SUSPENSION, TABLET ERY-TAB ERYPED SUSPENSION ERYTHROCIN erythromycin base TABLET, CAPSULE erythromycin ethylsuccinate SUSPENSION ZITHROMAX (azithromycin)	reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Update November 1, 2019 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
No preferred agents	AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK tetrabenazine (generic for Xenazine) ^{CL}	 Drug-specific criteria: Austedo: Diagnosis of chorea associated with Huntington's Disease OR Tardive Dyskinesia Ingrezza: Diagnosis of Tardive Dyskinesia in adults tetrabenazine: Diagnosis of chorea with Huntington Disease

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} REBIF (interferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) ^{QL} MAVENCLAD (cladiribine) ^{NR} MAYZENT (siponimod) ^{NR,QL} PLEGRIDY (peginterferon beta-1a) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy®: Approved for diagnosis of relapsing MS

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin)		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

NSAID

PDL Update November 1, 2019 Highlights indicated change from previous posting

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
· ·	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) ^{QL}	Drug-specific criteria: Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs
	TIVORBEX (indomethacin) VIMOVO (naprosyn/esomeprazole) VIVLODEX (meloxican submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECT/	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

NSAIDS. TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET , PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

PDL Update November 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST CANCER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT	HERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrazole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE	BLOCKADE	capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara)	toremifene (generic for Fareston) ^{CL}	cannot be used Fareston®: Require clinical reason why tamoxifen cannot be used
tamoxifen citrate (generic for Nolvadex)		 letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTHER		for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) ^{NR} TYKERB (lapatinib) TALZENNA (talazoparib tosylate) ^{NR, QL}	

PDL Update November 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use
	AML DAURISMO (glasdegib maleate) ^{NR,QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{NR,QL} CLL COPIKTRA (duvelisib) ^{NR,QL} VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used imatinib: Requires trial of Gleevec or clinical reason Gleevec cannot be used melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Tabloid: Prior authorization not
GLEEVEC (imatinib) hydroxyurea (generic for Hydrea) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) imatinib (generic for Gleevec) ^{CL} TASIGNA (nilotinib) ^{CL}	 required for age <19 Tasigna: Patients receiving Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone
JAKAFI (ruxolitinib)	/IPN	
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{NR, CL}	
רס	THER	
MATULANE (procarbazine)	CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{NR,QL} TABLOID (thioguanine) tretinoin (generic for Vesanoid) ZOLINZA (vorinostat)	

PDL Update November 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Α	ALK	
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) ^{NR,QL} ZYKADIA (ceritinib) CAPSULE, TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK / RO	S1 / NTRK	
XALKORI (crizotinib)	ROZLYTREK (entrectinib) ^{NR,AL,QL}	
EG	FR	
GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib)	erlotinib (generic for Tarceva) VIZIMPRO (dacomitinib) ^{NR,QL}	
ОТ	HER	
HYCAMTIN (topotecan)		

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) temozolomide (generic for Temodar)	BALVERSA (erdafitinib) ^{NR} COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) ^{NR,QL} VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{NR,QL} ZEJULA (niraparib)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{NR,QL} XTANDI (enzalutamide) YONSA (abiraterone acet, submicronized)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

AL – Age Limit

CL – Prior Authorization / Class Criteria apply

PDL Update November 1, 2019 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR (everolimus) AFINITOR DISPERZ (everolimus) CABOMETYX (cabozantinib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Affinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASAI ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF MO BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) MEKTOVI (binimetinib) TAFINLAR (dabrafenib) ZELBORAF (vemurafenib)	UTATION	 Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for
MACR	OLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGL	YCOSIDES	•
gentamicin SOLUTION , OINTMENT tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin) OTHER OPHTH polymyxin B/trimethoprim (generic for Polytrim)	ALMIC AGENTS bacitracin bacitracin/polymyxin B (generic Polysporin) NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomyxin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS. ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOS	STEROIDS	 Non-preferred agents will be
DUREZOL (difluprednate) fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients whohave failed a trial of ONE preferred agent
NS	AID	-
diclofenac (generic for Voltaren) flurbiprofen (generic for Ocufen) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) ^{NR,QL} XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		 Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATH	OMIMETICS	Drug-specific criteria:
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	 Rhopressa: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60
BETA BL	LOCKERS	days
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYI	DRASE INHIBITORS	
AZOPT (brinzolamide)		
dorzolamide (generic for Trusopt)		
PROSTAGLAN	IDIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINAT	ION DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) SIMBRINZA (brinzolamide/brimonidine	dorzolamide/timolol PF (generic for Cosopt PF)	
ОТ	HER	
RHOPRESSA (netarsudil) ^{CL}	ROCKLATAN (netarsudil and latanoprost) ^{NR}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Update November 1, 2019 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine)QL ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

PDL Update November 1, 2019 Highlights indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil TABLET (generic for Revatio)	ADEMPAS (riociguat) ambrisentan (generic for Letairis) bosentan TABLET (generic for Tracleer) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic for Revatio) (for PAH only) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®:

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Update November 1, 2019 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW Child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON CHEW AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) ESCAVITE LO (pedi multivit 78/iron/fluoride) Prug specific criteria: Aquadeks: Approved for diagnosi	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OTC (pedi multivit 91/iron tum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit 700) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit-iron OTC (pedi mv no. 164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a paimitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 2/fluoride) DROPS MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW POLY-VI-FLOR WIRON (pedi multivit 33/fluoride) MVC-FLUORIDE (pedi multivit 142/fluoride) DROPS MVC-FLUORIDE (pedi multivit 15/fluoride CHEW pedi mvi 17 with fluoride CHEW pedi mvi 17 with fluoride CHEW pedi mvi 17 with fluoride CHEW POLY-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml VITALETS OTC (pedi multivit 36/iron) CHEW Vision of Cystic Fibrosis of Cystic Fibrosis	CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit no. 165 drops) infant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a pamintate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvit A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW pedi mvi 17 with fluoride CHEW pedi mvi 17 with fluoride CHEW POLY-VI-SOL OTC (pedi multivit 81) DROPS POLY-VI-SOL OTC (pedi multivit 81) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml VITALETS OTC (pedi multivit 36/iron)	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: Aquadeks: Approved for diagnosis

PDL Update November 1, 2019 Highlights indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine) prasugrel (generic for Effient)	aspirin/dipyridamole (generic for Aggrenox) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

PDL Update November 1, 2019 Highlights indicated change from previous posting

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
-nate dha SOFTGEL		 Non-preferred agents will be
omplete natal dha (pnv2/iron b-g suc-p/fa/omega-3)		approved for patients who have
alcium-pnv 28-1-250mg SOFTGEL		failed a trial of or are intolerant to
lassic prenatal TABLET (prenatal vit/fe fum/fa)		TWO preferred agents within this
COMPLETENATE CHEWABLE		drug class
CONCEPT DHA CAPSULE		
CONCEPT OB CAPSULE		
lite-ob CAPLET (fe c/fa)		
olivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa)		Additional covered agents can be
MARNATAL-F CAPSULE		looked up using the Drug Look-up To
iva-plus TABLET (pnv with ca,no.74/iron/fa)		at:
PRENATA TAB CHEW		https://druglookup.fhsc.com/druglooku
nv with ca, #72/iron/fa		<pre>pweb/?client=nestate</pre>
nv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha)		
nv-ob+dha combo pack (pnv22/iron		
cbn&gluc/fa/dss/dha)		
nv-vp-u CAPSULE		
renaissance CAPSULE (pnv80/iron fum/fa/dss/dha)		
renaissance plus SOFTGEL (pnv69/iron/fa/dss/dha)		
renatal vitamin TABLET (pnv#124/iron/fa)		
renatal no.137/iron/fa OTC		
retab 29mg-1 TABLET (pnv#78/iron/fa)		
PUREFE PLUS		
PUREFE OB PLUS		
aron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3)		
ARON-PREX PRENATAL		
RINATAL RX 1		
iveen-duo dha combo pack		
(pnv53/iron b-g hcl-p/fa/omega3)		
rust natal dha (pnv2/iron b-g suc-p/fa/omega-3)		
irtprex CAPSULE (pnv66/iron fum/fa/dss/dha)		
irt-c dha SOFTGEL (pnv#16/iron fum &ps/fa/om-3)		
irt-nate dha SOFTGEL (pnv 11-iron fum-fa-om3)		
irt-pm dha SOFTGEL (pnv combo#47/iron/fa #1/dha)		
irt-pn TABLET (pnv w-ca no.40/iron fum/fa cmb no.1)		
irt-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)		
irt-select CAPSULE (pnv80/iron fum/fa/dss/dha)		
irt-vite gt TABLET (prenatal vit 16/iron cb/fa/dss)		
OL-PLUS TABLET		
p-ch-pnv prenatal SOFTGEL		
p-heme ob TABLET (pnv#21/iron/ps& heme		
polyp/fa)		
atean-pn dha CAPSULE (pnv #47/iron/fa #1/dha)		
atean-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)		

PDL Update November 1, 2019 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤ 4 years of age − No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:

PDL Update November 1, 2019 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temazepam 15mg, 30mg (generic for Restoril) OTH zaleplon (generic for Sonata) zolpidem (generic for Ambien)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	■ Lunesta®/Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used ■ Ativan®/Klonopin®/Valium®: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy ■ Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder ■ flurazepam/triazolam: Requires trial of preferred benzodiazepine ■ Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used ■ Silenor®: Must meet ONE of the following: ○ Contraindication to preferred oral sedative hypnotics ○ Medical necessity for doxepin dose < 10mg ○ Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) ■ temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used ■ zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used ■ Zolpimist®: Requires clinical reason why half of zolpidem tablet cannot be used ■ Zolpimist®: Requires documentation of swallowing disorder

PDL Update November 1, 2019 Highlights indicated change from previous posting

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION , TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon Forte) cyclobenzaprine (generic for Flexeril) ^{QL} methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	carisoprodol (generic for Soma)CL,QL carisoprodol compound cyclobenzaprine ER (generic for AMRIX)CL dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone)CL metaxalone (generic for Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used

PDL Update November 1, 2019 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	 Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	TEXACORT (hydrocortisone)	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Update November 1, 2019 Highlights indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glyc	drug class
	betamethasone valerate	
	desoximetasone	
	diflorasone diacetate fluocinonide SOLUTION	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	halcinonide CREAM (generic for Halog)	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone)	
	VANOS (fluocinonide)	

VERY HIGH POTENCY

clobetasol emollient (generic for Temovate-E)

clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION

halobetasol propionate (generic for Ultravate)

APEXICON-E (diflorasone)
BRYHALI (halobetasol prop)

LOTIONNR

(clobetasol)

clobetasol **SHAMPOO**, **LOTION** clobetasol propionate **FOAM**, **SPRAY** CLOBEX (clobetasol) halobetasol propionate **FOAM**^{NR,AL,QL} OLUX-E /OLUX/OLUX-E CP Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGSAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred
Amphetamine type		
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS ER (amphetamine) SUSPENSION ADZENYS XR (amphetamine) amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) ^{NR} MYDAYIS (amphetamine salt combo) ^{QL} methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

with Prior Authorization Criteria

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphenidate type		 Non-preferred agents will be approved for patients who have
FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	dexmethylphenidate (generic for Focalin) dexmethylphenidate XR (generic for	failed a trial of TWO preferred agents within this drug class
APTENSIO XR (methylphenidate) methylphenidate (generic for Ritalin)	Focalin XR)COTEMPLA XR-ODT	Drug-specific criteria: Daytrana®: May be approved in history of substance abuse by
methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER)	(methylphenidate) methylphenidate CHEWABLE, SOLUTION (generic for Methylin)	parent/caregiver or patient May be approved with documentation of difficulty swallowing
QUILLICHEW ER (methylphenidate)	RITALIN (methylphenidate)	
QUILLIVANT XR (methylphenidate suspension)	DAYTRANA (methylphenidate) methylphenidate 30/70 (generic for Metadate CD) methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR)	
	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) methylphenidate ER 72mg (generic for RELEXXI)QL	
	ADHANSIA XR (methylphenidate) ^{NR, QL} JORNAY PM (methylphenidate) ^{NR, QL}	

PDL Update November 1, 2019 *Highlights* indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and -clonidine IR are available without
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)QL	clonidine ER (generic for Kapvay) ^{CL} STRATTERA (atomoxetine)	prior authorization
ANAL	EPTICS	- Armodafinil, Sunosi, and Wakix:
	modafanil (generic for Provigil) ^{CL} armodafinil (generic for Nuvigil) ^{CL} SUNOSI (solriamfetol) ^{NR,CL,QL} WAKIX (pitolisant) ^{NR,CL,QL}	Require trial of modafinil armodafinil and modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

PDL Update November 1, 2019 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP (generic for Vibramycin 25MG) doxycycline monohydrate TAB minocycline HCL CAPSULE (generic for Minocin, Dynacin) minocycline HCL TABLET (generic for Dynacin, Myrac)	demeclocycline (generic for Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic for Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa, Monodox, Oracea) minocycline HCL ER (generic for Solodyn) NUZYRA (omadacycline) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) CAPSULE.QL	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	EUTHYROX (levothyroxine) ^{NR} LEVO-T (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

PDL Update November 1, 2019 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine (generic for Delzicol) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used Giazo®: Requires clinical reason
REC	TAL	why generic balsalazide cannot be
CANASA (mesalamine) mesalamine ENEMA (generic Rowasa)	mesalamine SUPPOSITORY (generic for Canasa) UCERIS (budesonide)	used NOT covered in females

UTERINE DISORDER TREATMENT - ENDOMETRIOSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium)QL,CL (must have an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive before approval)		Drug-specific criteria: Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR and Isordil) isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/hydralazine) ^{CL} GONITRO (nitroglycerin) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROMIST (nitroglycerin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients