



Contains November 2019 P&T Changes
Noted in *Red Font* that Become Effective January 16, 2020

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamycin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) DIFFERIN GEL OTC (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAMAL	adapalene CREAM, GEL, WPUMP (generic Differin) adapalene SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) AKLIEF (trifarotene)NR, AL ALTRENO (tretinoin)AL ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/benzoyl peroxide) BENZACLIN WPUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR, OTC benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Benzaclin) clindamycin/tretinoin (generic for Veltin & Ziana) dapsone (generic for ACZONE) EPIDUO FORTE GEL W/PUMP erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM TAZORAC (tazarotene) TRETIN-X (tretinoin) tretinoin CREAM, GELAL tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class I will be approved for patients who have failed THREE preferred agents within this drug class.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERA	CHOLINESTERASE INHIBITORS	
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 Current, stabilized therapy of the non-preferred agent within the
NMDA RECEPTOR ANTAGONIST		previous 45 days
memantine (generic for Namenda)	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020 **ANALGESICS, OPIOID LONG-ACTING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) ^{QL} EMBEDA (morphine sulfate/ naltrexone) entanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic for MS Contin, Oramorph SR) DXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) ^{QL} BELBUCA (buprenorphine, buccal) ^{CL} buprenorphine TRANSDERMAL (generic for Butrans) ^{QL} DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone, extended release) KADIAN (morphine ER capsule) methadone ^{CL} MORPHABOND ER (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Conzip, Ryzolt, Ultram ER) ^{CL} XTAMPZA ER (oxycodone myristate) ^{QL}	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin®: Pain contract required for maximum quantity authorization

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020 **ANALGESICS, OPIOID SHORT-ACTINGQL**

ORAL acetaminophen/codeine ELIXIR, TABLET codeine ORAL ORAL APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic for Apadaz, ^{CL}	Non-preferred agents will be approved for patients who have
TABLET benzhydrocodone/APAP (generic for	approved for patients who have
butalbital/caffeine/APAP mydrocodone/APAP SOLUTION, TABLET mydrocodone/louprofen mydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET oxycodone TABLET, SOLUTION oxycodone/APAP tramadol butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone CONCENTRATE oxycodone/ibuprofen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) ROXICODONE TABLET (oxycodone/ acetaminophen) ZAMICET (hydrocodone/ acetaminophen) ZAMICET (hydrocodone/	failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablet and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceede with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia or prescriber attestation that patient is not recently opiate naive Drug-specific criteria: Abstral®/Actiq®/Fentora®/ Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020 **ANALGESICS, OPIOID SHORT-ACTING**^{QL} (Continued)

Non-Preferred Agents	Prior Authorization/Class Criteria
SAL	
butorphanol NASAL SPRAY QL LAZANDA (fentanyl citrate)	
NSMUCOSAL	
ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL	
	butorphanol NASAL SPRAYQL LAZANDA (fentanyl citrate) NSMUCOSAL ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
testosterone gel PACKET, PUMP (generic for Vogelxo) ^{CL}	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Axiron) testosterone (generic for Fortesta) testosterone (generics for Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®:

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION	 approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	trandolapril (generic for Mavik)	Drug-specific criteria: Epaned® and Qbrelis® Oral
ACE INHIBITOR/DIUF	RETIC COMBINATIONS	Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020 **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone)	approved for patients who have failed TWO preferred agents within this drug class within the last 12 months
	olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	 Non-preferred combination products may be covered as individual prescriptions without prior authorization
	I MODULATOR/ OCKER COMBINATIONS	 Angiotensin Modulator/Calcium Channel Blocker Combinations:
amlodipine/benazepril (generic for Lotrel) amlodipine/valsartan (generic for Exforge) amlodipine/valsartan/HCTZ (generic for Exforge HCT)	amlodipine/olmesartan (generic for Azor) amlodipine/olmesartan/HCTZ (generic for Tribenzor)	Combination agents may be approved if there has been a trial and failure of preferred agent Direct Renin Inhibitors/Direct
DIRECT RENI	N INHIBITORS	Renin Inhibitor Combinations: May be approved witha history of
DINEOT NEW	aliskiren (generic for Tekturna) ^{QL}	TWO preferred ACE Inhibitors or
DIRECT RENIN INHIB	ITOR COMBINATIONS	Angiotensin Receptor Blockers within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBI	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{CL}		
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	EMVERM (mebendazole) praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS. ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	 Class Criteria: Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment failure with or contraindication to: antihistamines AND montelukast Clinical reason as to why allergy shots cannot be used Drug-specific criteria: ORALAIR Confirmed by positive skin te or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 throug 65 years of age.

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIBIOTICS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSPENSION CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Tobi)	

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban)	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months
neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/pramoxi ne		 Altabax®: Approvable diagnoses of impetigo due to S. Aureus OR S. pyogenes with clinical reason mupirocin ointment cannot be used Mupirocin® Cream: Clinical reason the ointment cannot be used

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{CL.on2.5mg.OL} SAVAYSA (edoxaban) ^{QL} Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic corporary artery	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
disease or peripheral artery	enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin)	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin)	approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAI	BINOIDS	Non-preferred agents will be
dronabinol (generic for Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	Drug-specific criteria: • Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3
NK-1 RECEPTO	R ANTAGONIST	antagonist WITHOUT trial of
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	preferred agents Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin,
TRADITIONAL	ANTIEMETICS	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic for Dramamine) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine rectal) doxylamine/pyridoxine (generic for Diclegis)CL,QL metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIFUNGALS, ORAL

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	Non-preferred agents will be
· ·	<u> </u>	
	tolnaftate SPRAY , OTC	
	OID COMBINATIONS	
	clotrimazole/betamethasone LOTION	
(generic for Lotrisone)	(generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET , SOLUTION (generic for Zyrtec) loratadine TABLET , SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} febuxostat (generic for Uloric) ^{CL} <i>GLOPERBA</i> SOLN (colchicine) ^{NR,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric®: Clinical reason why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIMIGRAINE AGENTS, OTHER

ANTIMIGRAINE AGENTS, OTHER		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EMGALITY (galcanezumab-gnlm) ^{CL,QL} PEN, SYR	AIMOVIG AUTOINJECTOR (erenumab-aooe) ^{CL,QL} AJOVY (fremanezumab-vfrm) ^{CL,QL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality indicated for treatment of episodic cluster headaches Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig and Ajovy require a trial of Emgality or patient specific documentation of why Emgality is not appropriate for patient

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020 **ANTIMIGRAINE AGENTS, TRIPTANS^{QL}**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Ol	RAL	Non-preferred agents will be
RELPAX (eletriptan) ^{oL} rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet) zolmitriptan (generic for Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) ^{NR} ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		approved for patients who have failed ONE preferred agents within this drug class
COMT INI	HIBITORS	
	entacapone (generic for Comtan) tolcapone (generic for Tasmar)	Drug-specific criteria: - Carbidopa/Levodopa ODT: Approved for documented swallowing disorder
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex)	AGONISTS NEUPRO (rotigotine) ^{CL}	COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug
ropinirole (generic for Requip)	pramipexole ER (generic for Mirapex ER) ^{CL}	Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must
selegiline CAPSULE, TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) QL XADAGO (safinamide) ZELAPAR (selegiline)CL	 be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®:
OTHER ANTIPARI	KINSON'S DRUGS	For Parkinsons: Clinical reason
amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{CL,QL} NOURIANZ (istradefylline) ^{NR,CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented swallowing disorder

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		 Non-preferred agents will be
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	NZA DRUGS	- Drug apolitic critoria:
oseltamivir (generic for Tamiflu) ^{QL} TAMIFLU (oseltamivir) ^{QL}	rimantadine (generic for Flumadine) RELENZA (zanamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Drug-specific criteria: Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION (generic for Valium) lorazepam INTENSOL, TABLET	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL meprobamate	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires
(generic for Ativan)	oxazepam	clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
	PHA-BLOCKERS	_
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic for Actigall) ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

BLADDER RELAXANT PREPARATIONS

Non-Preferred Agents	Prior Authorization/Class Criteria
darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents
	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA)

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic for Fosamax) (daily and weekly formulations) OTHER BONE RESORPTION SUPP calcitonin-salmon NASAL raloxifene (generic for Evista)	alendronate SOLUTION (generic for Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D ^{QL} ibandronate (generic for Boniva) ^{QL} risedronate (generic for Actonel) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel® Combinations: Covered as individual agents without prior authorization Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture:

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	ALPHA BLOCKERS	
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	CARDURA XL (doxazosin) silodosin (generic for Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
5-ALPHA-REDUCTA:	SE (5AR) INHIBITORS	Avodart®: Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used Proscar®: Covered for males only Uroxatral®: Covered for males only

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS –	Short Acting	Non-preferred agents will be
PROAIR HFA (albuterol)	albuterol HFA (generic for ProAir	approved for patients who have failed a trial of ONE preferred
PROVENTIL HFA (albuterol)	HFA, Proventil HFA, Ventolin HFA)	agent within this drug class
	levalbuterol HFA (generic for Xopenex	
	HFA)	Drug-specific criteria:
	PROAIR DIGIHALER (albuterol) ^{NR} PROAIR RESPICLICK (albuterol)	 Ventolin HFA®: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/ contraindication/side effect to
INHALERS -	- Long Acting	BOTH
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol)	 Xopenex[®]: Covered for cardiac diagnoses or side effect of
	STRIVERDI RESPIMAT (olodaterol)	tachycardia with albuterol product
INHALATIO	N SOLUTION	_
albuterol (2.5mg/3ml premix or	BROVANA (arformoterol)	
2.5mg/0.5ml)	levalbuterol (generic for Xopenex)	
albuterol 100 mg/20 mL	PERFOROMIST (formoterol)	
albuterol low dose (0.63mg/3ml & 1.25mg/3ml)		
	RAL	
albuterol SYRUP	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **25** of **76**

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrog	pyridines	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	
Non-dihydi	opyridines	Induced Hypertension (PIH)
diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)	.,	 Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage Katerzia: May be approved with
LONG-ACTING		documented swallowing difficulty
Dihydrog	pyridines	
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil) KATERZIA SUSP (amlodipine) ^{NR,QL} nisoldipine (generic for Sular)	
Non-dihydı	opyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		rion presente agente inilize
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate, CHEWABLE amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN SUSPENSION , TABLET (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic for Duricef) cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cefadroxil TABLET (generic for Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic for Cefzil) cefuroxime TABLET (generic for Ceftin)	cefaclor (generic for Ceclor) CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	cefixime CAPSULE, SUSPENSION (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez) ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE	ANORO ELLIPTA (umeclidinium/vilanterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) ^{NR} INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
INHALATIO	N SOLUTION	initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL AGENT		
	DALIRESP (roflumilast) ^{CL}	

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET , TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} <i>TRIKAFTA</i> (elexacaftor, tezacaftor, ivacaftor) ^{NR, AL}	 Kalydeco®: Diagnosis of CF and documentation of the drug-specific FDA-approved mutation of CFTR gene Minimum age: 6 months Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years for tablet Minimum age: 2 years for packet Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 6 years Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene Minimum age: 12

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PENQL HUMIRA (adalimumab)QL OTEZLA (apremilast) ORALCL,QL	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ^{CL} ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib, CL,QL SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL ^{CL,QL} XELJANZ XR (tofacitinib) ORAL ^{CL,QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Cosentyx: Requires trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies. Rinvoq, Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	 Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorothalidone TABLET (generic for Diuril) furosemide SOLUTION, TABLET (generic for Lasix) hydrochlorothiazide CAPSULE, TABLET (generic for Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic for Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic for Inspra) ethacrynic acid CAPSULE (generic for Edecrin)) methyclothiazide TABLET triamterene (generic for Dyrenium)	approved for patients who have failed a trial of TWO preferred agents within this drug class
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic for Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic for Dyazide, Maxzide (25))		

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

EPINEPHRINE. SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) epinephrine (TRUE GENERIC for Epipen/Epipen Jr.) EPIPEN EPIPEN JR. SYMJEPI	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
eiprofloxacin (generic for Cipro) evofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin Suspension: Coverable with documented swallowing disorders Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

GI MOTILITY, CHRONIC

opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik • Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik • Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) • Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
IBS Diarrhea Predominant type with trial and failure of loperamide	AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL}	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL}	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)
AND diprienoxylate			 Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) QL ADVAIR HFA (fluticasone/salmeterol) QL DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AEROSPAN (flunisolide) ALVESCO (ciclesonide)AL,CL ARMONAIR RESPICLICK (fluticasone)AL ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone)AL,QL FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone) BODILATOR COMBINATIONS BREO ELLIPTA (fluticasone/vilanterol) Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)QL fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus)QL	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the last 6 months.
INHALATION SOLUTION		
	budesonide RESPULES (generic for Pulmicort)	

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR, SYRUP hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET	cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Approved after trial/failure with prednisone Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	Non-preferred agents will be
ADVATE ALPHANATE HELIXATE FS HUMATE-P KOATE-DVI VIAL KOVALTRY MONOCLATE-P NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	ADYNOVATE AFSTYLA ELOCTATE HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOGENATE FS OBIZUR	approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-17-19 will be allowed to continue same therapy
FAC	FOR IX	_
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX BEBULIN IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIA AND PROTHROMI	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
CORIFACT ^{CL}	XIII PRODUCTS COAGADEX ^{CL} TRETTEN ^{CL}	
VON WILLEBR	AND PRODUCTS	
VONVENDI ^{CL} WILATE		
BISPECIFI	C FACTORS	
	HEMLIBRA ^{CL}	

HEPATITIS B TREATMENTS

Preferred Agents Non-Preferred Agents Prior Authorization/Class Crit	eria
--	------

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

entecavir TABLET lamivudine hbv TABLET adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, **TABLET**

EPIVIR HBV (lamivudine) TABLET, SOLUTION

HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)

Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTING ANTI-VIRAL		Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	DAKLINZA (daclatasvir) CL HARVONI 200/45MG, TABLET (sofosbuvir/ledipasvir)CL OLYSIO (simeprevir)CL sofosbuvir/ledipasvir TABLET (generic for Harvoni 400/90)CL sofosbuvir/velpatasvir (generic for Epclusa)CL SOVALDI TABLET (sofosbuvir)CL TECHNIVIE (ombitasvir/paritaprevir/ritonavir)CL VIEKIRA PAK (ombitasvir/paritaprevir/paritaprevir/ritonavir/dasabuvir)CL ZEPATIER (elbasvir/grazoprevir)CL	Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria:Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin
RIBA	VIRIN	• Harvoni:
ribavirin 200mg TABLET, CAPSULE	REBETOL (ribavirin)	 For genotype 1 with decompensated cirrhosis
INTER	FERON	along with ribavirin

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

PEGASYS (pegylated interferon alfa-
2a) ^{CL}
PEG-INTRON (pegylated interferon
alfa-2b) ^{CL}

- Post liver transplant for genotype 1 or 4
- For pediatric patients ages
 3 to 11 years old with FDA indications

Sovaldi:

- For pediatric patients ages
 3 to 11 years old with
 genotype 2 or 3 chronic
 HCV infection without
 cirrhosis or with
 compensated cirrhosis in
 combination with ribavirin
- Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine SYRUP, TABLET (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE, (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment nizatadine/cimetidine solution/famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used ***famotidine suspension is authorized during national shortage of ranitidine syrup.***

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 ANTA	CCR5 ANTAGONISTS	
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patier specific documentation of why the
FUSION INH	IIBITORS	preferred products within this dru
FUZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for patient, including, but not limited to, drug resistance or concomitar
INTEGRASE STRAND TRANS	SFER INHIBITORS (INSTIS)	conditions not recommended with
ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir) ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)		 Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
NON-NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NNRTIS)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

NR – Product was not reviewed - New Drug criteria will apply

Page **39** of **76**

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020

EDURANT (rilpivirine)	efavirenz (generic for Sustiva)	
INTELENCE (etravirine)QL	nevirapine TAB (generic for	
PIFELTRO (doravirine)QL	Viramune)	
SUSTIVA CAP, TAB (efavirenz)	nevirapine ER (generic for Viramune XR)	
	RESCRIPTOR (delavirdine)	
	VIRAMUNE SUSP (nevirapine)	
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIs)	
abacavir SOLN, TAB (generic for	didanosine CAP DR (generic for	
Ziagen)	Videx EC)	
EMTRIVA CAP, SOLN (emtricitabine)	EPIVIR (lamivudine)	
lamivudine SOLN, TAB (generic for	RETROVIR (zidovudine)	
Epivir)	stavudine CAP (generic	
zidovudine CAP, SYRUP, TAB (generic	for Zerit)	
for Retrovir)	VIDEX SOLN (didanosine)	
	ZIAGEN (abacavir)	

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NUCLEOTIDE REVERSE TRA	NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTIs)	
tenofovir disoproxil fumarate		
TAB (generic for Viread)		
PHARMACOK	INETIC ENHANCER	
TYBOST (cobicistat) ^{QL}		
PROTEA	CE INITIDITADE	
PROTEA	SE INHIBITORS	

Unless otherwise specified, the listing of a particular brand or g	generic name includes all dosage forms	of that drug.
CL – Prior Authorization / Class Criteria apply	QL – Quantity/Duration Limit	AL – Age Limi
NR – Product was not reviewed - New Drug criteria will apply	Page 40 of 76	

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

atazanavir CAP (generic for APTIVUS CAP, SOLN (tipranavir)

Reyataz) CRIXIVAN (indinavir)

LEXIVA SUSP, TAB (fosamprenavir) fosamprenavir TAB (generic for

NORVIR TAB (ritonavir) Lexiva)

PREZISTA **SUSP**, **TAB** darunavir) INVIRASE (saquinavir)

> NORVIR POWDER PACK NORVIR **SOLN** (ritonavir)

REYATAZ **POWDER PACK** (atazanavir)

ritonavir TAB (generic for Norvir)

VIRACEPT (nelfinavir)

COMBINATION NUCLEOS(T)IDE REVERSE TRANSCRIPTASE INHIBITORS

abacavir/lamivudine (generic for COMBIVIR (lamivudine/zidovudine)

Epzicom) EPZICOM (abacavir sulfate/lamivudine)

abacavir/lamivudine/zidovudine TEMIXYS (lamivudine/tenofovir disoproxil (generic for Trizivir)

fumarate)NR,QL

CIMDUO (lamivudine/tenofovir TRIZIVIR (abacavir/ lamivudine/zidovudine) disoproxil fumarate)QL

DESCOVY (emtricitabine/tenofovir alafenamide)QL

lamivudine/zidovudine (generic for

Combivir)

TRUVADA (emtricitabine/tenofovir

disoproxil fumarate)

HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PROTEASE INHIBITORS (PIs) or PIs plus PHARMACOKINETIC ENHANCER		
EVOTAZ(atazanavir sulfate/cobicistat) ^{QL} KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN (generic for Kaletra)	KALETRA SOLN (lopinavir/ritonavir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

COMBINATION PRODUC
COMBINATION PRODUCE RIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz) TARVY (bictegravir/emtricitabine/ tenofovir alafenamide) MPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate) STRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate) NVOYA (elvitegravier/cobicistat/emtricitabin ne/tenofovir alafenamide) EFSEY (emtricitabine/rilpivirine/tenofovir alafenamide) RIBILD (elvitegravir/cobicistat/emtricitabin e/tenofovir disoproxil fumarate) MFI (efavirenz/lamivudine/tenofovir disoproxil fumarate) MFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) MFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) MFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate) MTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide) alafenamide) alafenamide) COMBINATION PRODUC

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST (GLP-1 RA)CL		Preferred agents require metformin

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL _ Quantitv/Duration Limit AL _ Age Limit

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) RYBELSUS (semaglutide) ^{NR} TANZEUM (albiglutide) TRULICITY (dulaglutide)	trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND Diagnosis of diabetes with HbA1C ≥ 7 AND Trial of metformin, or
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	contraindication or intolerance to metformin
AMYLIN	ANALOG SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days
DIPEPTIDYL PEPTIDAS	SE-4 (DPP-4) INHIBITOR	Fingerstick monitoring of glucose during initiation of therapy
GLYXAMBI (empagliflozin/linagliptin) ^{QL} JANUMET (sitagliptin/metformin) ^{QL} JANUMET XR(sitagliptin/metformin) ^{QL} JANUVIA (sitagliptin) ^{QL} JENTADUETO (linagliptin/metformin) ^{QL} TRADJENTA (linagliptin) ^{QL}	alogliptin (generic for Nesina) ^{QL} alogliptin/metformin (generic for Kazano) ^{QL} JENTADUETO XR (linagliptin/metformin) ^{QL} KOMBIGLYZE XR (saxagliptin/metformin) ^{QL} ONGLYZA (saxagliptin) ^{QL} alogliptin/pioglitazone (generic for Oseni) ^{QL} QTERN (dapagliflozin/saxagliptin) ^{QL} STEGLUJAN (ertugliflozin/sitagliptin) ^{QL}	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
------------------	----------------------	------------------------------------

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

HUMALOG (insulin lispro) U-100 **CARTRIDGE, PEN, VIAL**

HUMALOG MIX VIAL (insulin lispro/lispro protamine)

HUMULIN (insulin) VIAL

HUMULIN 70/30 VIAL

HUMULIN U-500 VIAL

HUMALOG MIX PEN (insulin lispro/lispro protamine)

LANTUS SOLOSTAR PEN (insulin glargine)

LANTUS (insulin glargine) VIAL

LEVEMIR (insulin detemir) PEN, VIAL

NOVOLOG (insulin aspart)

CARTRIDGE, PEN, VIAL

NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)

ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled)

APIDRA (insulin glulisine)

BASAGLAR (insulin glargine, rec)

PEN

FIASP (insulin aspart) CARTRIDGE, PEN, VIAL

HUMALOG JR. (insulin lispro) U-100 PEN

HUMALOG (insulin lispro) U-200 PEN

HUMULIN 70/30 PEN

HUMULIN R U-500 KWIKPENCL

HUMULIN OTC PEN

insulin lispro (generic for Humalog)

PEN, VIAL

insulin aspart (generic for NOVOLOG)

NOVOLIN (insulin)

NOVOLIN 70/30 VIAL

TOUJEO SOLOSTAR (insulin glargine)

TRESIBA (insulin degludec)

Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Drug-specific criteria:

- Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease
- Humulin® R U-500 Kwikpen: Approved for physical reasons such as dexterity problems and vision impairment
 - Usage must be for selfadministration, not only convenience
 - Patient requires >200 units/day
 - Safety reason patient can't use vial/syringe

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin)	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Riomet®: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply

NR – Product was not reviewed - New Drug criteria will apply

QL – Quantity/Duration Limit

AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL}	INVOKAMET & XR	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone)	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

with Prior Authorization Criteria

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020 **IMMUNOMODULATORS, ATOPIC DERMATITIS**^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) ^{CL} EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic for Neoral) mycophenolate mofetil CAPSULE, TABLET (generic for Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic for Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate mofetil SUSPENSION (generic for Cellcept) mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKETNR RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus (generic for Rapamune) SOLUTION, TABLET ZORTRESS (everolimus)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	ANTICHOLINERGICS	
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) DYMISTA (azelastine/fluticasone) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	В)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair)	montelukast GRANULES (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin hcl) CAPSULE - CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid)	colesevelam (generic for Welchol) TABLET, PACKET colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine)	patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	hypercholesterolemia (HoFH) ORTreatment failure/maximized
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
FIBRIC ACID	DERIVATIVES	derivatives, omega-3 agents, bile acid sequestrants
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix)	 Require faxed copy of REMS PA form Lovaza®: Approved for TG ≥ 500 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD)
NIA	CIN	heterozygous familial
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	hypercholesterolemia (HeFH) AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months
authorization under Med	nd fish oil are also covered without prior licaid with a prescription*	 Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL
OMEGA-3 F	ATTY ACIDS	■ Repatha®: Approved for:
	omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL}	 adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial
CHOLESTEROL ABS	ORPTION INHIBITORS	hypercholesterolemia (HeFH)
ezetimibe (generic for Zetia)		 homozygous familial
PROPROTEIN CONVERTASE SU	BTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS	 hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis
	PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue Vascepa®: Approved for TG ≥ 500 WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	STATINS	
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin ER) ^{CL} EZALLOR SPRINKLE (rosuvastatin) ^{NR,QL} fluvastatin/ER (generic for Lescol/XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN COM	MBINATIONS	clinical reason why individual ingredients cannot be used
	atorvastatin/amlodipine (generic for Caduet) simvastatin/ezetimibe (generic for Vytorin)	 Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETO	LIDES	Ketek®: Requires clinical reason
	KETEK (telithromycin)	why patient cannot use preferred macrolide
MACRO	OLIDES	 Macrolides: Require clinical
azithromycin (generic for Zithromax) clarithromycin TABLET , SUSPENSION (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) E.E.S. SUSPENSION, TABLET ERY-TAB ERYPED SUSPENSION ERYTHROCIN erythromycin base TABLET, CAPSULE erythromycin ethylsuccinate SUSPENSION ZITHROMAX (azithromycin)	reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK	Non-preferred agent requires trial of Austedo
		All drugs require an FDA approved indication – ICD-10 diagnosis code required.
		Drug-specific criteria:
		 Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease
		 Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo
		 tetrabenazine:Diagnosis of chorea with Huntington's Disease

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} REBIF (interferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra)QL EXTAVIA (interferon beta-1b)QL glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone)QL MAVENCLAD (cladribine)NR MAYZENT (siponimod)NR,QL PLEGRIDY (peginterferon beta-1a)QL VUMERITY (diroximel) NR,QL	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin)		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin)		agent within this drug class
nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)		

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

NSAID

diclofenac sodium (generic for Voltaren) diclofenac sodium (generic for Voltaren) voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril) meloxicam SUSPENSION (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril) meloxicam SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Daypro) piroxicam (generic for Daypro) piroxicam (generic for Tolectin) Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: • Arthrotec®: Requires clinical reason why individual agents cannot be used • meclofenamate: Approvable without trial of preferred agents within the dictored reason why individual agents cannot be used • meclofenamate: Approvable without trial of preferred agents within COX-1SELECTIVE group will be approved for Advil, Motrin) present suspension Montin CAPSULE

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

NSAID (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	COX-I SELECTIVE (continued)	
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) ^{QL} TIVORBEX (indomethacin) VIMOVO (naproxen/esomeprazole) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECTA	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SELECTIVE		
celecoxib (generic for Celebrex)		

NSAIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR PATCH (diclofenac) PENNSAID PACKET, PUMP (diclofenac) VOLTAREN GEL (diclofenac)	 Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

November 2019 P&T Proposed Changes *Highlighted in Red Font* become effective January 16, 2020

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
IBRANCE (palbociclib)	MHIBITOR KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
cyclophosphamide XELODA (capecitabine)	THERAPY capecitabine (generic for Xeloda) ^{CL}	 Drug-specific critera anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen)CL toremifene (generic for Fareston)CL	 capecitabine: Requires trial of Xeloda or clinical reason Xeloda cannot be used Fareston®: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTI	NERLYNX (neratinib) PIQRAY (alpelisib) TYKERB (lapatinib) TALZENNA (talazoparib tosylate) OL	for short term use Soltamox: May be approved with documented swallowing difficulty

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020 NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use
A	AML DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL}	from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used
IMBRUVICA (irutinib) LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	XOSPATA (gilteritinib) QL CLL COPIKTRA (duvelisib) QL ZYDELIG (idelalisib)	 imatinib: Requires trial of Gleevec or clinical reason Gleevec cannot be used melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Tabloid: Prior authorization not required for age <19
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) ^{CL}	 Tasigna: Patients receiving Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with
JAKAFI (ruxolitinib)	/PN	dexamethasone -
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) CL	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	THER BRUKINSA (zanubrutinib) ^{NR,QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} ZOLINZA (vorinostat)	

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Non-Preferred Agents	Prior Authorization/Class Criteria
ALK	
ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
K/ROS1/NTRK	
ROZLYTREK (entrectinib) AL,QL	
EGFR	
erlotinib (generic for Tarceva) GILOTRIF (afatinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
OTHER	
HYCAMTIN (topotecan)	
	ALK ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET K / ROS1 / NTRK ROZLYTREK (entrectinib) AL, QL EGFR erlotinib (generic for Tarceva) GILOTRIF (afatinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) QL OTHER

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{QL}	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ZYTIGA (abiraterone)	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) QL YONSA (abiraterone acetonide, submicronized)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) CABOMETYX (cabozantinib) everolimus (generic for Afinitor) INLYTA (axitinib) NEXAVAR (sorafenib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
MEKINIST (trametinib) TAFINLAR (dabrafenib)	UTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	 Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. QL – Quantity/Duration Limit CL – Prior Authorization / Class Criteria apply

NR – Product was not reviewed - New Drug criteria will apply

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) VIGAMOX (moxifloxacin)	approved for patients who have failed a one month trial of TWO preferred agent within this drug
MACRO	DLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGLY	COSIDES	
gentamicin SOLUTION tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin)	gentamicin OINTMENT	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **59** of **76**

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS. ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		Non-preferred agents will be
FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
NS.	AID	-
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **60** of **76**

with Prior Authorization Criteria

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) QL XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	MIOTICS	
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	MIMETICS	Drug-specific criteria:
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	 Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics-
BETA BLO	OCKERS	glaucoma within 60 days
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	,	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	
PROSTAGLANI	DIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATION DRUGS		
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	
ОТН	ER	
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

latanoprost) CL

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine)QL ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

PAH (PULINONARY ARTERIAL HT	, , , , , , , , , , , , , , , , , , ,	
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil TABLET (generic for Revatio) (for PAH only) ^{CL} TRACLEER TABLET (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ambrisentan (generic for Letairis) bosentan TABLET (generic for Tracleer) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic for Revatio) (for PAH only) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit ron OTC (pedi mv no.164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit sultivits with iron and fluoride (pedi multivit and palmitivit 45/fluoride/iron) DROPS	QUADEKS (pedi multivit 40/phytonadione) SCAVITE (pedi multivit 47/iron/fluoride) SCAVITE D (pedi multivit 78/iron/fluoride) CHEW SCAVITE LQ (pedi multivit 86/iron/fluoride) LORIVA (pedi multivit 85/fluoride) CHEW LORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS nultivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW OLY-VI-FLOR (pedi multivit 37/fluoride) DROPS OLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW OLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS PUFLORA OTC and Rx (pedi multivit 84/fluoride) PUFLORA FE (pedi multivit 142/iron/fluoride) RI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: Aquadeks: Approved for diagnosis of Cystic Fibrosis

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine) prasugrel (generic for Effient)	aspirin/dipyridamole (generic for Aggrenox) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

PRENATAL VITAMINS

c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE elite-ob CAPLET (fe c/fa) folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class
niva-plus TABLET (pnv with ca,no.74/iron/fa) PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE PLUS PUREFE OB PLUS taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3) TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack	Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neprazole (generic for Prilosec) RX ntoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤ 4 years of age − No PARE required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
<u> </u>	AZEPINES estazolam (generic for ProSom)	Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months
Resion)	flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used Ativan®/Klonopin®/Valium®:
OTH	IERS	Requires trial of generic
zaleplon (generic for Sonata) zolpidem (generic for Ambien)	BELSOMRA (suvorexant) doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) ^{CL} ramelteon (generic for Rozerem) zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo)	Approvable for seizure diagnosis and documentation of seizure activity on generic therapy Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder Iflurazepam/triazolam: Requires trial of preferred benzodiazepine Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used Silenor®: Must meet ONE of the following: Contraindication to preferred oral sedative hypnotics Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION, TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

SKELETAL MUSCLE RELAXANTS		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon Forte) cyclobenzaprine (generic for Flexeril) ^{QL} methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	carisoprodol (generic for Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic for AMRIX) ^{CL} dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDILIM	POTENCY •	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		 High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glycol	drug class
	betamethasone valerate	
	desoximetasone	
	diflorasone diacetate fluocinonide SOLUTION	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	halcinonide CREAM (generic for Halog)	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone SPRAY (generic for Kenalog spray)	
	TRIANEX OINTMENT (triamcinolone)	
	VANOS (fluocinonide)	

VERY HIGH POTENCY

clobetasol emollient (generic for Temovate-E)

clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION

halobetasol propionate (generic for Ultravate) APEXICON-E (diflorasone)

BRYHALI (halobetasol prop) LOTION

clobetasol SHAMPOO, LOTION

clobetasol propionate FOAM, SPRAY

CLOBEX (clobetasol)

halobetasol propionate FOAM (generic

for Lexette) AL,QL LEXETTE(halobetasol propionate) AL,QL

OLUX-E /OLUX/OLUX-E CP (clobetasol)

Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

STIMULANTS AND RELATED AGENTS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADDERALL XR (amphetamine salt combo) ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) ^{QL} methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphen APTENSIO XR (methylphenidate)	nidate type ADHANSIA XR (methylphenidate) QL	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate 30/70 (generic for Metadate CD) methylphenidate SOLUTION (generic for Methylin) methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) QUILLICHEW ER CHEWTAB	CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg COTEMPLA XR-ODT (methylphenidate) DAYTRANA PATCH (methylphenidate) dexmethylphenidate XR (generic for Focalin XR) FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) uethylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR) methylphenidate ER 72mg (generic for RELEXXI) QUILLIVANT XR SUSP	Drug-specific criteria: Daytrana®: May be approved in history of substance use disorder
(methylphenidate)	(methylphenidate) RITALIN (methylphenidate)	

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELL	ANEOUS	Note: generic guanfacine IR and —clonidine IR are available without
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv)QL	clonidine ER (generic for Kapvay) ^{CL} STRATTERA (atomoxetine)	prior authorization
ANALI	EPTICS	armodafinil and Sunosi: Require
	armodafinil (generic for Nuvigil) ^{CL} modafanil (generic for Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{NR,CL,QL}	 trial of modafinil armodafinil and modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP (generic for Vibramycin 25MG) doxycycline monohydrate TAB minocycline HCL CAPSULE (generic for Minocin, Dynacin) minocycline HCL TABLET (generic for Dynacin, Myrac)	demeclocycline (generic for Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic for Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa, Monodox, Oracea) minocycline HCL ER (generic for Solodyn) NUZYRA (omadacycline) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) CAPSULE.QL	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used Vibramycin® suspension: May be approved with documented swallowing difficulty

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	EUTHYROX (levothyroxine) ^{NR} LEVO-T (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

November 2019 P&T Proposed Changes Highlighted in Red Font become effective January 16, 2020

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	 Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic for Apriso) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine (generic for Delzicol) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used Giazo®: Requires clinical reason
REC	TAL	why generic balsalazide cannot be
CANASA (mesalamine) mesalamine ENEMA (generic Rowasa)	mesalamine SUPPOSITORY (generic for Canasa) UCERIS (budesonide)	used NOT covered in females

UTERINE DISORDER TREATMENT - ENDOMETRIOSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium)QL,CL(must have an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive before approval)		Drug-specific criteria: Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR and Isordil) isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/hydralazine) ^{CL} GONITRO (nitroglycerin) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROMIST (nitroglycerin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients