



PDL Updated March 1, 2020 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

#### **Non-Preferred Drug Coverage**

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# Nebraska Medicaid **Preferred Drug List**

# with Prior Authorization Criteria

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamycin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) DIFFERIN GEL OTC (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAM <sup>AL</sup>	adapalene CREAM, GEL, W/PUMP, SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) AKLIEF (trifarotene)NR, AL ALTRENO (tretinoin)AL AMZEEQ (minocycline)NR FOAM ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) BENZACLIN GEL (clindamycin/benzoyl peroxide) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR, OTC benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL Rx clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/benzoyl peroxide (generic for Acanya) clindamycin/tretinoin (generic for Veltin & Ziana) dapsone (generic for ACZONE) EPIDUO FORTE GEL W/PUMP erythromycin GEL, PLEDGET erythromycin-benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) UNACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB RETIN-A MICRO (tretinoin microspheres) AL sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM TAZORAC (tazarotene) TRETIN-X (tretinoin) tretinoin CREAM, GEL tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class  Non-preferred agents will be approved for patients within this drug class  Professional description of the profession of the profes

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ALZHEIMER'S AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTER	ASE INHIBITORS	Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months  OR  Current, stabilized therapy of the non-preferred agent within the
NMDA RECEPTOR ANTAGONIST		previous 45 days
memantine (generic for Namenda)	memantine ER (generic for Namenda XR) memantine <b>SOLUTION</b> (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

# **ANALGESICS, OPIOID LONG-ACTING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) <sup>QL</sup> EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH <sup>QL</sup> morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)	ARYMO ER (morphine sulfate ER) <sup>QL</sup> BELBUCA (buprenorphine, buccal) <sup>CL</sup> buprenorphine TRANSDERMAL   (generic for Butrans) <sup>QL</sup> DURAGESIC MATRIX (fentanyI) <sup>QL</sup> fentanyI 37.5, 62.5, 87.5 mcg   PATCH <sup>QL</sup> hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) <sup>CL</sup> HYSINGLA ER (hydrocodone, extended release) KADIAN (morphine ER capsule) methadone <sup>CL</sup> MORPHABOND ER (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadoI) <sup>CL</sup> oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Conzip, Ryzolt, Ultram ER) <sup>CL</sup> XTAMPZA ER (oxycodone myristate) <sup>QL</sup>	<ul> <li>The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment.</li> <li>Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days</li> <li>Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care</li> <li>Oxycontin®: Pain contract required for maximum quantity authorization</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	RAL	<ul> <li>Non-preferred agents will be</li> </ul>
cetaminophen/codeine ELIXIR, TABLET codeine ORAL cydrocodone/APAP SOLUTION, TABLET cydrocodone/ibuprofen cydromorphone TABLET corphine CONC SOLUTION, SOLUTION, TABLET coxycodone/APAP camadol <sup>AL</sup>	APADAZ (benzhydrocodone/APAP) <sup>CL</sup> benzhydrocodone/APAP (generic for Apadaz <sup>,CL</sup> butalbital/caffeine/APAP w/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the la 12 months</li> <li>Note: for short acting opiate table and capsules there is a maximum quantity limit of #150 per 30 days</li> <li>Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients wil consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limite to maximum of 50 Morphine Milligram Equivalents (MME) per day         These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia or prescriber attestation that patient is not recently opiate naive</li> <li>Drug-specific criteria:         <ul> <li>Abstral®/Actiq®/Fentora®/Onsolis (fentanyl): Approved on for diagnosis of cancer AND current use of long-acting opiate</li> <li>Apadaz: Approval for 14 days or less</li> <li>Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less</li> <li>Tramadol/APAP: Clinical reason why individual ingredients can't be appeared to the pain of the pain o</li></ul></li></ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

# ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
I	NASAL	
	butorphanol NASAL SPRAYQL LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL		
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL	

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
testosterone gel PACKET, PUMP (generic for Vogelxo) <sup>CL</sup>	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel PACKET, PUMP   (generic for Androgel) testosterone (generic for Axiron) testosterone (generic for Fortesta) testosterone (generics for Testim)	<ul> <li>Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause</li> <li>In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the lase 6 months</li> <li>Drug-specific criteria:         <ul> <li>Androderm®/Androgel®:</li></ul></li></ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION trandolapril (generic for Mavik)	<ul> <li>approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul> Drug-specific criteria:
ACE INHIBITOR/DIUF	ETIC COMBINATIONS	Epaned® and Qbrelis® Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) losartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone)	approved for patients who have failed TWO preferred agents within this drug class within the last 12 months
	olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	Non-preferred combination products may be covered as individual prescriptions without prior authorization
ANGIOTENSIN	MODULATOR/	Angiotensin Modulator/Calcium
CALCIUM CHANNEL BL	OCKER COMBINATIONS	Channel Blocker Combinations: Combination agents may be
amlodipine/benazepril (generic for Lotrel) amlodipine/valsartan (generic for Exforge) amlodipine/valsartan/HCTZ (generic for Exforge HCT)	amlodipine/olmesartan (generic for Azor) amlodipine/olmesartan/HCTZ (generic for Tribenzor) amlodipine/telmisartan (generic for Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic for Tarka)	approved if there has been a trial and failure of preferred agent  Direct Renin Inhibitors/Direct
DIRECT RENI	N INHIBITORS	Renin Inhibitor Combinations: May be approved witha history of
	aliskiren (generic for Tekturna) <sup>QL</sup>	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIB	ITOR COMBINATIONS	within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBITOR COMBINATION		
ENTRESTO (sacubitril/valsartan) <sup>CL</sup>		
	ER/BETA-BLOCKER COMBINATIONS	
ANGIOTENOM REGEL TON BEOOK		
	BYVALSON (nevibolol/valsartan)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTHELMINTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	EMVERM (mebendazole) praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

#### **ANTI-ALLERGENS. ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)	<ul> <li>Class Criteria:         <ul> <li>Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis.</li> <li>Patient has had treatment failure with or contraindication to: antihistamines AND montelukast</li> <li>Clinical reason as to why allergy shots cannot be used.</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>ORALAIR</li> <li>Confirmed by positive skin teror in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.</li> <li>For use in patients 10 through 65 years of age.</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) SUSPENSION DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole CAPSULE paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) vancomycin CAPSULE (generic for Vancocin) XIFAXAN (rifaximin)	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Drug-specific criteria:         <ul> <li>Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Difficid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis)</li> <li>Flagyl ER®: Trial and failure with metronidazole is required</li> <li>Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used</li> <li>tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis</li> <li>vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient</li> <li>Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **ANTIBIOTICS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	SUSPENSION CAYSTON (aztreonam lysine)QL,CL obramycin (generic for Tobi)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents         ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09</li> <li>Drug-specific criteria:         <ul> <li>Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy</li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> </ul> </li> <li>Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used</li> </ul>

#### ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic for Polysporin) mupirocin <b>OINTMENT</b> (generic for Bactroban) neomycin/polymyxin/bacitracin (generic	CENTANY (mupirocin) gentamicin <b>OINTMENT, CREAM</b> mupirocin <b>CREAM</b> (generic for Bactroban)	Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months  Drug-specific criteria:
for Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/pramoxi ne		<ul> <li>Altabax®: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used</li> <li>Mupirocin® Cream: Clinical reason the ointment cannot be used</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	CLEOCIN <b>CREAM</b> (clindamycin) METROGEL (metronidazole, vaginal)	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

#### **ANTICOAGULANTS**

ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) <sup>CLon2.5mg.QL</sup> Savaysa (edoxaban) <sup>QL</sup> BEVYXXA (betrixaban maleate) <sup>NR,QL</sup> fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup> Drug-specific criteria: Coumadin Clinical reason generic warfarin cannot be used Savaysa Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery disease	enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin)	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin)	approved for patients who have failed ONE preferred agent within this drug class within the last 12 months  Drug-specific criteria:  Coumadin®: Clinical reason generic warfarin cannot be used  Savaysa®: Approved diagnoses include:  Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR  Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy  Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNA	BINOIDS	Non-preferred agents will be
dronabinol (generic for Marinol) <sup>AL</sup>	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic for Zofran) <sup>QL</sup> ondansetron ODT (generic for Zofran) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	Drug-specific criteria:  • Akynzeo®/Emend®/Varubi®:  Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3
NK-1 RECEPTO	R ANTAGONIST	antagonist WITHOUT trial of
	aprepitant (generic for Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) <b>TABLET</b> CL	preferred agents  Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin,
TRADITIONAL	ANTIEMETICS	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine,
DICLEGIS (doxylamine/pyridoxine)CL,QL dimenhydrinate (generic for Dramamine) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine rectal) doxylamine/pyridoxine (generic for Diclegis)CL,QL metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide

PDL Update March 1, 2020 Highlights indicated change from previous posting

ANTIFUNGALS, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	Non-Preferred Agents  CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic for Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) <sup>CL</sup> ketoconazole (generic for Nizoral) nystatin POWDER, oral ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic for Noxafil) <sup>AL,CL</sup> TOLSURA (itraconazole) <sup>CL</sup> voriconazole (generic for VFEND) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis</li> <li>Flucytosine: Approved for diagnosis of:         <ul> <li>Candida: Septicemia, endocarditis, UTIs</li> <li>Cryptococcus: Meningitis, pulmonary infections</li> </ul> </li> <li>Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant</li> <li>Noxafil® Suspension:         <ul> <li>Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole</li> <li>Onmel®: Requires trial and failure or contraindication to terbinafine</li> <li>Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis,</li> </ul> </li> </ul>
		<ul> <li>fluconazole</li> <li>Onmel®: Requires trial and failure or contraindication to terbinafine</li> <li>Sporanox®/Itraconazole: Approved</li> </ul>
		<ul> <li>candidiasis refractory to fluconazole</li> <li>Sporanox®: Requires trial and failure of generic itraconazole</li> <li>Sporanox® Liquid: Clinical reason solid oral cannot be used</li> </ul>
		Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole
		<ul> <li>Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIFUNGALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	<ul> <li>Non-preferred agents will be</li> </ul>
clotrimazole CREAM (generic for Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic for Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic for Lamisil AT) tolnaftate AERO POWDER, CREAM, POWDER,OTC (generic for Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION   (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for Penlac) ciclopirox SHAMPOO (generic for Loprox) clotrimazole SOLUTION RX (generic for Lotrimin) DESENEX AERO POWDER OTC (miconazole) econazole (generic for Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Extina: Requires trial and failure or contraindication to other ketoconazole forms</li> <li>Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i></li> <li>nystatin/triamcinolone: Indivudual ingredients available without prior authorization</li> <li>ciclopirox nail lacquer: No trial</li> </ul> </li> </ul>
	FUNGOID OTC JUBLIA (efinaconazole) KERIDYN (tavaborole) ketoconazole FOAM (generic for Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic for Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic for Vusion) naftifine CREAM, GEL (generic for Naftin) oxiconazole (generic for Oxistat) salicylic acid (generic Bensal HP) tolnaftate SPRAY, OTC	required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
ANTIFUNGAL/STER	OID COMBINATIONS	
(generic for Lotrisone)	clotrimazole/betamethasone <b>LOTION</b> (generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **ANTIHISTAMINES, MINIMALLY SEDATING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine <b>CHEWABLE</b> (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) <sup>QL</sup> levocetirizine (generic for Xyzal) SOLUTION loratadine <b>CAPSULE</b> , <b>CHEWABLE</b> , <b>DISPERSABLE TABLET</b> (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class</li> <li>Combination products not covered – individual products may be covered</li> </ul>

## **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

CATAPRES-TTS (clonidine) clonidine TRANSDERMAL • Non-preferred agents will	
clonidine <b>TABLET</b> (generic for Catapres) guanfacine (generic for Tenex) methyldopa  methyldopa  methyldopa/hydrochlorothiazide approved for patients who failed a 30-day trial with Opreferred agent within this class	have NE

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine <b>CAPSULE</b> (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine <b>TABLET</b> (generic for Colcrys) <sup>CL</sup> febuxostat (generic for Uloric) <sup>CL</sup> <i>GLOPERBA</i> <b>SOLN</b> (colchicine) <sup>NR,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Gloperba: Approved for documented swallowing disorder</li> <li>Uloric®: Clinical reason why allopurinol cannot be used</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents  EMGALITY (galcanezumab-gnlm) <sup>CL,QL</sup> PEN, SYR	Non-Preferred Agents  AIMOVIG AUTOINJECTOR	<ul> <li>Prior Authorization/Class Criteria</li> <li>Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan</li> <li>Drug-specific criteria:</li> <li>Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> <li>Emgality indicated for treatment of episodic cluster headaches</li> <li>Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)</li> <li>In addition, Aimovig and Ajovy require a trial of Emgality or patient specific documentation of why Emgality is not appropriate for patient</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

# ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
C	PRAL	Non-preferred agents will be
RELPAX (eletriptan) <sup>QL</sup> rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	almotriptan (generic for Axert) eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet) zolmitriptan (generic for Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents within this drug class  Drug-specific criteria:  Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used  Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
N	ASAL	protetted agents
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) <sup>NR</sup> ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

# **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide   (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)	INERGICS	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within this drug class</li> </ul>
bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)	entacapone (generic for Comtan) tolcapone (generic for Tasmar)  AGONISTS  NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic for Mirapex ER) <sup>CL</sup> HIBITORS rasagiline (generic for Azilect) <sup>QL</sup> XADAGO (safinamide) ZELAPAR (selegiline) <sup>CL</sup>	Drug-specific criteria:  Carbidopa/Levodopa ODT: Approved for documented swallowing disorder  COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug  Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug  Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent  Neupro®:
amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) <sup>QL</sup> INBRIJA (levodopa) INHALER <sup>CL,QL</sup> NOURIANZ (istradefylline) <sup>NR,CL,QL</sup> OSMOLEX ER (amantadine) <sup>QL</sup> RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	For Parkinsons: Clinical reason required why preferred agent cannot be used  For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole  Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent  Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR  Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial  Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial  Zelapar®: Approved for documented swallowing disorder

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

# **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

## **ANTIVIRALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	SITAVIG (acyclovir buccal)	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	NZA DRUGS	-Drug specific criteria:
oseltamivir (generic for Tamiflu) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup>	rimantadine (generic for Flumadine) RELENZA (zanamivir) <sup>QL</sup> XOFLUZA (baloxavir marboxil) <sup>AL,CL,QL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults</li> <li>Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, <b>OINTMENT</b> (generic for Zovirax)  DENAVIR (penciclovir)  XERESE (acyclovir/hydrocortisone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent</li> </ul>

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET</b> , <b>SOLUTION</b>	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL clorazepate (generic for Tranxene-T) diazepam INTENSOL	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class</li> </ul>
(generic for Valium) lorazepam INTENSOL, TABLET (generic for Ativan)	meprobamate oxazepam	<ul> <li>Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease</li> <li>Coreg CR®: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL)</li> <li>Requires clinical reason generic sotalol cannot be used</li> </ul> </li> </ul>
BETA- AND ALF	PHA-BLOCKERS	_
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol <b>CAPSULE</b> 300mg (generic for Actigall) ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Myrbetriq®: Covered without trial in contraindication to anticholinergic agents</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **BONE RESORPTION SUPRESSION AND RELATED DRUGS**

alendronate (generic for Fosamax) (daily and weekly formulations)  alendronate SOLUTION (generic for Fosamax) (daily and weekly formulations)  alendronate SOLUTION (generic for Fosamax) (ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS DQL ibandronate (generic for Boniva)QL risedronate (generic for Actonel)  OTHER BONE RESORPTION SUPPRESSION AND RELATED DRUGS  calcitonin-salmon NASAL raloxifene (generic for Evista)  EVISTA (raloxifene) FORTEO (teriparatide)QL TYMLOS (abaloparatide)  PORTEO (teriparatide)  FORTEO (teriparatide)  FORTEO (teriparatide)  TYMLOS (abaloparatide)  POSTMENO SOSSIFICATION  FORTEO®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors – Family
alendronate SQL TION (generic for Fosamax)  (daily and weekly formulations)  ATELVIA DR (risedronate)  BINOSTO (alendronate) etidronate disodium (generic for Didronel)  FOSAMAX PLUS DQL ibandronate (generic for Boniva)QL risedronate (generic for Actonel)QL  OTHER BONE RESORPTION SUPPRESSION AND RELATED DRUGS  calcitonin-salmon NASAL ralloxifene (generic for Evista)  EVISTA (raloxifene) FORTEO (teriparatide)QL TYMLOS (abaloparatide)  FORTEO (teriparatide)  TYMLOS (abaloparatide)  Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or
history of non-traumatic fractures, DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors – more than 2 units of alcohol per day, current smoker Men with primary or hypogonadal osteoporosis

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic for Uroxatral)	CARDURA XL (doxazosin)	approved for patients who have failed a trial of ONE preferred
doxazosin (generic for Cardura)	silodosin (generic for Rapaflo)	agent within this drug class
tamsulosin (generic for Flomax)		
terazosin (generic for Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Avodart <sup>®</sup> : Covered for males only Cardura XL <sup>®</sup> : Requires clinical
dutasteride (generic for Avodart)	dutasteride/tamsulosin (generic for	reason generic IR form cannot be
finasteride (generic for Proscar)	Jalyn)	used
		<ul> <li>Flomax<sup>®</sup>: Females covered for a 7 day supply with diagnosis of acute kidney stones</li> </ul>
		<ul> <li>Jalyn<sup>®</sup>: Requires clinical reason why individual agents cannot be used</li> </ul>
		<ul> <li>Proscar®: Covered for males only</li> <li>Uroxatral®: Covered for males only</li> </ul>

## **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS –	Short Acting	<ul> <li>Non-preferred agents will be</li> </ul>
PROAIR HFA (albuterol)	albuterol HFA (generic for ProAir	approved for patients who have failed a trial of ONE preferred
PROVENTIL HFA (albuterol)	HFA, Proventil HFA, Ventolin HFA)	agent within this drug class
	levalbuterol HFA (generic for Xopenex	
	HFA)	Drug-specific criteria:
	PROAIR DIGIHALER (albuterol) <sup>NR</sup> PROAIR RESPICLICK (albuterol)	Ventolin HFA®: Requires trial and failure on Proventil HFA® AND  Provint HFA® OR alloward  Provint HFA® OR alloward
	,	Proair HFA® OR allergy/ contraindication/side effect to
INHALERS -	- Long Acting	BOTH
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol)	<ul> <li>Xopenex®: Covered for cardiac diagnoses or side effect of</li> </ul>
	STRIVERDI RESPIMAT (olodaterol)	tachycardia with albuterol product
INHALATIO	N SOLUTION	
albuterol (2.5mg/3ml premix or	BROVANA (arformoterol)	
2.5mg/0.5ml)	levalbuterol (generic for Xopenex)	
albuterol 100 mg/20 mL	PERFOROMIST (formoterol)	
albuterol low dose (0.63mg/3ml & 1.25mg/3ml)		
OF	RAL	
albuterol SYRUP	albuterol <b>TABLET</b> albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **CALCIUM CHANNEL BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be approved for patients who have
Dihydror	Dihydropyridines	
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	<ul> <li>failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH)</li> </ul> </li> </ul>
Non-dihydr	opyridines	Nimodipine: Covered without trial
diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)		for diagnosis of subarachnoid hemorrhage  Katerzia: May be approved with
LONG-A	LONG-ACTING	
Dihydrog	pyridines	documented swallowing difficulty
amlodipine (generic for Norvasc)	felodipine ER (generic for Plendil)	
nifedipine ER (generic for Procardia	KATERZIA <b>SUSP</b> (amlodipine) <sup>NR,QL</sup>	
XL/Adalat CC)	nisoldipine (generic for Sular)	
Non-dihydr	opyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER <b>TABLET</b>	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate, CHEWABLE amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN SUSPENSION, TABLET (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic for Duricef) cephalexin CAPSULE, SUSPENSION (generic for Keflex)	cefadroxil TABLET (generic for Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS – Second Generation		
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) <b>TABLET</b> , <b>SUSPENSION</b>	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	cefixime CAPSULE, SUSPENSION (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

#### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN <b>DISP SYR</b> (filgrastim) NIVESTYM <b>SYR,VIAL</b> (filgrastim-aafi) ZARXIO (filgrastim-sndz) ZIEXTENZO <b>SYR</b> (pegfilgrastim-bmez) <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

# COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE	ANORO ELLIPTA (umeclidinium/vilanterol)  DUAKLIR PRESSAIR (aclidinium br and formoterol fum) <sup>NR</sup> INCRUSE ELIPTA (umeclidnium)  SEEBRI NEOHALER (glycopyrolate)  SPIRIVA RESPIMAT (tiotropium)  TUDORZA PRESSAIR (aclidinium br)  UTIBRON NEOHALER (indacaterol/glycopyrolate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device.</li> <li>Drug-specific criteria:         <ul> <li>Daliresp®:</li> <li>Covered for diagnosis of severe COPD associated with chronic bronchitis</li> <li>Requires trial of a bronchodilator Requires documentation of one</li> </ul> </li> </ul>
INHALATIO	N SOLUTION	<ul> <li>exacerbation in last year upon initial review</li> </ul>
albuterol/ipratropium (generic for Duoneb) ipratropium <b>SOLUTION</b> (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL AGENT		
	DALIRESP (roflumilast) <sup>CL</sup>	

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **COUGH AND COLD, OPIATE COMBINATION**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine <b>LIQUID</b> hydrocodone/homatropine SYRUP promethazine/codeine <b>SYRUP</b> promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product</li> <li>All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age</li> </ul>

#### CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO <b>PACKET, TABLET</b> (ivacaftor) <sup>QL, AL</sup> ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET <sup>QL, AL</sup> SYMDEKO (tezacaftor/ivacaftor) <sup>QL, AL</sup> TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) <sup>NR,AL</sup>	<ul> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Minimum age: 6 months</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years for tablet</li> <li>Minimum age: 2 years for packet</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Minimum age: 6 years</li> <li>Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene</li> <li>Minimum age: 12</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PENQL HUMIRA (adalimumab)QL OTEZLA (apremilast) ORALCL,QL	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) <sup>QL</sup> COSENTYX (secukinumab) <sup>CL</sup> ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL <sup>CL,QL</sup> ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib, <sup>CL,QL</sup> SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) <sup>AL</sup> TREMFYA (guselkumab) <sup>QL</sup> XELJANZ (tofacitinib) ORAL <sup>CL,QL</sup> XELJANZ XR (tofacitinib) ORAL <sup>CL,QL</sup>	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required.</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis.</li> <li>Drug-specific criteria:         <ul> <li>Otezla: Requires a trial of Humira</li> <li>Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies.</li> <li>Rinvoq, Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **DIURETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	NT PRODUCTS	<ul> <li>Non-preferred agents will be</li> </ul>
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic for Diuril) furosemide SOLUTION, TABLET   (generic for Lasix) hydrochlorothiazide CAPSULE,     TABLET (generic for Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic for Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic for Inspra) ethacrynic acid CAPSULE (generic for Edecrin)) methyclothiazide TABLET triamterene (generic for Dyrenium)	approved for patients who have failed a trial of <b>TWO</b> preferred agents within this drug class
COMBINATIO	N PRODUCTS	•
amiloride/HCTZ <b>TABLET</b> spironolactone/HCTZ <b>TABLET</b> (generic for Aldactazide) triamterene/HCTZ <b>CAPSULE, TABLET</b> (generic for Dyazide, Maxzide (25))		

# **ENZYME REPLACEMENT, GAUCHERS DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) <sup>CL</sup>	CERDELGA (eliglustat) miglustat (generic Zavesca)	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Drug-specific criteria:</li> <li>Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

# EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.)	epinephrine (generic for Adrenaclick) epinephrine (TRUE GENERIC for Epipen/Epipen Jr.) EPIPEN EPIPEN JR. SYMJEPI	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate  Brand name product may be authorized in event of documented national shortage of generic product.

#### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
iprofloxacin (generic for Cipro) evofloxacin <b>TABLET</b> (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Levofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup>	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLETQL SYMPROIC (naldemedine) TRULANCE (plecanatide) VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik</li> <li>Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic noncancer pain after trial on at least TWO OTC laxatives and failure of Movantik</li> <li>Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)  GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) QL ADVAIR HFA (fluticasone/salmeterol) QL DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) <sup>AL,CL</sup> ARMONAIR RESPICLICK   (fluticasone) <sup>AL</sup> ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) <sup>CL,AL,QL</sup> FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone) HODILATOR COMBINATIONS BREO ELLIPTA (fluticasone/vilanterol) Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus) <sup>QL</sup> fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/   umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus) <sup>QL</sup>	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months  Drug-specific criteria:  • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the last 6 months.
INHALATION SOLUTION		
	budesonide <b>RESPULES</b> (generic for Pulmicort)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

# **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR, SYRUP hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET	cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate   (generic for Millipred/Veripred) prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older</li> <li>Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient</li> </ul>

#### **GROWTH HORMONE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

#### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	·	Prior Authorization/Class Criteria  Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
FAC	FOR IX	
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIA AND PROTHROME	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
CORIFACT <sup>CL</sup>	XIII PRODUCTS  COAGADEX <sup>CL</sup> TRETTEN <sup>CL</sup>	
VON WILLEBRAND PRODUCTS		
VONVENDI <sup>CL</sup> WILATE		
BISPECIFIC FACTORS		
	HEMLIBRA <sup>CL</sup>	

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTING ANTI-VIRAL		Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) <sup>CL</sup> VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) <sup>CL</sup>		Hepatitis C Criteria  Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient  Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor  Drug-specific criteria:Trial with Mavyret not required in the following:  Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin
		• Harvoni:
ribavirin 200mg TABLET, CAPSULE  INTERI  PEGASYS (pegylated interferon alfa- 2a) CL  PEG-INTRON (pegylated interferon alfa- 2b) CL	REBETOL (ribavirin)	<ul> <li>For genotype 1 with decompensated cirrhosis along with ribavirin</li> <li>Post liver transplant for genotype 1 or 4</li> <li>For pediatric patients ages 3 to 11 years old with FDA indications</li> <li>Sovaldi:         <ul> <li>For pediatric patients ages 3 to 11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin</li> </ul> </li> <li>Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine SYRUP, TABLET (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE, (generic for Zantac)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment</li> <li>nizatadine/cimetidine solution/famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used ***famotidine suspension is authorized during national shortage of ranitidine syrup.***</li> </ul> </li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Au	thorization/Class Criteria
CCR5 ANT	AGONISTS		erred agents will be
SELZENTRY SOLN, TAB (maraviroc)		diagnosis	for patients who have a s of HIV/AIDS and patient
FUSION IN	IHIBITORS	specific of preferred	documentation of why the I products within this drug
FUZEON <b>SUB-Q</b> (enfuvirtide) <sup>QL</sup>		class are patient, i	not appropriate for ncluding, but not limited resistance or concomitant
INTEGRASE STRAND TRAN	SFER INHIBITORS (INSTIS)	condition	s not recommended with
ISENTRESS CHEW TAB, POWDER PACK, TAB (raltegravir) ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)		<ul> <li>Patients the time change v therapy</li> <li>Diagnosi</li> <li>OR</li> </ul>	Diagnosis of HIV/AIDS required R Pre and Post Exposure
NON-NUCLEOSIDE REVERSE TRAI	NSCRIPTASE INHIBITORS (NNRTIS)	. i iopiiyia	AIS
	efavirenz (generic for Sustiva) nevirapine <b>TAB</b> (generic for Viramune) nevirapine ER (generic for Viramune XR) RESCRIPTOR (delavirdine) VIRAMUNE <b>SUSP</b> (nevirapine)		
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIs)		
abacavir SOLN, TAB (generic for Ziagen) EMTRIVA CAP, SOLN (emtricitabine) lamivudine SOLN, TAB (generic for Epivir) zidovudine CAP, SYRUP, TAB (generic for Retrovir)	didanosine <b>CAP</b> DR (generic for Videx EC) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine <b>CAP</b> (generic for Zerit) VIDEX <b>SOLN</b> (didanosine) ZIAGEN (abacavir)		

PDL Update March 1, 2020 Highlights indicated change from previous posting

# HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NUCLEOTIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NRTIs)	
tenofovir disoproxil fumarate  TAB (generic for Viread)		
PHARMACO	(INETIC ENHANCER	
TYBOST (cobicistat) <sup>QL</sup>		
PROTEA	SE INHIBITORS	
atazanavir <b>CAP</b> (generic for Reyataz) LEXIVA <b>SUSP</b> , <b>TAB</b> (fosamprenavir) NORVIR <b>TAB</b> (ritonavir) PREZISTA <b>SUSP</b> , <b>TAB</b> darunavir)	APTIVUS CAP, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic for Lexiva) INVIRASE (saquinavir) NORVIR POWDER PACK NORVIR SOLN (ritonavir) REYATAZ POWDER PACK (atazanavir) ritonavir TAB (generic for Norvir) VIRACEPT (nelfinavir)	
COMBINATION NUCLEOS(T)IDE F	REVERSE TRANSCRIPTASE INHIBITORS	
Epzicom) abacavir/lamivudine/zidovudine (generic for Trizivir)	COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir disoproxil fumarate) <sup>NR,QL</sup> TRIZIVIR (abacavir/ lamivudine/zidovudine)	

PDL Update March 1, 2020 Highlights indicated change from previous posting

# HIV / AIDS<sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus INETIC ENHANCER	
EVOTAZ(atazanavir sulfate/cobicistat) <sup>QL</sup> KALETRA <b>TAB</b> (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) <sup>QL</sup> lopinavir/ritonavir <b>SOLN</b> (generic for Kaletra)	KALETRA <b>SOLN</b> (lopinavir/ritonavir)	
COMBINATION PRODU	ICTS – MULTIPLE CLASSES	_
ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz)  BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) <sup>QL</sup> COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate)  DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate) <sup>QL</sup> GENVOYA (elvitegravier/cobicistat/emtricitabine/tenofovir alafenamide) <sup>QL, AL</sup> ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide) <sup>QL</sup> STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir disoproxil fumarate) <sup>QL</sup> SYMFI (efavirenz/lamivudine/tenofovidisoproxil fumarate) <sup>QL</sup> SYMFI LO (efavirenz/lamivudine/tenofovir disoproxil fumarate) <sup>QL</sup> SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide) <sup>QL</sup> TRIUMEQ (dolutegravir/abacavir/lamivudine		

PDL Update March 1, 2020 Highlights indicated change from previous posting

## HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

## HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) <sup>CL</sup>	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE <b>PEN</b> (exenatide) <sup>QL</sup> OZEMPIC (semaglutide) RYBELSUS (semaglutide) <sup>NR</sup> TANZEUM (albiglutide) TRULICITY (dulaglutide)  A COMBINATIONS  SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	trial and diagnosis of diabetes  Non-preferred agents will be approved for patients who have:  Failed a trial of TWO preferred agents within GLP-1 RA  AND  Diagnosis of diabetes with HbA1C ≥ 7 AND  Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	0 0 ,	
	SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during initiation of therapy</li> </ul>
DIPEPTIDYL PEPTIDAS	SE-4 (DPP-4) INHIBITOR	<u> </u>
GLYXAMBI (empagliflozin/linagliptin) <sup>QL</sup> JANUMET (sitagliptin/metformin) <sup>QL</sup> JANUMET XR(sitagliptin/metformin) <sup>QL</sup> JANUVIA (sitagliptin) <sup>QL</sup> JENTADUETO (linagliptin/metformin) <sup>QL</sup> TRADJENTA (linagliptin) <sup>QL</sup>	alogliptin (generic for Nesina) <sup>QL</sup> alogliptin/metformin (generic for Kazano) <sup>QL</sup> JENTADUETO XR (linagliptin/metformin) <sup>QL</sup> KOMBIGLYZE XR (saxagliptin/metformin) <sup>QL</sup> ONGLYZA (saxagliptin) <sup>QL</sup> alogliptin/pioglitazone (generic for Oseni) <sup>QL</sup> QTERN (dapagliflozin/saxagliptin) <sup>QL</sup> STEGLUJAN (ertugliflozin/sitagliptin) <sup>QL</sup>	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update March 1, 2020 Highlights indicated change from previous posting

## HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPEN <sup>CL</sup> HUMULIN OTC PEN insulin lispro (generic for Humalog) PEN, VIAL insulin aspart (generic for NOVOLOG) NOVOLIN (insulin) NOVOLIN 70/30 VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin® R U-500 Kwikpen:</li></ul></li></ul>

## **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	<ul> <li>Non-preferred agents will be approved for patients with:</li> <li>Failure of a trial of ONE preferred agent in another Hypoglycemic class OR</li> <li>T2DM and inadequate glycemic control</li> </ul>

## **HYPOGLYCEMICS, METFORMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin) RIOMET ER (metformin ER) <sup>AL</sup>	<ul> <li>Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used</li> <li>Riomet®: Prior authorization not required for age &lt;7 years</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **44** of **77** 

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **HYPOGLYCEMICS, SGLT2**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKANA (canagliflozin) <sup>CL</sup> JARDIANCE (empagliflozin) <sup>QL, CL</sup>	INVOKAMET & XR	<ul> <li>Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin</li> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

## **HYPOGLYCEMICS, SULFONYLUREAS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

## **HYPOGLYCEMICS, TZD**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		<ul> <li>Non-preferred agents will be</li> </ul>
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

#### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) <sup>CL</sup>	ESBRIET (pirfenidone)	<ul> <li>Non-preferred agent requires trial of preferred agent within this drug class</li> <li>FDA approved indication required – ICD-10 diagnosis code</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Update March 1, 2020 Highlights indicated change from previous posting

# IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) <sup>CL</sup> EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) <sup>CL</sup>	<ul> <li>Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class</li> <li>Drug-specific criteria:</li> <li>Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid</li> </ul>

## **IMMUNOMODULATORS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic for Neoral) mycophenolate mofetil CAPSULE, TABLET (generic for Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic for Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate mofetil SUSPENSION (generic for Cellcept) mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKETNR RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus (generic for Rapamune) SOLUTION, TABLET ZORTRESS (everolimus)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class  Patients established on existing therapy will be allowed to continue

## **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS*	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) DYMISTA (azelastine/fluticasone) olopatadine (generic for Patanase)	<ul> <li>Drug-specific criteria:</li> <li>mometasone: Prior authorization NOT required for children ≤ 12 years</li> <li>budesonide: Approved for use in Pregnancy (Pregnancy Category</li> </ul>
CORTICOS	STEROIDS	В)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	<ul> <li>Veramyst®: Prior authorization NOT required for children ≤ 12 years</li> <li>Xhance: Indicated for treatment or nasal polyps in ≥ 18 years only</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair)	montelukast <b>GRANULES</b> (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>montelukast granules:</li> <li>PA not required for age &lt; 2 years</li> </ul> </li> </ul>

#### LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin hcl) CAPSULE - CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update March 1, 2020 Highlights indicated change from previous posting

## LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		<ul> <li>Non-preferred agents will be approved for</li> </ul>
cholestyramine (generic for Questran) colestipol <b>TABLETS</b> (generic for Colestid)	colesevelam (generic for Welchol)  TABLET, PACKET  colestipol GRANULES (generic for  Colestid)  QUESTRAN LIGHT (cholestyramine)	patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	<ul> <li>hypercholesterolemia (HoFH) OR</li> <li>Treatment failure/maximized</li> </ul>
	JUXTAPID (Iomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup>	dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid
FIBRIC ACID	DERIVATIVES	derivatives, omega-3 agents, bile acid sequestrants
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix)	Require faxed copy of REMS PA form  Lovaza®: Approved for TG ≥ 500  Praluent®: Approved for diagnoses of:  atherosclerotic cardiovascular disease (ASCVD)
NIA	CIN	heterozygous familial
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	hypercholesterolemia (HeFH)  AND  Maximized high-intensity statin WITH ezetimibe for at 3 continuous months
	d fish oil are also covered without prior licaid with a prescription*	<ul> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100</li> </ul>
OMEGA-3 F	ATTY ACIDS	mg/dL  Repatha®: Approved for:
CUOL ECTEROL ARCO	omega-3 fatty acids (generic for Lovaza) <sup>CL</sup> VASCEPA (icosapent) <sup>CL</sup>	adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)     heterozygous familial hypercholesterolemia (HeFH)
	ORPTION INHIBITORS	homozygous familial
	BTILISIN/KEXIN TYPE 9 (PCSK9) BITORS	hypercholesterolemia (HoFH) in age ≥ 13 • statin-induce rhabdomyolysis
	PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	<ul> <li>AND</li> <li>Maximized high-intensity statin WITH ezetimibe for 3+ continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Concurrent use of maximally-tolerated statin must continue</li> <li>Vascepa®: Approved for TG ≥ 500</li> <li>WelChol®: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	TINS  ALTOPREV (lovastatin ER) <sup>CL</sup> EZALLOR SPRINKLE	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within</li> </ul>
pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	(rosuvastatin) <sup>NR,QL</sup> fluvastatin/ER (generic for Lescol/XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	<ul> <li>the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altoprev®: One of the TWO trials must be IR lovastatin</li> </ul>
STATIN COI	MBINATIONS	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>
	atorvastatin/amlodipine (generic for Caduet) simvastatin/ezetimibe (generic for Vytorin)	<ul> <li>Lescol XL®: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>Vytorin®: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

## **MACROLIDES AND KETOLIDES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETO	KETEK (telithromycin)	• <b>Ketek</b> ®: Requires clinical reason why patient cannot use preferred
MACR	OLIDES	<ul><li>macrolide</li><li>Macrolides: Require clinical</li></ul>
azithromycin (generic for Zithromax) clarithromycin <b>TABLET</b> , <b>SUSPENSION</b> (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL)  E.E.S. SUSPENSION, TABLET  ERY-TAB  ERYPED SUSPENSION  ERYTHROCIN  erythromycin base TABLET,  CAPSULE  erythromycin ethylsuccinate  SUSPENSION  ZITHROMAX (azithromycin)	reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	<ul> <li>Non-preferred agents will be approved for FDA-approved indications</li> <li>Drug-specific criteria:</li> <li>Xatmep<sup>TM</sup>:Indicated for pediatric patients only</li> </ul>

## **MOVEMENT DISORDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) <sup>CL</sup> IN tetrabenazine (generic for Xenazine) <sup>CL</sup>	NGREZZA (valbenazine) <sup>CL</sup> CAP, INITIATION PACK	Non-preferred agent requires trial of Austedo
		All drugs require an FDA approved indication – ICD-10 diagnosis code required.
		<ul> <li>Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease</li> <li>Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo</li> <li>tetrabenazine:Diagnosis of chorea with Huntington's</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE <b>20mg</b> Syringe Kit (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL</sup> REBIF (interferon beta-1a) <sup>QL</sup> TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra) <sup>QL</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) <sup>QL</sup> MAVENCLAD (cladribine) <sup>NR</sup> MAYZENT (siponimod) <sup>NR,QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> VUMERITY (diroximel) <sup>NR,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Plegridy: Approved for diagnosis of relapsing MS</li> </ul> </li> </ul>

## **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)		Non-preferred agents will be approved for patients who have failed a trial of <b>ONE</b> preferred agent within this drug class

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **NSAID**

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **NSAID (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	VE (continued)	
	ALL BRAND NAME NSAIDs including:  CAMBIA (diclofenac oral solution)  DUEXIS (ibuprofen/famotidine)  SPRIX (ketorolac) <sup>QL</sup> TIVORBEX (indomethacin)  VIMOVO (naproxen/esomeprazole)  VIVLODEX (meloxicam submicronized)  ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs     Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used     Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECTA	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

## **NSAIDS. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution)  FLECTOR <b>PATCH</b> (diclofenac)  PENNSAID <b>PACKET</b> , <b>PUMP</b> (diclofenac)  VOLTAREN <b>GEL</b> (diclofenac)	<ul> <li>Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial or oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form</li> </ul>

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, BREAST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
IBRANCE (palbociclib)	NHIBITOR  KISQALI (ribociclib)  KISQALI FEMARA CO-PACK  VERZENIO (abemaciclib)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
cyclophosphamide XELODA (capecitabine)	CHERAPY  capecitabine (generic for Xeloda) <sup>CL</sup>	<ul> <li>Drug-specific critera</li> <li>anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> </ul>
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen) <sup>CL</sup> toremifene (generic for Fareston) <sup>CL</sup>	<ul> <li>capecitabine: Requires trial of Xeloda or clinical reason Xeloda cannot be used</li> <li>Fareston®: Require clinical reason why tamoxifen cannot be used</li> <li>letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved</li> </ul>
OTI	NERLYNX (neratinib) PIQRAY (alpelisib) TYKERB (lapatinib) TALZENNA (talazoparib tosylate) QL	for short term use  Soltamox: May be approved with documented swallowing difficulty

# Nebraska Medicaid Preferred Drug List

# with Prior Authorization Criteria

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use</li> </ul>
А	ML	from current treatment guidelines
IMBRUVICA (irutinib) LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	DAURISMO (glasdegib maleate) <sup>QL</sup> IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) <sup>QL</sup> XOSPATA (gilteritinib) <sup>QL</sup> ELL  COPIKTRA (duvelisib) <sup>QL</sup> ZYDELIG (idelalisib)	<ul> <li>Drug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> <li>melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used</li> <li>Tabloid: Prior authorization not required for age &lt;19</li> <li>Tasigna: Patients receiving Tasigna, which changed from</li> </ul>
	ML	preferred to non-preferred on 1-17- 19 will be allowed to continue
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) <sup>GL</sup> MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) <sup>CL</sup>	<ul> <li>therapy</li> <li>Xpovio: Indicated for relapsed or refractory multiple myeloma.</li> <li>Requires concomitant therapy with dexamethasone</li> </ul>
M	PN	
JAKAFI (ruxolitinib)		-
MYE	LOMA	
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) CL	
ОТ	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	BRUKINSA (zanubrutinib) <sup>NR,QL</sup> CALQUENCE (acalabrutinib) <sup>QL</sup> INREBIC (fedratinib dihydrochloride) <sup>QL</sup> ZOLINZA (vorinostat)	

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

#### **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALK	Non-preferred agents DO NOT
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK	( / ROS1 / NTRK	
XALKORI (crizotinib)	ROZLYTREK (entrectinib) AL,QL	
	EGFR	
IRESSA (gefitinib) TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) GILOTRIF (afatinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) <sup>QL</sup>	
	OTHER	
	HYCAMTIN (topotecan)	

## **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) <sup>QL</sup> VITRAKVI (larotrectinib) CAPSULE, SOLUTION <sup>QL</sup>	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ZYTIGA (abiraterone)	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) <sup>QL</sup> nilutamide (generic for Nilandron) NUBEQA (darolutamide) <sup>QL</sup> YONSA (abiraterone acetonide, submicronized)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

## **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR <b>DISPERZ</b> (everolimus) CABOMETYX (cabozantinib) everolimus (generic for Afinitor) INLYTA (axitinib) NEXAVAR (sorafenib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy</li> </ul>

## **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	<ul> <li>Drug-specific critera</li> <li>Odomzo: Patients receiving         Odomzo, which changed from         preferred to non-preferred on 1-17-         19 will be allowed to continue         therapy</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

AL – Age Limit

CL – Prior Authorization / Class Criteria apply

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.2%)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

## **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		<ul> <li>Non-preferred agents will be</li> </ul>
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	approved for patients who have failed a one month trial of TWO preferred agent within this drug
MACRO	DLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGLY	YCOSIDES	
gentamicin <b>SOLUTION</b> tobramycin (generic for Tobrex drops) TOBREX <b>OINTMENT</b> (tobramycin)	gentamicin OINTMENT	
OTHER OPHTH	ALMIC AGENTS	
pacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		Non-preferred agents will be
fluorometholone 0.1% (generic for FML) <b>OINTMENT</b> LOTEMAX <b>SOLUTION</b> (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>
NS	AID	
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

## OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) QL XIIDRA (lifitegrast)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MI	OTICS	<ul> <li>Non-preferred agents will be</li> </ul>
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATH	OMIMETICS	Drug-specific criteria:
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics-
BETA BI	OCKERS	glaucoma within 60 days
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYI	DRASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	
PROSTAGLAN	IDIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINAT	ION DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	
ОТ	HER	
RHOPRESSA (netarsudil) <sup>CL</sup> ROCKLATAN (netarsudil and latanoprost) <sup>CL</sup>		

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine) <sup>QL</sup> ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent  Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv:  Diagnosis of Opioid Use Disorder, NOT approved for pain management  Verification of "X" DEA license number of prescriber  No concomitant opioids  Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient  Drug-specific criteria:  Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

## **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient</li> </ul>

## **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class</li> </ul>

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

## PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) <sup>CL</sup> LETAIRIS (ambrisentan) sildenafil <b>TABLET</b> (generic for Revatio)	ADEMPAS (riociguat) ambrisentan (generic for Letairis) bosentan <b>TABLET</b> (generic for Tracleer) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic for Revatio) (for PAH only) <sup>CL</sup> tadalafil (generic for Adcirca) <sup>CL</sup> TRACLEER <b>TABLETS FOR</b> SUSPENSION (bosentan) UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®:</li></ul></li></ul>

## **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **64** of **77** 

PDL Update March 1, 2020 Highlights indicated change from previous posting

## PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW  child multivitamins chew otc (pedi multivit 19/folic acid) CHEW  CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW  children's chewables otc (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit 19.70 (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit 19.70 (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit 19.70 (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit 19.70 (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit 13.70 (pedi multivit 15.70 (pedi multivit 15.70 (pedi multivit 15.70 (pedi multivit 15.70 (pedi multivit 3.70 (pedi multivit 3	it t

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### **PENICILLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>

## **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET, CAPSULE</b> CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> </ul>

## **PLATELET AGGREGATION INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine) prasugrel (generic for Effient)	aspirin/dipyridamole (generic for Aggrenox) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance</li> <li>Drug-specific criteria:</li> <li>Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

#### PRENATAL VITAMINS

Page **67** of **77** 

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **PROGESTERONE** (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	<ul> <li>When filled as outpatient prescription, use limited to:         <ul> <li>Singleton pregnancy AND</li> <li>Previous Pre-term delivery AND</li> </ul> </li> <li>No more than 20 doses (administered between 16 -36 weeks gestation)</li> <li>Maximum of 30 days per dispensing</li> </ul>

#### PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
meprazole (generic for Prilosec) RX antoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) rabeprazole (generic for Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class</li> <li>Pediatric Patients:         <ul> <li>Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounde suspension.</li> <li>Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:</li></ul></li></ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **SEDATIVE HYPNOTICS**

temazepam 15mg, 30mg (generic for Restoril)  estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)  Tothers  zaleplon (generic for Sonata) zolpidem (generic for Ambien)  BELSOMRA (suvorexant) doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon)  ER: Requires a trial with gene zolpidem within the last 12 mo AND Trial OR Clinical reason of the value of the provide penalty of the penalty of the provide penalty of the penalty of the provide penalty of the penalty of the provide penalty of th	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Requires documentation of swallowing disorder  zolpidem SL (generic for Intermezzo)  **Requires documentation of swallowing disorder*  flurazepam/triazolam: Requiration of swallowing disorder in the swallowing disorder of swallowing disorder of swallowing disorder of swallowing disorder disorder of swallowing disorder disorder of swallowing disorder disorder of swallowing disorder of specification to preferred benzodize, and the title of swallowing disorder of swallowing disorder of specification of swallowing disorder of	temazepam 15mg, 30mg (generic for Restoril)  OTH  zaleplon (generic for Sonata)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)  ERS  BELSOMRA (suvorexant) doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) <sup>CL</sup> ramelteon (generic for Rozerem) zolpidem ER (generic for Ambien CR)	■ Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used ■ Ativan®/Klonopin®/Valium®: Requires trial of generic Approvable for seizure diagnosis and documentation of seizure activity on generic therapy ■ Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder ■ flurazepam/triazolam: Requires trial of preferred benzodiazepine ■ Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used ■ Silenor®: Must meet ONE of the following:  ○ Contraindication to preferred oral sedative hypnotics  ○ Medical necessity for doxepin dose < 10mg  ○ Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) ■ temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used ■ zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg ■ zolpidem SL: Requires clinical reason why half of zolpidem tablet

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **SINUS NODE INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR <b>SOLUTION, TABLET</b> (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

#### **SKELETAL MUSCLE RELAXANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon Forte) cyclobenzaprine (generic for Flexeril) <sup>QL</sup> methocarbamol (generic for Robaxin) tizanidine <b>TABLET</b> (generic for Zanaflex)	carisoprodol (generic for Soma) <sup>CL,QL</sup> carisoprodol compound cyclobenzaprine ER (generic for AMRIX) <sup>CL</sup> dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic for Skelaxin) NORGESIC FORTE   (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Amrix®/Fexmid®: Requires clinical reason why IR cyclobenzaprine cannot be used</li> <li>Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> <li>carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain</li> <li>Use is limited to no more than 30 days</li> <li>Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone®: Requires clinical reason why chlorzoxazone cannot be used</li> <li>Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li></ul></li></ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Update March 1, 2020 Highlights indicated change from previous posting

## STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY •	Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT  (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDILIM	TEXACORT (hydrocortisone)  POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION   (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Update March 1, 2020 *Highlights* indicated change from previous posting

## STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate	drug class
	desoximetasone	
	diflorasone diacetate fluocinonide <b>SOLUTION</b>	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	halcinonide <b>CREAM</b> (generic for Halog)	
	HALOG (halcinonide)	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone <b>SPRAY</b> (generic for Kenalog spray) TRIANEX <b>OINTMENT</b> (triamcinolone)	
	VANOS (fluocinonide)	

#### **VERY HIGH POTENCY**

clobetasol emollient (generic for Temovate-E)

clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION

halobetasol propionate (generic for Ultravate)

APEXICON-E (diflorasone)
BRYHALI (halobetasol prop) LOTION
clobetasol SHAMPOO, LOTION
clobetasol propionate FOAM, SPRAY
CLOBEX (clobetasol)
halobetasol propionate FOAM (generic
for Lexette) AL,QL
LEXETTE(halobetasol propionate) AL,QL
OLUX-E /OLUX/OLUX-E CP

Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

(clobetasol)

PDL Update March 1, 2020 Highlights indicated change from previous posting

## STIMULANTS AND RELATED AGENTS<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
Ampheta	Amphetamine type	
amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADDERALL XR (amphetamine salt combo) ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo)  methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class  Drug-specific criteria:  Procentra®: May be approved with documentation of swallowing disorder  Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

Page **73** of **77** 

PDL Update March 1, 2020 Highlights indicated change from previous posting

# STIMULANTS AND RELATED ADHD DRUGS (Continued)<sup>AL</sup>

(methylphenidate) methylphenidate (generic for Ritalin) methylphenidate 30/70 (generic for Methylphenidate SOLUTION (generic for Methylphenidate ER 10mg, 20mg  (methylphenidate)  DAYTRANA PATCH (methylphenidate)  dexmethylphenidate XR (generic for Focalin XR)  FOCALIN IR (dexmethylphenidate)  JORNAY PM (methylphenidate)  JORNAY PM (methylphenidate)  JORNAY PM (methylphenidate)  May be approved documentation of swallowing	tients who have WO preferred
(generic for Ritalin SR, Metadate ER)  methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)  methylphenidate ER (generic for Ritalin SR)  methylphenidate ER 72mg (generic for RELEXXI) <sup>QL</sup>	a:  / be approved in ance use disorder giver, or patient.  d with
ER) Ritalin SR) methylphenidate ER 18mg, 27mg, methylphenidate ER 72mg (generic for	

PDL Update March 1, 2020 Highlights indicated change from previous posting

# STIMULANTS AND RELATED ADHD DRUGS (Continued)<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv) <sup>QL</sup>	clonidine ER (generic for Kapvay) <sup>CL</sup> STRATTERA (atomoxetine)	-clonidine IR are available without prior authorization
		Drug-specific criteria:
		armodafinil and Sunosi: Require
ANAL	EPTICS	trial of modafinil armodafinil and modafinil:
	armodafinil (generic for Nuvigil) <sup>CL</sup>	approved only for:
	modafanil (generic for Provigil) <sup>CL</sup> SUNOSI (solriamfetol) <sup>CL,QL</sup> WAKIX (pitolisant) <sup>NR,CL,QL</sup>	<ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> </ul>
		<ul> <li>Narcolepsy with documentation of diagnosis via sleep study</li> </ul>
		<ul> <li>Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift</li> </ul>
		<ul> <li>Sunosi approved only for:         <ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> </ul> </li> <li>Wakix: approved only for excessive</li> </ul>
		daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic for Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP (generic for Vibramycin 25MG) doxycycline monohydrate TAB minocycline HCL CAPSULE (generic for Minocin, Dynacin) minocycline HCL TABLET (generic for Dynacin, Myrac)	demeclocycline (generic for Declomycin) <sup>CL</sup> DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic for Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa, Monodox, Oracea) minocycline HCL ER (generic for Solodyn)  NUZYRA (omadacycline) tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) CAPSULE.QL	<ul> <li>Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used</li> <li>Vibramycin® suspension: May be approved with documented swallowing difficulty</li> </ul> </li> </ul>

## **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic for Synthroid) liothyronine <b>TABLET</b> (generic for Cytomel) thyroid, pork <b>TABLET</b>	EUTHYROX (levothyroxine) <sup>NR</sup> LEVO-T (levothyroxine) THYROLAR <b>TABLET</b> (liotrix) TIROSINT <b>TABLET</b> (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Tirosint-Sol: May be approved with documented swallowing difficulty</li> </ul>

PDL Update March 1, 2020 Highlights indicated change from previous posting

## **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic for Apriso) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine (generic for Delzicol) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used  Giazo®: Requires clinical reason
RECTAL		why generic balsalazide cannot be
CANASA (mesalamine) mesalamine <b>ENEMA</b> (generic Rowasa)	mesalamine <b>SUPPOSITORY</b> (generic for Canasa) UCERIS (budesonide)	used NOT covered in females

## **UTERINE DISORDER TREATMENT - ENDOMETRIOSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium)QL,CL (must have an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive before approval)		Drug-specific criteria:  Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

#### **VASODILATORS. CORONARY**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR and Isordil) isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/hydralazine) <sup>CL</sup> GONITRO (nitroglycerin) NITRO-BID <b>OINTMENT</b> (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic for Nitrolingual) NITROMIST (nitroglycerin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit