

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

# Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated April 1, 2020 *Highlights* indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

#### Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: <u>https://nebraska.fhsc.com/priorauth/paforms.asp</u>

- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PDL Update April 1, 2020 Highlights indicated change from previous posting

# ACNE AGENTS, TOPICAL

AZELEX (zelaic acid) benzovj peroxide GEL, WASH, LOTION OTC Gindamycinchenzovj peroxide (generic for Duac) Gindamycin phosphate PLEDGET, SOLUTION DIFFERIN GEL OTC (adapalene) eythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH GEL OTC (adapalene) eythromycin SOLUTION DIFFERIN GEL OTC (adapalene) BENZAPRO (benzovj peroxide) BENZAPRO (benzovj peroxide) Cindamycin/benzovj peroxide (generic for Aczone) EPIDUO FORTE GEL WPUMP erythromycin-benzovj peroxide (generic for Aczone) EPIDUO FORTE GEL WPUMP erythromycin-benzovj peroxide (generic for Aczone) EVOCLIN (clindamycin/benzovj peroxide) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB sulfacetamide/sulfur) SUMADAN (sulfacetamide/sulfur) tazarotene CREAM (generic for Retin-A Micro) <sup>14</sup> .	Droforred Agents	Non Proformed Agents	Prior Authorization/Class Criteria
benzoy i peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) Gindamycin/benzoyl peroxide (generic Gindamycin/benzoyl peroxide) DIFFERIN GEL OTC (adapalene) erythomycin SoLUTION PANOXY1 10% ACNE FOAMING WASH (benzoyl peroxide) OTC RETIN-A GEL, CREAM <sup>AL</sup> BENZAPRO (benzoyl peroxide) BENZAPRO (benzoyl peroxide) BE	Preferred Agents	Non-Preferred Agents	
	benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamycin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) DIFFERIN GEL OTC (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC	<ul> <li>W/PUMP, SOLUTION</li> <li>adapalene/benzoyl peroxide (generic EPIDUO)</li> <li>AKLIEF (trifarotene)<sup>NR, AL</sup></li> <li>ALTRENO (tretinoin)<sup>AL</sup></li> <li>AMZEEQ (minocycline)<sup>NR</sup> FOAM</li> <li>ARAZLO (tazarotene) LOTION<sup>AL</sup></li> <li>ATRALIN (tretinoin)</li> <li>AVAR (sulfacetamide sodium/sulfur)</li> <li>AVITA (tretinoin)</li> <li>BENZACLIN W/PUMP         <ul> <li>(clindamycin/benzoyl peroxide)</li> <li>BENZAPRO (benzoyl peroxide)</li> <li>benzoyl peroxide CLEANSER, CLEANSING BAR (OTC)</li> <li>benzoyl peroxide FOAM (generic for Benzepro Foam)</li> <li>benzoyl peroxide GEL (Rx)</li> <li>clindamycin/benzoyl peroxide (generic for Acanya, Benzaclin)</li> <li>clindamycin/tretinoin (generic for Veltin, Ziana)</li> <li>dapsone (generic for Aczone)</li> <li>EPIDUO FORTE GEL W/PUMP</li> <li>erythromycin-benzoyl peroxide (generic for Benzamycin)</li> <li>EVOCLIN (clindamycin)</li> <li>FABIOR (tazarotene foam)</li> <li>NEUAC (clindamycin/benzoyl peroxide)</li> <li>ONEXTON (clindamycin/benzoyl peroxide)</li> <li>OVACE PLUS (sulfacetamide sodium)</li> <li>PLIXDA (adapalene) SWAB sulfacetamide</li> <li>sulfacetamide/sulfur</li> <li>SUMADAN (sulfacetamide/sulfur)</li> <li>tazarotene CREAM (generic Tazorac)</li> <li>TRETIN-X (tretinoin)</li> <li>tretinoin microspheres (generic for</li> </ul></li></ul>	approved for patients who have failed THREE preferred agents within this drug class

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ALZHEIMER'S AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTER	ASE INHIBITORS	Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) <b>SOLUTION, TABLET</b> galantamine ER (generic for Razadyne	<ul> <li>approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months</li> <li>OR</li> </ul>
	ER) rivastigmine (generic for Exelon)	<ul> <li>Current, stabilized therapy of the non-preferred agent within the previous 45 days</li> </ul>
NMDA RECEPTO	DR ANTAGONIST	_
	memantine ER (generic for Namenda XR) memantine <b>SOLUTION</b> (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

## ANALGESICS, OPIOID LONG-ACTING

	Preferred Agents	Prior Authorization/Class Criteria	
transdermal)BELBUCA (buprenorphine, buccal)does not recommend long acting opioids when beginning opioid treatment.EMBEDA (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCHbuprenorphine TRANSDERMAL (generic for Butrans)does not recommend long acting opioids when beginning opioid treatment.morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN (oxycodone ER)DURAGESIC MATRIX (fentanyl)-Preferred agents require previo use of a long acting opioid or documentation of a trial on a s acting agent within 90 daysOXYCONTIN (oxycodone ER)hydrocodone bitartrate ER (generic for Exalgo)-Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug classMORPHABOND ER (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian)Drug-specific criteria:•Methadone: Care ••Mothadone: Will only be approved for use in pain contract	transdermal) <sup>QL</sup> BEDA (morphine sulfate/ naltrexone) anyl 25, 50, 75, 100 mcg <b>PATCH</b> <sup>QL</sup> phine ER <b>TABLET</b> (generic for MS Contin, Oramorph SR) 'CONTIN (oxycodone ER)	<ul> <li>Preferred agents require previou use of a long acting opioid or documentation of a trial on a sho acting agent within 90 days</li> <li>Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Methadone: Will only be approved for use in pain control end of life care. Trial of preferre agent not required for end of life care</li> <li>Oxycontin<sup>®</sup>: Pain contract required for maximum quantity</li> </ul>	us ort ort

PDL Update April 1, 2020 Highlights indicated change from previous posting

## ANALGESICS. OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	DRAL	<ul> <li>Non-preferred agents will be</li> </ul>
acetaminophen/codeine ELIXIR, TABLET codeine ORAL	APADAZ (benzhydrocodone/APAP) <sup>CL</sup> benzhydrocodone/APAP (generic for Apadaz <sup>,CL</sup>	approved for patients who have failed THREE preferred agents within this drug class within the las 12 months
hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET bxycodone TABLET, SOLUTION bxycodone/APAP tramadol <sup>AL</sup>	<ul> <li>butalbital/caffeine/APAP         w/codeine</li> <li>butalbital compound w/codeine         (butalbital/ASA/caffeine/codeine)</li> <li>carisoprodol compound-codeine         (carisoprodol/ASA/codeine)</li> <li>dihydrocodeine/acetamin/caffeine</li> <li>dihydrocodeine/aspirin/caffeine</li> <li>(generic for Synalgos DC)</li> <li>FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine)</li> <li>hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid)</li> <li>IBUDONE (hydrocodone/ibuprofen)</li> <li>levorphanol</li> <li>meperidine (generic for Demerol)</li> <li>morphine SUPPOSITORIES</li> <li>NALOCET (oxycodone/APAP)</li> </ul>	<ul> <li>Note: for short acting opiate tablet and capsules there is a maximum quantity limit of #150 per 30 days.</li> <li>Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of         <ul> <li>prescriptions limited to a 7 day supply, AND</li> <li>initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day</li> </ul> </li> <li>These limits may only be exceede with patient specific documentatio of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia or prescriber attestation that patient is not recently opiate naive</li> </ul>
	<ul> <li>NUCYNTA (tapentadol)<sup>CL</sup></li> <li>OXAYDO (oxycodone)<sup>CL</sup></li> <li>oxycodone CAPSULE</li> <li>oxycodone/acetaminophen</li> <li>SOLUTION</li> <li>oxycodone/aspirin</li> <li>oxycodone CONCENTRATE</li> <li>oxycodone/ibuprofen (generic for Combunox)</li> <li>oxymorphone (generic for Opana)</li> <li>pentazocine/naloxone</li> <li>PRIMLEV (oxycodone/acetaminophen)</li> <li><i>PROLATE®</i> (oxycodone/acetaminophen)<sup>NR</sup></li> <li>ROXICODONE TABLET (oxycodone)</li> <li>ROXYBOND (oxycodone)</li> <li>tramadol/APAP (generic for Ultracet)</li> <li>XARTEMIS XR (oxycodone/acetaminophen)</li> <li>ZAMICET (hydrocodone/acetaminophen)</li> </ul>	<ul> <li>Drug-specific criteria:</li> <li>Abstral®/Actiq®/Fentora®/ Onsolis (fentanyl): Approved onl for diagnosis of cancer AND current use of long-acting opiate</li> <li>Apadaz: Approval for 14 days or less</li> <li>Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less</li> <li>Tramadol/APAP: Clinical reason why individual ingredients can't be used</li> <li>Xartemis XR®: Approved only for diagnosis of acute pain</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $\frac{QL}{Q} - Quantity/Duration Limit$ 

NR – Product was not reviewed - New Drug criteria will apply

PDL Update April 1, 2020 Highlights indicated change from previous posting

# ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol <b>NASAL SPRAY<sup>QL</sup></b> LAZANDA (fentanyl citrate)	
BUCCAL/TRA	ANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL	

#### **ANDROGENIC DRUGS (Topical)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
testosterone gel <b>PACKET, PUMP</b> (generic for Vogelxo) <sup>CL</sup>	ANDRODERM (testosterone) NATESTO (testosterone) testosterone gel <b>PACKET, PUMP</b> (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim)	<ul> <li>Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause</li> <li>In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Androderm®/Androgel®: Approved for Males only</li> <li>Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) <b>ORAL</b> <b>SOLUTION</b> fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) <b>ORAL</b> <b>SOLUTION</b> trandolapril (generic for Mavik)	<ul> <li>approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> <li>Drug-specific criteria:</li> </ul>
ACE INHIBITOR/DIURETIC COMBINATIONS		<ul> <li>Epaned<sup>®</sup> and Qbrelis<sup>®</sup> Oral Solution: Clinical reason why oral</li> </ul>
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REG	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) Iosartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
, i i i i i i i i i i i i i i i i i i i	, in the second s	
ANGIOTENSIN RECEPTOR BLO	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone)	failed TWO preferred agents within this drug class within the last 12 months
	olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for Micardis-HCT)	Non-preferred combination products may be covered as individual prescriptions without prior authorization
	I MODULATOR/	Angiotensin Modulator/Calcium
	OCKER COMBINATIONS	Channel Blocker Combinations:
amlodipine/benazepril (generic for Lotrel)	amlodipine/olmesartan (generic for Azor)	Combination agents may be approved if there has been a trial and failure of preferred agent
amlodipine/valsartan (generic for Exforge)	amlodipine/olmesartan/HCTZ (generic for Tribenzor)	
amlodipine/valsartan/HCTZ (generic for Exforge HCT)	amlodipine/telmisartan (generic for Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic for Tarka)	
		Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
DIRECT RENI	N INHIBITORS	May be approved witha history of
	aliskiren (generic for Tekturna) <sup>QL</sup>	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIBITOR COMBINATIONS		within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBITOR COMBINATION		
ENTRESTO (sacubitril/valsartan) <sup>CL</sup>		
ANGIOTENSIN RECEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS		
	BYVALSON (nevibolol/valsartan)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

<sup>NR</sup> – Product was not reviewed - New Drug criteria will apply

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ANTHELMINTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	EMVERM (mebendazole) praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

### ANTI-ALLERGENS, ORAL

	ation/Class Criteria
pollen allergen extract) PALFORZIA <sup>NR,AL</sup> (peanut allergen powder-dnfp) Patient has failure with to: antihist montelukas Clinical rea allergy sho Drug-specific criter ORALAIR • Confirmed or in vitro t specific Ig Sweet Ven Perennial F Kentucky E Pollens.	ason as to why ots cannot be used. ria: I by positive skin test testing for pollen- E antibodies for rnal, Orchard, Rye, Timothy, and Blue Grass Mixed patients 10 through

Page **9** of **78** 

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **ANTIBIOTICS, GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) <b>SUSPENSION</b> DIFICID (fidaxomicin) FLAGYL ER (metronidazole) metronidazole <b>CAPSULE</b> paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) vancomycin <b>CAPSULE</b> (generic for Vancocin) XIFAXAN (rifaximin)	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Drug-specific criteria:         <ul> <li>Alinia<sup>®</sup>: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Dificid<sup>®</sup>: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis)</li> <li>Flagyl ER<sup>®</sup>: Trial and failure with metronidazole is required</li> <li>Flagyl<sup>®</sup>/Metronidazole 375mg capsules and Flagyl ER<sup>®</sup>/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used</li> <li>tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia</li> <li>Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis</li> <li>vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient</li> <li>Xifaxan<sup>®</sup>: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil<sup>®</sup> AND Imodium<sup>®</sup></li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) <sup>CL</sup> KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	ARIKAYCE (amikacin liposomal inh) <sup>CL</sup> SUSPENSION CAYSTON (aztreonam lysine) <sup>QL,CL</sup> tobramycin (generic for Tobi)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09</li> <li>Drug-specific criteria:</li> <li>Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy</li> <li>Cayston<sup>®</sup>: Trial of tobramycin via nebulizer and demonstration of TOBI<sup>®</sup> compliance required</li> <li>Tobi Podhaler<sup>®</sup>: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used</li> </ul>

## **ANTIBIOTICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic for Polysporin) mupirocin <b>OINTMENT</b> (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altabax<sup>®</sup>: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used</li> <li>Mupirocin<sup>®</sup> Cream: Clinical reason the ointment cannot be</li> </ul>
		used

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	CLEOCIN <b>CREAM</b> (clindamycin) METROGEL (metronidazole, vaginal)	<ul> <li>Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months</li> </ul>

## **ANTICOAGULANTS**

enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) fondaparinux (generic for Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup>	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) <sup>CLon2.5mg,QL</sup>	fondaparinux (generic for Arixtra) FRAGMIN (dalteparin)	<ul> <li>approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Drug-specific criteria: <ul> <li>Coumadin<sup>®</sup>: Clinical reason generic warfarin cannot be used</li> <li>Savaysa<sup>®</sup>: Approved diagnoses include:</li> <li>Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy</li> <li>Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery</li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		<ul> <li>Non-preferred agents will be</li> </ul>
dronabinol (generic for Marinol) <sup>AL</sup>	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT	OR BLOCKERS	group
ondansetron (generic for Zofran) <sup>QL</sup> ondansetron ODT (generic for Zofran) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	<ul> <li>Drug-specific criteria:</li> <li>Akynzeo®/Emend<sup>®</sup>/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with</li> </ul>
NK-1 RECEPTO	R ANTAGONIST	dexamethasone and a 5-HT3 antagonist WITHOUT trial of
	aprepitant (generic for Emend) <sup>QL,CL</sup> AKYNZEO (netupitant/palonosetron) <sup>CL</sup> VARUBI (rolapitant) <b>TABLET</b> <sup>CL</sup>	preferred agents <u>Regimens include</u> : AC combinatior (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin,
TRADITIONAL ANTIEMETICS		Amifostine, Arsenic trioxide, Azacitidine, Bendamustine,
DICLEGIS (doxylamine/pyridoxine) <sup>CL,QL</sup> dimenhydrinate (generic for Dramamine) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose <b>SOLUTION</b> (generic for Emetrol) prochlorperazine, oral (generic for Compazine) promethazine, oral (generic for Phenergan) promethazine <b>SUPPOSITORIES</b>	BONJESTA (doxylamine/pyridoxine) <sup>,CL,QL</sup> COMPRO (prochlorperazine rectal) doxylamine/pyridoxine (generic for Diclegis) <sup>CL,QL</sup> metoclopramide ODT(generic for Metozolv ODT) prochlorperazine <b>SUPPOSITORIES</b> (generic for Compazine) promethazine <b>SUPPOSITORIES</b> 50mg scopolamine transdermal trimethobenzamide, oral (generic for	Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide
<sup>.</sup> 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	Tigan)	<ul> <li>Metozolv ODT<sup>®</sup>: Documentation o inability to swallow or Clinical reason oral liquid cannot be used</li> <li>Sancuso<sup>®</sup>/Zuplenz<sup>®</sup>:</li> </ul>

Documentation of oral dosage form intolerance

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic for Diflucan) griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic for Lamisil)	Non-Preferred Agents CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic for Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) <sup>CL</sup> ketoconazole (generic for Nizoral) nystatin <b>POWDER</b> , oral ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic for Noxafil) <sup>AL,CL</sup> TOLSURA (itraconazole) <sup>CL</sup> voriconazole (generic for VFEND) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis</li> <li>Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections</li> <li>Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs.</li> </ul> </li> </ul>
		<ul> <li>Onmel<sup>®</sup>: Requires trial and failure or contraindication to terbinafine</li> <li>Sporanox<sup>®</sup>/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole</li> </ul>
		<ul> <li>Sporanox<sup>®</sup>: Requires trial and failure of generic itraconazole</li> <li>Sporanox<sup>®</sup> Liquid: Clinical reason solid oral cannot be used</li> <li>Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itragenezato</li> </ul>
		<ul> <li>failure of generic itraconazole</li> <li>Vfend<sup>®</sup>: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

<sup>NR</sup> – Product was not reviewed - New Drug criteria will apply

Page **14** of **78** 

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	<ul> <li>Non-preferred agents will be</li> </ul>
-	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for	
	SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic for Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic for Vusion) naftifine CREAM, GEL (generic for Naftin) oxiconazole (generic for Oxistat) salicylic acid (generic Bensal HP) tolnaftate SPRAY, OTC	
ANTIFUNGAL/STER	OID COMBINATIONS	
	clotrimazole/betamethasone LOTION	
(generic for Lotrisone)	(generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

<sup>NR</sup> – Product was not reviewed - New Drug criteria will apply

PDL Update April 1, 2020 Highlights indicated change from previous posting

### ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine <b>TABLET, SOLUTION</b> (generic for Zyrtec) loratadine <b>TABLET, SOLUTION</b> (generic for Claritin) levocetirizine <b>TABLET</b> (generic for Xyzal)	cetirizine <b>CHEWABLE</b> (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) <sup>QL</sup> levocetirizine (generic for Xyzal) <b>SOLUTION</b> loratadine <b>CAPSULE</b> , <b>CHEWABLE</b> , <b>DISPERSABLE TABLET</b> (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class</li> <li>Combination products not covered – individual products may be covered</li> </ul>

## **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine <b>TABLET</b> (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine <b>TRANSDERMAL</b> methyldopa/hydrochlorothiazide	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class</li> </ul>

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine <b>CAPSULE</b> (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine <b>TABLET</b> (generic for Colcrys) <sup>CL</sup> febuxostat (generic for Uloric) <sup>CL</sup> <i>GLOPERBA</i> <b>SOLN</b> (colchicine) <sup>NR,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>colchicine tablet<sup>®</sup>: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li><i>Gloperba:</i> Approved for documented swallowing disorder</li> <li>Uloric<sup>®</sup>: Clinical reason why allopurinol cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page **16** of **78** 

NR – Product was not reviewed - New Drug criteria will apply

PDL Update April 1, 2020 Highlights indicated change from previous posting

### **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EMGALITY (galcanezumab-gnlm) <sup>CL,QL</sup> PEN, SYR	AIMOVIG AUTOINJECTOR (erenumab-aooe) <sup>CL,QL</sup> AJOVY (fremanezumab-vfrm) <sup>CL,QL</sup> CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate <b>NASAL</b> ERGOMAR <b>SUBLINGUAL</b> (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) <b>RECTAL</b> MIGRANAL (dihydroergotamine) <b>NASAL</b> <i>REYVOW (lasmiditan)<sup>NR,AL,QL</sup></i> <b>TABLET</b> UBRELVY (ubrogepant) <sup>AL, QL,NR</sup> <b>TABLET</b>	<ul> <li>Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan</li> <li>Drug-specific criteria: <ul> <li>Cambia<sup>®</sup>: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> <li>Emgality indicated for treatment of episodic cluster headaches</li> <li>Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)</li> <li>In addition, Aimovig and Ajovy require a trial of Emgality or patient specific documentation of why Emgality is not appropriate for patient</li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF RELPAX (eletriptan) <sup>QL</sup>	AL almotriptan (generic for Axert)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within</li> </ul>
rizatriptan (generic for Maxalt) rizatriptan ODT (generic for Maxalt MLT) sumatriptan	eletriptan (generic Relpax) frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet) zolmitriptan (generic for Zomig/Zomig	<ul> <li>this drug class</li> <li>Drug-specific criteria:</li> <li>Sumavel<sup>®</sup> Dosepro: Requires clinical reason sumatriptan injection cannot be used</li> <li>Onzetra, Zembrace: approved for patients who have failed ALL</li> </ul>
NA	ZMT) SAL	preferred agents
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) <i>TOSYMRA (sumatriptan)<sup>NR</sup></i> ZOMIG (zolmitriptan)	
INJECTABLE		
sumatriptan <b>KIT, SYRINGE, VIAL</b> sumatriptan <b>KIT (mfr SUN)</b>	IMITREX (sumatriptan) <b>INJECTION</b> SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

## **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION EURAX (crotamiton) <b>CREAM,</b> <b>LOTION</b> lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL penztropine (generic for Cogentin) rihexyphenidyl (generic for Artane)	INERGICS	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within</li> </ul>
COMT INF	IBITORS	- this drug class
DOPAMINE promocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip) MAO-B INI	entacapone (generic for Comtan) tolcapone (generic for Tasmar) AGONISTS NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic for Mirapex ER) <sup>CL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Carbidopa/Levodopa ODT: Approved for documented swallowing disorder</li> <li>COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug</li> <li>Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must</li> </ul>
selegiline <b>CAPSULE, TABLET</b> (generic for Eldepryl)		<ul> <li>be used as an add-on therapy with levodopa-containing drug</li> <li>Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent</li> <li>Neupro®: For Parkinsons: Clinical reason required why preferred agent cannot be used</li> <li>For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole</li> <li>Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent</li> <li>Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR</li> <li>Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial</li> <li>Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial</li> <li>Zelapar®: Approved for documented swallowing disorder</li> </ul>
OTHER ANTIPARE amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) <sup>QL</sup> INBRIJA (levodopa) INHALER <sup>CL,QL</sup> <i>NOURIANZ (istradefylline)<sup>NR,CL,QL</sup></i> OSMOLEX ER (amantadine) <sup>QL</sup> RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

## **ANTIPSORIATICS, TOPICAL**

Non-Preferred Agents	Prior Authorization/Class Criteria
calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX <b>CREAM</b> (calcipotriene) DUOBRII (halobetasol prop./tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>
	calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX <b>CREAM</b> (calcipotriene) DUOBRII (halobetasol prop./tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP

### ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPE acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	ETIC DRUGS SITAVIG (acyclovir buccal)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group</li> </ul>
ANTI-INFLUE oseltamivir (generic for Tamiflu) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup>	<b>ENZA DRUGS</b> rimantadine (generic for Flumadine) RELENZA (zanamivir) <sup>QL</sup> XOFLUZA (baloxavir marboxil) <sup>AL,CL,QL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Sitavig<sup>®</sup>: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults</li> <li>Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, <b>OINTMENT</b> (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent</li> </ul>

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET</b> , <b>SOLUTION</b> (generic for Valium) lorazepam <b>INTENSOL</b> , <b>TABLET</b> (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam <b>INTENSOL</b> clorazepate (generic for Tranxene-T) diazepam <b>INTENSOL</b> meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Diazepam Intensol<sup>®</sup>: Requires clinical reason why diazepam solution cannot be used</li> </ul>

Alprazolam Intensol<sup>®</sup>: Requires trial of diazepam solution OR lorazepam Intensol<sup>®</sup>

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA BL atenolol (generic for Tenormin) atenolol/chlorthalidone(generic for Tenoretic) bisoprolol (generic for Zebeta) bisoprolol/HCTZ (generic for Ziac) metoprolol (generic for Lopressor) metoprolol XL (generic for Toprol XL) propranolol (generic for Inderal) propranolol extended release (generic for Inderal LA)	acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) oral solution INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease</li> <li>Coreg CR®: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used</li> </ul> </li> </ul>
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol)	

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol <b>CAPSULE</b> 300mg (generic for Actigall) ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

PDL Update April 1, 2020 *Highlights* indicated change from previous posting **BLADDER RELAXANT PREPARATIONS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Myrbetriq<sup>®</sup>: Covered without trial in contraindication to anticholinergic agents</li> </ul>

# Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

PDL Update April 1, 2020 *Highlights* indicated change from previous posting BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOS	PHONATES	Non-preferred agents will be
alendronate (generic for Fosamax) (daily and weekly formulations)	PHONATES alendronate SOLUTION (generic for Fosamax) <sup>QL</sup> ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D <sup>QL</sup> ibandronate (generic for Boniva) <sup>QL</sup> risedronate (generic for Actonel) <sup>QL</sup> PRESSION AND RELATED DRUGS EVISTA (raloxifene) FORTEO (teriparatide) <sup>QL</sup> TYMLOS (abaloparatide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group</li> <li>Drug-specific criteria:         <ul> <li>Actonel<sup>®</sup> Combinations: Covere as individual agents without prior authorization</li> <li>Atelvia DR<sup>®</sup>: Requires clinical reason alendronate cannot be taken on an empty stomach</li> <li>Binosto<sup>®</sup>: Requires clinical reason alendronate tablets OR Fosamax<sup>®</sup> solution cannot be use</li> <li>Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification</li> <li>Forteo<sup>®</sup>: Covered for high risk of fracture</li> <li>High risk of fracture:</li> <li>BMD -3 or worse</li> <li>Postmenopausal women with history of non-traumatic fractures</li> <li>Postmenopausal women with 2 o more clinical risk factors – Family history of non-traumatic fractures; DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 month at 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BM T-score ≤ -2.5 at any site, factors – more than 2 units of alcohol per day, current smoker</li> <li>Men with primary or hypogonadal osteoporosis</li> <li>Osteoporosis associated with sustained systemic glucocorticoid</li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	Non-preferred agents will be
alfuzosin (generic for Uroxatral) doxazosin (generic for Cardura) tamsulosin (generic for Flomax) terazosin (generic for Hytrin)	CARDURA XL (doxazosin) silodosin (generic for Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
	SE (5AR) INHIBITORS	• Avodart <sup>®</sup> : Covered for males only
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	<ul> <li>Cardura XL<sup>®</sup>: Requires clinical reason generic IR form cannot be used</li> <li>Flomax<sup>®</sup>: Females covered for a 7 day supply with diagnosis of acute kidney stones</li> <li>Jalyn<sup>®</sup>: Requires clinical reason why individual agents cannot be used</li> <li>Proscar<sup>®</sup>: Covered for males only</li> <li>Uroxatral<sup>®</sup>: Covered for males only</li> </ul>

# **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS –	Short Acting	Non-preferred agents will be
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	albuterol HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) <i>PROAIR DIGIHALER (albuterol)</i> <sup>NR</sup> PROAIR RESPICLICK (albuterol)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Ventolin HFA<sup>®</sup>: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/</li> </ul>
INHALERS-	- Long Acting	contraindication/side effect to BOTH
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	<ul> <li>Xopenex<sup>®</sup>: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product</li> </ul>
INHALATIO	N SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
ORAL		
albuterol SYRUP	albuterol <b>TABLET</b> albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

<sup>NR</sup> – Product was not reviewed - New Drug criteria will apply

Page 25 of 78

PDL Update April 1, 2020 Highlights indicated change from previous posting

## CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT- Dihydrog		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
Non-dihydrod diltiazem (generic for Cardizem)	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	<ul> <li>failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy</li> <li>Induced Hypertension (PIH)</li> <li>Nimodipine: Covered without trial for diagnosis of subarachnoid</li> </ul> </li> </ul>
verapamil (generic for Calan, Isoptin)	ACTING	<ul> <li>hemorrhage</li> <li>Katerzia: May be approved with documented swallowing difficulty</li> </ul>
Dihydror	ovridines	
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil) <i>KATERZIA</i> <b>SUSP</b> (amlodipine) <sup>NR,QL</sup> nisoldipine (generic for Sular)	
Non-dihydi	opyridines	-
diltiazem ER (generic for Cardizem CD) verapamil ER <b>TABLET</b>	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER <b>CAPSULE</b> verapamil 360mg <b>CAPSULE</b> verapamil ER PM (generic for Verelan PM)	-

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	<ul> <li>Non-preferred agents will be</li> </ul>
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate, CHEWABLE amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN <b>SUSPENSION</b> , <b>TABLET</b> (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	6 – First Generation	-
cefadroxil <b>CAPSULE</b> , <b>SUSPENSION</b> (generic for Duricef) cephalexin <b>CAPSULE</b> , <b>SUSPENSION</b> (generic for Keflex)	cefadroxil <b>TABLET</b> (generic for Duricef) cephalexin <b>TABLET</b> <b>DAXBIA (cephalexin)</b>	
CEPHALOSPORINS – Second Generation		
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime <b>TABLET</b> (generic for Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	cefixime <b>CAPSULE</b> , <b>SUSPENSION</b> (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX <b>CAPSULE</b> , <b>CHEWABLE</b> <b>TAB</b> , <b>SUSPENSION</b> , <b>TABLET</b> (cefixime)	

#### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) <b>VIAL</b>	GRANIX (tbo-filgrastim) NEUPOGEN <b>DISP SYR</b> (filgrastim) NIVESTYM <b>SYR,VIAL</b> (filgrastim-aafi) ZARXIO (filgrastim-sndz) ZIEXTENZO <b>SYR</b> (pegfilgrastim- bmez) <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

### https://druglookup.fhsc.com/druglookupweb/?client=nestate

## COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	LERS ANORO ELLIPTA (umeclidinium/vilanterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) <sup>NR</sup> INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device.</li> <li>Drug-specific criteria:</li> <li>Daliresp<sup>®</sup>:</li> <li>Covered for diagnosis of severe COPD associated with chronic bronchitis</li> <li>Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon</li> </ul>
INHALATIO	N SOLUTION	initial review
albuterol/ipratropium (generic for Duoneb) ipratropium <b>SOLUTION</b> (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL	AGENT	
	DALIRESP (roflumilast) <sup>CL</sup>	

PDL Update April 1, 2020 Highlights indicated change from previous posting

# COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine <b>LIQUID</b> hydrocodone/homatropine SYRUP promethazine/codeine <b>SYRUP</b> promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product</li> <li>All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age</li> </ul>

### **CYSTIC FIBROSIS, ORAL**

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
<ul> <li>FDA-approved mutation of CFTR gene</li> <li>Minimum age: 6 months</li> <li><b>Orkambi</b><sup>®</sup>: Diagnosis of CF and documentation of presence of tw copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years for tablet</li> <li>Minimum age: 2 years for packet</li> <li><b>Symdeko</b>: Diagnosis of CF and documentation of the drug specific</li> </ul>		(ivacaftor) <sup>QL, AL</sup> ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET <sup>QL, AL</sup> SYMDEKO (tezacaftor/ivacaftor) <sup>QL, AL</sup> <i>TRIKAFTA (elexacaftor, tezacaftor,</i>	<ul> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Minimum age: 6 months</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Minimum age: 6 years for tablet</li> <li>Minimum age: 2 years for packet</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Minimum age: 6 years</li> <li>Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Minimum age: 6 years</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) <b>KIT, MINI</b> <b>CART, PEN</b> <sup>QL</sup> HUMIRA (adalimumab) <sup>QL</sup> OTEZLA (apremilast) <b>ORAL</b> <sup>CL,QL</sup>	ACTEMRA (tocilizumab) <b>SUB-Q</b> ARCALYST (nilonacept) CIMZIA (certolizumab pegol) <sup>QL</sup> COSENTYX (secukinumab) <sup>CL</sup> ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) <b>SUB-Q, PEN,</b> <b>SYRINGE</b> KINERET (anakinra) OLUMIANT (baricitinib) <b>ORAL<sup>CL,QL</sup></b> ORENCIA (abatacept) <b>SUB-Q</b> RINVOQ ER (upadacitinib <sup>.CL,QL</sup> SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) STELARA (ustekinumab) <b>SUB-Q</b> TALTZ (ixekizumab) <sup>AL</sup> TREMFYA (guselkumab) <sup>QL</sup> XELJANZ (tofacitinib) <b>ORAL<sup>CL,QL</sup></b>	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required.</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis.</li> <li>Drug-specific criteria:         <ul> <li>Otezla: Requires a trial of Humira</li> <li>Olumiant: Requires documentation of inadequate response to one or more TNF antagonist therapies.</li> <li>Rinvoq, Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate</li> </ul> </li> </ul>

Page **30** of **78** 

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TABLET		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
bumetanide TABLET chlorothiazide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic for Diuril) furosemide SOLUTION, TABLET (generic for Lasix) hydrochlorothiazide CAPSULE, TABLET (generic for Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic for Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic for Inspra) ethacrynic acid CAPSULE (generic for Edecrin)) methyclothiazide TABLET triamterene (generic for Dyrenium)	failed a trial of <b>TWO</b> preferred agents within this drug class
COMBINATIO	N PRODUCTS	-
amiloride/HCTZ <b>TABLET</b> spironolactone/HCTZ <b>TABLET</b> (generic for Aldactazide) triamterene/HCTZ <b>CAPSULE, TABLET</b> (generic for Dyazide, Maxzide (25))		

## **ENZYME REPLACEMENT, GAUCHERS DISEASE**

<sup>NR</sup> – Product was not reviewed - New Drug criteria will apply

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) <sup>CL</sup>	CERDELGA (eliglustat) miglustat (generic Zavesca)	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Drug-specific criteria:</li> <li>Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option</li> </ul>

Page **31** of **78** 

PDL Update April 1, 2020 Highlights indicated change from previous posting

## EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) <b>AUTOINJECTOR</b> EPIPEN (epinephrine) <b>AUTOINJ</b> EPIPEN JR. (epinephrine) <b>AUTOINJ</b> SYMJEPI (epinephrine) <b>PFS</b>	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Brand name product may be authorized in event of documented national shortage of generic product.</li> </ul>

## **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

## FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin <b>TABLET</b> (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin <b>SUSPENSION</b> (generic for Cipro) levofloxacin <b>SOLUTION</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>
	moxifloxacin (generic for Avelox)	Drug-specific criteria:
	ofloxacin	<ul> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin Suspension: Coverable with documented swallowing disorders</li> </ul>
		Levofloxacin Suspension:     Coverable with documented     swallowing disorders
		<ul> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup>	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET <sup>QL</sup> SYMPROIC (naldemedine) TRULANCE (plecanatide) <sup>QL</sup> VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik</li> <li>Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik</li> <li>Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of either chronic idiopathic constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> </ul> </li> <li>Trulance®: Covered for diagnosis of BS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) <sup>QL,AL</sup> FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) <sup>AL,CL</sup> ARMONAIR RESPICLICK (fluticasone) <sup>AL</sup> ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) <sup>CL,AL,QL</sup> FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	<ul> <li>Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic</li> </ul>
GLUCOCORTICOID/BRONCH		esophagitis in patients $\geq$ 9 years,
ADVAIR DISKUS (fluticasone/ salmeterol) <sup>QL</sup> ADVAIR HFA (fluticasone/salmeterol) <sup>QL</sup> DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	<ul> <li>BREO ELLIPTA (fluticasone/vilanterol)</li> <li>Budesonide/formoterol (generic for Symbicort)</li> <li>fluticasone/salmeterol (generic for Advair Diskus)<sup>QL</sup></li> <li>fluticasone/salmeterol (generic for Airduo Respiclick)</li> <li>TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)</li> <li>WIXELA INHUB (generic for Advair Diskus)<sup>QL</sup></li> </ul>	by GI biopsy or upper endoscopy.
INHALATION SOLUTION		
	budesonide <b>RESPULES</b> (generic for Pulmicort)	

Page 34 of 78

PDL Update April 1, 2020 Highlights indicated change from previous posting

## **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
<ul> <li>budesonide EC CAPSULE (generic for Entocort EC)</li> <li>dexamethasone SOLN, TABLET</li> <li>dexamethasone ELIXIR, SYRUP</li> <li>hydrocortisone TABLET</li> <li>methylprednisolone DOSE PAK</li> <li>methylprednisolone tablet (generic for Medrol)</li> <li>prednisolone SOLUTION</li> <li>prednisolone sodium phosphate</li> <li>prednisone DOSE PAK</li> <li>prednisone TABLET</li> </ul>	CORTEF (hydrocortisone) cortisone <b>TABLET</b> dexamethasone <b>INTENSOL</b> DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) <b>SUSPENSION, TABLET</b> <sup>CL</sup> ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate <b>ODT</b> prednisone <b>SOLUTION</b> prednisone <b>INTENSOL</b> RAYOS DR (prednisone) <b>TABLET</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older</li> <li>Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient</li> </ul>

#### **GROWTH HORMONE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	<u>Growth Hormone PA Form</u> <u>Growth Hormone Criteria</u>

#### **H. PYLORI TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT ADVATE ALPHANATE HELIXATE FS HUMATE-P KOATE-DVI VIAL KOVALTRY NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	OR VIII ADYNOVATE AFSTYLA ELOCTATE <i>ESPEROCT<sup>NR</sup></i> HEMOFIL-M JIVI <sup>AL</sup> KOATE-DVI <b>KIT</b> KOGENATE FS OBIZUR	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
FACTOR IX		
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROME	BIN COMPLEX-PLASMA DERIVED	-
NOVOSEVEN RT	FEIBA NF	-
FACTOR X AND CORIFACT <sup>CL</sup>	XIII PRODUCTS COAGADEX <sup>CL</sup> TRETTEN <sup>CL</sup>	
VON WILLEBRAND PRODUCTS		
VONVENDI <sup>CL</sup> WILATE		
BISPECIFI	CFACTORS	
	HEMLIBRA <sup>CL</sup>	

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir <b>TABLET</b> lamivudine hbv <b>TABLET</b>	adefovir dipivoxil BARACLUDE (entecavir) <b>SOLUTION,</b> <b>TABLET</b> EPIVIR HBV (lamivudine) <b>TABLET,</b> <b>SOLUTION</b> HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# HEPATITIS C TREATMENT'S

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTING ANTI-VIRAL		Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) <sup>CL</sup> VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) <sup>CL</sup>	DAKLINZA (daclatasvir) <sup>CL</sup> HARVONI 200/45MG, <b>TABLET</b> (sofosbuvir/ledipasvir) <sup>CL</sup> OLYSIO (simeprevir) <sup>CL</sup> oLYSIO (simeprevir) <sup>CL</sup> sofosbuvir/ledipasvir <b>TABLET</b> (generic for Harvoni 400/90) <sup>CL</sup> sofosbuvir/velpatasvir (generic for Epclusa) <sup>CL</sup> SOVALDI TABLET (sofosbuvir) <sup>CL</sup> TECHNIVIE (ombitasvir/paritaprevir/ ritonavir) <sup>CL</sup> VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) <sup>CL</sup> ZEPATIER (elbasvir/grazoprevir) <sup>CL</sup>	<ul> <li>Hepatitis C Criteria</li> <li>Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient</li> <li>Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor</li> <li>Drug-specific criteria:Trial with Mavyret not required in the following:</li> <li>Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin</li> </ul>
	VIRIN	<ul> <li>Harvoni:</li> <li>o For genotype 1 with</li> </ul>
	REBETOL (ribavirin)	decompensated cirrhosis along with ribavirin
INTER PEGASYS (pegylated interferon alfa- 2a) <sup>CL</sup> PEG-INTRON (pegylated interferon alfa-2b) <sup>CL</sup>	FERON	<ul> <li>Post liver transplant for genotype 1 or 4</li> <li>For pediatric patients ages 3 to 11 years old with FDA indications</li> <li>Sovaldi:         <ul> <li>For pediatric patients ages 3 to 11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin</li> </ul> </li> <li>Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TABLET</b> (generic for Pepcid) ranitidine <b>SYRUP, TABLET</b> (generic for Zantac)	cimetidine <b>TABLET, SOLUTION</b> (generic for Tagamet) famotidine <b>SUSPENSION</b> nizatidine (generic for Axid) ranitidine <b>CAPSULE,</b> (generic for Zantac)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>cimetidine: Approved for viral <i>M. contagiosum</i> or common wart <i>V.</i> Vulgaris treatment</li> <li>nizatadine/cimetidine solution/ famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used ***famotidine suspension is authorized during national shortage of ranitidine syrup.***</li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 ANT	AGONISTS	Non-preferred agents will be
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have diagnosis of HIV/AIDS and pati
FUSION IN	NHIBITORS	specific documentation of why the preferred products within this discussion.
FUZEON <b>SUB-Q</b> (enfuvirtide) <sup>QL</sup>		class are not appropriate for patient, including, but not limite to, drug resistance or concomit
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	conditions not recommended w
SENTRESS CHEW TAB, POWDER		preferred agents
PACK, TAB (raltegravir) <sup>QL</sup>		<ul> <li>Patients undergoing treatment a the time of any preferred status</li> </ul>
SENTRESS HD (raltegravir)		change will be allowed to contir
FIVICAY (dolutegravir)		therapy
		<ul> <li>Diagnosis of HIV/AIDS required</li> </ul>
		OR
		<ul> <li>Pre and Post Exposure Prophylaxis</li> </ul>
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIS)	
EDURANT (rilpivirine)	efavirenz (generic for Sustiva)	
NTELENCE (etravirine) <sup>QL</sup>	nevirapine <b>TAB</b> (generic for	
PIFELTRO (doravirine) <sup>QL</sup>	Viramune)	
SUSTIVA CAP, TAB (efavirenz)	nevirapine ER (generic for Viramune XR)	
	RESCRIPTOR (delavirdine)	
	VIRAMUNE <b>SUSP</b> (nevirapine)	
NUCLEOSIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	_
abacavir SOLN, TAB (generic for	didanosine <b>CAP</b> DR (generic for	
Ziagen)	Videx EC)	
EMTRIVA CAP, SOLN (emtricitabine)	EPIVIR (lamivudine)	
amivudine SOLN, TAB (generic for	RETROVIR (zidovudine)	
Epivir)	stavudine CAP (generic	
zidovudine CAP, SYRUP, TAB (generic	for Zerit)	
for Retrovir)	VIDEX <b>SOLN</b> (didanosine)	
	ZIAGEN (abacavir)	

PDL Update April 1, 2020 Highlights indicated change from previous posting

# HIV / AIDS<sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NUCLEOTIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NRTIS)	
tenofovir disoproxil fumarate <b>TAB</b> (generic for Viread)		
PHARMACOP		
TYBOST (cobicistat) <sup>QL</sup>		
PROTEA	SE INHIBITORS	
atazanavir <b>CAP</b> (generic for Reyataz) LEXIVA <b>SUSP, TAB</b> (fosamprenavir) NORVIR <b>TAB</b> (ritonavir) PREZISTA <b>SUSP, TAB</b> darunavir)	APTIVUS <b>CAP, SOLN</b> (tipranavir) CRIXIVAN (indinavir) fosamprenavir <b>TAB</b> (generic for Lexiva) INVIRASE (saquinavir) NORVIR <b>POWDER PACK</b> NORVIR <b>SOLN</b> (ritonavir) REYATAZ <b>POWDER PACK</b> (atazanavir) ritonavir <b>TAB</b> (generic for Norvir) VIRACEPT (nelfinavir)	
COMBINATION NUCLEOS(T)IDE F	REVERSE TRANSCRIPTASE INHIBITORS	
Epzicom) abacavir/lamivudine/zidovudine (generic for Trizivir)	COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) <i>TEMIXYS (lamivudine/tenofovir disoproxil fumarate)<sup>NR,QL</sup></i> TRIZIVIR (abacavir/ lamivudine/zidovudine)	

PDL Update April 1, 2020 Highlights indicated change from previous posting

# HIV / AIDS<sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER	
EVOTAZ(atazanavir sulfate/cobicistat) <sup>QL</sup> KALETRA <b>TAB</b> (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) <sup>QL</sup> lopinavir/ritonavir <b>SOLN</b> (generic for Kaletra)	KALETRA <b>SOLN</b> (lopinavir/ritonavir)	
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
<ul> <li>ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz)</li> <li>BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide)<sup>QL</sup></li> <li>COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate)</li> <li>DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate)<sup>QL</sup></li> <li>GENVOYA (elvitegravier/cobicistat/emtricitabi ne/tenofovir alafenamide)<sup>QL, AL</sup></li> <li>ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide)<sup>QL</sup></li> <li>STRIBILD (elvitegravir/cobicistat/emtricitabin e/tenofovir disoproxil fumarate)<sup>QL</sup></li> <li>SYMFI (efavirenz/lamivudine/tenofovir disoproxil fumarate)<sup>QL</sup></li> <li>SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate)<sup>QL</sup></li> <li>SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate)<sup>QL</sup></li> <li>SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide)<sup>QL</sup></li> <li>TRIUMEQ (dolutegravir/abacavir/lamivudine)</li> </ul>		

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	<ul> <li>ADMELOG (insulin lispro) PEN, VIAL</li> <li>AFREZZA (regular insulin, inhaled)</li> <li>APIDRA (insulin glulisine)</li> <li>BASAGLAR (insulin glargine, rec)</li> <li>PEN</li> <li>FIASP (insulin aspart) CARTRIDGE, PEN, VIAL</li> <li>HUMALOG JR. (insulin lispro) U-100</li> <li>PEN</li> <li>HUMALOG (insulin lispro) U-200 PEN</li> <li>HUMULIN 70/30 PEN</li> <li>HUMULIN R U-500 KWIKPEN<sup>CL</sup></li> <li>HUMULIN OTC PEN</li> <li>insulin lispro (generic for Humalog)</li> <li>PEN, VIAL</li> <li>insulin aspart (generic for NOVOLOG)</li> <li>NOVOLIN (insulin)</li> <li>NOVOLIN 70/30 VIAL</li> <li>TOUJEO SOLOSTAR (insulin glargine)</li> <li>TRESIBA (insulin degludec)</li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Afrezza<sup>®</sup>: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin<sup>®</sup> R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment</li> <li>Usage must be for self- administration, not only convenience</li> <li>Patient requires &gt;200 units/day</li> <li>Safety reason patient can't use vial/syringe</li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) <sup>CL</sup>	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON <b>PEN</b> (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE <b>PEN</b> (exenatide) <sup>QL</sup> OZEMPIC (semaglutide) <i>RYBELSUS (semaglutide)</i> <sup>NR</sup> TANZEUM (albiglutide) TRULICITY (dulaglutide)	<ul> <li>trial and diagnosis of diabetes</li> <li>Non-preferred agents will be approved for patients who have:</li> <li>Failed a trial of TWO preferred agents within GLP-1 RA</li> <li>AND</li> <li>Diagnosis of diabetes with HbA1C ≥ 7 AND</li> </ul>
INSULIN/GLP-1 RA	A COMBINATIONS	<ul> <li>Trial of metformin, or contraindication or intolerance to</li> </ul>
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	metformin
AMYLIN	ANALOG	
	SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during <u>initiation</u> of therapy</li> </ul>
DIPEPTIDYL PEPTIDASE	E-4 (DPP-4) INHIBITOR <sup>QL</sup>	
GLYXAMBI (empagliflozin/linagliptin) JANUMET (sitagliptin/metformin) JANUMET XR(sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) <sup>AL</sup>	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	<ul> <li>Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control</li> </ul>

#### **HYPOGLYCEMICS, METFORMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) metformin ER (generic for Glumetza) RIOMET (metformin) RIOMET ER (metformin ER) <sup>AL</sup>	<ul> <li>Metformin ER (generic Fortamet<sup>®</sup>)/Glumetza<sup>®</sup>: Requires clinical reason why generic Glucophage XR<sup>®</sup> cannot be used</li> <li>Riomet<sup>®</sup>: Prior authorization not required for age &lt;7 years</li> </ul>

## HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKANA (canagliflozin) <sup>CL</sup> JARDIANCE (empagliflozin) <sup>QL, CL</sup>	INVOKAMET & XR (canagliflozin/metformin) <sup>QL</sup> SEGLUROMET (ertugliflozin/metformin) <sup>QL</sup> STEGLATRO (ertugliflozin) <sup>QL</sup> SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/ metformin) <sup>QL</sup> XIGDUO XR (dapagliflozin/metformin) <sup>QL</sup>	<ul> <li>Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin</li> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

#### HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL\_Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page 45 of 78

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

#### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) <sup>CL</sup>	ESBRIET (pirfenidone)	<ul> <li>Non-preferred agent requires trial of preferred agent within this drug class</li> <li>FDA approved indication required – ICD-10 diagnosis code</li> </ul>

# IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) <sup>CL</sup> EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) <sup>CL</sup>	<ul> <li>Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class</li> <li>Drug-specific criteria:</li> <li>Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	<ul> <li>Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used</li> </ul>

#### **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified <b>CAPSULE</b> (generic for Neoral) mycophenolate mofetil <b>CAPSULE,</b> <b>TABLET</b> (generic for Cellcept) RAPAMUNE (sirolimus) <b>SOLUTION</b> tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine <b>CAPSULE</b> , <b>SOFTGEL</b> cyclosporine, modified <b>SOLUTION</b> (generic for Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) <b>CAPSULE</b> , <b>SOLUTION</b> mycophenolate mofetil <b>SUSPENSION</b> (generic for Cellcept) mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) <i>PROGRAF (tacrolimus)</i> <b>CAPSULE</b> , <i>PACKET</i> <sup>WR</sup> RAPAMUNE (sirolimus) <b>TABLET</b> SANDIMMUNE (cyclosporine) <b>CAPSULE</b> , <b>SOLUTION</b> sirolimus (generic for Rapamune) <b>SOLUTION</b> , <b>TABLET</b> <i>everolimus</i> (generic for Zortress) <sup>AL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Patients established on existing therapy will be allowed to continue</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	<ul> <li>Drug-specific criteria:</li> <li>mometasone: Prior authorization NOT required for children ≤ 12 years</li> <li>budesonide: Approved for use in Pregnancy (Pregnancy Category</li> </ul>
	STEROIDS	– B)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	<ul> <li>Veramyst®: Prior authorization NOT required for children ≤ 12 years</li> <li>Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only</li> </ul>

# **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair)	montelukast <b>GRANULES</b> (generic for Singulair) zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>montelukast granules: PA not required for age &lt; 2 years</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

### LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin <b>CAPSULE</b> clindamycin palmitate <b>SOLUTION</b> linezolid <b>TABLET</b>	CLEOCIN (clindamycin hcl) CAPSULE - CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

#### LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol <b>TABLETS</b> (generic for Colestid) <b>TREATMENT OF HOMOZYGOUS FA</b>		<ul> <li>patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Juxtapid<sup>®</sup>/ Kynamro<sup>®</sup>: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH) OR Treatment failure/maximized</li> </ul>
	JUXTAPID (lomitapide) <sup>CL</sup>	dosing/contraindication to ALL the following:
	KYNAMRO (mipomersen) <sup>CL</sup>	statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix)	<ul> <li>sequestrants</li> <li>Require faxed copy of REMS PA form</li> <li>Lovaza<sup>®</sup>: Approved for TG ≥ 500</li> </ul>
NIA	CIN	-
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	-
	d fish oil are also covered without prior icaid with a prescription*	
OMEGA-3 F	ATTY ACIDS	_
	omega-3 fatty acids (generic for Lovaza) <sup>CL</sup> VASCEPA (icosapent) <sup>CL</sup>	
CHOLESTEROL ABSO		
ezetimibe (generic for Zetia)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **49** of **78** 

PDL Update April 1, 2020 *Highlights* indicated change from previous posting **LIPOTROPICS, OTHER (continued)** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SI	Non-Preferred Agents UBTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	<ul> <li>Prior Authorization/Class Criteria</li> <li>Praluent<sup>®</sup>: Approved for diagnoses of:         <ul> <li>atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul> </li> <li>Maximized high-intensity statin WITH ezetimibe for at 3 continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Repatha<sup>®</sup>: Approved for:         <ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul> </li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	STATINS	
atorvastatin (generic for Lipitor) <sup>QL</sup> lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin ER) <sup>CL</sup> <i>EZALLOR SPRINKLE</i> <i>(rosuvastatin)<sup>NR,QL</sup></i> fluvastatin/ER (generic for Lescol/XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	<ul> <li>approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altoprev<sup>®</sup>: One of the TWO trials must be IR lovastatin</li> </ul>
STATIN COI	MBINATIONS	Combination products: Require clinical reason why individual ingradiants capped to used
	atorvastatin/amlodipine (generic for Caduet) simvastatin/ezetimibe (generic for Vytorin)	<ul> <li>ingredients cannot be used</li> <li>Lescol XL<sup>®</sup>: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>Vytorin<sup>®</sup>: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

# MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETC	KETOLIDES	
	KETEK (telithromycin)	<ul> <li>why patient cannot use preferred</li> <li>macrolide</li> </ul>
MACR	OLIDES	<ul> <li>Macrolides: Require clinical</li> </ul>
azithromycin (generic for Zithromax) clarithromycin <b>TABLET</b> , <b>SUSPENSION</b> (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) E.E.S. <b>SUSPENSION, TABLET</b> ERY-TAB ERYPED <b>SUSPENSION</b> ERYTHROCIN erythromycin base <b>TABLET,</b> <b>CAPSULE</b> erythromycin ethylsuccinate <b>SUSPENSION</b> ZITHROMAX (azithromycin)	Imacrolides: Require clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate <b>PF VIAL, TABLET, VIAL</b>	OTREXUP (methotrexate) <b>SUB-Q</b> RASUVO (methotrexate) <b>SUB-Q</b> TREXALL (methotrexate) <b>TABLET</b> XATMEP (methotrexate) <b>SOLUTION</b>	<ul> <li>Non-preferred agents will be approved for FDA-approved indications</li> <li>Drug-specific criteria:</li> <li>Xatmep<sup>™</sup>:Indicated for pediatric patients only</li> </ul>

#### **MOVEMENT DISORDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) <sup>CL</sup> tetrabenazine (generic for Xenazine) <sup>CL</sup>	INGREZZA (valbenazine) <sup>CL</sup> CAP, INITIATION PACK	Non-preferred agent requires trial of Austedo
		All drugs require an FDA approved indication – ICD-10 diagnosis code required.
		Drug-specific criteria:
		<ul> <li>Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease</li> </ul>
		<ul> <li>Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo</li> </ul>
		<ul> <li>tetrabenazine:Diagnosis of chorea with Huntington's Disease</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE <b>20mg</b> Syringe Kit (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL</sup> REBIF (interferon beta-1a) <sup>QL</sup> TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra) <sup>QL</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone) <sup>QL</sup> <i>MAVENCLAD (cladribine)<sup>NR</sup></i> <i>MAYZENT (siponimod)<sup>NR,QL</sup></i> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> <i>VUMERITY (diroximel)<sup>NR,QL</sup></i>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Ampyra<sup>®</sup>: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Plegridy: Approved for diagnosis of relapsing MS</li> </ul> </li> </ul>

#### **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin)		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of <b>ONE</b> preferred agent within this drug class</li> </ul>
nitrofurantoin monohydrate- macrocrystals <b>CAPSULE</b> (generic for Macrobid)		

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents COX-I SE diclofenac sodium (generic for Voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol)	diclofenac potassium (generic for Cataflam, Zipsor) diclofenac SR (generic for Voltaren-XR) diflunisal (generic for Dolobid) etodolac & SR (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid)	Prior Authorization/Class Criteria Non-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: Arthrotec <sup>®</sup> : Requires clinical reason why individual ingredients cannot be used Duexis <sup>®</sup> /Vimovo <sup>®</sup> : Requires
meloxicam <b>TABLET</b> (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril)	<ul> <li>ibuprofen OTC (generic for Advil, Motrin) CAPSULE</li> <li>indomethacin ER (generic for Indocin)</li> <li>INDOCIN RECTAL, SUSPENSION</li> <li>ketoprofen &amp; ER (generic for Orudis)</li> <li>meclofenamate (generic for Orudis)</li> <li>meclomen)</li> <li>mefenamic acid (generic for Ponstel)</li> <li>meloxicam SUSPENSION (generic Mobic)</li> <li>naproxen CR (generic for Naprelan)</li> <li>naproxen SUSPENSION (generic for</li> </ul>	<ul> <li>Duexis //imovo-: Requires clinical reason why individual agents cannot be used</li> <li>meclofenamate: Approvable without trial of preferred agents for menorrhagia</li> <li>meloxicam suspension: Approved for age≤ 11 years</li> </ul>
	Naprosyn) naproxen sodium (generic for Anaprox) <i>naproxen-esomeprazole (generic for</i> <i>Vimovo)</i> oxaprozin (generic for Daypro) piroxicam (generic for Feldene) QMIIZ ODT (meloxicam) <sup>QL</sup> RELAFEN DS (nabumetone) tolmetin (generic for Tolectin)	

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	COX-I SELECTIVE (continued)	
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac) <sup>QL</sup> TIVORBEX (indomethacin) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	<ul> <li>Drug-specific criteria:</li> <li>Sprix<sup>®</sup>: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs</li> <li>Tivorbex<sup>®</sup>: Requires clinical reason why indomethacin capsules cannot be used</li> <li>Zorvolex<sup>®</sup>: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used</li> </ul>
NSAID/GI PROTECT/	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

## **NSAIDs. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) FLECTOR <b>PATCH</b> (diclofenac) PENNSAID <b>PACKET, PUMP</b> (diclofenac) VOLTAREN <b>GEL</b> (diclofenac)	<ul> <li>Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial o oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, BREAST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA <b>CO-PACK</b> VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT	THERAPY	- - Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) <sup>CL</sup>	<ul> <li>anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> </ul>
HORMONE	BLOCKADE	<ul> <li>capecitabine: Requires trial of Xeloda or clinical reason Xeloda</li> </ul>
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX <b>SOLN</b> (tamoxifen) <sup>CL</sup> toremifene (generic for Fareston) <sup>CL</sup>	<ul> <li>Fareston<sup>®</sup>: Require clinical reason why tamoxifen cannot be used</li> <li>Ietrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved</li> </ul>
OTHER		for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) TYKERB (lapatinib) TALZENNA (talazoparib tosylate) <sup>QL</sup>	<ul> <li>Soltamox: May be approved with documented swallowing difficulty</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

#### for coverage information and prior authorization status for products not listed.

# **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A mercaptopurine	LL PURIXAN (mercaptopurine)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use</li> </ul>
	ML DAURISMO (glasdegib maleate) <sup>QL</sup> IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) <sup>QL</sup> XOSPATA (gilteritinib) <sup>QL</sup> LL COPIKTRA (duvelisib) <sup>QL</sup> ZYDELIG (idelalisib)	<ul> <li>brug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> <li>melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used</li> <li>Tabloid: Prior authorization not required for age &lt;19</li> <li>Tasigna: Patients receiving Tasigna, which changed from</li> </ul>
C hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) <sup>GL</sup> MYLERAN (busulfan) SPRYCEL (dasatinib)	ML BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) <sup>CL</sup>	<ul> <li>preferred to non-preferred on 1-17- 19 will be allowed to continue therapy</li> <li>Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone</li> </ul>
JAKAFI (ruxolitinib)	PN	-
ALKERAN (melphalan) REVLIMID (lenalidomide)	LOMA FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) <sup>CL</sup> HER BRUKINSA (zanubrutinib) <sup>NR,QL</sup> CALQUENCE (acalabrutinib) <sup>QL</sup> INREBIC (fedratinib dihydrochloride) <sup>QL</sup> ZOLINZA (vorinostat)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply

PDL Update April 1, 2020 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

#### for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
	ALK	•	Non-preferred agents DO NOT
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) <sup>QL</sup> ZYKADIA (ceritinib) <b>CAPSULE,</b> <i>TABLET</i>		require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK / R	OS1/NTRK		
XALKORI (crizotinib)	ROZLYTREK (entrectinib) AL,QL		
E	EGFR		
IRESSA (gefitinib) TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) GILOTRIF (afatinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) <sup>QL</sup>		
0	THER		
	HYCAMTIN (topotecan)		

#### **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) <sup>QL</sup> VITRAKVI (larotrectinib) <b>CAPSULE,</b> <b>SOLUTION</b> <sup>QL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

PDL Update April 1, 2020 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

#### for coverage information and prior authorization status for products not listed.

# **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) <i>ZYTIGA (abiraterone)</i>	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) <sup>QL</sup> nilutamide (generic for Nilandron) NUBEQA (darolutamide) <sup>QL</sup> YONSA (abiraterone acetonide, submicronized)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR <b>DISPERZ</b> (everolimus) CABOMETYX (cabozantinib) everolimus (generic for Afinitor) INLYTA (axitinib) NEXAVAR (sorafenib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy</li> </ul>

#### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASA	L CELL	<ul> <li>Non-preferred agents DO NOT</li> </ul>
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF M	BRAF MUTATION	
MEKINIST (trametinib)	BRAFTOVI (encorafenib)	Drug-specific critera
TAFINLAR (dabrafenib)	COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	<ul> <li>Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

Page 59 of 78

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

#### **OPHTHALMICS. ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		<ul> <li>Non-preferred agents will be</li> </ul>
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	<ul> <li>approved for patients who have failed a one month trial of TWO preferred agent within this drug class</li> <li>Azasite®: Approval only requires trial of erythromycin</li> <li>Drug-specific criteria:</li> <li>Natacyn<sup>®</sup>: Approved for</li> </ul>
MACRO	DLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGL	YCOSIDES	-
gentamicin SOLUTION	gentamicin OINTMENT	
tobramycin (generic for Tobrex drops) TOBREX <b>OINTMENT</b> (tobramycin)		
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B <b>OINTMENT</b> neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide <b>SOLUTION</b> (generic for Bleph-10) sulfacetamide <b>OINTMENT</b>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update April 1, 2020 Highlights indicated change from previous posting

# **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX <b>SUSPENSION,</b> <b>OINTMENT</b> (tobramycin and dexamethasone)	<ul> <li>BLEPHAMIDE (prednisolone and sulfacetamide)</li> <li>BLEPHAMIDE S.O.P.</li> <li>neomycin/polymyxin/HC</li> <li>neomycin/bacitracin/poly/HC</li> <li>PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin)</li> <li>tobramycin/dexamethasone</li> <li>SUSPENSION (generic for Tobradex)</li> <li>TOBRADEX S.T. (tobramycin and dexamethasone)</li> <li>ZYLET (loteprednol, tobramycin)</li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOS	CORTICOSTEROIDS	
fluorometholone 0.1% (generic for FML) <b>OINTMENT</b> LOTEMAX <b>SOLUTION</b> (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% <b>SOLUT.</b> ) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX <b>OINTMENT, GEL</b> (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>
NSA	prednisolone sodium phosphate 1%	-
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

#### **OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) <sup>QL</sup> XIIDRA (lifitegrast)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	MIOTICS	
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
SYMPATHO	MIMETICS	_
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	
BETA BLO	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	
PROSTAGLANDIN ANALOGS		
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATI	ON DRUGS	-
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
OTHER		•
RHOPRESSA (netarsudil) <sup>CL</sup> ROCKLATAN (netarsudil and latanoprost) <sup>CL</sup>		<ul> <li>Drug-specific criteria:</li> <li>Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60 days</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine <b>SL</b> buprenorphine/naloxone <b>FILM, TAB,</b> <b>SL</b> LUCEMYRA (lofexidine) <sup>QL</sup> ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form         Buprenorphine Informed Consent         Non-Preferred:         Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv:         • Diagnosis of Opioid Use Disorder, NOT approved for pain management         • Verification of "X" DEA license number of prescriber         • No concomitant opioids         • Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient         Drug-specific criteria:         • Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

#### **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone <b>SYRINGE, VIAL</b> naltrexone <b>TABLET</b> NARCAN (naloxone) <b>SPRAY</b>		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient</li> </ul>

#### **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

ADEINCA (tabalatil) (for PAH offy)       ADEINFAS (floctgdat)         LETAIRIS (ambrisentan)       ambrisentan (generic for Letairis)         sildenafil TABLET (generic for Revatio)       bosentan TABLET (generic for Tracleer)         TRACLEER TABLET (bosentan)       OPSUMIT (macitentan)         TYVASO INHALATION (treprostinil)       ORENITRAM ER (treprostinil)         VENTAVIS INHALATION (iloprost)       sildenafil SUSPENSION (generic for Revatio) (for PAH only) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy</li> <li>sildenafil suspension: Requires clinical reason why sildenafil tablets cannot be used</li> </ul>

#### **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Update April 1, 2020 *Highlights* indicated change from previous posting **PEDIATRIC VITAMIN PREPARATIONS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS nfant-toddler multivit drop OTC (pediatric multivit no. 165 drops) nfant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) nfant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) <b>CHEW</b> ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) <b>CHEW</b> FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) <b>DROPS</b> multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) <b>CHEW</b> POLY-VI-FLOR (pedi multivit 33/fluoride) <b>DROPS</b> POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) <b>CHEW</b> POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) <b>DROPS</b> QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLOR (ped multivit A, C, D3, 38/fluoride)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>Drug specific criteria:</li> <li>Aquadeks: Approved for diagnos of Cystic Fibrosis</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>

#### **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET, CAPSULE</b> CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) Ianthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> </ul>

#### PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance</li> </ul>
prasugrel (generic for Effient)		<ul> <li>Drug-specific criteria:</li> <li>Zontivity<sup>®</sup>: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD)</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Use with aspirin and/or clopidogrel

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **PRENATAL VITAMINS**

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE elite-ob CAPLET (fe c/fa) folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE (pnv#15/iron fum & ps cmp/fa) MARNATAL-F CAPSULE (pnv#15/iron/fa) PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance CAPSULE (pnv80/iron/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE OB PLUS taron-c dha CAPSULE (pnv8/fa/onfa) PUREFE OB PLUS taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3) TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack (pnv53/iron b-g hcl-p/fa/omega3) trust natal dha (pnv2/iron b-g suc-p/fa/omega-3) virtprex CAPSULE (pnv#16/iron fum &ps/fa/om-3) virt-c dha SOFTGEL (pnv 11-iron fum-fa-om3) virt-nate dha SOFTGEL (pnv 20/iron fum/fa/dss/dha) virt-pn TABLET (pnv#16/iron fum &ps/fa/om-3) virt-ne dha SOFTGEL (pnv combo#47/iron/fa #1/dha) virt-pn Vprenatal SOFTGEL (pnv/20/iron fum/fa/dss/dha) virt-pn TABLET (pnv#21/iron/ps k heme polyp/fa) zatean-pn dha CAPSULE (pnv#21/iron/fa #1/dha)	5	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class</li> </ul>
zatean-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)		

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **PROGESTERONE** (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA <b>AUTO INJECTOR</b> (hydroxyprogesterone caproate) MAKENA <b>MDV, SDV</b> (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	<ul> <li>When filled as outpatient prescription, use limited to:         <ul> <li>Singleton pregnancy AND</li> <li>Previous Pre-term delivery AND</li> <li>No more than 20 doses (administered between 16 -3 weeks gestation)</li> <li>Maximum of 30 days per dispensing</li> </ul> </li> </ul>

#### **PROTON PUMP INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) <b>RX</b> pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole strontium lansoprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) rabeprazole (generic for Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class</li> <li>Pediatric Patients:         <ul> <li>Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounded suspension.</li> <li>Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:             <ul> <li>Child can not swallow whole generic omeprazole capsules OR,</li> <li>Documentation that contents of capsule may not be sprinkled in applesauce</li> </ul> </li> </ul></li></ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents BENZODIA temazepam 15mg, 30mg (generic for Restoril) OTH zaleplon (generic for Sonata) zolpidem (generic for Ambien)	AZEPINES estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	<ul> <li>Prior Authorization/Class Criteria</li> <li>Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used</li> <li>Ativan®/Klonopin®/Valium®: Requires trial of generic</li> <li>Approvable for seizure diagnosis and documentation of seizure activity on generic therapy</li> <li>Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder</li> <li>flurazepam/triazolam: Requires trial of preferred benzodiazepine</li> <li>Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used</li> <li>Silenor®: Must meet ONE of the following:         <ul> <li>Contraindication to preferred oral sedative hypnotics</li> <li>Medical necessity for doxepin dose &lt; 10mg</li> <li>Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met)</li> </ul> </li> <li>temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used</li> <li>zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg</li> <li>zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR <b>SOLUTION, TABLET</b> (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

## SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon Forte) cyclobenzaprine (generic for Flexeril) <sup>QL</sup> methocarbamol (generic for Robaxin) tizanidine <b>TABLET</b> (generic for Zanaflex)	carisoprodol (generic for Soma) <sup>CL,QL</sup> carisoprodol compound cyclobenzaprine ER (generic for AMRIX) <sup>CL</sup> dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic for Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine <b>CAPSULE</b> ZANAFLEX (tizanidine) <b>CAPSULE,</b> <b>TABLET</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Amrix<sup>®</sup>/Fexmid<sup>®</sup>: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> <li>carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days</li> <li>Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone<sup>®</sup>: Requires clinical reason why 350mg generic strength cannot be used</li> <li>Zanaflex<sup>®</sup> Capsules: Requires clinical reason used</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		Low Potency Non-preferred agents
hydrocortisone OTC & RX <b>CREAM</b> , <b>LOTION, OINTMENT</b> hydrocortisone/aloe <b>OINTMENT</b> , <b>CREAM</b> SCALPICIN OTC (hydrocortisone)	<ul> <li>ALA-CORT (hydrocortisone) CREAM</li> <li>ALA-SCALP HP (hydrocortisone)</li> <li>alclometasone dipropionate (generic for Aclovate)</li> <li>CAPEX SHAMPOO (fluocinolone)</li> <li>DESONATE (desonide) GEL</li> <li>desonide LOTION (generic for Desowen)</li> <li>desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon)</li> <li>fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS)</li> <li>MICORT-HC (hydrocortisone)</li> </ul>	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
	TEXACORT (hydrocortisone)	
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	POTENCY         betamethasone valerate (generic for Luxiq)         clocortolone (generic for Cloderm)         fluccinolone acetonide (generic for Synalar)         flurandrenolide (generic for Cordran)         fluticasone propionate LOTION         (generic for Cutivate)         hydrocortisone butyrate (generic for Locoid)         hydrocortisone butyrate/emoll (generic for Locoid Lipocream)         hydrocortisone valerate (generic for Westcort)         PANDEL (hydrocortisone probutate 0.1%)         prednicarbate (generic for Dermatop)	<ul> <li>Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

# STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	H POTENCY	<ul> <li>Very High Potency Non-preferred</li> </ul>
clobetasol emollient (generic for Temovate-E) clobetasol propionate <b>CREAM</b> , <b>GEL</b> , <b>OINTMENT, SOLUTION</b> halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) <sup>AL,QL</sup> LEXETTE(halobetasol propionate) <sup>AL,QL</sup> OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Update April 1, 2020 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED AGENTS**<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred</li> </ul>
Amphetamine type		
amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	<ul> <li>ADDERALL XR (amphetamine salt combo)</li> <li>ADZENYS XR (amphetamine)</li> <li>amphetamine ER (generic for Adzenys ER) SUSPENSION</li> <li>amphetamine sulfate (generic for Evekeo)</li> <li>dextroamphetamine (generic for Dexedrine)</li> <li>dextroamphetamine SOLUTION (generic for Procentra)</li> <li>dextroamphetamine ER (generic for Dexedrine ER)</li> <li>DYANAVEL XR (amphetamine)</li> <li>EVEKEO ODT (amphetamine sulfate)</li> <li>MYDAYIS (amphetamine salt combo)<sup>QL</sup></li> <li>methamphetamine (generic for Desoxyn)</li> <li>ZENZEDI (dextroamphetamine)</li> </ul>	<ul> <li>agent within this drug class</li> <li>Drug-specific criteria: <ul> <li>Procentra<sup>®</sup>: May be approved with documentation of swallowing disorder</li> </ul> </li> <li>Zenzedi<sup>®</sup>: Requires clinical reason generic dextroamphetamine IR cannot be used</li> </ul>

# Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

# PDL Update April 1, 2020 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED ADHD DRUGS (Continued)**<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphei	nidate type	<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
APTENSIO XR (methylphenidate) dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN <b>SOLUTION</b> (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate 30/70 (generic for Metadate CD) methylphenidate <b>SOLUTION</b> (generic for Methylin) methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) QUILLICHEW ER <b>CHEWTAB</b> (methylphenidate)	ADHANSIA XR (methylphenidate) <sup>QL</sup> CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg COTEMPLA XR-ODT (methylphenidate) DAYTRANA <b>PATCH</b> (methylphenidate) dexmethylphenidate XR (generic for Focalin XR) FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) <sup>QL</sup> methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR) methylphenidate ER 72mg (generic for RELEXXI) <sup>QL</sup> QUILLIVANT XR <b>SUSP</b> (methylphenidate) RITALIN (methylphenidate)	<ul> <li>failed a trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Daytrana<sup>®</sup>: May be approved in history of substance use disorder</li> </ul>

# Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

# PDL Update April 1, 2020 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED ADHD DRUGS (Continued)**<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and -clonidine IR are available without
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv) <sup>QL</sup>	clonidine ER (generic for Kapvay) <sup>CL</sup> STRATTERA (atomoxetine)	prior authorization
	EPTICS	Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
	armodafinil (generic for Nuvigil) <sup>CL</sup>	armodafinil and modafinil: approved only for:
	modafanil (generic for Provigil) <sup>CL</sup> SUNOSI (solriamfetol) <sup>CL,QL</sup> WAKIX (pitolisant) <sup>NR,CL,QL</sup>	<ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> <li>Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift</li> </ul>
		<ul> <li>Sunosi approved only for:         <ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> </ul> </li> <li>Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study</li> </ul>

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### TETRACYCLINES

#### **Preferred Agents Non-Preferred Agents** Prior Authorization/Class Criteria Non-preferred agents will be doxycycline hyclate IR (generic for demeclocycline (generic for approved for patients who have Declomycin)<sup>CL</sup> Vibramycin) failed an 3-day trial of TWO DORYX MPC DR (doxycycline doxycycline monohydrate 50MG, preferred agents within this drug **100MG CAPSULE** pelletized) class doxycycline monohydrate SUSP doxycycline hyclate DR (generic for (generic for Vibramycin 25MG) Doryx) Drug-specific criteria: doxycycline monohydrate TAB doxycycline monohydrate 40MG, Demeclocycline: Approved for 75MG and 150MG CAPSULES diagnosis of SIADH minocycline HCL CAPSULE (generic (generic for Adoxa, Monodox, Doryx®/doxycycline hyclate DR/ for Minocin, Dynacin) Oracea) Dynacin<sup>®</sup>/Oracea<sup>®</sup>/Solodyn<sup>®</sup>: minocycline HCL TABLET (generic for Requires clinical reason why minocycline HCL ER (generic for Dynacin, Myrac) generic doxycycline, minocycline Solodyn) or tetracycline cannot be used NUZYRA (omadacycline) Vibramycin<sup>®</sup> suspension: May be tetracycline HCI (generic for Sumycin) approved with documented swallowing difficulty VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) CAPSULE, QL

#### THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic for Synthroid) liothyronine <b>TABLET</b> (generic for Cytomel) thyroid, pork <b>TABLET</b>	EUTHYROX (levothyroxine) <sup>NR</sup> LEVO-T (levothyroxine) THYROLAR <b>TABLET</b> (liotrix) TIROSINT <b>TABLET</b> (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Tirosint-Sol: May be approved with documented swallowing difficulty</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. <sup>CL</sup> – Prior Authorization / Class Criteria apply
<sup>QL</sup> – Quantity/Duration Limit
<sup>AL</sup> –

PDL Update April 1, 2020 Highlights indicated change from previous posting

#### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) <i>mesalamine ER (generic for Apriso)</i> mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine (generic for Delzicol)	<ul> <li>failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Asacol HD<sup>®</sup>/Delzicol DR<sup>®</sup>/Lialda<sup>®</sup>/Pentasa<sup>®</sup>: Requires clinical reason why preferred mesalamine products cannot be used</li> </ul>
REC	PENTASA (mesalamine)	<ul> <li>Giazo<sup>®</sup>: Requires clinical reason why generic balsalazide cannot be</li> </ul>
CANASA (mesalamine) mesalamine <b>ENEMA</b> (generic Rowasa)	mesalamine <b>SUPPOSITORY</b> (generic for Canasa) UCERIS (budesonide)	NOT covered in females

#### **UTERINE DISORDER TREATMENT - ENDOMETRIOSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium) <sup>QL,CL</sup>		Drug-specific criteria: Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

## **VASODILATORS, CORONARY**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate <b>TABLET</b> isosorbide dinitrate ER, SA <b>TABLET</b> (generic Dilatrate-SR and Isordil) isosorbide mononitrate <b>TABLET</b> isosorbide mononitrate SR <b>TABLET</b> nitroglycerin <b>SUBLINGUAL</b> , <b>TRANSDERMAL</b> nitroglycerin ER <b>TABLET</b>	<ul> <li>BIDIL (isosorbide dinitrate/hydralazine)<sup>CL</sup></li> <li>GONITRO (nitroglycerin)</li> <li>NITRO-BID <b>OINTMENT</b> (nitroglycerin)</li> <li>NITRO-DUR (nitroglycerin)</li> <li>nitroglycerin <b>TRANSLINGUAL</b> (generic for Nitrolingual)</li> <li>NITROMIST (nitroglycerin)</li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **78** of **78**