

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated May 1, 2020 *Highlights* indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

• **Opioids** – The maximum opioid dose covered will be 150 Morphine Milligram Equivalents (MME) per day. (beginning June 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- Growth Hormone PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

<u>Documentation of Medical Necessity PA Form</u>

For a complete list of Claims Limitations visit: <u>https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf</u>

PDL Update May 1, 2020 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL

AZELEX (gatalic acid) benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) Clindamycin/benzoyl peroxide (generic for Duac) DIFFERIN LOTION, CREAM, GEL RX (adapatene) DIFFERIN LOTION, CREAM, GEL RX (adapatene) PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) BENZACLIN W/PUMP Clindamycin/benzoyl peroxide) BENZARDRO (benzoyl peroxi	Droforred Agents	Non Droforrod Agonts	Prior Authorization/Class Criteria
benzoyl peroxide GEL, WASH, LOTION OTC Cindamycin/benzoyl peroxide (generic for Duac) Cindamycin/benzoyl peroxide (generic SOLUTION DIFFERIN LOTION, CREAM, GEL AtTRENO (tertinoni) ^{AL} AdZEE0 (minocycline) ^{WR,AL} ALTRENO (tertinoni) ^{AL} AVXR (sulfacetamide sodium/sulfur) AVITA (tretinonin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinonin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinonin) AVITA (tretinonin) AVITA (tretinonin) AVITA (sulfacetamide sodium/sulfur) AVITA (tretinonin) AVITA (sulfacetamide sodium/sulfur) AVITA (tretinonin) BENZACLIN WPUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) CINETON (BEL Cindamycin/benzoyl peroxide) CINETON (BEL BENZAPRO (benzoyl peroxide) CINETON (Clindamycin/benzoyl peroxide) ONEZTON (clindamycin/benzoyl peroxide) D	Preferred Agents	Non-Preferred Agents	
	benzoyl peroxide GEL, WASH, LOTION OTC clindamycin/benzoyl peroxide (generic for Duac) clindamycin phosphate PLEDGET, SOLUTION DIFFERIN LOTION, CREAM, GEL RX (adapalene) DIFFERIN GEL OTC (adapalene) erythromycin SOLUTION PANOXYL 10% ACNE FOAMING WASH (benzoyl peroxide) OTC	 W/PUMP, SOLUTION adapalene/benzoyl peroxide (generic EPIDUO) AKLIEF (trifarotene)^{NR, AL} ALTRENO (tretinoin)^{AL} AMZEEQ (minocycline)^{NR} FOAM ARAZLO (tazarotene) LOTION^{AL,NR} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) BENZACLIN W/PUMP (clindamycin/benzoyl peroxide) BENZAPRO (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR (OTC) benzoyl peroxide FOAM (generic for Benzepro Foam) benzoyl peroxide GEL (Rx) clindamycin/benzoyl peroxide (generic for Acanya, Benzaclin) clindamycin/tretinoin (generic for Veltin, Ziana) dapsone (generic for Aczone) EPIDUO FORTE GEL W/PUMP erythromycin benzoyl peroxide (generic for Benzamycin) EVOCLIN (clindamycin/benzoyl peroxide (generic for Benzamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/benzoyl peroxide) ONEXTON (clindamycin/benzoyl peroxide) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM (generic Tazorac) TRETIN-X (tretinoin) tretinoin CREAM, GEL^{AL} (generic for Retin-A) tretinoin microspheres (generic for 	approved for patients who have failed THREE preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update May 1, 2020 Highlights indicated change from previous posting

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTER	ASE INHIBITORS	Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET	approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months
EXELON Transdermal (rivastigmine)	galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	DR ANTAGONIST	previous 45 days
	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine, transdermal) ^{QL} EMBEDA ^{QL} (morphine sulfate/ naltrexone) fentanyl 25, 50, 75, 100 mcg PATCH^{QL} morphine ER TABLET (generic for MS Contin, Oramorph SR) OXYCONTIN ^{QL,CL} (oxycodone ER)	 ARYMO ER (morphine sulfate ER)^{QL} BELBUCA (buprenorphine, buccal)^{QL,AL} buprenorphine TRANSDERMAL (generic for Butrans)^{QL} DURAGESIC MATRIX (fentanyl)^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH^{QL} hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo)^{CL} HYSINGLA ER (hydrocodone, extended release)^{QL} KADIAN (morphine ER capsule) Methadone^{QL} MORPHABOND ER (morphine sulfate) morphine ER CAPSULE (generic for Avinza, Kadian) NUCYNTA ER (tapentadol) oxycodone ER (generic for reformulated Oxycontin) oxymorphone ER (generic for Opana ER) tramadol extended release (generic for Conzip, Ryzolt, Ultram ER) XTAMPZA ER (oxycodone myristate)^{QL} 	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin[®]: Pain contract required for maximum quantity authorization

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
C	PRAL	 Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET codeine ORAL	APADAZ (benzhydrocodone/APAP) ^{QL,CL} benzhydrocodone/APAP (generic for Apadaz ^{,QL,CL}	 approved for patients who have failed THREE preferred agents within this drug class within the las 12 months
nydrocodone/APAP SOLUTION, TABLET	butalbital/caffeine/APAP w/codeine	 Note: for short acting opiate tablet
nydrocodone/ibuprofen nydromorphone TABLET	butalbital compound w/codeine (butalbital/ASA/caffeine/codeine)	and capsules there is a maximum quantity limit of #150 per 30 days.
norphine CONC SOLUTION, SOLUTION, TABLET	carisoprodol compound-codeine (carisoprodol/ASA/codeine)	 Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will
oxycodone TABLET, SOLUTION oxycodone/APAP PROLATE® (oxycodone/acetaminophen) ramadol ^{AL,QL}	dihydrocodeine/acetamin/caffeine dihydrocodeine/aspirin/caffeine (generic for Synalgos DC) FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine)	consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limite to maximum of 50 Morphine Milligram Equivalents (MME) per
	 hydromorphone ORAL LIQUID, TABLET, SUPPOSITORY (generic for Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic for Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) 	day These limits may anly be evened
	NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) oxycodone CAPSULE oxycodone/acetaminophen SOLUTION oxycodone/aspirin oxycodone CONCENTRATE	 Drug-specific criteria: Abstral[®]/Actiq[®]/Fentora[®]/ Onsolis (fentanyl): Approved onl for diagnosis of cancer AND current use of long-acting opiate Apadaz: Approval for 14 days or less Nucynta[®]: Approved only for
	 oxycodone/ibuprofen (generic for Combunox) oxymorphone (generic for Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone) tramadol/APAP (generic for 	 diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason why individual ingredients can't be used Xartemis XR[®]: Approved only for diagnosis of acute pain
	Ultracet) ^{CL,AL,QL} XARTEMIS XR (oxycodone/ acetaminophen) ^{CL} ZAMICET (hydrocodone/ acetaminophen)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. $\frac{QL}{Q} - Quantity/Duration Limit$

NR – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol NASAL SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRA	BUCCAL/TRANSMUCOSAL	
	ABSTRAL (fentanyl)CL fentanyl TRANSMUCOSAL (generic for Actiq)CL FENTORA (fentanyl)CL	

ANDROGENIC DRUGS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
testosterone gel PACKET, PUMP (generic for Vogelxo) ^{CL}	ANDRODERM (testosterone) NATESTO (testosterone) ^{CL} testosterone gel PACKET, PUMP (generic for Androgel) testosterone (generic for Fortesta) testosterone (generics for Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic for Lotensin) enalapril (generic for Vasotec) lisinopril (generic for Prinivil/Zestril) quinapril (generic for Accupril) ramipril (generic for Altace)	captopril (generic for Capoten) EPANED (enalapril) ORAL SOLUTION fosinopril (generic for Monopril) moexepril (generic for Univasc) perindopril (generic for Aceon) QBRELIS (lisinopril) ORAL SOLUTION trandolapril (generic for Mavik)	 approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria:
ACE INHIBITOR/DIU	RETIC COMBINATIONS	 Epaned[®] and Qbrelis[®] Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic for Lotensin HCT) enalapril/HCTZ (generic for Vaseretic) lisinopril/HCTZ (generic Prinzide/Zestoretic)	captopril/HCTZ (generic for Capozide) fosinopril/HCTZ (generic for Monopril HCT) moexepril/HCTZ (generic for Uniretic) quinapril/HCTZ (generic for Accuretic)	tablet is not appropriate
ANGIOTENSIN REG	CEPTOR BLOCKERS	
irbesartan (generic for Avapro) Iosartan (generic for Cozaar) valsartan (generic for Diovan)	candesartan (generic for Atacand) EDARBI (azilsartan medoxomil) eprosartan (generic for Teveten) olmesartan (generic for Benicar) telmisartan (generic for Micardis)	

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic for Avalide) losartan/HCTZ (generic for Hyzaar) valsartan-HCTZ (generic for Diovan- HCT)	candesartan/HCTZ (generic for Atacand-HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic for Benicar- HCT) telmisartan/HCTZ (generic for	approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	Micardis-HCT)	
	MODULATOR/ OCKER COMBINATIONS amlodipine/olmesartan (generic for Azor) amlodipine/olmesartan/HCTZ (generic for Tribenzor) amlodipine/telmisartan (generic for Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic for	Angiotensin Modulator/Calcium Channel Blocker Combinations: Combination agents may be approved if there has been a trial and failure of preferred agent
DIRECT RENI	Tarka) N INHIBITORS aliskiren (generic for Tekturna) ^{QL}	Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: May be approved witha history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIB	ITOR COMBINATIONS	within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{CL}		
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	EMVERM (mebendazole) praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

pollen allergen extract) for PALFORZIA ^{NR,AL} (peanut allergen powder-dnfp) w Fa to Trug-spec ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C ORAL C C C ORAL C C C ORAL C C C C C C C C C C C C C	approved for immunotherapy or the treatment of grass ollen-induced allergic rhinitis with or without conjunctivitis. Patient has had treatment ailure with or contraindication o: antihistamines AND nontelukast Clinical reason as to why llergy shots cannot be used. cific criteria:

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) SUSPENSION ^{CL,QL} DIFICID (fidaxomicin) ^{CL} FLAGYL ER (metronidazole) ^{CL} metronidazole CAPSULE ^{CL} paromomycin SOLOSEC (secnidazole) tinidazole (generic for Tindamax) ^{CL} vancomycin CAPSULE (generic for Vancocin) ^{CL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia[®]: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid[®]: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER[®]: Trial and failure with metronidazole is required Flagyl[®]/Metronidazole 375mg capsules and Flagyl ER[®]/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan[®]: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil[®] AND Imodium[®]

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,AL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSPENSION CAYSTON (aztreonam lysine) ^{CL} tobramycin (generic for Tobi)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic for Polysporin) mupirocin OINTMENT (generic for Bactroban) neomycin/polymyxin/bacitracin (generic for Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic for Bactroban)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Altabax[®]: Approvable diagnoses of impetigo due to <i>S. Aureus</i> OR <i>S. pyogenes</i> with clinical reason mupirocin ointment cannot be used Mupirocin[®] Cream: Clinical reason the ointment cannot be used

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic for Cleocin) CLINDESSE (clindamycin, vaginal) metronidazole, vaginal NUVESSA (metronidazole, vaginal) VANDAZOLE (metronidazole, vaginal)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole, vaginal)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

ELIQUIS (apixaban) enoxaparin (generic for Lovenox) PRADAXA (dabigatran) warfarin (generic for Coumadin) XARELTO (rivaroxaban) ^{CLon2.5mg.QL} BevyxXA (betrixaban maleate) ^{VR.QL} FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL} SAVAYSA (edoxaban) ^{QL}

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		 Non-preferred agents will be
dronabinol (generic for Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT	OR BLOCKERS	group
ondansetron (generic for Zofran) ^{QL} ondansetron ODT (generic for Zofran) ^{QL}	ANZEMET (dolasetron) granisetron (generic for Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 Drug-specific criteria: Akynzeo®/Emend[®]/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with
NK-1 RECEPTO	R ANTAGONIST	dexamethasone and a 5-HT3 antagonist WITHOUT trial of
	aprepitant (generic for Emend) ^{QL,CL} AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TABLET ^{CL}	preferred agents <u>Regimens include</u> : AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine,
TRADITIONAL	ANTIEMETICS	
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic for Dramamine) meclizine (generic for Antivert) metoclopramide (generic for Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic for Emetrol) prochlorperazine, oral (generic for Compazine) promethazine, oral (generic for Phenergan)	BONJESTA (doxylamine/pyridoxine) ^{,CL,QL} COMPRO (prochlorperazine rectal) doxylamine/pyridoxine (generic for Diclegis) ^{CL,QL} metoclopramide ODT(generic for Metozolv ODT) prochlorperazine SUPPOSITORIES (generic for Compazine) promethazine SUPPOSITORIES 50mg	 Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis[®]/Bonjesta: Approved
promethazine SUPPOSITORIES 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	scopolamine transdermal trimethobenzamide, oral (generic for Tigan)	 only for treatment of nausea and vomiting of pregnancy Metozolv ODT[®]: Documentation o inability to swallow or Clinical reason oral liquid cannot be used Sancuso[®]/Zuplenz[®]:

Documentation of oral dosage form intolerance

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Artifungals, oral Preferred Agents Colorimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic for Diflucan) griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic for Lamisil)	Non-Preferred Agents CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic for Ancobon) ^{CL} griseofulvin ultramicrosize (generic for GRIS-PEG) itraconazole (generic for Sporanox) ^{CL} ketoconazole (generic for Nizoral) nystatin POWDER , oral ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic for Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} voriconazole (generic for VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis o invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute
		 Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil[®] Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Onmel[®]: Requires trial and failure or
		 contraindication to terbinafine Sporanox[®]/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine- resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole
		 Sporanox[®]: Requires trial and failure of generic itraconazole Sporanox[®] Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itracenazole
		 failure of generic itraconazole Vfend[®]: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD) Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **14** of **78**

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	 Non-preferred agents will be
-	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION (generic for Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic for	
	SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic for Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic for Vusion) naftifine CREAM, GEL (generic for Naftin) oxiconazole (generic for Oxistat) salicylic acid (generic Bensal HP) tolnaftate SPRAY, OTC	
ANTIFUNGAL/STER	ROID COMBINATIONS	
clotrimazole/betamethasone CREAM	clotrimazole/betamethasone LOTION	
(generic for Lotrisone)	(generic for Lotrisone) nystatin/triamcinolone (generic for Mycolog)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE , CHEWABLE , DISPERSABLE TABLET (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine CAPSULE (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} febuxostat (generic for Uloric) ^{CL} <i>GLOPERBA</i> SOLN (colchicine) ^{NR,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis <i>Gloperba:</i> Approved for documented swallowing disorder Uloric[®]: Clinical reason why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page **16** of **78**

NR – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EMGALITY (galcanezumab-gnlm) ^{CL,QL} PEN, SYR	AIMOVIG AUTOINJECTOR (erenumab-aooe) ^{CL,QL} AJOVY (fremanezumab-vfrm) ^{CL,QL} AJOVY AUTOINJECTOR (fremanezumab-vfrm) ^{NR,CL,QL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL <i>REYVOW (lasmiditan)^{NR,AL,QL} TABLET</i> UBRELVY (ubrogepant) ^{AL, QL,NR} TABLET	 Non-preferred agents will be approved for patients who have a contraindication OR trial failure of a triptan Drug-specific criteria: Cambia[®]: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality indicated for treatment of episodic cluster headaches Aimovig, Ajovy, and Emgality: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig and Ajovy require a trial of Emgality or patient specific documentation of why Emgality is not appropriate for patient

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RELPAX (eletriptan) ^{QL} rizatriptan (generic for Maxalt)	AL almotriptan (generic for Axert) eletriptan (generic Relpax)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class
rizatriptan ODT (generic for Maxalt MLT) sumatriptan	frovatriptan (generic for Frova) IMITREX (sumatriptan) naratriptan (generic for Amerge) sumatriptan/naproxen (generic for Treximet) zolmitriptan (generic for Zomig/Zomig ZMT)	 Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) <i>TOSYMRA (sumatriptan)^{NR}</i> ZOMIG (zolmitriptan)	
INJEC	TABLE	
sumatriptan KIT, SYRINGE, VIAL sumatriptan KIT (mfr SUN)	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic for Nix) permethrin 5% RX (generic for Elimite) pyrethrin/piperonyl butoxide (generic for RID, A-200) SKLICE (ivermectin)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION lindane malathion (generic for Ovide) spinosad (generic for Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)	INERGICS	 Non-preferred agents will be approved for patients who have failed ONE preferred agents within this drug class.
COMT IN	HIBITORS	this drug class
DOPAMINE bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip) MAO-B IN	tolcapone (generic for Tasmar) AGONISTS ropinirole ER (generic for Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL}	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with
selegiline CAPSULE, TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	 levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro[®]:
OTHER ANTIPAR	KINSON'S DRUGS	For Parkinsons: Clinical reason
amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{CL,QL} <i>NOURIANZ (istradefylline)^{NR,CL,QL}</i> OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	•

NR – Product was not reviewed - New Drug criteria will apply Page **19** of **78**

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone (generic for Taclonex) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop./tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP (calcipotriene/betamethasone)	•	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class
	(calcipotriene/betamethasone) SORILUX (calcipotriene) TACLONEX SCALP		

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPI acyclovir (generic for Zovirax) famciclovir (generic for Famvir) valacyclovir (generic for Valtrex)	ETIC DRUGS SITAVIG (acyclovir buccal)	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE oseltamivir (generic for Tamiflu) ^{QL} TAMIFLU (oseltamivir) ^{QL}	ENZA DRUGS rimantadine (generic for Flumadine) RELENZA (zanamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Drug-specific criteria: Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update May 1, 2020 Highlights indicated change from previous posting

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic for Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

-			
	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class
	(generic for Valium)	meprobamate	Drug-specific criteria:
	lorazepam INTENSOL, TABLET (generic for Ativan)	oxazepam	Diazepam Intensol [®] : Requires clinical reason why diazepam solution cannot be used

 Alprazolam Intensol[®]: Requires trial of diazepam solution OR lorazepam Intensol[®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2020 Highlights indicated change from previous posting

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
, i i i i i i i i i i i i i i i i i i i	Acebutolol (generic for Sectral) betaxolol (generic for Kerlone) BYSTOLIC (nebivolol) ^{CL} HEMANGEOL (propranolol) oral solution ^{CL} INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic for Lopressor HCT) nadolol (generic for Corgard) nadolol/bendroflumethiazide (generic for Corzide) pindolol (generic for Viskin) propranolol/hydrochlorothiazide (generic for Inderide) timolol (generic for Blocadren) TOPROL XL (metoprolol)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
	PHA-BLOCKERS	
carvedilol (generic for Coreg) labetalol (generic for Trandate)	carvedilol ER (generic for Coreg CR) ^{CL}	
ANTIARR	НҮТНМІС	
sotalol (generic for Betapace)	SOTYLIZE (sotalol) ^{CL}	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic for Actigall) ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page 22 of 78

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
oxybutynin & ER (generic for Ditropan/XL) TOVIAZ (fesoterodine ER) VESICARE (solifenacin)	darifenacin ER (generic for Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) solifenacin (generic for Vesicare) tolterodine & ER (generic for Detrol/LA) trospium & ER (generic for Sanctura/XR)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq[®]: Covered without trial in contraindication to anticholinergic agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **BONE RESORPTION SUPRESSION AND RELATED DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOS	PHONATES	Non-preferred agents will be
endronate (generic for Fosamax) (daily and weekly formulations)	PHONATES alendronate SOLUTION (generic for Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic for Didronel) FOSAMAX PLUS D ^{QL} ibandronate (generic for Boniva) ^{QL} risedronate (generic for Actonel) ^{QL} risedronate (generic for Actonel) ^{QL} EVISTA (raloxifene) FORTEO (teriparatide) ^{QL} <i>teriparatide^{NR,QL}</i> TYMLOS (abaloparatide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covere as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto[®]: Requires clinical reasor why alendronate tablets OR Fosamax[®] solution cannot be use Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo[®]: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 o more clinical risk factors – Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site, Glucocorticoid use ≥ 6 montat 7.5 dose of prednisolone equivalent, Rheumatoid Arthritis Postmenopausal women with BM T-score ≤ -2.5 at any site, factors – more than 2 units of alcohol per day, current smoker Men with primary or hypogonada osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy

PDL Update May 1, 2020 Highlights indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA TREATMENTS)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	Non-preferred agents will be
alfuzosin (generic for Uroxatral) ^{CL} doxazosin (generic for Cardura) tamsulosin (generic for Flomax) ^{CL} terazosin (generic for Hytrin)	CARDURA XL (doxazosin) ^{CL} silodosin (generic for Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	• Avodart [®] : Covered for males only
dutasteride (generic for Avodart) ^{CL} finasteride (generic for Proscar) ^{CL,AL}	dutasteride/tamsulosin (generic for Jalyn) ^{CL}	 Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax[®]: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used Proscar[®]: Covered for males only Uroxatral[®]: Covered for males only

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS –	Short Acting	Non-preferred agents will be
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	albuterol HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) <i>PROAIR DIGIHALER (albuterol)</i> ^{NR} PROAIR RESPICLICK (albuterol)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ventolin HFA[®]: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/ contraindication/side effect to
INHALERS -	- Long Acting	BOTH
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	 Xopenex[®]: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
INHALATIO	N SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	RAL	
albuterol SYRUP	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page 25 of 78

PDL Update May 1, 2020 Highlights indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT- Dihydror		 Non-preferred agents will be approved for patients who have
	isradipine (generic for Dynacirc) nicardipine (generic for Cardene) nifedipine (generic for Procardia) nimodipine (generic for Nimotop) NYMALIZE (nimodipine solution)	 failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH)
Non-dihydr diltiazem (generic for Cardizem) verapamil (generic for Calan, Isoptin)		 Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage Katerzia: May be approved with
LONG-ACTING Dihydropyridines		documented swallowing difficulty
amlodipine (generic for Norvasc) nifedipine ER (generic for Procardia XL/Adalat CC)	felodipine ER (generic for Plendil) <i>KATERZIA SUSP (amlodipine)^{NR,QL}</i> nisoldipine (generic for Sular)	
Non-dihydi	ropyridines	
diltiazem ER (generic for Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem LA (generic for Cardizem LA) MATZIM LA (diltiazem) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER PM (generic for Verelan PM)	

PDL Update May 1, 2020 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	 Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate, CHEWABLE amoxicillin/clavulanate XR (generic for Augmentin XR) AUGMENTIN SUSPENSION , TABLET (amoxicillin/clavulanate)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	6 – First Generation	-
cefadroxil CAPSULE , SUSPENSION (generic for Duricef) cephalexin CAPSULE , SUSPENSION (generic for Keflex)	cefadroxil TABLET (generic for Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS – Second Generation		
cefprozil (generic for Cefzil)	cefaclor (generic for Ceclor)	
cefuroxime TABLET (generic for Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic for Omnicef)	cefixime CAPSULE , SUSPENSION (generic for Suprax) cefpodoxime (generic for Vantin) SUPRAX CAPSULE , CHEWABLE TAB , SUSPENSION , TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim- bmez) ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update May 1, 2020 Highlights indicated change from previous posting

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time		
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at:		

https://druglookup.fhsc.com/druglookupweb/?client=nestate

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE (glycopyrolate/formoterol) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	LERS ANORO ELLIPTA (umeclidinium/vilanterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) ^{NR} INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
INHALATIO	N SOLUTION	initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL	AGENT	
	DALIRESP (roflumilast) ^{CL, QL}	

PDL Update May 1, 2020 Highlights indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} <i>TRIKAFTA (elexacaftor, tezacaftor, ivacaftor)</i> ^{NR,AL}	 Drug-specific criteria: Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Minimum age: 6 months Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Minimum age: 6 years for tablet Minimum age: 2 years for packet Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 6 years Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Minimum age: 6 years Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene. Minimum age: 12

PDL Update May 1, 2020 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ^{CL} ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q , PEN , SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib ^{,CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL ^{CL,QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Otezla: Requires a trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies. Rinvoq, Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate

Page **30** of **78**

PDL Update May 1, 2020 Highlights indicated change from previous posting

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TABLET		 Non-preferred agents will be approved for patients who have
bumetanide TABLET chlorothiazide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic for Diuril) furosemide SOLUTION, TABLET (generic for Lasix) hydrochlorothiazide CAPSULE, TABLET (generic for Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic for Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic for Inspra) ethacrynic acid CAPSULE (generic for Edecrin)) methyclothiazide TABLET triamterene (generic for Dyrenium)	failed a trial of TWO preferred agents within this drug class
COMBINATIO	N PRODUCTS	-
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic for Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic for Dyazide, Maxzide (25))		

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

^{NR} – Product was not reviewed - New Drug criteria will apply Page **31** of **78**

PDL Update May 1, 2020 Highlights indicated change from previous posting

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ SYMJEPI (epinephrine) PFS	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin (generic for Cipro) levofloxacin TABLET (generic for Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic for Cipro) levofloxacin SOLUTION moxifloxacin (generic for Avelox)	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria:
	ofloxacin ^{CL}	 Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin Suspension: Coverable with documented swallowing disorders Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Update May 1, 2020 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic for Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

PDL Update May 1, 2020 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{CL,AL,QL} FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	 Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic
GLUCOCORTICOID/BRONCH		 esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy.
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	 BREO ELLIPTA (fluticasone/vilanterol) Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus)^{QL} 	by GI biopsy or upper endoscopy.
INHALATION SOLUTION		
	budesonide RESPULES (generic for Pulmicort)	

Page 34 of 78

PDL Update May 1, 2020 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 budesonide EC CAPSULE (generic for Entocort EC) dexamethasone SOLN, TABLET dexamethasone ELIXIR, SYRUP hydrocortisone TABLET methylprednisolone DOSE PAK methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET 	CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLET ^{CL} ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	<u>Growth Hormone PA Form</u> <u>Growth Hormone Criteria</u>

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic for Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update May 1, 2020 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADVATE ALPHANATE HELIXATE FS HUMATE-P KOATE-DVI VIAL KOVALTRY NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	OR VIII ADYNOVATE AFSTYLA ELOCTATE <i>ESPEROCT^{NR,}</i> HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOGENATE FS OBIZUR	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
FACTOR IX		
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROME	BIN COMPLEX-PLASMA DERIVED	-
NOVOSEVEN RT	FEIBA NF	
FACTOR X AND CORIFACT	XIII PRODUCTS COAGADEX ^{CL} TRETTEN ^{CL}	
VON WILLEBRAND PRODUCTS		
VONVENDI WILATE		
BISPECIFI	CFACTORS	
	HEMLIBRA ^{CL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Update May 1, 2020 Highlights indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Update May 1, 2020 Highlights indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	IG ANTI-VIRAL DAKLINZA (daclatasvir) ^{CL} <i>HARVONI</i> 200/45MG, TABLET (sofosbuvir/ledipasvir) ^{CL}	 Hepatitis C Treatments PA Form Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and will only be
	OLYSIO (simeprevir) ^{CL} sofosbuvir/ledipasvir TABLET (generic for Harvoni 400/90) ^{CL}	considered with documentation of why the preferred product within this drug class is not appropriate for patient
	sofosbuvir/velpatasvir (generic for Epclusa) ^{CL} SOVALDI TABLET (sofosbuvir) ^{CL} TECHNIVIE (ombitasvir/paritaprevir/	 Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor
		 Drug-specific criteria:Trial with Mavyrei not required in the following: Epclusa: For genotype 1-6 with
	ZEPATIER (elbasvir/grazoprevir) ^{CL}	 decompensated cirrhosis along with ribavirin Harvoni:
RIBAVIRIN		 For genotype 1 with
	REBETOL (ribavirin)	decompensated cirrhosis along with ribavirin
	FERON	 Post liver transplant for genotype 1 or 4
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon		 For pediatric patients ages 3 to 11 years old with FDA indications
alfa-2b) ^{CL}		Sovaldi:
		 For pediatric patients ages 3 to 11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin
		 Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

PDL Update May 1, 2020 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine SYRUP, TABLET (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE , (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: cimetidine: Approved for viral <i>M.</i> <i>contagiosum</i> or common wart <i>V.</i> Vulgaris treatment nizatadine/cimetidine solution/ famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used ***famotidine suspension is authorized during national shortage of ranitidine syrup.***

PDL Update May 1, 2020 Highlights indicated change from previous posting

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteri	a
CCR5 ANTAGONISTS		 Non-preferred agents will be approved for patients who have 	10.5
ELZENTRY SOLN, TAB (maraviroc)		approved for patients who hav diagnosis of HIV/AIDS and pa	tier
FUSION IN	HIBITORS	specific documentation of why preferred products within this	
UZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for patient, including, but not limit to, drug resistance or concom	ed
INTEGRASE STRAND TRAI	NSFER INHIBITORS (INSTIS)	conditions not recommended	with
SENTRESS CHEW TAB, POWDER		preferred agents	
PACK, TAB (raltegravir) ^{QL}		 Patients undergoing treatmen the time of any preferred statution 	
SENTRESS HD (raltegravir)		change will be allowed to con	tinu
IVICAY (dolutegravir)		therapy	
		 Diagnosis of HIV/AIDS require 	эd
		OR	
		 Pre and Post Exposure Prophylaxis 	
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIS)		
DURANT (rilpivirine)	efavirenz (generic for Sustiva)		
NTELENCE (etravirine) ^{QL}	nevirapine TAB (generic for		
PIFELTRO (doravirine) ^{QL}	Viramune)		
SUSTIVA CAP, TAB (efavirenz)	nevirapine ER (generic for Viramune XR)		
	RESCRIPTOR (delavirdine)		
	VIRAMUNE SUSP (nevirapine)		
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIS)	_	
bacavir SOLN, TAB (generic for	didanosine CAP DR (generic for		
Ziagen)	Videx EC)		
EMTRIVA CAP , SOLN (emtricitabine)	EPIVIR (lamivudine)		
amivudine SOLN, TAB (generic for	RETROVIR (zidovudine)		
Epivir)	stavudine CAP (generic		
idovudine CAP, SYRUP, TAB (generic	(C		
for Retrovir)	VIDEX SOLN (didanosine)		
	ZIAGEN (abacavir)		

PDL Update May 1, 2020 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NUCLEOTIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NRTIS)	
tenofovir disoproxil fumarate TAB (generic for Viread)		
PHARMACON		
TYBOST (cobicistat) ^{QL}		
PROTEA	SE INHIBITORS	
atazanavir CAP (generic for Reyataz) LEXIVA SUSP, TAB (fosamprenavir) NORVIR TAB (ritonavir) PREZISTA SUSP, TAB darunavir)	APTIVUS CAP, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic for Lexiva) INVIRASE (saquinavir) NORVIR POWDER PACK NORVIR SOLN (ritonavir) REYATAZ POWDER PACK (atazanavir) ritonavir TAB (generic for Norvir) VIRACEPT (nelfinavir)	
COMBINATION NUCLEOS(T)IDE F	REVERSE TRANSCRIPTASE INHIBITORS	
Epzicom) abacavir/lamivudine/zidovudine (generic for Trizivir)	COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) <i>TEMIXYS (lamivudine/tenofovir disoproxil fumarate)^{NR,QL}</i> TRIZIVIR (abacavir/ lamivudine/zidovudine)	

PDL Update May 1, 2020 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PROTEAS PHARMACOKI		
EVOTAZ(atazanavir sulfate/cobicistat) ^{QL} KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN (generic for Kaletra)	KALETRA SOLN (lopinavir/ritonavir)	
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
 ATRIPLA (tenofovir disoproxil fumarate/ emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide)^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir disoproxil fumarate) DELSTRIGO (doravirine/lamivudine/tenofovir disoproxil fumarate)^{QL} GENVOYA (elvitegravier/cobicistat/emtricitabi ne/tenofovir alafenamide)^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/tenofovir alafenamide)^{QL} STRIBILD (elvitegravir/cobicistat/emtricitabin e/tenofovir disoproxil fumarate)^{QL} SYMFI (efavirenz/lamivudine/tenofovir disoproxil fumarate)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir disoproxil fumarate)^{QL} SYMTUZA (darunavir, cobicistat, emtricitabine, tenofovir alafenamide)^{QL} TRIUMEQ (dolutegravir/abacavir/lamivudine) 		

PDL Update May 1, 2020 Highlights indicated change from previous posting

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMALOG MIX PEN (insulin lispro/lispro protamine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine) 	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin, inhaled) APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG (insulin lispro) U-200 PEN HUMULIN 70/30 PEN HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN OTC PEN insulin aspart (generic for NOVOLOG) insulin lispro (generic for Humalog) PEN, VIAL <i>insulin lispro junior (generic for</i> <i>HUMALOG JR KWIKPEN)</i> ^{NR} <i>insulin lispro protamine mix (generic</i> <i>for HUMALOG MIX)</i> ^{NR} NOVOLIN (insulin) NOVOLIN 70/30 VIAL	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza[®]: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin[®] R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self- administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe

PDL Update May 1, 2020 Highlights indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) <i>RYBELSUS (semaglutide)</i> ^{NR} TANZEUM (albiglutide) TRULICITY (dulaglutide)	 trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND Diagnosis of diabetes with HbA1C ≥ 7 AND
INSULIN/GLP-1 R	A COMBINATIONS	 Trial of metformin, or contraindication or intolerance to
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	metformin
AMYLIN	ANALOG	
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during <u>initiation</u> of therapy
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR ^{QL}	
GLYXAMBI (empagliflozin/linagliptin) ^{AL} JANUMET (sitagliptin/metformin) ^{AL,} JANUMET XR(sitagliptin/metformin) ^{AL} JANUVIA (sitagliptin) ^{AL} JENTADUETO (linagliptin/metformin) ^{AL} TRADJENTA (linagliptin) ^{AL}	alogliptin (generic for Nesina) ^{AL} alogliptin/metformin (generic for Kazano) ^{AL} JENTADUETO XR (linagliptin/metformin) ^{AL} KOMBIGLYZE XR (saxagliptin/metformin) ^{AL} ONGLYZA (saxagliptin) ^{AL} alogliptin/pioglitazone (generic for Oseni) ^{AL} QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) <i>TRIJARDY XR</i> (empagliflozin/linagliptin/metformin) ^{NR,} AL	Non-preferred agents within DPP-4 will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

PDL Update May 1, 2020 Highlights indicated change from previous posting

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glipizide/metformin glyburide/metformin (generic for Glucovance) metformin & ER (generic for Glucophage/XR)	metformin ER (generic for Fortamet) ^{CL} metformin ER (generic for Glumetza) ^{CL} RIOMET (metformin) SOLN RIOMET ER (metformin ER) ^{AL} metformin SOLN (generic for BIOMET) ^{NR}	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Riomet[®]: Prior authorization not required for age <7 years

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL}	INVOKAMET & XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY (empagliflozin/metformin) ^{QL,AL} SYNJARDY XR (empagliflozin/ metformin) ^{QL, AL} XIGDUO XR (dapagliflozin/metformin) ^{QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic for Amaryl) glipizide & ER (generic for Glucotrol/XL) glyburide & micronized (generic for Diabeta, Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **45** of **78**

PDL Update May 1, 2020 Highlights indicated change from previous posting

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone)	Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) ^{CL} EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **IMMUNOMODULATORS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic for Neoral) mycophenolate mofetil CAPSULE, TABLET (generic for Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE , SOFTGEL cyclosporine, modified SOLUTION (generic for Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE , SOLUTION mycophenolate mofetil SUSPENSION (generic for Cellcept) mycophenolic acid (mycophenolate sodium) MYFORTIC (mycophenolate sodium) <i>PROGRAF (tacrolimus)</i> CAPSULE , <i>PACKET</i> ^{WR} RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE , SOLUTION sirolimus (generic for Rapamune) SOLUTION , TABLET <i>everolimus</i> (generic for Zortress) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

PDL Update May 1, 2020 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	– В)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic for Singulair) ^{CL, AL} zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

PDL Update May 1, 2020 Highlights indicated change from previous posting

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin hcl) CAPSULE - CLEOCIN PALMITATE (clindamycin palmitate hcl) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be approved for
cholestyramine (generic for Questran) colestipol TABLETS (generic for Colestid) TREATMENT OF HOMOZYGOUS FA	colesevelam (generic for Welchol) TABLET, PACKET colestipol GRANULES (generic for Colestid) QUESTRAN LIGHT (cholestyramine) MILIAL HYPERCHOLESTEROLEMIA	 patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Juxtapid[®]/ Kynamro[®]: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH) OR Treatment failure/maximized
	JUXTAPID (lomitapide) ^{CL}	dosing/contraindication to ALL the following:
	KYNAMRO (mipomersen) ^{CL}	statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid
fenofibrate (generic for Tricor) gemfibrozil (generic for Lopid)	fenofibrate (generic for Antara, Fenoglide, Lipofen, Lofibra, Triglide) fenofibric acid (generic for Fibricor) fenofibric acid (generic for Trilipix)	sequestrants Require faxed copy of REMS PA form ■ Lovaza [®] : Approved for TG ≥ 500
NIA	CIN	-
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	-
	d fish oil are also covered without prior licaid with a prescription*	
OMEGA-3 F	ATTY ACIDS	-
	omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL}	
CHOLESTEROL ABS	DRPTION INHIBITORS	
ezetimibe (generic for Zetia)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **49** of **78**

PDL Update May 1, 2020 *Highlights* indicated change from previous posting LIPOTROPICS, OTHER (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SI	Non-Preferred Agents UBTILISIN/KEXIN TYPE 9 (PCSK9) IBITORS PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Prior Authorization/Class Criteria Praluent[®]: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha[®]: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH)

PDL Update May 1, 2020 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		 Non-preferred agents will be
atorvastatin (generic for Lipitor) ^{QL} lovastatin (generic for Mevacor) pravastatin (generic for Pravachol) rosuvastatin (generic for Crestor) simvastatin (generic for Zocor)	ALTOPREV (lovastatin ER) ^{CL} <i>EZALLOR SPRINKLE</i> <i>(rosuvastatin)^{NR,QL}</i> fluvastatin/ER (generic for Lescol/XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN COI	MBINATIONS	 clinical reason why individual ingredients cannot be used
	atorvastatin/amlodipine (generic for Caduet) simvastatin/ezetimibe (generic for Vytorin)	 Lescol XL[®]: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used Vytorin[®]: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KETOLIDES		Ketek [®] : Requires clinical reason
	KETEK (telithromycin)	 why patient cannot use preferred macrolide
MACR	OLIDES	 Macrolides: Require clinical
azithromycin (generic for Zithromax) clarithromycin TABLET , SUSPENSION (generic for Biaxin)	clarithromycin ER (generic for Biaxin XL) E.E.S. SUSPENSION, TABLET ERY-TAB ERYPED SUSPENSION ERYTHROCIN erythromycin base TABLET, CAPSULE erythromycin ethylsuccinate SUSPENSION ZITHROMAX (azithromycin)	Macrondes: Require clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred macrolide

PDL Update May 1, 2020 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK	Non-preferred agent requires trial of Austedo
		All drugs require an FDA approved indication – ICD-10 diagnosis code required.
		Drug-specific criteria:
		 Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease
		 Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo
		 tetrabenazine:Diagnosis of chorea with Huntington's Disease

PDL Update May 1, 2020 Highlights indicated change from previous posting

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg Syringe Kit (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} REBIF (interferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate)	 AUBAGIO (teriflunomide) dalfampridine (generic to Ampyra)^{QL} EXTAVIA (interferon beta-1b)^{QL} glatiramer 20 mg/mL (generic for Copaxone) glatiramer 40 mg/mL (generic for Copaxone)^{QL} MAVENCLAD (cladribine)^{NR} MAYZENT (siponimod)^{NR,QL} PLEGRIDY (peginterferon beta-1a)^{QL} VUMERITY (diroximel)^{NR,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra[®]: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin SUSPENSION (generic for Furadantin) nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin)		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)		

PDL Update May 1, 2020 Highlights indicated change from previous posting

NSAIDs, ORAL

PDL Update May 1, 2020 Highlights indicated change from previous posting

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTIVE (continued)		
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac nasal spray) NASAL ^{QL, CL} TIVORBEX (indomethacin) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Drug-specific criteria: Sprix[®]: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex[®]: Requires clinical reason why indomethacin capsules cannot be used Zorvolex[®]: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECT/	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SELECTIVE		
celecoxib (generic for Celebrex)		_

NSAIDs. TOPICAL

Preferred Agents

PDL Update May 1, 2020 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 I IBRANCE (palbociclib)	NHIBITOR KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT cyclophosphamide XELODA (capecitabine)	HERAPY capecitabine (generic for Xeloda) ^{CL}	 Drug-specific critera anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	BLOCKADE SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic for Fareston) ^{CL}	 capecitabine: Requires trial of Xeloda or clinical reason Xeloda cannot be used Fareston[®]: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTI	HER NERLYNX (neratinib) PIQRAY (alpelisib) TYKERB (lapatinib) TALZENNA (talazoparib tosylate) ^{QL} TUKYSA(tucatinib) ^{NR,QL}	 for short term use Soltamox: May be approved with documented swallowing difficulty

PDL Update May 1, 2020 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Amercaptopurine	LL PURIXAN (mercaptopurine)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation
	ML DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} LL COPIKTRA (duvelisib) ^{QL} ZYDELIG (idelalisib)	 submitted supporting off-label use from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Tabloid: Prior authorization not required for age <19 Tasigna: Patients receiving
· · · · · · · · · · · · · · · · · · ·	ML BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone
M JAKAFI (ruxolitinib)	PN	-
ALKERAN (melphalan) REVLIMID (lenalidomide)	LOMA FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL} HER BRUKINSA (zanubrutinib) ^{NR,QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. QL – Quantity/Duration Limit

Page 57 of 78

PDL Update May 1, 2020 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
	ALK		Non-preferred agents DO NOT
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPSULE, <i>TABLET</i>		require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK / R	OS1/NTRK		
XALKORI (crizotinib)	ROZLYTREK (entrectinib) AL,QL		
E	GFR		
IRESSA (gefitinib) TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) GILOTRIF (afatinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}		
OTHER			
	HYCAMTIN (topotecan)		

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) LONSURF (trifluridine/tipiracil) RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{QL} <i>PEMAZYRE (pemigatinib)^{NR,QL}</i> <i>KOSELUGO (selumetinib)^{NR,AL}</i>	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

PDL Update May 1, 2020 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL} ZYTIGA (abiraterone)	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{QL} YONSA (abiraterone acetonide, submicronized)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) CABOMETYX (cabozantinib) everolimus (generic for Afinitor) INLYTA (axitinib) NEXAVAR (sorafenib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASA	L CELL	 Non-preferred agents DO NOT
ERIVEDGE (vismodegib)	ODOMZO (sonidegib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF M	BRAF MUTATION	
MEKINIST (trametinib)	BRAFTOVI (encorafenib)	Drug-specific critera
TAFINLAR (dabrafenib)	COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	 Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **59** of **78**

PDL Update May 1, 2020 Highlights indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

OPHTHALMICS. ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) MOXEZA (moxifloxacin) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for
MACRO	DLIDES	documented fungal infection
erythromycin	AZASITE (azithromycin)	
AMINOGL	YCOSIDES	
gentamicin SOLUTION	gentamicin OINTMENT	
tobramycin (generic for Tobrex drops) TOBREX OINTMENT (tobramycin)		
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Update May 1, 2020 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	 BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) 	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Update May 1, 2020 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORIES

,		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	CORTICOSTEROIDS	
fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
	prednisolone sodium phosphate 1%	_
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	AID ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) QL XIIDRA (lifitegrast)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Update May 1, 2020 Highlights indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	 Non-preferred agents will be 	
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	MIMETICS	_
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	
BETA BL	DCKERS	_
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	
PROSTAGLANDIN ANALOGS		
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATI	ON DRUGS	-
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
OTHER		•
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60 days

PDL Update May 1, 2020 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine) ^{QL} ZUBSOLV (buprenorphine/naloxone)	 Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

PDL Update May 1, 2020 Highlights indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) (for PAH only) ^{CL} LETAIRIS (ambrisentan) sildenafil TABLET (generic for Revatio) (for PAH only) ^{CL} TRACLEER TABLET (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ambrisentan (generic for Letairis) bosentan TABLET (generic for Tracleer) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic for Revatio) (for PAH only) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy sildenafil suspension: Requires clinical reason why sildenafil tablets cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **PREPARATIONS**

....

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) luoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS nfant-toddler multivit drop OTC (pediatric multivit no. 165 drops) nfant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) nfant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 33/fluoride) DROPS POLY-VI-FLOR (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: Aquadeks: Approved for diagnos of Cystic Fibrosis

PDL Update May 1, 2020 Highlights indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) RENAGEL (sevelamer HCI)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) Ianthanum (generic for FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) sevelamer carbonate (generic for Renvela) sevelamer hcl (generic for Renagel) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic for Plavix) dipyridamole (generic for Persantine)	aspirin/dipyridamole (generic for Aggrenox) ticlopidine (generic for Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance
prasugrel (generic for Effient)		 Drug-specific criteria: Zontivity[®]: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Use with aspirin and/or clopidogrel

PDL Update May 1, 2020 Highlights indicated change from previous posting

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

PDL Update May 1, 2020 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -30 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic for Prilosec) RX pantoprazole (generic for Protonix)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic for Nexium) esomeprazole magnesium SUSP ^{NR} esomeprazole (generic for Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic for Zegerid RX) rabeprazole (generic for Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce

PDL Update May 1, 2020 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

BENZODIAZEPINES - Lunesta ⁴⁷ Rozerem ⁴⁷ zolpidem temazepam 15mg, 30mg (generic for generic for Dalmane) estazolam (generic for Dalmane) ER: Requires a trial with generic zolpidem within the last 12 months and preferred benzodiapine cannot be used xalepton (generic for Sonata) DTHERS Ativan ⁴⁷ (Rotopin ⁴⁷ Valum ⁴⁷) zalepton (generic for Sonata) BELSOMRA (suvorexant) Ativan ⁴⁷ (Rotopin ⁴⁷ Valum ⁴⁷) zolpidem (generic for Ambien) BELSOMRA (suvorexant) doxepin (generic for Rozerem) zolpidem (generic for Ambien) BELSOMRA (suvorexant) eativity on generic therapy doxepin (generic for Rozerem) zolpidem ER (generic for Rozerem) zolpidem SL (generic for Intermezzo) zolpidem SL (generic for Intermezzo) fullate reason why zaleplon and preferred benzodiazepine metters AND preferred benzodiazepine Hetitoze: Requires trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiazepine cannot be used solpidem SL (generic for Intermezzo) fullate BL (solpidem SL (generic for Intermezzo) etilital of preferred benzodiazepine fullate BL (2 months effect benzodiazepine solpidem SL (generic for Intermezzo) fullate BL (2 months effect benzodiazepine solpidem SL (generic for Intermezzo) fullate featom why tant be last 12 months effect benzodiazepine

PDL Update May 1, 2020 Highlights indicated change from previous posting

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION, TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic for Lioresal) chlorzoxazone (generic for Parafon Forte) cyclobenzaprine (generic for Flexeril) ^{QL} methocarbamol (generic for Robaxin) tizanidine TABLET (generic for Zanaflex)	carisoprodol (generic for Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic for AMRIX) ^{CL} dantrolene (generic for Dantrium) FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic for Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: Amrix[®]/Fexmid[®]: Requires clinical reason why IR cyclobenzaprine cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why 350mg generic strength cannot be used Zanaflex[®] Capsules: Requires clinical reason used

PDL Update May 1, 2020 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		 Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM , LOTION, OINTMENT hydrocortisone/aloe OINTMENT , CREAM SCALPICIN OTC (hydrocortisone)	 ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) 	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
	TEXACORT (hydrocortisone)	
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	POTENCY betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	 Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Update May 1, 2020 Highlights indicated change from previous posting

STEROIDS. TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
riamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate)	
	triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide) H POTENCY	 Very High Potency Non-preferre
clobetasol emollient (generic for Temovate-E) clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) ^{AL,QL} LEXETTE(halobetasol propionate) ^{AL,QL} OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial o TWO preferred agents within this drug class

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED AGENTS**^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be approved for patients who have
Amphetamine type		approved for patients who have failed a trial of ONE preferred
amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	 ADDERALL XR (amphetamine salt combo) ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo)^{QL} methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine) 	 agent within this drug class Drug-specific criteria: Procentra[®]: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED ADHD DRUGS (Continued)**^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	 Non-preferred agents will be approved for patients who have
APTENSIO XR (methylphenidate) dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate 30/70 (generic for Metadate CD) methylphenidate SOLUTION (generic for Methylin) methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) QUILLICHEW ER CHEWTAB (methylphenidate)	 ADHANSIA XR (methylphenidate) ^{QL} CONCERTA (methylphenidate ER) 18mg, 27mg, 36mg, 54mg COTEMPLA XR-ODT (methylphenidate) DAYTRANA PATCH (methylphenidate) dexmethylphenidate XR (generic for Focalin XR) FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR) methylphenidate ER 72mg (generic for RELEXXI)^{QL} QUILLIVANT XR SUSP (methylphenidate) RITALIN (methylphenidate) 	 failed a trial of TWO preferred agents within this drug class Drug-specific criteria: Daytrana[®]: May be approved in history of substance use disorder

PDL Update May 1, 2020 *Highlights* indicated change from previous posting **STIMULANTS AND RELATED ADHD DRUGS (Continued)**^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and clonidine IR are available without
atomoxetine (generic for Strattera) guanfacine ER (generic for Intuniv) ^{QL}	clonidine ER (generic for Kapvay) STRATTERA (atomoxetine)	prior authorization
	EPTICS	Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
	armodafinil (generic for Nuvigil) ^{CL}	armodafinil and modafinil: approved only for:
	modafanil (generic for Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{NR,CL,QL}	 Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed
		 Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder
		(only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift
		 Sunosi approved only for: Sleep Apnea with
		documentation/confirmation via sleep study and documentation that C-PAP has been maxed
		 Narcolepsy with documentation of diagnosis via sleep study
		 Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study
		study

PDL Update May 1, 2020 Highlights indicated change from previous posting

TETRACYCLINES

Non-Preferred Agents Prior Authorization/Class Criteria **Preferred Agents** Non-preferred agents will be doxycycline hyclate IR (generic for demeclocycline (generic for approved for patients who have Declomycin)^{CL} Vibramycin) failed an 3-day trial of TWO DORYX MPC DR (doxycycline doxycycline monohydrate 50MG, preferred agents within this drug **100MG CAPSULE** pelletized) class doxycycline monohydrate SUSP doxycycline hyclate DR (generic for (generic for Vibramycin 25MG) Doryx) Drug-specific criteria: doxycycline monohydrate TAB doxycycline monohydrate 40MG, Demeclocycline: Approved for 75MG and 150MG CAPSULES diagnosis of SIADH minocycline HCL CAPSULE (generic (generic for Adoxa, Monodox, Doryx[®]/doxycycline hyclate DR/ for Minocin, Dynacin) Oracea) Dynacin[®]/Oracea[®]/Solodyn[®]: minocycline HCL TABLET (generic for Requires clinical reason why minocycline HCL ER (generic for Dynacin, Myrac) generic doxycycline, minocycline Solodyn) or tetracycline cannot be used minocycline HCL ER (generic for Vibramycin[®] suspension: May be XIMINO)NR,QL,AL approved with documented NUZYRA (omadacycline) swallowing difficulty tetracycline HCI (generic for Sumycin) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) CAPSULEQL,AL

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic for Synthroid) liothyronine TABLET (generic for Cytomel) thyroid, pork TABLET	EUTHYROX (levothyroxine) ^{NR} LEVO-T (levothyroxine) THYROLAR TABLET (liotrix) TIROSINT TABLET (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

PDL Update May 1, 2020 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be approved for patients who have
APRISO (mesalamine) balsalazide (generic for Colazal) sulfasalazine / DR (generic for Azulfidine)	budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic for Apriso) mesalamine (generic for Lialda) mesalamine (generic for Asacol HD) mesalamine (generic for Delzicol)	 failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/ Lialda[®]/Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be used
REC	PENTASA (mesalamine) TAL	 Giazo[®]: Requires clinical reason why generic balsalazide cannot be
CANASA (mesalamine) mesalamine ENEMA (generic Rowasa)	mesalamine SUPPOSITORY (generic for Canasa) UCERIS (budesonide)	used NOT covered in females

UTERINE DISORDER TREATMENT - ENDOMETRIOSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium) ^{QL,CL}		Drug-specific criteria: Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR and Isordil) isosorbide mononitrate TABLET isosorbide mononitrate SR TABLET nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TABLET	 BIDIL (isosorbide dinitrate/hydralazine)^{CL} GONITRO (nitroglycerin) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic for Nitrolingual) NITROMIST (nitroglycerin) 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **78** of **78**

NR – Product was not reviewed - New Drug criteria will apply