



PDL Updated December 1, 2020 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

• **Opioids**- The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning December 1, 2020)

#### **Non-Preferred Drug Coverage**

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PDL Updated December 1, 2020 Highlights indicated change from previous posting

CNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide (BPO) GEL, WASH, LOTION OTC clindamycin/BPO (generic Duac) clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC crythromycin SOLUTION PANOXYL 10% WASH (BPO) OTC tretinoin CREAM, GEL <sup>AL</sup> (generic Retin-A)	adapalene (generic differin) adapalene/BPO (generic Epiduo)  AKLIEF (trifarotene) AL  ALTRENO (tretinoin) AL  AMZEEQ (minocycline)  ARAZLO (tazarotene) AL  ATRALIN (tretinoin)  AVAR (sulfacetamide sodium/sulfur)  AVITA (tretinoin)  BENZACLIN PUMP  (clindamycin/BPO)  BENZEFOAM (benzoyl peroxide) NR  benzoyl peroxide CLEANSER,  CLEANSING BAR OTC  benzoyl peroxide FOAM (generic Benzepro)  benzoyl peroxide GEL Rx  benzoyl peroxide TOWELETTE OTC  clindamycin FOAM, LOTION  clindamycin GEL  clindamycin/BPO (generic Acanya, Benzaclin) GEL  clindamycin/tretinoin (generic Veltin, Ziana)  dapsone (generic Aczone)  EPIDUO FORTE GEL PUMP  (adapalene/BPO)  erythromycin-BPO (generic for Benzamycin)  EVOCLIN (clindamycin)  FABIOR (tazarotene foam)  NEUAC (clindamycin/BPO)  ONEXTON (clindamycin/BPO)  ONEXTON (clindamycin/BPO)  ONEXTON (clindamycin/BPO)  OVACE PLUS (sulfacetamide sodium)  PLIXDA (adapalene) SWAB  RETIN-A GEL, CREAMAL (tretinoin)  sulfacetamide  sulfacetamide/sulfur  SUMADAN (sulfacetamide/sulfur)  tazarotene CREAM (generic Tazorac)  TRETIN-X (tretinoin)  tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ALZHEIMER'S AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months  OR  Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	OR ANTAGONIST	previous 45 days
memantine (generic for Namenda)	memantine ER (generic for Namenda XR) memantine <b>SOLUTION</b> (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	<ul> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANALGESICS, OPIOID LONG-ACTING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) <sup>QL</sup> PATCH fentanyl 25, 50, 75, 100 mcg PATCH <sup>QL</sup> morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN <sup>CL</sup> (oxycodone ER)	ARYMO ER (morphine sulfate) QL BELBUCA (buprenorphine) CL buccal buprenorphine PATCH (generic Butrans) QL EMBEDA (morphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl) QL fentanyl 37.5, 62.5, 87.5 mcg PATCH QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) CL HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone CL MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol) CL oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic Conzip, Ryzolt, Ultram ER) CL	<ul> <li>The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment.</li> <li>Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days</li> <li>Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care</li> <li>Oxycontin®: Pain contract required for maximum quantity authorization</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetaminophen/codeine ELIXIR, TABLET codeine TABLET cydrocodone/APAP SOLUTION, TABLET cydrocodone/ibuprofen cydromorphone TABLET corphine CONC SOLUTION, SOLUTION, TABLET cycodone/APAP c	APADAZ (benzhydrocodone/APAP) <sup>CL</sup> benzhydrocodone/APAP (generic Apadaz <sup>,CL</sup> butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/APAP/caffeine FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) <sup>CL</sup> OXAYDO (oxycodone) <sup>CL</sup> oxycodone/APAP SOLUTION oxycodone/APAP SOLUTION oxycodone/APAP SOLUTION oxycodone/Ibuprofen oxymorphone IR (generic Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone/APAP) ZAMICET (hydrocodone/APAP)	day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive  Drug-specific criteria:  Apadaz: Approval for 14 days or less  Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less  Tramadol/APAP: Clinical reason

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA:	NASAL	
	butorphanol <b>SPRAY</b> <sup>QL</sup> LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL <sup>CL</sup>		**Drug-specific criteria: - Abstral®/Actiq®/Fentora®/
	ABSTRAL (fentanyl) <sup>CL</sup> fentanyl <b>TRANSMUCOSAL</b> (generic Actiq) <sup>CL</sup> FENTORA (fentanyl) <sup>CL</sup>	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

#### ANDROGENIC AGENTS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
testosterone <b>PUMP</b> (generic Androgel) <sup>CL</sup>	ANDRODERM (testosterone) <sup>CL</sup> NATESTO (testosterone) <sup>CL</sup> testosterone PACKET (generic Androgel) <sup>CL</sup> testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	<ul> <li>Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause</li> <li>In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Androderm®/Androgel®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR</li> <li>Hypogonadotropic hypogonadism (congenital or acquired)</li> </ul> </li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL\_ Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic Lotensin) enalapril (generic Vasotec) fosinopril (generic Monopril) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)	captopril (generic Capoten) EPANED (enalapril) <sup>CL</sup> <b>ORAL SOLUTION</b> moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) <sup>CL</sup> <b>ORAL SOLUTION</b> trandolapril (generic Mavik)	<ul> <li>approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul> Drug-specific criteria:
ACE INHIBITOR/DIL	IRETIC COMBINATIONS	• Epaned <sup>®</sup> and Qbrelis <sup>®</sup> Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) fosinopril/HCTZ (generic Monopril HCT lisinopril/HCTZ (generic Prinzide, Zestoretic) quinapril/HCTZ (generic Accuretic)	captopril/HCTZ (generic Capozide) moexipril/HCTZ (generic Uniretic)	tablet is not appropriate
ANGIOTENSIN RI	ECEPTOR BLOCKERS	
irbesartan (generic Avapro) losartan (generic Cozaar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) olmesartan (generic Benicar) telmisartan (generic Micardis)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLO	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand-HCT)  EDARBYCLOR (azilsartan/chlorthalidone) olmesartan/HCTZ (generic Benicar-HCT) telmisartan/HCTZ (generic Micardis-HCT)	<ul> <li>approved for patients who have failed TWO preferred agents within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul>
	MODULATOR/	<ul> <li>Angiotensin Modulator/Calcium Channel Blocker Combinations:</li> </ul>
	OCKER COMBINATIONS	Combination agents may be
amlodipine/benazepril (generic Lotrel) amlodipine/valsartan (generic Exforge)	amlodipine/olmesartan (generic Azor) amlodipine/olmesartan/HCTZ (generic Tribenzor)	approved if there has been a trial and failure of preferred agent
	amlodipine/telmisartan (generic Twynsta)	
	amlodipine/valsartan/HCTZ (generic Exforge HCT)	
	PRESTALIA (perindopril/amlodipine)	
	trandolapril/verapamil (generic Tarka)	
		Direct Renin Inhibitors/Direct
DIRECT RENI	N INHIBITORS	Renin Inhibitor Combinations:
	aliskiren (generic Tekturna) <sup>QL</sup>	<ul> <li>May be approved with history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers</li> </ul>
DIRECT RENIN INHIB	ITOR COMBINATIONS	within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBITOR COMBINATION		
ENTRESTO (sacubitril/valsartan)QL		
ANGIOTENSIN RECEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS		
	BYVALSON (nevibolol/valsartan)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTHELMINTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALBENZA (albendazole) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	EMVERM (mebendazole) <sup>CL</sup> praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

#### **ANTI-ALLERGENS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA <sup>NR,AL</sup> (peanut allergen powder-dnfp)	<ul> <li>Class Criteria:         <ul> <li>Approved for immunotherapy for the treatment of grass pollen-induced allergic rhinitis with or without conjunctivitis.</li> <li>Patient has had treatment failure with or contraindication to: antihistamines AND montelukast</li> <li>Clinical reason as to why allergy shots cannot be used.</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>ORALAIR</li> <li>Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.</li> <li>For use in patients 10 through 65 years of age.</li> </ul> </li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	ALINIA (nitazoxanide) <sup>CL</sup> SUSPENSION  DIFICID (fidaxomicin) <sup>CL</sup> FLAGYL ER (metronidazole) <sup>CL</sup> Metronidazole <sup>CL</sup> CAPSULE paromomycin SOLOSEC (secnidazole) tinidazole (generic Tindamax) <sup>CL</sup> vancomycin CAPSULE (generic Vancocin) <sup>CL</sup> XIFAXAN (rifaximin) <sup>CL</sup>	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Drug-specific criteria:</li> <li>Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis)</li> <li>Flagyl ER®: Trial and failure with metronidazole is required</li> <li>Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used</li> <li>tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include:         Giardia         Amebiasis intestinal or liver abscess         Bacterial vaginosis or trichomoniasis</li> <li>vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient</li> <li>Xifaxan®: Approvable diagnoses include:         Travelers diarrhea resistant to quinolones         Hepatic encephalopathy with treatment failure of lactulose or neomycin         Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, INHALED**

Preferred Agents <sup>CL</sup>	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) <sup>CL</sup> KITABIS PAK (tobramycin) <sup>CL</sup> TOBI-PODHALER (tobramycin) <sup>CL,QL</sup>	ARIKAYCE (amikacin liposomal inh) <sup>CL</sup> SUSPENSION CAYSTON (aztreonam lysine) <sup>QL,CL</sup> tobramycin (generic for Bethkis) <sup>NR</sup> tobramycin (generic Tobi) <sup>CL</sup>	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents</li> <li>ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09</li> </ul>
		<ul> <li>Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy</li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> <li>Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used</li> </ul>

#### ANTIBIOTICS TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINTMENT</b> bacitracin/polymyxin (generic Polysporin) mupirocin <b>OINTMENT</b> (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin <b>OINTMENT, CREAM</b> mupirocin <b>CREAM</b> (generic Bactroban) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Mupirocin® Cream: Clinical reason the ointment cannot be used</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic Cleocin) CLINDESSE (clindamycin) NUVESSA (metronidazole) VANDAZOLE (metronidazole)	CLEOCIN <b>CREAM</b> (clindamycin) METROGEL (metronidazole) metronidazole, vaginal	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the las 6 months

#### **ANTICOAGULANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg <sup>CL,QL</sup> XARELTO DOSE PACK (rivaroxaban)	BEVYXXA (betrixaban) <sup>QL</sup> fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Drug-specific criteria:         <ul> <li>Coumadin®: Clinical reason generic warfarin cannot be used</li> <li>Savaysa®: Approved diagnoses include:</li></ul></li></ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dronabinol (generic Marinol) <sup>AL</sup>	BINOIDS  CESAMET (nabilone)	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same</li> </ul>
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	Drug-specific criteria:  • Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a
NK-1 RECEPTO	R ANTAGONIST	<ul> <li>5-HT3 antagonist WITHOUT trial of preferred agents</li> </ul>
	aprepitant (generic Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) <b>TABLET</b> CL	Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine,
TRADITIONAL	ANTIEMETICS	Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide  Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy  Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used  Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance
DICLEGIS (doxylamine/pyridoxine) <sup>CL,QL</sup> dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine TABLET (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TABLET (generic Tigan)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) luconazole SUSPENSION, TABLET (generic Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET erbinafine (generic Lamisil)	CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) <sup>CL</sup> ketoconazole (generic Nizoral) nystatin <b>POWDER</b> ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic Noxafil) <sup>AL,CL</sup> TOLSURA (itraconazole) <sup>CL</sup> voriconazole (generic VFEND) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis</li> <li>Flucytosine: Approved for diagnosis of:         <ul> <li>Candida: Septicemia, endocarditis, UTIs</li> <li>Cryptococcus: Meningitis, pulmonary infections</li> </ul> </li> <li>Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant</li> <li>Noxafil® Suspension:</li></ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **14** of **80** 

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### ANTIFUNGALS TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
· · ·	FUNGAL	Non-preferred agents will be
clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION	approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months  Drug-specific criteria:  Extina: Requires trial and failure or contraindication to other ketoconazole forms  Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> nystatin/triamcinolone: Indivudual ingredients available without prior authorization  ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
	clotrimazole/betamethasone <b>LOTION</b>	
(generic Lotrisone)	(generic Lotrisone) nystatin/triamcinolone (generic Mycolog)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIHISTAMINES, MINIMALLY SEDATING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine <b>CHEWABLE</b> (generic for Zyrtec) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) <sup>QL</sup> levocetirizine (generic for Xyzal) <b>SOLUTION</b> loratadine <b>CAPSULE</b> , <b>CHEWABLE</b> , <b>DISPERSABLE TABLET</b> (generic for Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class</li> <li>Combination products not covered – individual products may be covered</li> </ul>

#### **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine <b>TABLET</b> (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine <b>TRANSDERMAL</b> methyldopa/hydrochlorothiazide	Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) colchicine <b>CAPSULE</b> (generic for Mitigare) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine <b>TABLET</b> (generic for Colcrys) <sup>CL</sup> febuxostat (generic for Uloric) <sup>CL</sup> GLOPERBA <b>SOLN</b> (colchicine) <sup>NR,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Gloperba: Approved for documented swallowing disorder</li> <li>Uloric®: Clinical reason why allopurinol cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AJOVY AUTOINJECTOR (fremanezumab-vfrm) <sup>CL,QL</sup> EMGALITY 120 mg/mL (galcanezumab-gnlm) <sup>CL,QL</sup> PEN, SYRINGE  NURTEC ODT (rimegepant) <sup>AL,CL,QL</sup>	AIMOVIG (erenumab-aooe) CL,QL CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL EMGALITY 100 mg (galcanezumabgnlm) CL,QL SYRINGE ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL REYVOW (lasmiditan)AL, CL,QL TABLET UBRELVY (ubrogepant)AL,CL,QL TABLET	<ul> <li>All acute treatment agents will be approved for patients who have a failed trial or contraindication of a triptan.</li> <li>In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication</li> <li>Drug-specific criteria:</li> <li>Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate</li> <li>Emgality 120mg is recommended dosing for Migraine, Emgaility 100mg is recommended dosing for Episodic Cluster Headache</li> <li>Aimovig, Ajovy and Emgality 120mg:         Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)</li> <li>In addition, Aimovig requires a trial of Emgality 120mg or Ajovy or clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

PDL Updated December 1, 2020  ${\it Highlights}$  indicated change from previous posting ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
0	RAL	Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) <sup>QL</sup> sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents within this drug class  Drug-specific criteria:  Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used  Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
N/	ASAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) ZOMIG (zolmitriptan)	
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

#### **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION lindane malathion (generic Ovide) SKLICE (ivermectin) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)  COMT INI		<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within this drug class</li> </ul>
DOPAMINE bromocriptine (generic for Parlodel) pramipexole (generic for Mirapex) ropinirole (generic for Requip)  MAO-B IN selegiline CAPSULE, TABLET (generic	ONGENTYS (Opicapone) <sup>NR,QL</sup> tolcapone (generic for Tasmar)  AGONISTS  ropinirole ER (generic for Requip ER) <sup>CL</sup> NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic for Mirapex ER) <sup>CL</sup> HIBITORS	<ul> <li>Carbidopa/Levodopa ODT: Approved for documented swallowing disorder</li> <li>COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug</li> <li>Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug</li> <li>Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa</li> </ul>
for Eldepryl)	XADAGO (safinamide) ZELAPAR (selegiline) <sup>CL</sup>	<ul> <li>agent</li> <li>Neupro®:</li> <li>For Parkinsons: Clinical reason</li> </ul>
OTHER ANTIPARI	KINSON'S DRUGS	
amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) <sup>QL</sup> INBRIJA (levodopa) INHALER <sup>CL,QL</sup> KYNMOBI (apomorphine) <sup>QL/NR</sup> NOURIANZ (istradefylline) <sup>NR,CL,QL</sup> OSMOLEX ER (amantadine) <sup>QL</sup> RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	Neupro®:

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

#### **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ANTIVIRALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir <b>SUSPENSION</b> (generic for Zovirax) SITAVIG (acyclovir buccal) <sup>CL</sup>	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	ANTI-INFLUENZA DRUGS	
oseltamivir (generic Tamiflu) <sup>QL</sup>	rimantadine (generic Flumadine) RELENZA (zanamivir) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup> XOFLUZA (baloxavir marboxil) <sup>AL,CL,QL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults</li> <li>Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

#### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, <b>OINTMENT</b> (generic Zovirax)  DENAVIR (penciclovir)  XERESE (acyclovir/hydrocortisone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent</li> </ul>

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION (generic for Valium) orazepam INTENSOL, TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL <sup>CL</sup> clorazepate (generic for Tranxene-T) diazepam INTENSOL <sup>CL</sup> lorazepam ORAL SYRINGE <sup>NR</sup> meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting **BETA BLOCKERS, ORAL** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Ů	acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLUTION INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease</li> <li>Coreg CR®: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL)</li> <li>Requires clinical reason generic sotalol cannot be used</li> </ul> </li> </ul>
BETA- AND ALI	PHA-BLOCKERS	
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER (generic Coreg CR)	
ANTIARR	HYTHMIC	
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol <b>CAPSULE</b> 300mg (generic for Actigall) ursodiol 250mg <b>TABLET</b> (generic for URSO) ursodiol 500mg <b>TABLET</b> (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Oxybutynin IR, ER (generic Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Myrbetriq®: Covered without trial in contraindication to anticholinergic agents</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting **BONE RESORPTION SUPRESSION AND RELATED DRUGS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic Fosamax)  TABLET  ibandronate (generic Reniva)(l	alendronate <b>SOLUTION</b> (generic Fosamax) <sup>QL</sup>	approved for patients who have failed a trial of ONE preferred agent within the same group
ibandronate (generic Boniva) <sup>QL</sup>	ATELVIA DR (risedronate) BINOSTO (alendronate)	Drug-specific criteria:
	etidronate disodium (generic Didronel)	
	FOSAMAX PLUS DQL	individual agents without prior authorization
	risedronate (generic Actonel) <sup>QL</sup>	<ul> <li>Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach</li> </ul>
		Binosto®: Requires clinical reason why
OTHER BONE RESORPTION SUPI	PRESSION AND RELATED DRUGS	alendronate tablets OR Fosamax® solution cannot be used
calcitonin-salmon NASAL raloxifene (generic Evista)	EVISTA (raloxifene) FORTEO (teriparatide) <sup>QL</sup>	Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification
raioxiiono (genene Evicia)	Teriparatide <sup>QL</sup>	Forteo®: Covered for high risk of fracture
	TYMLOS (abaloparatide)	High risk of fracture:
	,	BMD -3 or worse
		<ul> <li>Postmenopausal women with history of non-traumatic fractures</li> </ul>
		<ul> <li>Postmenopausal women with 2 or more clinical risk factors</li> </ul>
		<ul> <li>Family history of non-traumatic fractures</li> </ul>
		<ul> <li>DXA BMD T-score ≤ -2.5 at any site</li> </ul>
		<ul> <li>Glucocorticoid use ≥ 6 months at</li> <li>7.5 dose of prednisolone equivalent</li> </ul>
		<ul> <li>Rheumatoid Arthritis</li> </ul>
		<ul> <li>Postmenopausal women with BMD T- score ≤ -2.5 at any site with any clinical risk factors</li> </ul>
		<ul> <li>More than 2 units of alcohol per day</li> </ul>
		<ul> <li>Current smoker</li> <li>Men with primary or hypogonadal</li> </ul>
		<ul><li>osteoporosis</li><li>Osteoporosis associated with</li></ul>
		sustained systemic glucocorticoid therapy
		Trial of calcitonin-salmon not required

PDL Updated December 1, 2020 Highlights indicated change from previous posting **BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Alfuzosin/dutasteride/finasteride
dutasteride (generic for Avodart) finasteride (generic for Proscar)	SE (5AR) INHIBITORS  dutasteride/tamsulosin (generic for Jalyn)	<ul> <li>Covered for males only</li> <li>Cardura XL<sup>®</sup>: Requires clinical reason generic IR form cannot be used</li> </ul>
		<ul> <li>Flomax<sup>®</sup>: Females covered for a 7 day supply with diagnosis of acute kidney stones</li> <li>Jalyn<sup>®</sup>: Requires clinical reason why individual agents cannot be used</li> </ul>

#### **BRONCHODILATORS. BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting		Non-preferred agents will be
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	albuterol HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex	approved for patients who have failed a trial of ONE preferred agent within this drug class
	HFA)	Drug-specific criteria:
	PROAIR DIGIHALER (albuterol) <sup>NR</sup> PROAIR RESPICLICK (albuterol)	<ul> <li>Ventolin HFA®: Requires trial and failure on Proventil HFA® AND Proair HFA® OR allergy/ contraindication/side effect to</li> </ul>
INHALERS	– Long Acting	BOTH
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	<ul> <li>Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product</li> </ul>
INHALATIO	ON SOLUTION	, '
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	RAL	
albuterol SYRUP	albuterol <b>TABLET</b> albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

Page **25** of **80** 

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **CALCIUM CHANNEL BLOCKERS, ORAL** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING .		Non-preferred agents will be approved for patients who have
Dihydrog	Dihydropyridines	
	isradipine (generic Dynacirc)	failed a trial of ONE preferred agent within this drug class
	nicardipine (generic Cardene)	Ü
	nifedipine (generic Procardia)	Drug-specific criteria:
	nimodipine (generic Nimotop)	<ul> <li>Nifedipine: May be approved</li> </ul>
	NYMALIZE (nimodipine) <b>SOLUTION</b>	without trial for diagnosis of Preterm Labor or Pregnancy
Non-dihydı	ropyridines	Induced Hypertension (PIH)  Nimodipine: Covered without trial
diltiazem (generic Cardizem)		for diagnosis of subarachnoid
verapamil (generic Calan/Isoptin)		hemorrhage
I ONG-	LONG-ACTING	
	pyridines	documented swallowing difficulty
amlodipine (generic Norvasc)	felodipine ER (generic Plendil)	
nifedipine ER (generic Procardia XL/	KATERZIA (amlodipine) <sup>QL</sup> <b>SUSP</b>	
Adalat CC)	nisoldipine (generic Sular)	
Non-dihydi	ropyridines	_
		_
diltiazem ER (generic Cardizem CD)	CALAN SR (verapamil)	
verapamil ER <b>TABLET</b>	diltiazem ER (generic Cardizem LA)	
	MATZIM LA (diltiazem ER)	
	TIAZAC (diltiazem)	
	verapamil ER CAPSULE	
	verapamil 360mg CAPSULE	
	verapamil ER (generic Verelan PM)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSPENSION, TABLET	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic Duricef) cephalexin CAPSULE, SUSPENSION (generic Keflex)	cefadroxil <b>TABLET</b> (generic Duricef) cephalexin <b>TABLET</b> DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil)	cefaclor (generic Ceclor)	
cefuroxime TABLET (generic Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic Omnicef)	cefixime CAPSULE, SUSPENSION (generic Suprax) cefpodoxime (generic Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

#### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN <b>DISP SYR</b> (filgrastim) NIVESTYM <b>SYR,VIAL</b> (filgrastim-aafi) ZARXIO (filgrastim-sndz) ZIEXTENZO <b>SYR</b> (pegfilgrastim-bmez) <sup>NR</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time  Only those products for review are listed.  Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent  Specific agents can be looked up using the Drug Look-up Tool at: <a href="https://druglookup.fhsc.com/druglookupweb/?client=nestate">https://druglookup.fhsc.com/druglookupweb/?client=nestate</a>	charlotte 24 fe (norethindrone     acetate/ethinyl estradiol-iron) <sup>NR</sup> gemmily (norethindrone/ethinyl     estradiol-iron) <sup>NR</sup> hailey fe 1/20 (norethindrone acetate/     ethinyl estradiol-iron) <sup>NR</sup> tyblume (levonorgestrel/ ethinyl     estradiol) <sup>NR</sup>	

Page **28** of **80** 

PDL Updated December 1, 2020 Highlights indicated change from previous posting COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ATROVENT HFA (ipratropium) BEVESPI AEROSPHERE  (glycopyrolate/formoterol) COMBIVENT RESPIMAT (albuterol/ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	ANORO ELLIPTA (umeclidinium/vilanterol)  DUAKLIR PRESSAIR (aclidinium br and formoterol fum) <sup>NR</sup> INCRUSE ELIPTA (umeclidnium)  SEEBRI NEOHALER (glycopyrolate)  SPIRIVA RESPIMAT (tiotropium)  TUDORZA PRESSAIR (aclidinium br)  UTIBRON NEOHALER (indacaterol/glycopyrolate)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device.  Drug-specific criteria:     Daliresp®:     Covered for diagnosis of severe COPD associated with chronic bronchitis     Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	<ul> <li>exacerbation in last year upon initial review</li> </ul>
albuterol/ipratropium (generic for Duoneb) ipratropium <b>SOLUTION</b> (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL	AGENT	
	DALIRESP (roflumilast) <sup>CL, QL</sup>	

#### **COUGH AND COLD. OPIATE COMBINATION**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product</li> <li>All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KALYDECO <b>PACKET</b> , <b>TABLET</b> (ivacaftor) <sup>QL, AL</sup> ORKAMBI (lumacaftor/ivacaftor) <b>PACKET</b> , <b>TABLET</b> <sup>QL, AL</sup> SYMDEKO (tezacaftor/ivacaftor) <sup>QL, AL</sup> TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) <sup>AL, CL</sup>	Nalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene     Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene     Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.     Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NBREL (etanercept) KIT, MINI CART, PEN <sup>QL</sup> IUMIRA (adalimumab) <sup>QL</sup> DTEZLA (apremilast) ORAL <sup>CL,QL</sup>	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol)QL COSENTYX (secukinumab)GL ENBREL (entanercept) VIALNR,QL ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORALCL,QL ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib,CL,QL SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab)AL TREMFYA (guselkumab)QL XELJANZ (tofacitinib) ORALCL,QL	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is require</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis.</li> <li>Drug-specific criteria:         <ul> <li>Otezla: Requires a trial of Humin</li> <li>Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies.</li> <li>Rinvoq, Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate</li> </ul> </li> </ul>

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **DIURETICS** 

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	•	Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril) furosemide SOLUTION, TABLET   (generic Lasix) hydrochlorothiazide CAPSULE,     TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic     Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic Inspra) ethacrynic acid CAPSULE (generic Edecrin) methyclothiazide TABLET triamterene (generic Dyrenium)		approved for patients who have failed a trial of <b>TWO</b> preferred agents within this drug class
COMBINATIO	N PRODUCTS		
amiloride/HCTZ TABLET			
spironolactone/HCTZ <b>TABLET</b> (generic Aldactazide) triamterene/HCTZ <b>CAPSULE, TABLET</b> (generic Dyazide, Maxzide)			

#### **ENZYME REPLACEMENT, GAUCHERS DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) <sup>CL</sup>	CERDELGA (eliglustat) miglustat (generic Zavesca)	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Drug-specific criteria:</li> <li>Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option</li> </ul>

#### EPINEPHRINE. SELF-INJECTEDQL

E	efinefficine, Self-injected <sup>4-</sup>				
	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria		
	epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate  Brand name product may be authorized in event of documented national shortage of generic product.		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin <b>TABLET</b> (generic Cipro) levofloxacin <b>TABLET</b> (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic Cipro) levofloxacin SOLUTION moxifloxacin (generic Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea)</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>QL</sup> LINZESS (linaclotide) <sup>QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup>	alosetron (generic Lotronex) MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLETQL SYMPROIC (naldemedine) TRULANCE (plecanatide)QL VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class</li> <li>Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik</li> <li>Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik</li> <li>Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

#### **GLUCAGON AGENTSQL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) <sup>AL</sup> <b>NASAL</b> GLUCAGON EMERGENCY (glucagon) <b>INJ KIT</b> (Lilly) glucagon <b>INJECTION</b> PROGLYCEM (diazoxide) <b>SUSP</b>	diazoxide <b>SUSP</b> (generic Proglycem) GLUCAGON EMERGENCY (glucagon) <b>INJ KIT</b> (Fresenius) GVOKE (glucagon) <sup>AL</sup> <b>PEN</b> , <b>SYRINGE</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)  GLUCOCORTICOID/BRONCH  ADVAIR DISKUS (fluticasone/ salmeterol) QL ADVAIR HFA (fluticasone/salmeterol) QL DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AEROSPAN (flunisolide) ALVESCO (ciclesonide)AL,CL  ARMONAIR DIGIHALER	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months  Drug-specific criteria:  • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the last 6 months.
	Pulmicort)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for	ALKINDI (hydrocortisone) GRANULES <sup>AL/NR</sup> CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLET <sup>CL</sup> ENTOCORT EC (budesonide) HEMADY (dexamethasone) <sup>NR</sup> methylprednisolone 8mg, 16mg	Prior Authorization/Class Criteria  Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months  Drug-specific criteria:  Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older  Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient
	ORTIKOS ER (budesonide)AL,NR,QL PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	appropriate for the patient

#### **GROWTH HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) <sup>QL</sup> OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

#### HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS FIRAZYR (icatibant acetate) <sup>AL</sup> SUB-Q HAEGARDA (C1 esterase inhibitor, human) <sup>AL</sup> SUB-Q	CINRYZE (C1 esterase inhibitor, human)AL INTRAVENOUS icatibant acetate (generic for FIRAZYR)AL SUB-Q KALBITOR (ecallantide)AL SUB-Q RUCONEST (recombinant human C1 inhibitor)AL INTRAVENOUS TAKHZYRO (lanadelumab-flyo)AL SUB-Q	All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, and estrogencontaining products is contraindicated     All prophylaxis agents (Haegarda, Takhzyro and Ciryze) require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol     Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACTOR VIII		<ul> <li>Non-preferred agents will be</li> </ul>
ADVATE ALPHANATE HELIXATE FS HUMATE-P KOATE-DVI VIAL KOVALTRY NOVOEIGHT NUWIQ RECOMBINATE XYNTHA KIT, SOLOFUSE	ADYNOVATE AFSTYLA ELOCTATE ESPEROCT <sup>NR,</sup> HEMOFIL-M JIVI <sup>AL</sup> KOATE-DVI KIT KOGENATE FS OBIZUR	approved for patients who have failed a trial of ONE preferred agent within this drug class
FAC	FOR IX	
BENEFIX MONONINE PROFILNINE SD	ALPHANINE SD ALPROLIX IDELVION IXINITY REBINYN RIXUBIS	
FACTOR VIIA AND PROTHROM	BIN COMPLEX-PLASMA DERIVED	-
NOVOSEVEN RT	FEIBA NF	
FACTOR X AND	XIII PRODUCTS	
CORIFACT	COAGADEX <sup>CL</sup> TRETTEN <sup>CL</sup>	
VON WILLEBR	AND PRODUCTS	
VONVENDI WILATE		
BISPECIFI	C FACTORS	
	HEMLIBRA <sup>CL</sup>	

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **HEPATITIS C TREATMENTS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTING ANTI-VIRAL		Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) <sup>CL</sup> VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) <sup>CL</sup>	DAKLINZA (daclatasvir) CL HARVONI 200/45MG, TABLET,	Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient     Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor  Drug-specific criteria:  Trial with Mavyret not required in the following:     Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin
RIBA	VIRIN	Harvoni:
	REBETOL (ribavirin)	For genotype 1 with decompensated cirrhosis along
	FERON	<ul><li>with ribavirin</li><li>Post liver transplant for genotype</li></ul>
PEGASYS (pegylated interferon alfa- 2a) <sup>CL</sup> PEG-INTRON (pegylated interferon alfa-2b) <sup>CL</sup>		1 or 4  For pediatric patients ages 3 to 11 years old with FDA indications  Sovaldi:  For pediatric patients ages 3 to
		11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin  Vosevi: Requires documentation of non-response after previous treatment course of
		Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **HISTAMINE II RECEPTOR BLOCKERS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) ranitidine SYRUP, TABLET (generic for Zantac)	cimetidine TABLET, SOLUTION (generic for Tagamet) famotidine SUSPENSION nizatidine (generic for Axid) ranitidine CAPSULE, (generic for Zantac)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment</li> <li>nizatadine/cimetidine solution/famotidine suspension: Requires clinical reason why ranitidine syrup cannot be used ***famotidine suspension is authorized during national shortage of ranitidine syrup.***</li> </ul>

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **HIV / AIDS**<sup>CL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 ANTAGONISTS		<ul> <li>Non-preferred agents will be approved for patients who have a</li> </ul>
SELZENTRY <b>SOLN, TAB</b> (maraviroc)		diagnosis of HIV/AIDS and patient
FUSION IN	IHIBITORS	specific documentation of why the preferred products within this drug
FUZEON <b>SUB-Q</b> (enfuvirtide) <sup>QL</sup>		class are not appropriate for patient, including, but not limited
HIV-1 ATTACHN	IENT INHIBITOR	to, drug resistance or concomitant
ISENTRESS (raltegravir)QL	TIVICAY PD (dolutegravir) <sup>NR</sup>	conditions not recommended with preferred agents
ISENTRESS HD (raltegravir)		<ul> <li>Patients undergoing treatment at the time of any preferred status</li> </ul>
TIVICAY (dolutegravir)		change will be allowed to continue
NON-NUCLEOSIDE REVERSE TRAI	NSCRIPTASE INHIBITORS (NNRTIs)	therapy Diagnosis of HIV/AIDS required
EDURANT (rilpivirine)	efavirenz (generic Sustiva)	OR
INTELENCE (etravirine) <sup>QL</sup>	nevirapine IR, ER (generic	<ul> <li>Pre and Post Exposure</li> </ul>
PIFELTRO (doravirine) <sup>QL</sup> SUSTIVA <b>CAPSULE</b> , <b>TABLET</b>	Viramune/Viramune XR)	Prophylaxis
, , , , , , , , , , , , , , , , , , , ,	RESCRIPTOR (delavirdine) VIRAMUNE (nevirapine) SUSP	
,	VIIVALIA (Hevilapine) Cool	
WIGHT SOURS DEVEROS TRANS		
	SCRIPTASE INHIBITORS (NRTIS)	
abacavir <b>SOLN, TABLET</b> (generic Ziagen)	didanosine DR (generic Videx EC)	
EMTRIVA CAPSULE, SOLN	emtricitabine <b>CAPSULE</b> (generic for Emtriva) <sup>NR</sup>	
(emtricitabine)	EPIVIR (lamivudine)	
lamivudine SOLN, TABLET (generic	RETROVIR (zidovudine)	
Epivir)	stavudine CAPSULE (generic Zerit)	
zidovudine CAPSULE, SYRUP, TABLET (generic Retrovir)	VIDEX (didanosine) <b>SOLN</b>	
- I a construction of the	ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTIs)		
tenofovir TABLET (generic Viread)		
	ETIC ENHANCER	
TYBOST (cobicistat)QL		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

# HIV / AIDS<sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE	INHIBITORS	
atazanavir CAPSULE (generic Reyataz) LEXIVA SUSP, TABLET   (fosamprenavir) NORVIR (ritonavir) TAB PREZISTA (darunavir) SUSP, TABLET	(tipranavir) CRIXIVAN (indinavir) fosamprenavir <b>TAB</b> (generic Lexiva)	

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **HIV / AIDS**<sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER	
KALETRA <b>TAB</b> (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) <sup>QL</sup> ppinavir/ritonavir <b>SOLN</b> (generic Kaletra)	KALETRA <b>SOLN</b> (lopinavir/ritonavir)	
abacavir/lamivudine (generic Epzicom)  abacavir/lamivudine/zidovudine (generic Trizivir)  CIMDUO (lamivudine/tenofovir)  DESCOVY (emtricitabine/tenofovir)  amivudine/zidovudine (generic Combivir)  TRUVADA (emtricitabine/tenofovir)	COMBIVIR (lamivudine/zidovudine)  emtricitabine/tenofovir (generic Truvada) <sup>CL,NR</sup> EPZICOM (abacavir sulfate/lamivudine)  TEMIXYS (lamivudine/tenofovir) <sup>QL</sup> TRIZIVIR (abacavir/lamivudine/zidovudine)	
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
BIKTARVY (bictegravir/emtricitabine/tenofovir) <sup>QL</sup> COMPLERA (rilpivirine/emtricitabine/tenofovir)	DOVATO (dolutegravir/lamivudine) <sup>QL</sup> efavirenz/emtricitabine/tenofovir (generic Atripla) <sup>CL,NR</sup> efavirenz/lamivudine/tenofovir (generic for Symfi) <sup>NR,QL</sup> efavirenz/lamivudine/tenofovir (generic for Symfi Lo) <sup>NR,QL</sup> JULUCA (dolutegravir/rilpivirine) <sup>QL</sup> SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) <sup>QL</sup>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

### HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
, and the second se	<u> </u>	
BYDUREON (exenatide ER) subcutaneous BYDUREON <b>PEN</b> (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) <sup>QL</sup> OZEMPIC (semaglutide) RYBELSUS (semaglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)  A COMBINATIONS  SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin	Preferred agents require metformin trial and diagnosis of diabetes  Non-preferred agents will be approved for patients who have:  Failed a trial of TWO preferred agents within GLP-1 RA  AND  Diagnosis of diabetes with HbA1C ≥ 7 AND  Trial of metformin, or contraindication or intolerance to metformin
	degludec/liraglutide)	
AMYLIN	ANALOG SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Fingerstick monitoring of glucose during initiation of therapy</li> </ul>
DIPEPTIDYL PEPTIDASI	E-4 (DPP-4) INHIBITOR <sup>QL</sup>	
GLYXAMBI (empagliflozin/linagliptin) JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) <sup>AL</sup>	Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL\_ Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **44** of **80** 

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL  HUMALOG JR. (insulin lispro) U-100 PEN  HUMALOG MIX VIAL (insulin lispro/lispro protamine)  HUMALOG MIX PEN (insulin lispro/lispro protamine)  HUMULIN (insulin) VIAL  HUMULIN 70/30 VIAL  HUMULIN U-500 VIAL  HUMULIN OTC PEN  HUMULIN OTC PEN  LANTUS SOLOSTAR PEN (insulin glargine)  LANTUS (insulin glargine) VIAL  LEVEMIR (insulin detemir) PEN, VIAL  NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG (insulin lispro) U-200 PEN insulin lispro (generic for Humalog) PEN, VIAL insulin aspart (generic for Novolog) LYUMJEV KWIKPEN, VIAL(insulin lispro-aabc) <sup>NR</sup> NOVOLIN (insulin) NOVOLIN 70/30 VIAL(insulin) TOUJEO SOLOSTAR (insulin glargine) SEMGLEE (insulin glargine) <sup>NR</sup> PEN, VIAL TRESIBA (insulin degludec)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin® R U-500 Kwikpen:</li></ul></li></ul>

### **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	Non-preferred agents will be approved for patients with:     Failure of a trial of ONE preferred agent in another Hypoglycemic class OR     T2DM and inadequate glycemic control

### HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin <b>SOLUTION</b> (generic Riomet) RIOMET ER (metformin ER) <sup>AL</sup>	<ul> <li>Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used</li> <li>Metformin solution: Prior authorization not required for age &lt;7 years</li> </ul>

Page **45** of **80** 

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. QL – Quantity/Duration Limit CL – Prior Authorization / Class Criteria apply

AL – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **HYPOGLYCEMICS, SGLT2**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) <sup>QL,CL</sup> INVOKAMET (canagliflozin/metformin) <sup>QL, CL</sup> INVOKANA (canagliflozin) <sup>CL</sup> JARDIANCE (empagliflozin) <sup>QL, CL</sup> XIGDUO XR (dapagliflozin/metformin) <sup>QL,CL</sup>	INVOKAMET XR (canagliflozin/metformin) <sup>QL</sup> SEGLUROMET (ertugliflozin/metformin) <sup>QL</sup> STEGLATRO (ertugliflozin) <sup>QL</sup> SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) <sup>QL</sup>	<ul> <li>Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin</li> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

### HYPOGLYCEMICS, SULFONYLUREAS

002.0200, 002. 020.	<del></del>	
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLURE	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

### **HYPOGLYCEMICS, TZD**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		<ul> <li>Non-preferred agents will be</li> </ul>
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred ager
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) <sup>CL</sup>	ESBRIET (pirfenidone)	<ul> <li>Non-preferred agent requires trial of preferred agent within this drug class</li> <li>FDA approved indication required – ICD-10 diagnosis code</li> </ul>

### IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus)	DUPIXENT (dupilumab) <sup>AL,CL</sup> DUPIXENT <b>PEN</b> <sup>AL,NR</sup> EUCRISA (crisaborole) pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) <sup>CL</sup>	<ul> <li>Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class</li> <li>Drug-specific criteria:</li> <li>Dupixent: For atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication For adults with chronic rhinosinusitis with nasal polyposis must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid</li> </ul>

### IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic Neoral) mycophenolate CAPSULE, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION   (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate SUSPENSION   (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKET RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus SOLUTION, TABLET (generic Rapamune) everolimus (generic for Zortress) AL	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class  Patients established on existing therapy will be allowed to continue

### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
oratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	<ul> <li>Drug-specific criteria:</li> <li>mometasone: Prior authorization NOT required for children ≤ 12 years</li> <li>budesonide: Approved for use in Pregnancy (Pregnancy Category</li> </ul>
CORTICO	STEROIDS	<ul> <li>B)</li> <li>Veramyst®: Prior authorization</li> </ul>
luticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	<ul> <li>Veramyst®: Prior authorization NOT required for children ≤ 12 years</li> <li>Xhance: Indicated for treatment nasal polyps in ≥ 18 years only</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast <b>TABLET/CHEWABLE</b> (generic for Singulair) <sup>AL</sup>	montelukast <b>GRANULES</b> (generic for Singulair) <sup>CL, AL</sup> zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>montelukast granules:</li> <li>PA not required for age &lt; 2 years</li> </ul> </li> </ul>

#### LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin ) CAPSULE CLEOCIN PALMITATE (clindamycin) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	<ul> <li>Non-preferred agents will be</li> </ul>
cholestyramine (generic Questran) colestipol <b>TABLETS</b> (generic Colestid)	colesevelam (generic Welchol)  TABLET, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Colesevelam: Trial not required for diabetes control and monotherapy with
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	metformin, sulfonylurea, or insulin has been inadequate
	JUXTAPID (lomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup>	<ul> <li>Juxtapid<sup>®</sup>/ Kynamro<sup>®</sup>:</li> <li>Approved for diagnosis of homozygous</li> </ul>
FIBRIC ACID	DERIVATIVES	familial hypercholesterolemia (HoFH)
fenofibrate (generic Tricor) gemfibrozil (generic Lopid)	fenofibrate (generic Antara/Fenoglide/ Lipofen/Lofibra/Triglide) fenofibric acid (generic Fibricor/Trilipix)	OR  o Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants
NIA	CIN	
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	o Require faxed copy of REMS PA form
OMEGA-3 F	ATTY ACIDS	<ul> <li>Lovaza®: Approved for TG ≥ 500</li> <li>Several other forms of OTC Niacin and fish oil are also covered without prior authorization under Medicaid with a prescription</li> <li>Vascepa®: Approved for TG ≥ 500</li> </ul>
	icosapent (generic for Vascepa) <sup>CL,NR</sup> omega-3 fatty acids (generic for Lovaza) <sup>CL</sup> VASCEPA (icosapent) <sup>CL</sup>	
CHOLESTEROL ABSO	ORPTION INHIBITORS	
ezetimibe (generic for Zetia)	NEXLIZET (bempedoic acid/ezetimibe) <sup>NR,QL</sup>	

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting LIPOTROPICS, OTHER (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SU	PRALUENT (alorocumab) <sup>CL</sup> REPATHA (evolocumab) <sup>CL</sup>	<ul> <li>Praluent®: Approved for diagnoses of:         <ul> <li>atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> </ul> </li> <li>AND         <ul> <li>Maximized high-intensity statin WITH ezetimibe for at 3 continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> </ul> </li> <li>Repatha®: Approved for:         <ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> <li>homozygous familial hypercholesterolemia (HoFH) in age ≥ 13</li> <li>statin-induce rhabdomyolysis</li> <li>AND</li> <li>Maximized high-intensity statin WITH ezetimibe for 3+ continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Concurrent use of maximally-tolerated statin must continue</li> </ul> </li> </ul>

### LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		<ul> <li>Non-preferred agents will be</li> </ul>
atorvastatin (generic Lipitor) <sup>QL</sup> lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) <sup>CL</sup> EZALLOR SPRINKLE (rosuvastatin) <sup>QL</sup> fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	<ul> <li>approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months</li> <li>Drug-specific criteria:         <ul> <li>Altoprev®: One of the TWO trials must be IR lovastatin</li> </ul> </li> <li>Combination products: Require clinical</li> </ul>
STATIN COMBINATIONS		reason why individual ingredients cannot be
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	<ul> <li>fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting **MACROLIDES AND KETOLIDES, ORAL** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACRO	OLIDES	Require clinical reason why
azithromycin (generic Zithromax) clarithromycin TABLET, SUSPENSION (generic Biaxin)	clarithromycin ER (generic Biaxin XL) E.E.S. SUSPENSION, TABLET   (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYPED SUSPENSION   (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET,   CAPSULE erythromycin ethylsuccinate   SUSPENSION	preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

#### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	<ul> <li>Non-preferred agents will be approved for FDA-approved indications</li> <li>Drug-specific criteria:</li> <li>Xatmep<sup>TM</sup>:Indicated for pediatric patients only</li> </ul>

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **MOVEMENT DISORDERS** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) <sup>CL</sup> tetrabenazine (generic for Xenazine) <sup>CL</sup>	INGREZZA (valbenazine) <sup>CL</sup> CAP, INITIATION PACK	Non-preferred agent requires trial of Austedo
		All drugs require an FDA approved indication – ICD-10 diagnosis code required.
		Drug-specific criteria:
		<ul> <li>Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease</li> </ul>
		<ul> <li>Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo</li> </ul>
		<ul> <li>tetrabenazine: Diagnosis of chorea with Huntington's Disease</li> </ul>

### **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE 20mg (glatiramer) <sup>QL</sup> GILENYA (fingolimod) <sup>QL</sup> TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide)  BAFIERTAM (monomethyl fumarate) <sup>NR,QL</sup> dalfampridine (generic Ampyra) <sup>QL</sup> dimethyl fumarate (generic for Tecfidera) <sup>NR</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> glatiramer (generic Copaxone) <sup>QL</sup> KESIMPTA ((Ofatumumab) <sup>NR,QL</sup> MAVENCLAD (cladribine)  MAYZENT (siponimod) <sup>QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> REBIF (interferon beta-1a) <sup>QL</sup> VUMERITY (diroximel) <sup>QL</sup> ZEPOSIA (ozanimod) <sup>AL,NR,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Plegridy: Approved for diagnosis of relapsing MS</li> </ul> </li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	nitrofurantoin <b>SUSPENSION</b> (generic for Furadantin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting **NSAIDs, ORAL** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium (generic for Voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for	Non-Preferred Agents  ELECTIVE  diclofenac potassium (generic for Cataflam, Zipsor)  diclofenac SR (generic for Voltaren-XR)  diflunisal (generic for Dolobid)  etodolac & SR (generic for Lodine/XL)  fenoprofen (generic for Nalfon)  flurbiprofen (generic for Ansaid)  ibuprofen OTC (generic for Advil,  Motrin) CAPSULE  indomethacin ER (generic for Indocin)  INDOCIN RECTAL, SUSPENSION  ketoprofen & ER (generic for Orudis)	Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class  Drug-specific criteria:      Arthrotec®: Requires clinical reason why individual ingredients cannot be used      Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used      meclofenamate: Approvable without trial of preferred agents for menorrhagia
,	INDOCIN RECTAL, SUSPENSION	without trial of preferred agents for

PDL Updated December 1, 2020 Highlights indicated change from previous posting **NSAIDs, ORAL (Continued)** 

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
,	IVE (continued)  ALL BRAND NAME NSAIDs including:  CAMBIA (diclofenac oral solution)  DUEXIS (ibuprofen/famotidine)  SPRIX (ketorolac nasal spray)  NASAL QL, CL  TIVORBEX (indomethacin)  VIVLODEX (meloxicam submicronized)	Drug-specific criteria:  Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs  Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used  Zorvolex®: Requires trial of oral
NSAID/GI PROTECT	ZIPSOR (diclofenac) ZORVOLEX (diclofenac)  ANT COMBINATIONS	diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
	diclofenac/misoprostol (generic for Arthrotec)	_•
COX-II SELECTIVE		
celecoxib (generic for Celebrex)		

### **NSAIDs. TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	diclofenac (generic for Pennsaid Solution) <sup>CL</sup> FLECTOR <b>PATCH</b> (diclofenac) <sup>CL</sup> <i>LICART <b>PATCH</b></i> (diclofenac) PENNSAID <b>PACKET</b> , <b>PUMP</b> (diclofenac) <sup>CL</sup> VOLTAREN <b>GEL</b> (diclofenac) <sup>CL</sup>	<ul> <li>Flector®: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form</li> <li>Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used</li> <li>Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, BREAST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA <b>CO-PACK</b> VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMO1	THERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) <sup>CL</sup>	<ul> <li>anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> </ul>
HORMONE	BLOCKADE	capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX <b>SOLN</b> (tamoxifen) <sup>CL</sup> toremifene (generic for Fareston) <sup>CL</sup>	<ul> <li>cannot be used</li> <li>Fareston®: Require clinical reason why tamoxifen cannot be used</li> <li>letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved</li> </ul>
ОТ	HER	for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) <sup>CL,NR</sup> TALZENNA (talazoparib tosylate) QL TUKYSA(tucatinib) <sup>NR,QL</sup>	<ul> <li>Soltamox: May be approved with documented swallowing difficulty</li> </ul>

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine A	PURIXAN (mercaptopurine)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use</li> </ul>
A	ML	from current treatment guidelines
	DAURISMO (glasdegib maleate) <sup>QL</sup> IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) <sup>QL</sup> XOSPATA (gilteritinib) <sup>QL</sup>	<ul> <li>Drug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> <li>melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used</li> </ul>
IMBRUVICA (irutinib)	COPIKTRA (duvelisib) QL	■ Tabloid: Prior authorization not
LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	ZYDELIG (idelalisib)	<ul> <li>required for age &lt;19</li> <li>Tasigna: Patients receiving         Tasigna, which changed from preferred to non-preferred on 1-17-     </li> </ul>
С	ML	19 will be allowed to continue therapy
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) <sup>GL</sup> MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) <sup>CL</sup>	<ul> <li>Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone</li> </ul>
M	PN	-
JAKAFI (ruxolitinib)		
MYE	LOMA	-
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) CL	
ОТ	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	BRUKINSA (zanubrutinib) <sup>NR,QL</sup> CALQUENCE (acalabrutinib) <sup>QL</sup> INREBIC (fedratinib dihydrochloride) <sup>QL</sup> INQOVI (decitabine/cedazuridine) <sup>NR</sup> ONUREG (azacytidine) <sup>NR</sup> ZOLINZA (vorinostat)	

PDL Updated December 1, 2020 Highlights indicated change from previous posting NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
А	LK	<ul> <li>Non-preferred agents DO NOT</li> </ul>
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
ALK/RO	S1 / NTRK	
XALKORI (crizotinib)	ROZLYTREK (entrectinib) AL,QL	
EC	GFR .	
IRESSA (gefitinib) TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) GILOTRIF (afatinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) <sup>QL</sup>	
OTHER		
	GAVRETO (pralsetinib) <sup>NR,QL</sup> HYCAMTIN (topotecan)	
	RETEVMO (selpercatinib) <sup>NR,AL</sup> TABRECTA (capmatinib) <sup>NR,QL</sup>	

### **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) emozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) <sup>NR,AL</sup> LONSURF (trifluridine/tipiracil) PEMAZYRE (pemigatinib) <sup>NR,QL</sup> RUBRACA (rucaparib) STIVARGA (regorafenib) TURALIO (pexidartinib) <sup>QL</sup> VITRAKVI (larotrectinib) CAPSULE, SOLUTION <sup>QL</sup>	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

PDL Updated December 1, 2020 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) <sup>AL,QL</sup> ZYTIGA (abiraterone)	abiraterone (generic for Zytiga) EMCYT (estramustine) ERLEADA (apalutamide) <sup>QL</sup> nilutamide (generic for Nilandron) NUBEQA (darolutamide) <sup>QL</sup> YONSA (abiraterone acetonide, submicronized)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR <b>DISPERZ</b> (everolimus) <sup>CL</sup> CABOMETYX (cabozantinib) everolimus (generic for Afinitor) INLYTA (axitinib) NEXAVAR (sorafenib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Drug-specific critera</li> <li>Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue</li> </ul>
		therapy

### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	ODOMZO (sonidegib) <sup>CL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	Drug-specific critera  • Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) <sup>AL,NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

### **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		Non-preferred agents will be
ciprofloxacin <b>SOLUTION</b> (generic for Ciloxan)  MOXEZA (moxifloxacin)  ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	<ul> <li>approved for patients who have failed a one-month trial of TWO preferred agent within this drug class</li> <li>Azasite®: Approval only requires trial of erythromycin</li> <li>Drug-specific criteria:</li> <li>Natacyn®: Approved for</li> </ul>
MACROLIDES		documented fungal infection
erythromycin	AZASITE (azithromycin) <sup>CL</sup>	
AMINOGL	YCOSIDES	
gentamicin <b>SOLUTION</b> tobramycin (generic for Tobrex drops) TOBREX <b>OINTMENT</b> (tobramycin)	gentamicin OINTMENT	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  –

AL – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		Non-preferred agents will be
fluorometholone 0.1% (generic for FML) <b>OINTMENT</b> LOTEMAX <b>SOLUTION</b> (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>
N\$	SAID	
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

### OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)	CEQUA (cyclosporine) QL XIIDRA (lifitegrast)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MI	отісѕ	<ul> <li>Non-preferred agents will be</li> </ul>
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATH	OMIMETICS	
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	
ВЕТА В	LOCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) timolol (generic for Timoptic Ocudose) <sup>NR</sup> TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHY	DRASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	
PROSTAGLAN	IDIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINAT	TION DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
0	THER	
RHOPRESSA (netarsudil) <sup>CL</sup> ROCKLATAN (netarsudil and latanoprost) <sup>CL</sup>		Drug-specific criteria:  Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics-glaucoma within 60 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine) <sup>QL</sup> ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent  Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv:  Diagnosis of Opioid Use Disorder, NOT approved for pain management  Verification of "X" DEA license number of prescriber  No concomitant opioids  Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient  Drug-specific criteria:  Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

### **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		<ul> <li>Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient</li> </ul>

### **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) <sup>NR</sup> COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

### PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) <sup>CL</sup> ambrisentan (generic Letairis) sildenafil <b>TABLET</b> (generic Revatio) <sup>CL</sup> TRACLEER <b>TABLET</b> (bosentan) TYVASO <b>INHALATION</b> (treprostinil) VENTAVIS <b>INHALATION</b> (iloprost)	ADEMPAS (riociguat) <sup>CL</sup> bosentan <b>TABLET</b> (generic Tracleer) LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil <b>SUSPENSION</b> (generic Revatio) <sup>CL</sup> tadalafil (generic for Adcirca) <sup>CL</sup> TRACLEER <b>TABLETS FOR</b> SUSPENSION (bosentan) UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®:         <ul> <li>PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH</li></ul></li></ul>

#### **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **66** of **80** 

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### PEDIATRIC VITAMIN PREPARATIONS

multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit-iron OTC (pedi multivit oro, 164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS multivits with iron and fluoride (pedi multivit 12/fluoride) CHEW TAB ped mvi A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW pedi mvi 17 with fluoride CHEW pOLY-VI-SOL OTC (pedi multivit 80/ferrous sulfate) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/vit D3) DROPS  TRI-VI-SOL OTC (vit A palmitate/vit C/vit D3) DROPS  TRI-VI-SOL OTC (vit A palmitate/vit C/vit D3) DROPS	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CHEW OTC (pedi multivit 91/iron fum) CHEW  child multivitamins chew otc (pedi multivit 19/folic acid) CHEW  CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW  children's chewables otc (pedi multivit 23/folic acid) CHEW  children's vitamins with iron otc (pedi multivit/iron)  fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride)  DROPS  infant-toddler multivit drop OTC (pediatric multivit-iron OTC (pedi mv no.164/ferrous sulfate drops)  infant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops)  multivitamins with fluoride (pedi multivit 2/fluoride) DROPS  multivits with iron and fluoride (pedi multivit 45/fluoride) CHEW TAB  ped mvi A,C,D3,No 21/fluoride DROPS  MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB  ped mvi A,C,D3,No 21/fluoride CHEW  pedi mvi 17 with fluoride CHEW  POLY-VI-SOL OTC (pedi multivit 81)  DROPS  POLY-VI-SOL WITH IRON (pedi multivit 80/ferrous sulfate) DROPS  TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS  tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml  VITALETS OTC (pedi multivit 36/iron)	40/phytonadione)  ESCAVITE (pedi multivit 47/iron/fluoride)  ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW  ESCAVITE LQ (pedi multivit 86/iron/fluoride)  FLORIVA (pedi multivit 85/fluoride) CHEW  FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS  multivit 1, B, D, E, K, ZN (pediatric multivit 153/D3/K)  POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW  POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS  POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW  POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS  QUFLORA OTC and Rx (pedi multivit 84/fluoride)  QUFLORA FE (pedi multivit 142/iron/fluoride)  TRI-VI-FLORO (ped multivit A, C, D3,	approved for patients who have failed a trial of TWO preferred agents within this drug class  Drug specific criteria:  Aquadeks: Approved for diagnosis

Page **67** of **80** 

PDL Updated December 1, 2020 Highlights indicated change from previous posting

#### **PENICILLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>

#### PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TABLET</b> , <b>CAPSULE</b> CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> </ul>

#### PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance</li> <li>Drug-specific criteria:</li> <li>Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **PRENATAL VITAMINS**

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT OB CAPSULE elite-ob CAPLET (fe c/fa) MARNATAL-F CAPSULE PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE OB PLUS TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack (pnv53/iron b-g hcl-p/fa/omega3) trust natal dha (pnv2/iron b-g suc-p/fa/omega-3) virtprex CAPSULE (pnv66/iron fum/fa/dss/dha) virt-nate dha SOFTGEL (pnv 11-iron fum-fa-om3) virt-pn TABLET (pnv w-ca no.40/iron fum/fa cmb no.1) virt-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha) virt-select CAPSULE (pnv80/iron fum/fa/dss/dha) virt-vite gt TABLET (prenatal vit 16/iron cb/fa/dss) VOL-PLUS TABLET vp-ch-pnv prenatal SOFTGEL vp-heme ob TABLET (pnv#21/iron/ps& heme polyp/fa) zatean-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)	folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) niva-plus TABLET (pnv with ca,no.74/iron/fa) pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3) virt-c dha SOFTGEL (pnv#16/iron fum &ps/fa/om-3) virt-pm dha SOFTGEL (pnv combo#47/iron/fa #1/dha) zatean-pn dha CAPSULE (pnv #47/iron/fa #1/dha)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA MDV, SDV (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena)	<ul> <li>When filled as outpatient prescription, use limited to:         <ul> <li>Singleton pregnancy AND</li> <li>Previous Pre-term delivery AND</li> </ul> </li> <li>No more than 20 doses (administered between 16 -30 weeks gestation)</li> <li>Maximum of 30 days per dispensing</li> </ul>

#### PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
meprazole (generic Prilosec) <b>RX</b> antoprazole (generic Protonix) <sup>QL</sup>	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic Nexium) esomeprazole strontium lansoprazole (generic Prevacid) NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES NR,QL rabeprazole (generic Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class</li> <li>Pediatric Patients:         Patients ≤ 4 years of age − No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).     </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid Solutab: may be approved after trial of compounde suspension.</li> <li>Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:</li></ul></li></ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **SEDATIVE HYPNOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temazepam 15mg, 30mg (generic for Restoril)  OTHE  zaleplon (generic for Sonata) zolpidem (generic for Ambien)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	<ul> <li>Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used</li> <li>Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder</li> <li>flurazepam/triazolam: Requires trial of preferred benzodiazepine</li> <li>Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used</li> <li>Silenor®: Must meet ONE of the following:         <ul> <li>Contraindication to preferred oral sedative hypnotics</li> <li>Medical necessity for doxepin dose &lt; 10mg</li> <li>Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met)</li> </ul> </li> <li>temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used</li> <li>zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg</li> <li>zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **SINUS NODE INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR <b>SOLUTION</b> , <b>TABLET</b> (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

### SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) <sup>QL</sup> methocarbamol (generic Robaxin) tizanidine TABLET (generic Zanaflex)	carisoprodol (generic Soma) <sup>CL,QL</sup> carisoprodol compound cyclobenzaprine ER (generic Amrix) <sup>CL</sup> dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) LORZONE (chlorzoxazone) <sup>CL</sup> metaxalone (generic Skelaxin) NORGESIC FORTE   (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>cyclobenzaprine ER:</li> <li>Requires clinical reason why IR cannot be used</li> <li>Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> </ul> </li> <li>carisoprodol:         <ul> <li>Approved for Acute, musculoskeletal pain - NOT for chronic pain</li> <li>Use is limited to no more than 30 days</li> <li>Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> </ul> </li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone®: Requires clinical reason why chlorzoxazone cannot be used</li> <li>Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **72** of **80** 

PDL Updated December 1, 2020 *Highlights* indicated change from previous posting

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	<ul> <li>Low Potency Non-preferred agents</li> </ul>
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT hydrocortisone/aloe OINTMENT, CREAM SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM		Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION   (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting

## **STEROIDS, TOPICAL (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, SOLN <sup>NR</sup> KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	H POTENCY	vory riight otolloy rton protoned
clobetasol emollient (generic for Temovate-E) clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) AL,QL IMPEKLO (clobetasol) LOTION AL.NR LEXETTE(halobetasol propionate) AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### STIMULANTS AND RELATED AGENTS<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADDERALL XR (amphetamine salt combo)  ADZENYS XR (amphetamine)  amphetamine ER (generic for Adzenys ER) SUSPENSION  amphetamine sulfate (generic for Evekeo)  dextroamphetamine (generic for Dexedrine)  dextroamphetamine SOLUTION  (generic for Procentra)  dextroamphetamine ER (generic for Dexedrine ER)  DYANAVEL XR (amphetamine)  EVEKEO ODT (amphetamine sulfate)  MYDAYIS (amphetamine salt combo)  methamphetamine (generic for Desoxyn)  ZENZEDI (dextroamphetamine)	agent within this drug class  Drug-specific criteria:  Procentra®: May be approved with documentation of swallowing disorder  Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

PDL Updated December 1, 2020 Highlights indicated change from previous posting

# STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
APTENSIO XR (methylphenidate) dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate 30/70 (generic for	Non-Preferred Agents  enidate type  ADHANSIA XR (methylphenidate) QL CONCERTA (methylphenidate ER)QL 18mg, 27mg, 36mg, 54mg COTEMPLA XR-ODT (methylphenidate)QL DAYTRANA PATCH (methylphenidate)QL dexmethylphenidate XR (generic for Focalin XR)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>Maximum accumulated dose of 108mg per day for ages &lt; 18</li> <li>Maximum accumulated dose of 72mg per day for ages &gt; 19</li> <li>Drug-specific criteria:</li> <li>Daytrana®: May be approved in</li> </ul>
Metadate CD) methylphenidate <b>SOLUTION</b> (generic for Methylin) methylphenidate ER 10mg, 20mg (generic for Ritalin SR, Metadate ER) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) <sup>QL</sup> QUILLICHEW ER <b>CHEWTAB</b> (methylphenidate)	FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) QL methylphenidate 50/50 (generic for RITALIN LA) methylphenidate ER (generic for Ritalin SR) methylphenidate ER CAP (generic for Aptensio XR) <sup>NR,QL</sup> methylphenidate ER 72mg (generic for RELEXXI) <sup>QL</sup> QUILLIVANT XR SUSP (methylphenidate) RITALIN (methylphenidate)	history of substance use disorder by parent, caregiver, or patient.  May be approved with documentation of difficulty swallowing

PDL Updated December 1, 2020 Highlights indicated change from previous posting

# STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and
atomoxetine (generic for Strattera) <sup>QL</sup> guanfacine ER (generic for Intuniv) <sup>QL</sup>	clonidine ER (generic for Kapvay) <sup>QL</sup> STRATTERA (atomoxetine)	-clonidine IR are available without prior authorization
ANAL	EPTICS	Drug-specific criteria:  armodafinil and Sunosi: Require trial of modafinil
ANAL	armodafinil (generic for Nuvigil) <sup>CL</sup>	armodafinil and modafinil: approved only for:
	modafanil (generic for Provigil) <sup>CL</sup> SUNOSI (solriamfetol) <sup>CL,QL</sup> WAKIX (pitolisant) <sup>NR,CL,QL</sup>	<ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> <li>Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift</li> <li>Sunosi approved only for:         <ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> </ul> </li> <li>Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP, TABLET (generic Vibramycin) minocycline HCI CAPSULE, TABLET (generic Dynacin/ Minocin/Myrac)	demeclocycline (generic Declomycin) <sup>CL</sup> DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa/Monodox/Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used</li> <li>doxycycline suspension: May be approved with documented swallowing difficulty</li> </ul>

### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TABLET</b> (generic Synthroid) liothyronine <b>TABLET</b> (generic Cytomel) thyroid, pork <b>TABLET</b>	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPSULE (generic for Tirosint) <sup>NR</sup> THYROLAR TABLET (liotrix) TIROSINT CAPSULE (levothyroxine) TIROSINT-SOL (LIQUID) (levothyroxine) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Tirosint-Sol: May be approved with documented swallowing difficulty</li> </ul>

PDL Updated December 1, 2020 Highlights indicated change from previous posting

### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	RAL	<ul> <li>Non-preferred agents will be</li> </ul>
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic Apriso) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used  Giazo®: Requires clinical reason why generic balsalazide cannot be
REC	CTAL	used
CANASA (mesalamine)	mesalamine <b>ENEMA</b> (generic Rowasa) mesalamine <b>SUPPOSITORY</b> (generic Canasa) UCERIS (budesonide)	- NOT covered in females

#### **UTERINE DISORDER TREATMENT**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium) <sup>QL,CL</sup>	ORIAHNN (elagolix/ estradiol/ norethidrone) AL,NR	Drug-specific criteria:  Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

#### VASODII ATORS CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/ hydralazine) <sup>CL</sup> GONITRO (nitroglycerin) NITRO-BID <b>OINTMENT</b> (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic Nitrolingual) NITROMIST (nitroglycerin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.  $^{CL}$  – Prior Authorization / Class Criteria apply  $^{QL}$  – Quantity/Duration Limit  $^{AL}$  – Age Limit