



PDL Updated April 1, 2021 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

Opioids- The maximum opioid dose covered will decrease from 120 Morphine Milligram
Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning
December 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide (BPO) GEL, WASH, LOTION OTC clindamycin/BPO (generic Duac) clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC erythromycin SOLUTION PANOXYL 10% WASH (BPO) OTC tretinoin CREAM, GEL ^{AL} (generic Retin-A)	adapalene (generic differin) adapalene/BPO (generic Epiduo) AKLIEF (trifarotene) AL ALTRENO (tretinoin) AL AMZEEQ (minocycline) ARAZLO (tazarotene) AL ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) BENZACLIN PUMP (clindamycin/BPO) BENZEFOAM (benzoyl peroxide) NR benzoyl peroxide CLEANSER, CLEANSING BAR OTC benzoyl peroxide FOAM (generic Benzepro) benzoyl peroxide GEL Rx benzoyl peroxide TOWELETTE OTC clindamycin FOAM, LOTION clindamycin GEL clindamycin/BPO (generic Acanya, Benzaclin) GEL clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) EPIDUO FORTE GEL PUMP (adapalene/BPO) erythromycin GEL, PLEDGET erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin/BPO) ONEXTON (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB RETIN-A GEL, CREAMAL (tretinoin) sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene FOAM (generic Fabior) NR TRETIN-A GIL (Tretinoin) tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class ### Class **The company of the company of the company of the company of the class of the cl

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET	approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months
EXELON Transdermal (rivastigmine)	galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	DR ANTAGONIST	<u> </u>
memantine (generic for Namenda)	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	 Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANALGESICS, OPIOID LONG-ACTING

Non-Preferred Agents	Prior Authorization/Class Criteria
ARYMO ER (morphine sulfate) ^{QL} BELBUCA (buprenorphine) ^{CL} buccal buprenorphine PATCH (generic Butrans) ^{QL}	The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment.
EMBEDA (morphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydrocodone ER (generic for Hysingla ER) NR, QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone ^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Conzip, Ryzolt, Ultram ER) ^{CL}	 Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin®: Pain contract required for maximum quantity authorization
	ARYMO ER (morphine sulfate) ^{QL} BELBUCA (buprenorphine) ^{CL} buccal buprenorphine PATCH (generic Butrans) ^{QL} EMBEDA (morphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydrocodone ER (generic for Hysingla ER) NR, QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone ^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic Conzip, Ryzolt,

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANAI GESICS OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
TABLET codeine TABLET hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET bxycodone TABLET, SOLUTION bxycodone/APAP PROLATE (oxycodone/acetaminophen) ramadol TABLET ABLET ABLET	APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz ^{,CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/APAP/caffeine FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} oxycodone/APAP SOLUTION oxycodone/APAP SOLUTION oxycodone/APAP SOLUTION oxycodone/Ibuprofen oxymorphone IR (generic Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) PROLATE SUSPENSION (oxycodone/acetaminophen) ^{NR} ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone) tramadol/APAP (generic Ultracet) ZAMICET (hydrocodone/APAP)	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablet and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NASAL		
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL ^{CL}		TDrug-specific criteria: - Abstral®/Actiq®/Fentora®/
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (Topical)

ANDROGENIC AGENTS (Topical)		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
testosterone PUMP (generic Androgel) ^{CL}	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE IN	IIBITORS	Non-preferred agents will be
benazepril (generic Lotensin) enalapril (generic Vasotec) fosinopril (generic Monopril) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)	captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLUTION moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLUTION trandolapril (generic Mavik)	 approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria:
ACE INHIBITOR/DIUF	RETIC COMBINATIONS	Epaned [®] and Qbrelis [®] Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) fosinopril/HCTZ (generic Monopril HCT) lisinopril/HCTZ (generic Prinzide, Zestoretic) quinapril/HCTZ (generic Accuretic)	captopril/HCTZ (generic Capozide) moexipril/HCTZ (generic Uniretic)	tablet is not appropriate
ANGIOTENSIN REC	CEPTOR BLOCKERS	
irbesartan (generic Avapro) losartan (generic Cozaar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) olmesartan (generic Benicar) telmisartan (generic Micardis)	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLO	CKER/DIURETIC COMBINATIONS	Non-preferred agents will be
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand-HCT) EDARBYCLOR (azilsartan/chlorthalidone) olmesartan/HCTZ (generic Benicar-HCT) telmisartan/HCTZ (generic Micardis-HCT)	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	I MODULATOR/ OCKER COMBINATIONS	- Angiotensin Modulator/Calcium Channel Blocker Combinations:
amlodipine/benazepril (generic Lotrel)	amlodipine/olmesartan (generic Azor)	Combination agents may be approved if there has been a trial
amlodipine/valsartan (generic Exforge)	amlodipine/olmesartan/HCTZ (generic Tribenzor)	and failure of preferred agent
	amlodipine/telmisartan (generic Twynsta)	
	amlodipine/valsartan/HCTZ (generic Exforge HCT)	
	PRESTALIA (perindopril/amlodipine)	
	trandolapril/verapamil (generic Tarka)	
		Direct Renin Inhibitors/Direct
DIRECT REN	N INHIBITORS	Renin Inhibitor Combinations: May be approved with history of
	aliskiren (generic Tekturna) ^{QL}	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIB	ITOR COMBINATIONS	within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIB	ITOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{QL}		
ANGIOTENSIN RECEPTOR BLOCKI	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months
		 Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA AL,CL (peanut allergen powder-dnfp)	ORALAIR Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age. PALFORZIA Confirmed diagnosis of peanuallergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patient with uncontrolled asthma or concurrently on a NSAID

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	DIFICID (fidaxomicin) CL TABLET, SUSPNR FLAGYL ER (metronidazole)CL MetronidazoleCL CAPSULE nitazoxanide (generic Alinia) TABLETAL, CL,NR, QL paromomycin SOLOSEC (secnidazole) tinidazole (generic Tindamax)CL vancomycin CAPSULE (generic Vancocin)CL XIFAXAN (rifaximin)CL	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl®/Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSPENSION CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Bethkis) ^{NR} tobramycin (generic Tobi) ^{CL}	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic Polysporin) mupirocin OINTMENT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin® Cream: Clinical reason the ointment cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) NUVESSA (metronidazole) VANDAZOLE (metronidazole)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole) metronidazole, vaginal	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	BEVYXXA (betrixaban) ^{QL} fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include:

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	Drug-specific criteria: • Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a
NK-1 RECEPTO	R ANTAGONIST	 5-HT3 antagonist WITHOUT trial of preferred agents
	aprepitant (generic Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine,
TRADITIONAL	ANTIEMETICS	Caropiatin, Cispiatin, Ciolarabine, Cyclophosphamide, Cytarabine,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine TABLET (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine),CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TABLET (generic Tigan)	Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide • Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy • Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used • Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIFLINGALS ORAL

ANTIFUNGALS, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) nystatin POWDER ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Onmel®: Requires trial and failure or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Aspergillosis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	Non-preferred agents will be
clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION (generic Ciclodan, Loprox)	approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months
ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin)	ciclopirox NAIL LACQUER (generic Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLUTION RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) tavaborole SOLUTION (generic Kerydin) ^{NR} ketoconazole FOAM (generic Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Bensal HP) tolnaftate SPRAY, OTC	 Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> nystatin/triamcinolone: Indivudual ingredients available without prior authorization ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
ANTIFUNGAL/STEF	ROID COMBINATIONS	
(generic Lotrisone)	clotrimazole/betamethasone LOTION (generic Lotrisone) nystatin/triamcinolone (generic Mycolog)	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (Rx only) (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) cetirizine SOLUTION (OTC) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, ODT (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} colchicine CAPSULE (generic for Mitigare) febuxostat (generic for Uloric) ^{CL} <i>GLOPERBA</i> SOLN (colchicine) ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric®: Clinical reason why allopurinol cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT)	approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
	SAL	_
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) zolmitriptan (generic for Zomig) ^{NR} ZOMIG (zolmitriptan)	
INJEC	TABLE	
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

Page **19** of **89**

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) ^{NR} lindane malathion (generic Ovide) SKLICE (ivermectin) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		approved for patients who have failed ONE preferred agent within this drug class
COMT IN	HIBITORS	uns drug class
	entacapone (generic for Comtan) ONGENTYS (Opicapone) ^{NR,QL} tolcapone (generic for Tasmar)	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using
DOPAMINE	AGONISTS	as add-on therapy with levodopa- containing drug
pramipexole (generic for Mirapex) ropinirole (generic for Requip)	bromocriptine (generic for Parlodel) ropinirole ER (generic for Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	 Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **20** of **89**

PDL Updated April 1, 2021 Highlights indicated change from previous posting

MAO-B INHIBITORS		•
selegiline CAPSULE , TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) QL XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	 Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR
OTHER ANTIPAR	KINSON'S DRUGS	Pramipexole ER: Required diagnosis of Parkingon's along with preferred.
amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	APOKYN (apomorphine) SUB-Q carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{CL,QL} KYNMOBI (apomorphine) ^{QL,} KIT, SUBLINGUAL NOURIANZ (istradefylline) ^{CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	 of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented swallowing disorder

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone OINTMENT(generic for Taclonex) calcipotriene/betamethasone SUSP (generic for Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir SUSPENSION (generic for Zovirax) SITAVIG (acyclovir buccal) ^{CL}	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUENZA DRUGS		Drug apolific critoria:
oseltamivir (generic Tamiflu) ^{QL}	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Drug-specific criteria: Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLUTION (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} lorazepam ORAL SYRINGE ^{NR} meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

PDL Updated April 1, 2021 Highlights indicated change from previous posting

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLUTION INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER (generic Coreg CR)	
ANTIARRHYTHMIC		
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic for Actigall) ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Oxybutynin IR, ER (generic Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) GELNIQUE (oxybutynin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin succinate)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents

PDL Updated April 1, 2021 Highlights indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic Fosamax) TABLET ibandronate (generic Boniva) ^{QL}	alendronate SOLUTION (generic Fosamax) ^{QL} ATELVIA DR (risedronate)	approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: • Actonel® Combinations: Covered as individual agents without prior authorization
OTHER BONE RESORPTION SUP	risedronate (generic Actonel) ^{QL} PRESSION AND RELATED DRUGS	 Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution
calcitonin-salmon NASAL raloxifene (generic Evista)	EVISTA (raloxifene) FORTEO (teriparatide) ^{QL} Teriparatide ^{QL} TYMLOS (abaloparatide)	 cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy

PDL Updated April 1, 2021 Highlights indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: • Alfuzosin/dutasteride/finasteride
dutasteride (generic for Avodart) finasteride (generic for Proscar)	SE (5AR) INHIBITORS dutasteride/tamsulosin (generic for Jalyn)	 Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

BRONCHODILATORS, BETA AGONIST

Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS – Short Acting	
albuterol HFA (generic for ProAir	approved for patients who have failed a trial of ONE preferred
•	agent within this drug class
ίο .	
•	Drug-specific criteria:
,	Xopenex®: Covered for cardiac diagnoses or side effect of
•	tachycardia with albuterol product
` '	_
- Long Acting	_
ARCAPTA NEOHALER (indacaterol)	
STRIVERDI RESPIMAT (olodaterol)	
N SOLUTION	
BROVANA (arformoterol)	
levalbuterol (generic for Xopenex)	
PERFOROMIST (formoterol)	
RAL	
albuterol TABLET	
1-	
metaproterenol (formerly generic for Alupent)	
terbutaline (generic for Brethine)	
	albuterol HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) PROAIR DIGIHALER (albuterol) PROVENTIL HFA (albuterol) PROVENTIL HFA (albuterol) - Long Acting ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol) N SOLUTION BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol) RAL albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent)

PDL Updated April 1, 2021 Highlights indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydro	pyridines	approved for patients who have failed a trial of ONE preferred
	isradipine (generic Dynacirc)	agent within this drug class
	nicardipine (generic Cardene)	
	nifedipine (generic Procardia)	Drug-specific criteria:
	nimodipine (generic Nimotop)	Nifedipine: May be approved
	NYMALIZE (nimodipine) SOLUTION	without trial for diagnosis of Preterm Labor or Pregnancy
Non-dihyd	ropyridines	Induced Hypertension (PIH)Nimodipine: Covered without trial
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)		for diagnosis of subarachnoid hemorrhage
	ACTING	Katerzia: May be approved with
	pyridines	documented swallowing difficulty
amlodipine (generic Norvasc)	felodipine ER (generic Plendil)	
nifedipine ER (generic Procardia XL/	KATERZIA (amlodipine) ^{QL} SUSP	
Adalat CC)	nisoldipine (generic Sular)	
Non-dihyd	ropyridines	
diltiazem ER (generic Cardizem CD)	CALAN SR (verapamil)	
verapamil ER TABLET	diltiazem ER (generic Cardizem LA)	
'	MATZIM LA (diltiazem ER)	
	TIAZAC (diltiazem)	
	verapamil ER CAPSULE	
	verapamil 360mg CAPSULE	
	verapamil ER (generic Verelan PM)	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSPENSION, TABLET	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic Duricef) cephalexin CAPSULE, SUSPENSION (generic Keflex)	cefadroxil TABLET (generic Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil)	cefaclor (generic Ceclor)	
cefuroxime TABLET (generic Ceftin)	CEFTIN (cefuroxime) TABLET , SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic Omnicef)	cefixime CAPSULE, SUSPENSION (generic Suprax) cefpodoxime (generic Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) Nyvepria (pegfilgrastim-apgf) ^{NR} ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent Specific agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/drug lookupweb/?client=nestate	charlotte 24 fe (norethindrone	

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	exacerbation in last year upon initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin) AGENT	
ONAL	DALIRESP (roflumilast) ^{CL, QL}	

Page **31** of **89**

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated April 1, 2021 Highlights indicated change from previous posting

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) ^{AL,CL,NR,QL} KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) ^{AL, CL}	 Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene

PDL Updated April 1, 2021 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL} ENBREL (etanercept) VIAL ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ^{GL} ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib ^{,CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL, SOLN ^{CL,QL} XELJANZ XR (tofacitinib) ORAL ^{CL,QL}	 Preferred agents will be approved with FDA-approved indication — ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Otezla: Requires a trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies. Rinvoq: Requires documentation of inadequate response or intolerance to methotrexate Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate. Diagnosis of Juvenile Idiopathic Arthritis for ages 2 years old and older does not require documentation of treatment failure with methotrexate. Diagnosis of moderate to severe ulcerative colitis (UC) requires documentation of treatment failure with a Tumor Necrosis Factor blocker agent; does not require documentation of treatment failure with methotrexate.

PDL Updated April 1, 2021 Highlights indicated change from previous posting

DIURETICS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril)	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic Inspra)	•	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
furosemide SOLUTION, TABLET (generic Lasix) hydrochlorothiazide CAPSULE, TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic Aldactone) torsemide TABLET	ethacrynic acid CAPSULE (generic Edecrin) methyclothiazide TABLET triamterene (generic Dyrenium)		
COMBINATIO	N PRODUCTS		
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic Dyazide, Maxzide)			

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gausher disease
		moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ SYMJEPI (epinephrine) PFS	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **34** of **89**

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TABLET (generic Cipro) levofloxacin TABLET (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic Cipro) levofloxacin SOLUTION moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea)

PDL Updated April 1, 2021 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic Lotronex) Iubiprostone (generic Amitiza) CAPSULE AL, NR, QL MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET QL SYMPROIC (naldemedine) TRULANCE (plecanatide) QL VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

GLUCAGON AGENTSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL} NASAL GLUCAGON EMERGENCY (glucagon) INJ KIT (Lilly) glucagon INJECTION PROGLYCEM (diazoxide) SUSP	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) INJ KIT (Fresenius) GVOKE (glucagon) ^{AL} PEN , SYRINGE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	RTICOIDS	Non-preferred agents within the
ASMANEX (mometasone) QL,AL FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) QL ADVAIR HFA (fluticasone/salmeterol) QL DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AEROSPAN (flunisolide) ALVESCO (ciclesonide)AL,CL ARMONAIR DIGIHALER (fluticasone)AL,NR,QL ARMONAIR RESPICLICK (fluticasone)AL ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone)CL,AL,QL FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the last 6 months.
INHALATION	budesonide RESPULES (generic for Pulmicort)	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC) dexamethasone TABLET dexamethasone ELIXIR, SOLN hydrocortisone TABLET methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisolone sodium phosphate prednisone DOSE PAK prednisone TABLET	ALKINDI (hydrocortisone) GRANULESALNR CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg, 32mg ORTIKOS ER (budesonide)AL,QL PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

PDL Updated April 1, 2021 Highlights indicated change from previous posting

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q HAEGARDA (C1 esterase inhibitor, human) ^{AL} SUB-Q	CINRYZE (C1 esterase inhibitor, human)AL INTRAVENOUS icatibant acetate (generic for FIRAZYR)AL SUB-Q ORLADEYO (berotralstat) CAPAL, NR,QL RUCONEST (recombinant human C1 inhibitor)AL INTRAVENOUS TAKHZYRO (lanadelumab-flyo)AL SUB-Q	 All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, and estrogen-containing products is contraindicated All prophylaxis agents (Haegarda, Takhzyro and Cinryze) require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FAC	TOR VIII	 Non-preferred agents will be
ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR RECOMBINATE	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-21-21 will be allowed to continue same therapy
FAC	TOR IX	
BENEFIX	ALPHANINE SD ALPROLIX IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROM	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
	XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI	
BISPECIF	C FACTORS	
HEMLIBRA		

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	DAKLINZA (daclatasvir) CL HARVONI 200/45MG, TABLET, (sofosbuvir/ledipasvir)CL HARVONI (ledipasvir/sofosbuvir)CL,NR PELLET sofosbuvir/ledipasvir (generic Harvoni)CL sofosbuvir/velpatasvir (generic Epclusa)CL SOVALDI (sofosbuvir)CL,NR PELLET SOVALDI TABLET (sofosbuvir)CL VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir)CL ZEPATIER (elbasvir/grazoprevir)CL	Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin
RIBA	VIRIN	Harvoni:
	REBETOL (ribavirin)	For genotype 1 with decompensated cirrhosis along with ribavirin Post liver transplant for genotype 1 or 4 For pediatric patients ages 3 to 11 years old with FDA indications Sovaldi: For pediatric patients ages 3 to 11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin Vosevi: Requires documentation of nonresponse after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) nizatidine SOLUTION (generic for Axid)	cimetidine TABLET, SOLUTION ^{CL} (generic for Tagamet) famotidine SUSPENSION nizatidine CAP (generic for Axid) ranitidine CAPSULE, (generic for Zantac) ranitidine OTC, SYRUP, TABLET (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment Famotidine susp/cimetidine solution: Requires clinical reason why nizatidine solution cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 AN	TAGONISTS	Non-preferred agents will be
SELZENTRY SOLN , TAB (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patient
FUSION	INHIBITORS	 specific documentation of why the preferred products within this drug
FUZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for patient, including, but not limited to, drug resistance or concomitant
HIV-1 ATTACH	HMENT INHIBITOR	conditions not recommended with preferred agents
	RUKOBIA ER (fostemsavir) ^{AL,NR,QL}	Patients undergoing treatment at the time of any preferred status change will be allowed to continue
INTEGRASE STRAND TRA	ANSFER INHIBITORS (INSTIS)	therapy
ISENTRESS (raltegravir)QL	TIVICAY PD (dolutegravir) ^{NR}	 Diagnosis of HIV/AIDS required
ISENTRESS HD (raltegravir)		OR
TIVICAY (dolutegravir)		 Pre and Post Exposure Prophylaxis
NON-NUCLEOSIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NNRTIs)	
EDURANT (rilpivirine)	efavirenz (generic Sustiva)	
INTELENCE (etravirine)QL	nevirapine IR, ER (generic	
PIFELTRO (doravirine)QL	Viramune/Viramune XR)	
SUSTIVA CAPSULE, TABLET	RESCRIPTOR (delavirdine)	
(efavirenz)	VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRAN	ISCRIPTASE INHIBITORS (NRTIs)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPSULE, SOLN (emtricitabine)	didanosine DR (generic Videx EC) emtricitabine CAPSULE (generic for Emtriva) ^{NR} EPIVIR (lamivudine)	
lamivudine SOLN, TABLET (generic	RETROVIR (zidovudine)	
Epivir)	stavudine CAPSULE (generic Zerit)	
zidovudine CAPSULE, SYRUP,	VIDEX (didanosine) SOLN	
TABLET (generic Retrovir)	ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAI	NSCRIPTASE INHIBITORS (NRTIs)	
tenofovir TABLET (generic Viread)		
PHARMACOKI	NETIC ENHANCER	
TYBOST (cobicistat)QL		
	-	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE	INHIBITORS	
atazanavir CAPSULE (generic Reyataz LEXIVA SUSP, TABLET) APTIVUS CAPSULE, SOLN (tipranavir)	
(fosamprenavir)	CRIXIVAN (indinavir)	
NORVIR (ritonavir) TAB	fosamprenavir TAB (generic Lexiva)	
PREZISTA (darunavir) SUSP, TABLET	INVIRASE (saquinavir)	
	NORVIR POWDER , SOLN (ritonavir)	
	REYATAZ POWDER (atazanavir)	
	ritonavir TABLET (generic Norvir)	
	VIRACEPT (nelfinavir)	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HIV / AIDSCL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER	
EVOTAZ (atazanavir/cobicistat) ^{QL} KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} opinavir/ritonavir SOLN (generic Kaletra)	KALETRA SOLN (lopinavir/ritonavir)	
COMBINATION NUCLEOS(T)IDE RI	EVERSE TRANSCRIPTASE INHIBITORS	
abacavir/lamivudine (generic Epzicom) abacavir/lamivudine/zidovudine (generic Trizivir) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL} amivudine/zidovudine (generic Combivir) TRUVADA (emtricitabine/tenofovir)	COMBIVIR (lamivudine/zidovudine) emtricitabine/tenofovir (generic Truvada) ^{CL,NR} EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) ^{QL} TRIZIVIR (abacavir/lamivudine/zidovudine)	
COMBINATION PRODU	CTS - MULTIPLE CLASSES	
ATRIPLA (tenofovir/emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) ^{QL} GENVOYA (elvitegravier/cobicistat/emtricitabine/tenofovir) ^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/tenofovir) ^{QL} STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir) ^{QL} SYMFI (efavirenz/lamivudine/tenofovir) ^{QL} SYMFI LO (efavirenz/lamivudine/tenofovir) ^{QL} TRILIMEO (dolutegravir/abacavir/	DOVATO (dolutegravir/lamivudine) ^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla) ^{CL,NR} efavirenz/lamivudine/tenofovir (generic for Symfi) ^{NR,QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{NR,QL} JULUCA (dolutegravir/rilpivirine) ^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL}	
TRIUMEQ (dolutegravir/abacavir/ lamivudine)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA)CL	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) RYBELSUS (semaglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)	trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: ■ Failed a trial of TWO preferred agents within GLP-1 RA AND ■ Diagnosis of diabetes with HbA1C ≥ 7 AND
INSULIN/GLP-1 RA	A COMBINATIONS	 Trial of metformin, or
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	contraindication or intolerance to metformin
AMYLIN .	ANALOG	ALL criteria must be met
	SYMLIN (pramlintide) subcutaneous	 Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDASE-4 (DPP-4) IN	HIBITOR ^{QL}	
GLYXAMBI (empagliflozin/linagliptin) JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)		Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

	orization/Class Criteria
CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX PEN (insulin lispro/lispro protamine) HUMALOG MIX PEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 7-500 VIAL HUMULIN OTC PEN HUMULIN 70/30 OTC PEN HUMULIN 70/30 OTC PEN LANTUS SOLOSTAR PEN (insulin HUMULIN 70/30 MAL HUMULIN 70/30 MAL HUMULIN 70/30 OTC PEN LANTUS SOLOSTAR PEN (insulin HUMULIN 70/30 MAL (insulin) HUMULIN 70/30 OTC PEN LANTUS SOLOSTAR PEN (insulin HUMULIN 70/30 MAL (insulin) HUMULIN 70/30 OTC PEN LANTUS SOLOSTAR PEN (insulin HUMULIN 70/30 MAL (insulin) HUMULIN 70/30 OTC PEN LANTUS SOLOSTAR PEN (insulin HUMULIN 70/30 MAL (insulin) HUMULIN 70/30 MAL (insulin) PEN HUMULIN 70/30 MAL (insulin) AFREZZA (regular insulin) INHALATION INHALATION AFREZZA (regular insulin) INHALATION AFREZZA (regular insulin) INHALATION INHALATION	Approved for T1DM on insulin with no current moking or chronic lung R U-500 Kwikpen: or physical reasons – xterity problems and irment must be for self-tration, not only ience requires >200 units/day reason patient can't use

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLUTION (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated April 1, 2021 Highlights indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL, CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL}	INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) ^{QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COME	BINATIONS	within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone)	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

IMMUNOMODULATORS, ASTHMACL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) ^{AL} PEN	NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR,	Drug Specific Criteria: Dupixent: See criteria listed under Immunomodulator, Atopic Dermatitis class Fasenra: is indicated for patient 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Nucala: is indicated for -Patients 6 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype -Patients 12 years and older with hypereosinophilic syndrome (HES) for ≥6 months without identifiable non-hematologic secondary cause -Adult patients with eosinophilic granulomatosis with polyangiitis
		-Adult patients with eosinophilic

PDL Updated April 1, 2021 Highlights indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL}	DUPIXENT (dupilumab) ^{AL,CL} DUPIXENT PEN^{AL} pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: Indicated for moderate to severe atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid Eucrisa: Requires use and failure of 1 topical steroid or Elidel.

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic Neoral) mycophenolate CAPSULE, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate SUSPENSION (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKET RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus SOLUTION, TABLET (generic Rapamune) everolimus (generic for Zortress) AL	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

PDL Updated April 1, 2021 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	B)Veramyst®: Prior authorization
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic for Singulair) ^{CL, AL} zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

PDL Updated April 1, 2021 Highlights indicated change from previous posting

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin) CAPSULE CLEOCIN PALMITATE (clindamycin) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be
cholestyramine (generic Questran) colestipol TABLETS (generic Colestid)	colesevelam (generic Welchol) TABLET, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	metformin, sulfonylurea, or insulin has been inadequate
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	 Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous
FIBRIC ACID	DERIVATIVES	familial hypercholesterolemia (HoFH)
fenofibrate (generic Tricor) gemfibrozil (generic Lopid)	fenofibrate (generic Antara/Fenoglide/ Lipofen/Lofibra/Triglide) fenofibric acid (generic Fibricor/Trilipix)	OR Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin,
NIACIN		fibric acid derivatives, omega-3 agents, bile acid sequestrants
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	o Require faxed copy of REMS PA form
OMEGA-3 F	ATTY ACIDS	 Lovaza®: Approved for TG ≥ 500 Several other forms of OTC Niacin and fish oil are also covered without prior authorization under Medicaid with a prescription Vascepa®: Approved for TG ≥ 500
	icosapent (generic for Vascepa) ^{CL,NR} omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL}	
CHOLESTEROL ABSO	DRPTION INHIBITORS	
ezetimibe (generic for Zetia)	NEXLIZET (bempedoic acid/ezetimibe) ^{NR,QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

LIPOTROPICS, OTHER (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	JBTILISIN/KEXIN TYPE 9 (PCSK9) IIBITORS	 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease
	PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 (ASCVD) heterozygous familial hypercholesterolemia (HeFH) AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue

PDL Updated April 1, 2021 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require clinical
STATIN CO	MBINATIONS	reason why individual ingredients cannot be
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACRO	OLIDES	Require clinical reason why
azithromycin (generic Zithromax) clarithromycin TABLET, SUSPENSION (generic Biaxin)	clarithromycin ER (generic Biaxin XL) E.E.S. SUSPENSION, TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYPED SUSPENSION (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET, CAPSULE erythromycin ethylsuccinate SUSPENSION	preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

PDL Updated April 1, 2021 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q AL, NR TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	Non-preferred agent requires trial of Austedo All drugs require an FDA approved indication – ICD-10 diagnosis code required. Drug-specific criteria: • Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease • Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo • tetrabenazine:Diagnosis of chorea with Huntington's Disease

PDL Updated April 1, 2021 Highlights indicated change from previous posting

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL} TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) BAFIERTAM (monomethyl fumarate) ^{NR,QL} dalfampridine (generic Ampyra) ^{QL} dimethyl fumarate (generic for Tecfidera) ^{NR} EXTAVIA (interferon beta-1b) ^{QL} glatiramer (generic Copaxone) ^{QL} KESIMPTA ((Ofatumumab) ^{NR,QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) ^{NR,QL} REBIF (interferon beta-1a) ^{QL} VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,NR,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	nitrofurantoin SUSPENSION (generic for Furadantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium (generic for Voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril) me naproxen and napr	•	 Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: Arthrotec®: Requires clinical reason why individual ingredients cannot be used Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used meclofenamate: Approvable without trial of preferred agents for menorrhagia

PDL Updated April 1, 2021 Highlights indicated change from previous posting

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	IVE (continued)	
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac nasal spray) NASAL QL, CL TIVORBEX (indomethacin) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	Drug-specific criteria: Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECTA	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	ELECTIVE	
celecoxib (generic for Celebrex)		

PDL Updated April 1, 2021 Highlights indicated change from previous posting

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only)	diclofenac (generic for Pennsaid Solution) ^{CL} FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET , PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	 Flector®/Licart: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

PDL Updated April 1, 2021 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMO	THERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE	BLOCKADE	capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic for Fareston) ^{CL}	 cannot be used Fareston®: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
ОТ	HER	for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) ^{CL,NR} TALZENNA (talazoparib tosylate) QL TUKYSA(tucatinib) ^{QL}	 Soltamox: May be approved with documented swallowing difficulty

PDL Updated April 1, 2021 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine A	LL PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use
	DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} LL COPIKTRA (duvelisib) ^{QL}	from current treatment guidelines Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Purixan: Prior authorization not
LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	ZYDELIG (idelalisib)	required for age ≤12 or for documented swallowing disorder ■ Tabloid: Prior authorization not required for age <19 ■ Tasigna: Patients receiving
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) ^{GL} MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with
М	PN	dexamethasone
JAKAFI (ruxolitinib)		
MYE	LOMA	
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) CL	
ОТ	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) ZOLINZA (vorinostat)	

PDL Updated April 1, 2021 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Al	LK	Non-preferred agents DO NOT require a trial of a preferred agent
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines _Drug-Specific Criteria
ALK / ROS1 / NTRK		Iressa/ Xalkori: Patients receiving Iressa or Xalkori prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment
	ROZLYTREK (entrectinib) AL,QL XALKORI (crizotinib)	
EGFR		
OTI	erlotinib (generic for Tarceva) GILOTRIF (afatinib) IRESSA (gefitinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL} HER GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{NR, QL}	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) PEMAZYRE (pemigatinib) ^{QL} RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{QL}	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

PDL Updated April 1, 2021 *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic for Zytiga) ^{CL} bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL}	EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug Specific Critieris Zytiga: Patients receiving Zytiga prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib	AFINITOR DISPERZ (everolimus)CL CABOMETYX (cabozantinib) everolimus (generic for Afinitor) NEXAVAR (sorafenib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	L CELL ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF MUTATION		g
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	 Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) AL	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	FLUOROQUINOLONES	
ciprofloxacin SOLUTION (generic for Ciloxan) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection
MACRO	DLIDES	
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGL	YCOSIDES	
gentamicin SOLUTION tobramycin (generic for Tobrex drops)	ALMIC AGENTS bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		Non-preferred agents will be
fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol GEL (generic for Lotemax Gel) NR loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
NS	AID	
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) QL EYSUVIS (loteprednol etabonate)NR,QL	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **71** of **89**

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		■ Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHOMIMETICS		_
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	
BETA BLOCKERS		
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) timolol (generic for Timoptic Ocudose) ^{NR} TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHY	DRASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic for Azopt) ^{NR}	
PROSTAGLAI	NDIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINAT	TION DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
OTHER		•
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics-glaucoma within 60 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **72** of **89**

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine) ^{QL} ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) ^{CL} ambrisentan (generic Letairis) sildenafil TABLET (generic Revatio) ^{CL} FRACLEER TABLET (bosentan) FYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ^{CL} bosentan TABLET (generic Tracleer) LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic Revatio) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

CHEW OTC (pedi multivit 91/iron furn) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron furn) CHEW CHIEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit 123/folic acid) CHEW children's vitamins with iron otc (pedi multivit 123/folic acid) CHEW children's vitamins A,C,AND D (ped multivit 130/fluoride) PROPS multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pedi multivit 130/fluoride) DROPS multivitamins A,C,AND D (pedi multivit 130/fluoride) DROPS multivit and fluoride (pedi multivit 130/fluoride) DROPS multivit and fluoride (pedi multivit 2/fluoride) DROPS multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivitamins with fluoride CHEW polty-VI-FLOR (pedi multivit 33/fluoride/iron) DROPS multivita with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS multivita with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS multivita with iron and fluoride CHEW polty-VI-FLOR (pedi multivit 142/finorifluoride) TRI-VI-FLOR (pedi multivit A, C, D3, 38/fluoride) TRI-VI-SOL OTC (pedi multivit 81) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit no. 165 drops) infant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvi A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW pedi mvi 17 with fluoride CHEW pedi mvi 17 with fluoride CHEW POLY-VI-SOL OTC (pedi multivit 81) DROPS POLY-VI-SOL WITH IRON (pedi multivit 80/ferrous sulfate) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml VITALETS OTC (pedi multivit 36/iron)	AQUADEKS (pedi multivit 40/phytonadione) ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit 1, 30, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3,	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: Aquadeks: Approved for diagnosis

PDL Updated April 1, 2021 Highlights indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET , CAPSULE CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

PDL Updated April 1, 2021 Highlights indicated change from previous posting

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE elite-ob CAPLET (fe c/fa) MARNATAL-F CAPSULE PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE OB PLUS TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack (pnv53/iron b-g hcl-p/fa/omega-3) virtprex CAPSULE (pnv66/iron fum/fa/dss/dha) virt-nate dha SOFTGEL (pnv 11-iron fum-fa-om3) virt-pn TABLET (pnv w-ca no.40/iron fum/fa/dss/dha) virt-select CAPSULE (pnv80/iron fum/fa/dss/dha) virt-select CAPSULE (pnv80/iron fum/fa/dss/dha) virt-vite gt TABLET (prenatal vit 16/iron cb/fa/dss) VOL-PLUS TABLET vp-ch-pnv prenatal SOFTGEL vp-heme ob TABLET (pnv#21/iron/ps& heme polyp/fa) zatean-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)	(prenatal vit no. 170/fe/fa) ^{NR} folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) niva-plus TABLET (pnv with ca,no.74/iron/fa) pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3) virt-c dha SOFTGEL (pnv#16/iron fum &ps/fa/om-3) virt-pm dha SOFTGEL (pnv combo#47/iron/fa #1/dha) WESTGEL DHA (PRENATAL 93/IRON/FOLATE 9/DHA) ^{NR} zatean-pn dha CAPSULE (pnv #47/iron/fa #1/dha)	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

PDL Updated April 1, 2021 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena) MAKENA (hydroxyprogesterone caproate) SDV	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PLIMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic Prilosec) RX cantoprazole (generic Protonix) ^{QL}	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic Nexium) esomeprazole strontium lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES NR,QL rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients < 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients > 5 years if age- Only approve non-preferred for Gl diagnosis if:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIAZEPINES		■ Lunesta®/ Rozerem®/zolpidem
temazepam 15mg, 30mg (generic for Restoril)	<u> </u>	 Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder flurazepam/triazolam: Requires trial of preferred benzodiazepine Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used Silenor®: Must meet ONE of the following: Contraindication to preferred oral sedative hypnotics Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) temazepam 7.5mg/22.5mg:
		met)

PDL Updated April 1, 2021 Highlights indicated change from previous posting

SICKLE CELL ANEMIA TREATMENTAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea)	ENDARI (L-glutamine) ^{CL} OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: Approved for use in patients ages 2 to 17 years old

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION, TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

PDL Updated April 1, 2021 Highlights indicated change from previous posting

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Robaxin) tizanidine TABLET (generic Zanaflex)	carisoprodol (generic Soma)CL,QL carisoprodol compound cyclobenzaprine ER (generic	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

STEDUING TODICAL

STEROIDS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		 Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT (Rx only) hydrocortisone/aloe OINTMENT SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINTMENT MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

STEDOIDS TODICAL (Continued)

TEROIDS, TOPICAL (Continued)		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION	High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
	fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	
clobetasol emollient (generic for Temovate-E) clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) AL,QL IMPEKLO (clobetasol) LOTIONAL,NR LEXETTE(halobetasol propionate) AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol)	Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated April 1, 2021 Highlights indicated change from previous posting

STIMULANTS AND RELATED AGENTS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) QL methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

PDL Updated April 1, 2021 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylph CONCERTA (methylphenidate ER) ^{QL} 18mg, 27mg, 36mg, 54mg dexmethylphenidate (generic for Focalin IR)	ADHANSIA XR (methylphenidate) QL APTENSIO XR (methylphenidate) COTEMPLA XR-ODT (methylphenidate)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18 Maximum accumulated dose of
FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate SOLUTION (generic for Methylin) methylphenidate ER (generic for Ritalin SR) QUILLICHEW ER CHEWTAB (methylphenidate)	DAYTRANA PATCH (methylphenidate) dexmethylphenidate XR (generic for Focalin XR) FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) JORNAY PM (methylphenidate) and methylphenidate 50/50 (generic for Ritalin LA) methylphenidate 30/70 (generic for Metadate CD) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) and methylphenidate ER CAP (generic for Aptensio XR) and Methylphenidate ER (generic for Metadate ER) methylphenidate ER 72mg (generic for RELEXXII) and methylphenidate ER (generic for RELEXXII) and Methylphenidate ER (generic for Ritalin SR) QUILLIVANT XR SUSP (methylphenidate) RITALIN (methylphenidate)	72mg per day for ages > 19 Drug-specific criteria: Daytrana®: May be approved in history of substance use disorder by parent, caregiver, or patient.

PDL Updated April 1, 2021 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCEL	MISCELLANEOUS	
atomoxetine (generic for Strattera) ^{QL} guanfacine ER (generic for Intuniv) ^{QL}	clonidine ER (generic for Kapvay) ^{QL} STRATTERA (atomoxetine)	—clonidine IR are available without prior authorization
		Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
ANAL	EPTICS	armodafinil and modafinil:
	armodafinil (generic for Nuvigil) ^{CL} modafanil (generic for Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

PDL Updated April 1, 2021 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP, TABLET (generic Vibramycin) minocycline HCI CAPSULE, TABLET (generic Dynacin/ Minocin/Myrac)	demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa/Monodox/Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) ^{QL}	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TABLET^{CL}	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patient with chronic liver disease

PDL Updated April 1, 2021 Highlights indicated change from previous posting

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic Synthroid) liothyronine TABLET (generic Cytomel) thyroid, pork TABLET	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPSULE (generic for Tirosint) ^{NR} THYROLAR TABLET (liotrix) THYQUIDITY (levothyroxine) SOLN ^{NR} TIROSINT CAPSULE (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

PDL Updated April 1, 2021 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic Apriso) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/Lialda®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used Giazo®: Requires clinical reason why generic balsalazide cannot be
RECTAL		used
CANASA (mesalamine)	mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide)	NOT covered in females

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium) ^{QL,CL}	ORIAHNN (elagolix/ estradiol/ norethidrone) AL,NR	Drug-specific criteria: Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

VASODILATORS. CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/ hydralazine) ^{CL} GONITRO (nitroglycerin) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) NITROMIST (nitroglycerin) VERQUVO (vericiguat) ^{AL.NR,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **89** of **89**