

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

t

PDL Updated June 1, 2021 *Highlights* indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

• **Opioids**- The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning December 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: <u>https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf</u>

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ACNE AGENTS, TOPICAL

AONE AGENTO, TOTIOAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AZELEX (azelaic acid) benzoyl peroxide (BPO) GEL, WASH, LOTION OTC clindamycin/BPO (generic Duac) clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC erythromycin SOLUTION PANOXYL 10% WASH (BPO) OTC <i>tretinoin CREAM, GEL^{AL} (generic Retin-A)</i>	adapalene (generic differin) adapalene/BPO (generic Epiduo) <i>AKLIEF (trifarotene)^{AL}</i> ALTRENO (tretinoin) ^{AL} <i>AMZEEQ (minocycline)</i> <i>ARAZLO (tazarotene)^{AL}</i> ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) BENZACLIN PUMP (clindamycin/BPO) <i>BENZEFOAM (benzoyl peroxide)</i> ^{NR} benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide FOAM (generic Benzepro) benzoyl peroxide GEL Rx <i>benzoyl peroxide</i> GEL RX <i>benzoyl peroxide</i> GEL RX <i>benzoyl peroxide</i> GEL <i>Clindamycin</i> FOAM , LOTION Clindamycin GEL <i>clindamycin</i> JBPO (generic Acanya, Benzaclin) GEL clindamycin/BPO (generic Veltin, Ziana) dapsone (generic Aczone) EPIDUO FORTE GEL PUMP (adapalene/BPO) erythromycin GEL, PLEDGET erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB <i>RETIN-A</i> GEL, CREAM ^{AL} (tretinoin) sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene <i>FOAM</i> (generic Tazorac) <i>tazarotene FOAM</i> (generic Fabior) ^{NR} TRETIN-X (tretinoin) tretinoin microspheres (generic for Retin-A Micro) ^{AL}	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, Highlights indicated change from previous posting

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTER	ASE INHIBITORS	Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne	approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR
NMDA RECEPTO	ER) rivastigmine (generic for Exelon) DR ANTAGONIST	 Current, stabilized therapy of the non-preferred agent within the previous 45 days
	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER)	 ARYMO ER (morphine sulfate)^{QL} BELBUCA (buprenorphine)^{CL} buccal buprenorphine PATCH (generic Butrans)^{QL} <i>EMBEDA (morphine sulfate/</i> <i>naltrexone</i>) DURAGESIC MATRIX (fentanyl)^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH^{QL} <i>hydrocodone ER (generic for Hysingla</i> <i>ER)</i>^{NR, QL} hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo)^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET, ORAL SYR^{NR,CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol)^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Conzip, Ryzolt, Ultram ER)^{CL} 	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin[®]: Pain contract required for maximum quantity authorization

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	Non-preferred agents will be
Acetaminophen/codeine ELIXIR, TABLET codeine TABLET hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET norphine CONC SOLUTION, SOLUTION, TABLET bxycodone TABLET, SOLUTION bxycodone/APAP PROLATE (oxycodone/acetaminophen) ramadol TABLET ^{AL}	APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz ^{,CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/APAP/caffeine FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} oxycodone CAPSULE oxycodone/APAP SOLUTION oxycodone/APAP SOLUTION oxycodone/Ibuprofen oxymorphone IR (generic Opana) pentazocine/naloxone PRIMLEV (oxycodone/acetaminophen) <i>PROLATE SUSPENSION (oxycodone/acetaminophen)^{NR}</i> ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone) tramadol/APAP (generic Ultracet)	 approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive Drug-specific criteria: Apadaz: Approval for 14 days or less Nucynta[®]: Approved only for diagnosis of acute pain, for 30 days or less Tramadol/APAP: Clinical reason

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANALGESICS, OPIOID SHORT-ACTING^{QL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NASAL		
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	-
BUCCAL/TRANSMUCOSAL ^{CL}		Drug-specific criteria: _• Abstral [®] /Actiq [®] /Fentora [®] /
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (Topical)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
restosterone PUMP (generic Androgel) ^{CL}	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} <i>testosterone GEL, PACKET, PUMP</i> <i>(generic Vogelxo)</i> testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months Drug-specific criteria: Androderm[®]/Androgel[®]: Approved for Males only Natesto[®]: Approved for Males on with diagnosis of: Primary hypogonadism (congenit or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL_Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic Lotensin) enalapril (generic Vasotec) fosinopril (generic Monopril) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)	captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLUTION moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLUTION trandolapril (generic Mavik)	 approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria:
ACE INHIBITOR/DIUR	RETIC COMBINATIONS	• Epaned [®] and Qbrelis [®] Oral Solution: Clinical reason why oral
benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) fosinopril/HCTZ (generic Monopril HCT) lisinopril/HCTZ (generic Prinzide, Zestoretic) quinapril/HCTZ (generic Accuretic)	captopril/HCTZ (generic Capozide) moexipril/HCTZ (generic Uniretic)	tablet is not appropriate
ANGIOTENSIN REC	CEPTOR BLOCKERS	_
irbesartan (generic Avapro) Iosartan (generic Cozaar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) olmesartan (generic Benicar) telmisartan (generic Micardis)	

PDL Updated June 1, 2021, Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		 Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) olmesartan/HCTZ (generic Benicar- HCT) telmisartan/HCTZ (generic Micardis- HCT)	 failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Angiotensin Modulator/Calcium
	MODULATOR/ OCKER COMBINATIONS	Channel Blocker Combinations: Combination agents may be
amlodipine/benazepril (generic Lotrel) amlodipine/valsartan (generic Exforge)	 amlodipine/olmesartan (generic Azor) amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) amlodipine/valsartan/HCTZ (generic Exforge HCT) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka) 	approved if there has been a trial and failure of preferred agent
		 Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
		 May be approved witha history of
	aliskiren (generic Tekturna) ^{QL}	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIBITOR COMBINATIONS		within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	
NEPRILYSIN INHIBI	TOR COMBINATION	
ENTRESTO (sacubitril/valsartan) ^{QL}		
ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	

BYVALSON (nevibolol/valsartan)

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, Highlights indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA ^{AL,CL} (peanut allergen powder-dnfp) Drug-specific criteria: ORALAIR • Confirmed by positive skin test or in vitro testing for pollen- specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age. <i>PALFORZIA</i> Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or concurrently on a NSAID 		timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA ^{AL,CL} (peanut allergen	 ORALAIR Confirmed by positive skin test or in vitro testing for pollen- specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age. PALFORZIA Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

NR – Product was not reviewed - New Drug criteria will apply

Page **9** of **91**

AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin	DIFICID (fidaxomicin) ^{CL} TABLET, SUSP ^{NR} FLAGYL ER (metronidazole) ^{CL} Metronidazole ^{CL} CAPSULE <i>nitazoxanide</i> (generic Alinia) TABLET ^{AL, CL,NR, QL} paromomycin SOLOSEC (secnidazole) tinidazole (generic Tindamax) ^{CL} vancomycin CAPSULE (generic Vancocin) ^{CL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl ER®: Trial and failure with metronidazole is required Flagyl ER®: Trial and failure with metronidazole is required Flagyl ER®/ Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Trial and failure/ contraindication to metronidazole required Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL,QL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSPENSION CAYSTON (aztreonam lysine) ^{QL,CL} <i>tobramycin (generic for Bethkis)^{NR}</i> tobramycin (generic Tobi) ^{CL}	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic Polysporin) mupirocin OINTMENT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) NUVESSA (metronidazole) VANDAZOLE (metronidazole)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole) <i>metronidazole, vaginal</i>	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	BEVYXXA (betrixaban) ^{QL} fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin[®]: Clinical reason generic warfarin cannot be used Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery disease

Page **12** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		Non-preferred agents will be
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 Drug-specific criteria: Akynzeo®/Emend®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a
NK-1 RECEPTO	R ANTAGONIST	 5-HT3 antagonist WITHOUT trial of preferred agents
	aprepitant (generic Emend) ^{QL,CL} AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TABLET ^{CL}	Regimens include: AC combination (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine,
TRADITIONAL	ANTIEMETICS	Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine TABLET (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine) ^{,CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TABLET (generic Tigan)	 Cyclophosphamide, Cytalabile, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic Lamisil)	CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) nystatin POWDER ONMEL (itraconazole) posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Onmel®: Requires trial and failure or contraindication to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal Sporanox®/: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis and requires a trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Aspergillosis, Oropharyngeal/ esophageal Colsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acu

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit
^{AL} –

AL_Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **14** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	UNGAL ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months
(generic Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM , POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER , CREAM , POWDER OTC (generic Tinactin)	Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLUTION RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole)	 Drug-specific criteria: Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> nystatin/triamcinolone: Indivudual ingredients available without prior
	EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) <i>tavaborole</i> SOLUTION (generic <i>Kerydin</i>) ^{NR} ketoconazole FOAM (generic Extina, Ketodan) LAMISIL AT GEL , SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION ,	 ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
	SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY	
	miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Oxistat) salicylic acid (generic Bensal HP) tolnaftate SPRAY, OTC	

ANTIFUNGAL/STEROID COMBINATIONS

clotrimazole/betamethasone **CREAM** (generic Lotrisone)

clotrimazole/betamethasone LOTION (generic Lotrisone) nystatin/triamcinolone (generic Mycolog)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL__Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **15** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (Rx only) (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) cetirizine SOLUTION (OTC) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, ODT (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit
^{AL}

Page **16** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} colchicine CAPSULE (generic for Mitigare) febuxostat (generic for Uloric) ^{CL} <i>GLOPERBA</i> SOLN (colchicine) ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric[®]: Clinical reason why allopurinol cannot be used

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AJOVY (fremanezumab-vfrm) ^{CL, QL} PEN, Autoinjector, Autoinjector 3-pack ^{NR} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE NURTEC ODT (rimegepant) ^{AL,CL,QL}	AIMOVIG (erenumab-aooe) ^{CL,QL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL EMGALITY 100 mg (galcanezumab- gnlm) ^{CL,QL} SYRINGE ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL REYVOW (lasmiditan) ^{AL, CL,QL} TABLET UBRELVY (ubrogepant) ^{AL,CL, QL} TABLET	 All acute treatment agents will be approved for patients who have a failed trial or contraindication of a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Cambia[®]: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality 120mg is recommended dosing for Migraine, Emgality 100mg is recommended dosing for Episodic Cluster Headache Aimovig, Ajovy and Emgality 120mg: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig requires a trial of Emgality 120mg or Ajovy or clinical, patient specific reason that a preferred agent cannot be used

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	ORAL	
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT)	 approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	
sumatriptan	IMITREX (sumatriptan) ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) <i>zolmitriptan (generic for Zomig)^{NR}</i> ZOMIG (zolmitriptan)	
INJECTABLE		
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Ag

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM , LOTION <i>ivermectin (generic Sklice)</i> ^{NR} lindane malathion (generic Ovide) SKLICE (ivermectin) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)	LINERGICS HIBITORS	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class
	entacapone (generic for Comtan) <i>ONGENTYS (Opicapone)^{NR,QL}</i> tolcapone (generic for Tasmar)	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-
pramipexole (generic for Mirapex)	AGONISTS bromocriptine (generic for Parlodel) ropinirole ER (generic for Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL}	 containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must
	pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	be used as an add-on therapy with levodopa-containing drugInbrija: Approval upon diagnosis of
	ropinirole ER (generic for Requip XL) ^{CL}	treatment with carbidopa/levodopa agent • Neupro[®]:
		For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires
		trial OR Contraindication to ropinirole AND pramipexole
		•

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_Age Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

MAO-B IN	HIBITORS	•
selegiline CAPSULE, TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	 Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR
OTHER ANTIPAR	KINSON'S DRUGS	 Pramipexole ER: Required diagnosis of Parkinson's along with preferred
amantadine CAPSULE, SYRUP TABLET (generic for Symmetrel) carbidopa/levodopa (generic for Sinemet) carbidopa/levodopa ER (generic for Sinemet CR) levodopa/carbidopa/entacapone (generic for Stalevo)	APOKYN (apomorphine) SUB-Q carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{CL,QL} <i>KYNMOBI (apomorphine)^{QL,} KIT,</i> <i>SUBLINGUAL</i> <i>NOURIANZ (istradefylline)^{CL,QL}</i> OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	 Bol Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar[®]: Approved for documented swallowing disorder

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone OINTMENT(generic for Taclonex) calcipotriene/betamethasone SUSP (generic for Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir SUSPENSION (generic for Zovirax) SITAVIG (acyclovir buccal) ^{CL}	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUENZA DRUGS		- Drug aposifia critoria:
oseltamivir (generic Tamiflu) ^{QL}	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Drug-specific criteria: Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	acyclovir CREAM, OINTMENT (generic Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for	alprazolam ER (generic for Xanax XR)	 Non-preferred agents will be
Xanax)	alprazolam ODT	approved for patients who have
buspirone (generic for Buspar)	alprazolam INTENSOL ^{CL}	failed a trial with TWO preferred
chlordiazepoxide	clorazepate (generic for Tranxene-T)	agents within this drug class Drug-specific criteria: Diazepam Intensol[®]: Requires
diazepam TABLET , SOLUTION	diazepam INTENSOL ^{CL}	clinical reason why diazepam
(generic for Valium)	<i>lorazepam ORAL SYRINGE^{NR}</i>	solution cannot be used Alprazolam Intensol[®]: Requires
lorazepam INTENSOL , TABLET	meprobamate	trial of diazepam solution OR
(generic for Ativan)	oxazepam	lorazepam Intensol [®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit Page **23** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA BL atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal)	Acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLUTION INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic[®]: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR[®]: Requires clinical reason generic IR product cannot be used
propranolol ER (generic Inderal LA)	ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND AL	PHA-BLOCKERS	
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER (generic Coreg CR)	
ANTIARRHYTHMIC		
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic for Actigall) ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **24** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

BLADDER RELAXANT PREPARATIONS

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER) OXYTROL (oxybutynin) Drug-specific criteria:	solifenacin (generic Vesicare)	flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin	 Drug-specific criteria: Myrbetriq[®]: Covered without trial in contraindication to

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

BISPHOSPHONATESNon-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same groupalendronate (generic Boniva)alendronate SOLUTION (generic Fosamax)-ibandronate (generic Boniva)ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic Didronel) FOSAMAX PLUS DQL risedronate (generic Actonel)Drug-specific criteria:•Actonel® Combinations: Covered as individual agents without prior authorized stomach•Atelvia DR®: Requires clinical reason alendronate cannot be taken on an emp stomach•OTHER BONE RESORPTION SUPPRESSION AND RELATED DRUGS
alendronate (generic Fosamax) alendronate SOLUTION (generic Fosamax) ^{QL} failed a trial of ONE preferred agent within the same group ibandronate (generic Boniva) ^{QL} ATELVIA DR (risedronate) Drug-specific criteria: BINOSTO (alendronate) etidronate disodium (generic Didronel) Actonel® Combinations: Covered as individual agents without prior authorization risedronate (generic Actonel) ^{QL} Atelvia DR®: Requires clinical reason alendronate cannot be taken on an emp stomach
Contract Bolive Resourt non SuperRession AND Related Dickors Calcitonin-salmon NASAL EVISTA (raloxifene) raloxifene (generic Evista) FORTEO (teriparatide) ^{QL} Teriparatide ^{QL} TyMLOS (abaloparatide) Forteo®: Covered for high risk of fracture: BMD -3 or worse • BMD -3 or worse • Postmenopausal women with histor non-traumatic fractures • Ostmenopausal women with 2 or more clinical risk factors • Family history of non-traumatic fractures • OSTMENOpausal women with 2 or more clinical risk factors • Family history of non-traumatic fractures • OSTMENOpausal women with 2 or more clinical risk factors • Family history of non-traumatic fractures • OSTMENOpausal women with 2 or more clinical risk factors • Family history of non-traumatic fractures • OSTMENOpausal women with 2 or more clinical risk factors • Family history of non-traumatic fractures • OSTMENOpausal women with 2 or more clinical risk factors • Family history of non-traumatic fractures • DXA BMD T-score ≤ -2.5 at a site • Glucocorticoid use ≥ 6 month 7.5 dose of prednisolone equivalent • Rheumatoid Arthritis • Postmenopausal women with BME score ≤ -2.5 at any site with any clinicits factors • More than 2 units of alcohol p • More than 2 units of alcohol p

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class
terazosin (generic Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Alfuzosin/dutasteride/finasteride
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Covered for males only Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax[®]: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS –	INHALERS – Short Acting	
PROAIR HFA (albuterol)	albuterol HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) <i>PROAIR DIGIHALER (albuterol)</i> PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex[®]: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
INHALERS ·	- Long Acting	-
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	
INHALATIO	N SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	BROVANA (arformoterol) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
0	RAL	
albuterol SYRUP	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydro	oyridines	approved for patients who have failed a trial of ONE preferred
	isradipine (generic Dynacirc)	agent within this drug class
	nicardipine (generic Cardene)	
	nifedipine (generic Procardia)	Drug-specific criteria:
	nimodipine (generic Nimotop)	• Nifedipine: May be approved
	NYMALIZE (nimodipine) SOLUTION	without trial for diagnosis of Preterm Labor or Pregnancy
Non-dihyd	ropyridines	 Induced Hypertension (PIH) Nimodipine: Covered without trial
diltiazem (generic Cardizem)		for diagnosis of subarachnoid
verapamil (generic Calan/Isoptin)		hemorrhage
LONG-ACTING		 Katerzia: May be approved with documented swallowing difficulty
Dihydro	pyridines	
amlodipine (generic Norvasc)	felodipine ER (generic Plendil)	
nifedipine ER (generic Procardia XL/	KATERZIA (amlodipine) ^{QL} SUSP	
Adalat CC)	nisoldipine (generic Sular)	
Non-dihyd	ropyridines	
diltiazem ER (generic Cardizem CD)	CALAN SR (verapamil)	
verapamil ER TABLET	diltiazem ER (generic Cardizem LA)	
	MATZIM LA (diltiazem ER)	
	TIAZAC (diltiazem)	
	verapamil ER CAPSULE	
	verapamil 360mg CAPSULE	
	verapamil ER (generic Verelan PM)	

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSPENSION , TABLET	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	6 – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic Duricef) cephalexin CAPSULE, SUSPENSION (generic Keflex)	cefadroxil TABLET (generic Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil)	cefaclor (generic Ceclor)	
cefuroxime TABLET (generic Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	- Third Generation	Ī
cefdinir (generic Omnicef)	cefixime CAPSULE , SUSPENSION (generic Suprax) cefpodoxime (generic Vantin) SUPRAX CAPSULE , CHEWABLE TAB , SUSPENSION , TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) Nyvepria (pegfilgrastim-apgf) ^{NR} ZARXIO (filgrastim-sndz) <i>ZIEXTENZO</i> SYR (pegfilgrastim- bmez)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent Specific agents can be looked up using	Non-Preferred Agents charlotte 24 fe (norethindrone acetate/ethinyl estradiol-iron) ^{NR} DOLISHALE (ethinyl estradiol/ levonorgestrel) ^{NR} gemmily (norethindrone/ethinyl estradiol-iron) ^{NR} hailey fe 1/20 (norethindrone acetate/ ethinyl estradiol-iron) ^{NR} iclevia (generic Seasonale) ^{NR}	Prior Authorization/Class Criteria
the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/drug</u> <u>lookupweb/?client=nestate</u>	LYLEQ (norethindrone) ^{NR} merzee (generic Taytulla) ^{NR} Nextstellis (drospirenone/estetrol) ^{NR} NYLIA 7/7/7 (Norethindrone/ Ethinyl Estradiol) ^{NR} NYMYO (norgestimate/ethinyl estradiol) ^{NR} TRI-NYMO (norgestimate/ethinyl estradiol) ^{NR} TYBLUME (levonorgestrel/ ethinyl estradiol) ^{NR}	

PDL Updated June 1, 2021, Highlights indicated change from previous posting

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	LERS BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
INHALATIO	N SOLUTION	initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL	AGENT	
	DALIRESP (roflumilast) ^{CL, QL}	-

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to <u>></u> 18 years of age

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) ^{AL,CL,NR,QL} KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) ^{AL, CL}	 Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA- approved mutation of CFTR gene Orkambi[®]: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of a least one F508del mutation in the CFTR gene

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit Page **33** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL} ENBREL (etanercept) VIAL ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ^{GL} ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q , PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib ^{,CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SKYRIZI (risankizamab-rzaa) ^{QL,NR} STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL , <i>SOLN</i> ^{CL,QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Otezla: Requires a trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies. Rinvoq: Requires documentation of inadequate response or intolerance to methotrexate Xeljanz, Xeljanz XR: Requires documentation of inadequate response of intolerance to methotrexate. Diagnosis of Juvenile Idiopathic Arthritis for ages 2 years old and older does not require documentation of treatment failure with methotrexate. Diagnosis of moderate to severe ulcerative colitis (UC)requires documentation of treatment failure with a Tumor Necrosis Factor blocker agent; does not require documentation of treatment failure with methotrexate.

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

DIURETICS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril)	IT PRODUCTS CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic Inspra)	·	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
furosemide SOLUTION, TABLET (generic Lasix) hydrochlorothiazide CAPSULE, TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic Aldactone) torsemide TABLET	ethacrynic acid CAPSULE (generic Edecrin) methyclothiazide TABLET triamterene (generic Dyrenium)		
COMBINATIO	N PRODUCTS		
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic Dyazide, Maxzide)			

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria:
		• Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ SYMJEPI (epinephrine) PFS	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply Page **35** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levofloxacin TABLET (generic c Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic Cipro) levofloxacin SOLUTION moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea)

PDL Updated June 1, 2021, Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL,QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic Lotronex) <i>lubiprostone (generic Amitiza)</i> <i>CAPSULE</i> ^{AL, NR, QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)

GLUCAGON AGENTSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL} NASAL GLUCAGON EMERGENCY (glucagon) INJ KIT (Lilly) glucagon INJECTION PROGLYCEM (diazoxide) SUSP	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) INJ KIT (Fresenius) GVOKE (glucagon) ^{AL} PEN , SYRINGE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Page **37** of **91**

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	RTICOIDS	Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} <i>ARMONAIR DIGIHALER</i> <i>(fluticasone)^{AL,NR,QL}</i> ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{CL,AL,QL} FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	 Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by Gl biopsy or upper endoscopy. For other indications, must have
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	failed a trial of two preferred agents within this drug class, within the
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	 AIRDUO DIGIHALER (fluticasone/salmeterol)^{AL,QL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate)^{QL} Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus)^{QL} 	within this drug class, within the last 6 months.
INHALATION	N SOLUTION	
	budesonide RESPULES (generic for Pulmicort)	_

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALKINDI (hydrocortisone) GRANULES ^{AL/NR} CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLET ^{CL} ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg, 32mg <i>ORTIKOS ER (budesonide)</i> ^{AL,QL} PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisolone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	<u>Growth Hormone PA Form</u> <u>Growth Hormone Criteria</u>

Page **39** of **91**

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated June 1, 2021, Highlights indicated change from previous posting

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q HAEGARDA (C1 esterase inhibitor, human) ^{AL} SUB-Q	CINRYZE (C1 esterase inhibitor, human)AL INTRAVENOUS icatibant acetate (generic for FIRAZYR) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL, NR,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL} SUB-Q	 HAE Treatments PA Form All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, and estrogen-containing products is contraindicated All prophylaxis agents (Haegarda, Takhzyro and Cinryze) require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	 Non-preferred agents will be
ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR RECOMBINATE	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-21-21 will be allowed to continue same therapy
FACT	OR IX	
BENEFIX	ALPHANINE SD ALPROLIX IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
	IN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF	
		-
COAGADEX CORIFACT	TRETTEN	
VON WILLEBRA	AND PRODUCTS	
WILATE	VONVENDI	
BISPECIFIC	CFACTORS	
HEMLIBRA		

Page **41** of **91**

^{NR} – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET lamivudine hbv TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET , SOLUTION HEPSERA (adefovir dipivoxil) VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply Page **42** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria	
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form	
MAVYRET (glecaprevir/pibrentasvir) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprev) ^{CL}	DAKLINZA (daclatasvir) ^{CL} HARVONI 200/45MG, TABLET, (sofosbuvir/ledipasvir) ^{CL} <i>HARVONI (ledipasvir/sofosbuvir)^{CL,NR}</i> <i>PELLET</i> sofosbuvir/ledipasvir (generic Harvoni) ^{CL} sofosbuvir/velpatasvir (generic Epclusa) ^{CL} <i>SOVALDI (sofosbuvir)^{CL,NR} PELLET</i> SOVALDI (<i>sofosbuvir)^{CL,NR} PELLET</i> SOVALDI TABLET (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 Hepatitis C Treatments PA Form Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with Mavyret not required in the following: Epclusa: For genotype 1-6 with decompensated cirrhosis along with ribavirin 	
RIBA	VIRIN	-	
ribavirin 200mg CAPSULE, TABLET	VIRIN REBETOL (ribavirin) FERON	 Harvoni: For genotype 1 with decompensated cirrhosis along with ribavirin Post liver transplant for genotype 1 or 4 For pediatric patients ages 3 to 11 years old with FDA indications Sovaldi: For pediatric patients ages 3 to 11 years old with genotype 2 or 3 chronic HCV infection without cirrhosis or with compensated cirrhosis in combination with ribavirin Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with compensated cirrhosis 	

Page **43** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) nizatidine SOLUTION (generic for Axid)	cimetidine TABLET , SOLUTION ^{CL} (generic for Tagamet) famotidine SUSPENSION nizatidine CAP (generic for Axid) ranitidine CAPSULE , (generic for Zantac) ranitidine OTC, SYRUP, TABLET (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral <i>M. contagiosum</i> or common wart <i>V.</i> Vulgaris treatment cimetidine solution/ famotidine suspension/ranitidine syrup: Requires clinical reason why nizatidine syrup cannot be used ***famotidine suspension is authorized during shortage of nizatidine syrup.***

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	P	Prior Authorization/Class Criteria
CCR5 ANTAGONISTS			Non-preferred agents will be
SELZENTRY SOLN, TAB (maraviroc)		ap dia	approved for patients who have a diagnosis of HIV/AIDS and patient
FUSION INHIBITORS		– sp	ecific documentation of why the efferred products within this drug
FUZEON SUB-Q (enfuvirtide) ^{QL}		cla pa to,	ass are not appropriate for tient, including, but not limited drug resistance or concomitant
HIV-1 ATTACHI	MENT INHIBITOR	pre	nditions not recommended with eferred agents
	RUKOBIA ER (fostemsavir) ^{AL,NR,QL}	the	itients undergoing treatment at e time of any preferred status ange will be allowed to continue
INTEGRASE STRAND TRAM	NSFER INHIBITORS (INSTIS)		erapy
SENTRESS (raltegravir) ^{QL}	TIVICAY PD (dolutegravir) ^{NR}		agnosis of HIV/AIDS required
SENTRESS HD (raltegravir)		OR	
TIVICAY (dolutegravir)			e and Post Exposure ophylaxis
NON-NUCLEOSIDE REVERSE TRAI	NSCRIPTASE INHIBITORS (NNRTIS)	-	0
EDURANT (rilpivirine)	efavirenz (generic Sustiva)		
NTELENCE (etravirine) ^{QL}	nevirapine IR, ER (generic		
PIFELTRO (doravirine) ^{QL}	Viramune/Viramune XR)		
SUSTIVA CAPSULE, TABLET	RESCRIPTOR (delavirdine)		
(efavirenz)	VIRAMUNE (nevirapine) SUSP		
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIS)	-	
abacavir SOLN, TABLET (generic	didanosine DR (generic Videx EC)	_	
Ziagen)	emtricitabine CAPSULE (generic for		
EMTRIVA CAPSULE, SOLN (emtricitabine)	Emtriva) ^{NR}		
amivudine SOLN, TABLET (generic	EPIVIR (lamivudine)		
Epivir)	RETROVIR (zidovudine)		
zidovudine CAPSULE, SYRUP,	stavudine CAPSULE (generic Zerit)		
TABLET (generic Retrovir)	VIDEX (didanosine) SOLN ZIAGEN (abacavir)		
	SCRIPTASE INHIBITORS (NRTIS)	-	
tenofovir TABLET (generic Viread)	· · ·		
PHARMACOKINI	ETIC ENHANCER		
TYBOST (cobicistat) ^{QL}		-	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **45** of **91**

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE	INHIBITORS	
atazanavir CAPSULE (generic Reyataz) LEXIVA SUSP, TABLET (fosamprenavir) NORVIR (ritonavir) TAB PREZISTA (darunavir) SUSP, TABLET	APTIVUS CAPSULE, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic Lexiva) INVIRASE (saquinavir) NORVIR POWDER, SOLN (ritonavir) REYATAZ POWDER (atazanavir) ritonavir TABLET (generic Norvir) VIRACEPT (nelfinavir)	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER	 Non-preferred agents will be approved for patients who have a
EVOTAZ (atazanavir/cobicistat) ^{QL} KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN (generic Kaletra)	KALETRA SOLN (lopinavir/ritonavir)	 diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
COMBINATION NUCLEOS(T)IDE RE	EVERSE TRANSCRIPTASE INHIBITORS	
abacavir/lamivudine (generic Epzicom) abacavir/lamivudine/zidovudine (generic Trizivir) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL} lamivudine/zidovudine (generic Combivir) TRUVADA (emtricitabine/tenofovir)	COMBIVIR (lamivudine/zidovudine) <i>emtricitabine/tenofovir (generic</i> <i>Truvada)^{CL,NR}</i> EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) ^{QL} TRIZIVIR (abacavir/lamivudine/zidovudine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated June 1, 2021, Highlights indicated change from previous posting

COMBINATION PRODUCTS – MULTIPLE CLASSES

ATRIPLA (tenofovir/emtricitabine/ efavirenz) BIKTARVY (bictegravir/emtricitabine/ tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) ^{QL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir) ^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/ tenofovir) ^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir) ^{QL} SYMFI (efavirenz/lamivudine/ tenofovir) ^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir) ^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine)	SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL}	class are not appropriate for
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------	-------------------------------

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Updated June 1, 2021, Highlights indicated change from previous posting

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose) Glyset (miglitol)	miglitol (generic for Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Ag

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	Preferred agents require metformin
BYDUREON (exenatide ER) subcutaneous BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) RYBELSUS (semaglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)	 trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND Diagnosis of diabetes with HbA1C ≥ 7 AND
INSULIN/GLP-1 R/	A COMBINATIONS	 Trial of metformin, or contraindication or intolerance to
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	metformin
AMYLIN	ANALOG	ALL criteria must be met
	SYMLIN (pramlintide) subcutaneous	 Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during <u>initiation</u> of therapy
DIPEPTIDYL PEPTIDASE-4 (DPP-4) IN	HIBITOR ^{QL}	-
GLYXAMBI (empagliflozin/linagliptin) JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ^{AL}	Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **50** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100	ADMELOG (insulin lispro) PEN, VIAL	 Non-preferred agents will be
CARTRIDGE, PEN, VIAL	AFREZZA (regular insulin)	approved for patients who have
HUMALOG JR. (insulin lispro) U-100	INHALATION	failed a trial of ONE preferred
PEN	APIDRA (insulin glulisine)	agent within this drug class
HUMALOG MIX VIAL (insulin	BASAGLAR (insulin glargine, rec)	 Drug-specific criteria: Afrezza[®]: Approved for T1DM on
lispro/lispro protamine)	PEN	long-acting insulin with no current
HUMALOG MIX PEN (insulin	FIASP (insulin aspart) CARTRIDGE,	history of smoking or chronic lung
lispro/lispro protamine)	PEN, VIAL	disease
HUMULIN (insulin) VIAL	HUMALOG (insulin lispro) U-200 PEN	 Humulin[®] R U-500 Kwikpen:
HUMULIN 70/30 VIAL	insulin lispro (generic for Humalog)	Approved for physical reasons –
HUMULIN U-500 VIAL	PEN, VIAL	such as dexterity problems and
HUMULIN R U-500 KWIKPEN ^{CL}	insulin aspart (generic for Novolog)	vision impairment
HUMULIN OTC PEN HUMULIN 70/30 OTC PEN LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL	LYUMJEV KWIKPEN, VIAL(insulin lispro-aabc) ^{NR} NOVOLIN (insulin) NOVOLIN 70/30 VIAL (insulin) TOUJEO SOLOSTAR (insulin glargine)	 Usage must be for self- administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe
NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine)	SEMGLEE (insulin glargine) ^{NR} PEN, VIAL TRESIBA (insulin degludec)	

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLUTION (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL_Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **51** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL, CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL}	INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/ metformin) ^{QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINE	DIONES (TZDs)	 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{cL}	ESBRIET (pirfenidone)	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

IMMUNOMODULATORS, ASTHMACL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) ^{AL} PEN	NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR,	 Drug Specific Criteria: Dupixent: See criteria listed under Immunomodulator, Atopic Dermatitis class Fasenra: is indicated for patient 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Nucala: is indicated for Patients 6 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Patients 12 years and older with hypereosinophilic syndrome (HES) for ≥6 months without identifiable non-hematologic secondary cause Adult patients with eosinophilic granulomatosis with polyangiitis

PDL Updated June 1, 2021, Highlights indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL}	DUPIXENT (dupilumab) ^{AL,CL} DUPIXENT PEN^{AL} pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: Indicated for moderate to severe atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid Eucrisa: Requires use and failure of 1 topical steroid or Elidel.

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic Neoral) mycophenolate CAPSULE, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLUTION tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate SUSPENSION (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKET RAPAMUNE (sirolimus) TABLET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus SOLUTION, TABLET (generic Rapamune) everolimus (generic for Zortress) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

PDL Updated June 1, 2021, Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	ANTICHOLINERGICS	
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	 B) Veramyst®: Prior authorization
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic for Singulair) ^{CL, AL} zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class
		 Drug-specific criteria: montelukast granules: PA not required for age < 2 years

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin) CAPSULE CLEOCIN PALMITATE (clindamycin) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		 Non-preferred agents will be
cholestyramine (generic Questran) colestipol TABLETS (generic Colestid)	colesevelam (generic Welchol) TABLET, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	metformin, sulfonylurea, or insulin has been inadequate
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	 Juxtapid[®]/ Kynamro[®]: Approved for diagnosis of homozygous
FIBRIC ACID	DERIVATIVES	familial hypercholesterolemia (HoFH) OR
fenofibrate (generic Tricor) gemfibrozil (generic Lopid)	fenofibrate (generic Antara/Fenoglide/ Lipofen/Lofibra/Triglide) fenofibric acid (generic Fibricor/Trilipix)	 Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents,
NIA	CIN	bile acid sequestrants
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	 Require faxed copy of REMS PA form
OMEGA-3 F	ATTY ACIDS	 Lovaza[®]: Approved for TG ≥ 500 Several other forms of OTC Niacin and fish
CHOLESTEROL ABS ezetimibe (generic for Zetia)	icosapent (generic for Vascepa) ^{CL,NR} omega-3 fatty acids (generic for Lovaza) ^{CL} VASCEPA (icosapent) ^{CL} ORPTION INHIBITORS NEXLIZET (bempedoic acid/ezetimibe) ^{NR,QL}	 Several other forms of OTC Mach and fish oil are also covered without prior authorization under Medicaid with a prescription Vascepa[®]: Approved for TG ≥ 500

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

Page **57** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

LIPOTROPICS, OTHER (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SU INHI	BTILISIN/KEXIN TYPE 9 (PCSK9) BITORS PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Praluent[®]: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Concurrent use of maximally-tolerated statin must continue

PDL Updated June 1, 2021, Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	STATINS	
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical
STATIN CO	IBINATIONS	reason why individual ingredients cannot be
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 used fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACR	OLIDES	Require clinical reason why
azithromycin (generic Zithromax) clarithromycin TABLET, SUSPENSION (generic Biaxin)	clarithromycin ER (generic Biaxin XL) E.E.S. SUSPENSION, TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYPED SUSPENSION (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET, CAPSULE erythromycin ethylsuccinate SUSPENSION	preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL , TABLET , VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q ^{AL, NR} TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: Xatmep[™]:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	 Non-preferred agent requires trial of Austedo All drugs require an FDA approved indication – ICD-10 diagnosis code required. Drug-specific criteria: Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo tetrabenazine:Diagnosis of chorea with Huntington's Disease

Page **60** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} GILENYA (fingolimod) ^{QL}	AUBAGIO (teriflunomide) BAFIERTAM (monomethyl fumarate) ^{NR,QL} dalfampridine (generic Ampyra) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
TECFIDERA (dimethyl fumarate)	dimethyl fumarate (generic for Tecfidera) ^{NR} EXTAVIA (interferon beta-1b) ^{QL} glatiramer (generic Copaxone) ^{QL} <i>KESIMPTA ((Ofatumumab)^{NR,QL}</i> MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) ^{NR,QL} REBIF (interferon beta-1a) ^{QL} VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,NR,QL}	 Drug-specific criteria: Ampyra[®]: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	nitrofurantoin SUSPENSION (generic for Furadantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents COX-I SE diclofenac sodium (generic for Voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for	diclofenac potassium (generic for Cataflam, Zipsor) diclofenac SR (generic for Voltaren-XR) diflunisal (generic for Dolobid) etodolac & SR (generic for Lodine/XL)	 Prior Authorization/Class Criteria Non-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: Arthrotec[®]: Requires clinical
Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn)	fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION ketoprofen & ER (generic for Orudis)	 reason why individual ingredients cannot be used Duexis[®]/Vimovo[®]: Requires clinical reason why individual agents cannot be used meclofenamate: Approvable without trial of preferred agents for menorrhagia
naproxen enteric coated sulindac (generic for Clinoril)	meclofenamate (generic for Meclomen) mefenamic acid (generic for Ponstel) meloxicam CAP (generic Vivlodex) ^{CL, NR,QL} naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen sodium (generic for Anaprox)	
	naproxen-esomeprazole (generic for Vimovo) oxaprozin (generic for Daypro) piroxicam (generic for Feldene) QMIIZ ODT (meloxicam) ^{QL} RELAFEN DS (nabumetone) tolmetin (generic for Tolectin) Ketorolac Nasal ^{QL} (generic for Sprix)	

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	VE (continued)	
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) SPRIX (ketorolac nasal spray) NASAL ^{QL, CL} TIVORBEX (indomethacin) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	 Drug-specific criteria: Sprix[®]: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex[®]: Requires clinical reason why indomethacin capsules cannot be used Zorvolex[®]: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECTA	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic for Celebrex)		

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only)	diclofenac (generic for Pennsaid Solution) ^{CL} FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET, PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class Drug Specific Criteria Flector®/Licart: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

PDL Updated June 1, 2021, Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMO	THERAPY	- - Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE BLOCKADE		 capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic for Fareston) ^{CL}	 Fareston[®]: Require clinical reason why tamoxifen cannot be used Ietrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTHER		for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) <i>lapatinib (generic Tykerb)^{CL,NR}</i> TALZENNA (talazoparib tosylate) ^{QL} TUKYSA(tucatinib) ^{QL}	 Soltamox: May be approved with documented swallowing difficulty

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Updated June 1, 2021, Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A mercaptopurine	LL PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use
A	ML DAURISMO (glasdegib maleate) ^{QL}	from current treatment guidelines
	IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL}	 Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Melphalan: Requires trial of Alkeran or clinical reason Alkeran
C	LL	cannot be used
IMBRUVICA (irutinib) LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	COPIKTRA (duvelisib) ^{QL} ZYDELIG (idelalisib)	 Purixan: Prior authorization not required for age <12 or for documented swallowing disorder Tabloid: Prior authorization not required for age <19
C	ML	Tasigna: Patients receiving Tasigna, which about a from
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) ^{GL} MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with
М	PN	dexamethasone
JAKAFI (ruxolitinib)		-
MYE	LOMA	
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	
ОТ	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) ZOLINZA (vorinostat)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

PDL Updated June 1, 2021, Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A	ALK	
ALECENSA (alectinib)	ALUNBRIG (brigatinib) LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPSULE, <i>TABLET</i>	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines _Drug-Specific Criteria
ALK / RO	S1 / NTRK	 Iressa/ Xalkori: Patients receiving Iressa or Xalkori prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment
	ROZLYTREK (entrectinib) AL,QL XALKORI (crizotinib)	_
EGFR		
TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) GILOTRIF (afatinib) IRESSA (gefitinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
	HER	
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{NR, QL}	

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) PEMAZYRE (pemigatinib) ^{QL} RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

PDL Updated June 1, 2021, Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic for Zytiga) ^{CL} bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL}	EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug Specific Critieris Zytiga: Patients receiving Zytiga prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib	AFINITOR DISPERZ (everolimus)CL CABOMETYX (cabozantinib) everolimus (generic for Afinitor) NEXAVAR (sorafenib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASAI ERIVEDGE (vismodegib)	L CELL ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF M MEKINIST (trametinib) TAFINLAR (dabrafenib)	UTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	 Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **69** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.7%) ^{NR} PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL}	•	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection
MACRO		
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGL	-	
gentamicin OINTMENT gentamicin SOLUTION tobramycin (generic for Tobrex drops)	TOBREX OINTMENT (tobramycin)	_
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

Page **71** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	 BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) 	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	 Non-preferred agents will be
fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINTMENT, GEL (loteprednol) <i>loteprednol GEL (generic for Lotemax Gel)</i> ^{NR} loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
NS	AID	
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) ^{QL} EYSUVIS (loteprednol etabonate) ^{NR,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page **73** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIC	DTICS	 Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	 approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	DMIMETICS	
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	
BETA BL	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) <i>timolol (generic for Timoptic</i> <i>Ocudose)</i> ^{NR} TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	_
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic for Azopt) ^{NR}	
PROSTAGLAN	DIN ANALOGS	_
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATI	ON DRUGS	-
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
ОТ	HER	•
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **74** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUBOXONE FILM (buprenorphine/ naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine SL buprenorphine/naloxone FILM, TAB, SL LUCEMYRA (lofexidine) ^{QL} ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred: Bunavail, buprenorphine SL, Buprenorphine/naloxone SL, Zubsolv: • Diagnosis of Opioid Use Disorder, NOT approved for pain management • Verification of "X" DEA license number of prescriber • No concomitant opioids • Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: • Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY		 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADCIRCA (tadalafil) ^{CL} ambrisentan (generic Letairis) sildenafil TABLET (generic Revatio) ^{CL} TRACLEER TABLET (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ^{CL} bosentan TABLET (generic Tracleer) LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic Revatio) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy sildenafil suspension: Requires clinical reason why sildenafil tablets cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page **76** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron 40/phytonadione)	- New weeks weeks will be
 fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit iron OTC (pedi multivit 2/fluoride) DROPS infant-toddler multivit-iron OTC (pedi multivit 2/fluoride) DROPS multivit amins with fluoride (pedi multivit ate/vit c/vit d3 drops) multivitis with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS multivit 45/fluoride (pedi multivit 2/fluoride) CHEW POLY-VI-FLOR (pedi multivit 2/fluoride) DROPS gut i fluoride (pedi multivit 2/fluoride) CHEW TAB ped mvi A,C,D3,No 21/fluoride DROPS multivit 45/fluoride CHEW ped mvi A,C,D3,No 21/fluoride DROPS multivit 11 flooride CHEW ped mvi A,C,D3,No 21/fluoride DROPS TRI-VI-SOL OTC (pedi multivit 80/ferrous sulfate) DROPS tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml VITALETS OTC (pedi multivit 36/iron) CHEW 	di c Itivit Itivit Itivit

PDL Updated June 1, 2021, Highlights indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET		 Non-preferred agents will be approved for patients who have foiled a 2 doubting of ONE
ampicillin CAPSULE		failed a 3-day trial of ONE preferred agent within this drug
dicloxacillin		class
penicillin VK		

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET, CAPSULE CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) Ianthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance
prasugrel (generic Effient)		 Drug-specific criteria: Zontivity[®]: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

Page **78** of **91**

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE elite-ob CAPLET (fe c/fa) MARNATAL-F CAPSULE PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE OB PLUS TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack (pnv53/iron b-g hcl-p/fa/omega3) trust natal dha (pnv2/iron b-g suc-p/fa/omega-3) virtpex CAPSULE (pnv66/iron fum/fa/dss/dha) virt-nate dha SOFTGEL (pnv1-ran-s) virtpex CAPSULE (pnv80/iron fum/fa/dss/dha) virt-vite gt TABLET (pnv#11-iron fum-fa-om3) virtpex CAPSULE (pnv80/iron fum/fa/dss/dha) virt-vite gt TABLET (pnv#21/iron/ps& heme polyp/fa) zatean-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)		 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply

Page **79** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena) MAKENA (hydroxyprogesterone caproate) SDV	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) ^{QL}	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic Nexium) esomeprazole strontium lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) <i>pantoprazole GRANULES</i> ^{NR,QL} rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥5 years if age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIA temazepam 15mg, 30mg (generic for Restoril) OTHI zaleplon (generic for Sonata) zolpidem (generic for Ambien)	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	 Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferre benzodiapine cannot be used and Requires documentation of swallowing disorder flurazepam/triazolam: Requires trial of preferred benzodiazepine Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used Silenor®: Must meet ONE of the following: Contraindication to preferred oral sedative hypnotics Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used zolpidem/zolpidem ER: Maximun daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg zolpidem SL: Requires clinical reason why half of zolpidem table cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **81** of **91**

PDL Updated June 1, 2021, Highlights indicated change from previous posting

SICKLE CELL ANEMIA TREATMENTAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea)	ENDARI (L-glutamine) ^{CL} OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: Approved for use in patients ages 2 to 17 years old

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION, TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
paclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} nethocarbamol (generic Robaxin) izanidine TABLET (generic Zanaflex)	carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reasor why chlorzoxazone cannot be used Zanaflex[®] Capsules: Requires clinical reasor used

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	 Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM , LOTION, OINTMENT (Rx only) hydrocortisone/aloe OINTMENT SCALPICIN OTC (hydrocortisone)	 ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINTMENT MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone) 	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
	DOTENOV	Madium Datanay Nan proferrad
MEDIUM fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	POTENCY betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	 Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH P	 High Potency Non-preferred 	
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	H POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic for Temovate-E) clobetasol propionate CREAM , GEL , OINTMENT, SOLUTION halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) ^{AL,QL} IMPEKLO (clobetasol) LOTION ^{AL,NR} LEXETTE(halobetasol propionate) ^{AL,QL} OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page **85** of **91**

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

STIMULANTS AND RELATED AGENTSAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be approved for patients who have
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR	ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) ^{QL} methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	 failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylph	enidate type	 Non-preferred agents will be approved for patients who have
CONCERTA (methylphenidate ER) ^{QL} 18mg, 27mg, 36mg, 54mg dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate SOLUTION (generic for Methylin) methylphenidate ER (generic for Ritalin SR) QUILLICHEW ER CHEWTAB (methylphenidate)	ADHANSIA XR (methylphenidate) ^{QL} APTENSIO XR (methylphenidate) COTEMPLA XR-ODT (methylphenidate) ^{QL} DAYTRANA PATCH (methylphenidate) ^{QL} dexmethylphenidate XR (generic for Focalin XR) FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate 50/50 (generic for Ritalin LA) methylphenidate 30/70 (generic for Ritalin CA) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic for Aptensio XR) ^{QL} Methylphenidate ER (generic for RELEXXII) ^{QL} methylphenidate ER 72mg (generic for RELEXXII) ^{QL} methylphenidate ER (generic for Ritalin SR) QUILLIVANT XR SUSP (methylphenidate) RITALIN (methylphenidate)	 failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18 Maximum accumulated dose of

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

PDL Updated June 1, 2021, Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and —clonidine IR are available without
atomoxetine (generic for Strattera) ^{QL} guanfacine ER (generic for Intuniv) ^{QL}	clonidine ER (generic for Kapvay) ^{QL} QELBREE (viloxazine) ^{NR,QL} STRATTERA (atomoxetine)	prior authorization
		Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
ANALI	EPTICS armodafinil (generic for Nuvigil) ^{CL}	armodafinil and modafinil:
	modafanil (generic for Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	 approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

TETRACYCLINES

Non-Preferred Ag	ente

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG , 100MG CAPSULE doxycycline monohydrate SUSP , TABLET (generic Vibramycin) minocycline HCI CAPSULE , TABLET (generic Dynacin/ Minocin/Myrac)	 demeclocycline (generic Declomycin)^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa/Monodox/ Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER)^{QL} 	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx[®]/doxycycline hyclate DR/ Dynacin[®]/Oracea[®]/Solodyn[®]: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TABLET^{CL}	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic Synthroid) liothyronine TABLET (generic Cytomel) thyroid, pork TABLET	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) <i>levothyroxine</i> CAPSULE (generic for <i>Tirosint</i>) ^{NR} THYROLAR TABLET (liotrix) THYQUIDITY (levothyroxine) SOLN ^{NR} TIROSINT CAPSULE (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

PDL Updated June 1, 2021, *Highlights* indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic Apriso) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/Lialda[®]/Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be used Giazo[®]: Requires clinical reason why generic balsalazide cannot be
REC	TAL	used
CANASA (mesalamine)	mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide)	 NOT covered in females

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORILISSA (elagolix sodium) ^{QL,CL}	ORIAHNN (elagolix/ estradiol/ norethidrone) AL,NR	Drug-specific criteria: Orilissa: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TABLET nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TABLET	 BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) NITROMIST (nitroglycerin) VERQUVO (vericiguat)^{AL.NR,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **91** of **91**