



PDL Updated September 2, 2021 Highlights indicated change from previous posting For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

• **Opioids**- The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning December 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PDL Updated September 2, 2021 Highlights indicated change from previous posting ACNE AGENTS TOPICAL

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic Duac) clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC erythromycin GEL erythromycin-BPO (generic for Benzamycin) PANOXYL 10% WASH (BPO) OTC RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic differin) adapalene/BPO (generic Epiduo) AKLIEF (trifarotene) AL ALTRENO (tretinoin) AL AMZEEQ (minocycline) ARAZLO (tazarotene) AL ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZACLIN PUMP (clindamycin/BPO) BENZEFOAM (benzoyl peroxide) NR benzoyl peroxide FOAM (generic Benzepro) benzoyl peroxide GEL OTC benzoyl peroxide GEL AX benzoyl peroxide GEL RX benzoyl peroxide GEL RX benzoyl peroxide GEL RX benzoyl peroxide GEL Clindamycin FOAM, LOTION clindamycin GEL clindamycin phosphate (generic for	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET	 Non-preferred agents will be approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months
EXELON Transdermal (rivastigmine) NMDA RECEPTO	galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon) OR ANTAGONIST	 OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
memantine (generic for Namenda)	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	 Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANALGESICS**, **OPIOID LONG-ACTING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL}	ARYMO ER (morphine sulfate) ^{QL} BELBUCA (buprenorphine) ^{QL} BUCCAL buprenorphine BUCCAL (generic for Belbuca) ^{AL,NR,QL} buprenorphine PATCH (generic Butrans) ^{QL} EMBEDA (morphine sulfate/naltrexone) DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydrocodone ER (generic for Hysingla ER) NR, QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET, ORAL SYR ^{NR,CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic Conzip) ^{CL}	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria:

PDL Updated September 2, 2021 $\frac{\text{Highlights}}{\text{Highlights}}$ indicated change from previous posting ANALGESICS, OPIOID SHORT-ACTING QL

acetaminophen/codeine ELIXIR, TABLET benzhydrocodone/APAP (generic Apadaz,CL hydrocodone/APAP SOLUTION, TABLET benzhydrocodone/APAP (generic Apadaz,CL butalbital/caffeine/APAP/codeine	on-preferred agents will be oproved for patients who have iled THREE preferred agents ithin this drug class within the last 2 months ote: for short acting opiate tablets and capsules there is a maximum
TABLET codeine TABLET hydrocodone/APAP SOLUTION, APADAZ (benzhydrocodonie/APAP) benzhydrocodone/APAP (generic Apadaz ^{CL} butalbital/caffeine/APAP/codeine	iled THREE preferred agents ithin this drug class within the last 2 months ote: for short acting opiate tablets a capsules there is a maximum
hydrocodone/ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET oxycodone TABLET, SOLUTION oxycodone/APAP Tramadol 50 TABLET ^{AL} (generic Ultram) tramadol/APAP (generic Ultracet) Tramadol/APAP (generic Ultracet) Tomphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone/APAP SOLUTION oxycodone/APAP SOLUTION oxycodone/APAP TABLET (generic Prolate) oxycodone/APAP TABLET (generic Prolate) oxycodone CONCENTRATE	eginning Oct. 11, 2018: Opiate mits for opiate naïve patients will onsist of prescriptions limited to a 7 day apply, AND mitial opiate prescription fill limited of maximum of 50 Morphine illigram Equivalents (MME) per any maximum of 50 Morphine illigram Equivalents (MME) per any mese limits may only be exceeded ith patient specific documentation of medical necessity, with examples such as, cancer agnosis, end-of-life care, calliative care, Sickle Cell Anemia, or prescriber attestation that exitent is not recently opiate naive specific criteria: padaz: Approval for 14 days or ses ucynta®: Approved only for agnosis of acute pain, for 30 anys or less

PDL Updated September 2, 2021 Highlights indicated change from previous posting ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	NASAL	
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL ^{CL}		**Drug-specific criteria: - Abstral®/Actig®/Fentora®/
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (Topical)CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP CL	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone PUMP (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males or with diagnosis of: Primary hypogonadism (congenitor acquired) OR

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) fosinopril/HCTZ (generic Monopril HC lisinopril/HCTZ (generic Prinzide, Zestoretic)	captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLUTION enalapril (generic for Epaned) ^{CL} ORAL SOLUTION moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLUTION trandolapril (generic Mavik) URETIC COMBINATIONS captopril/HCTZ (generic Capozide) moexipril/HCTZ (generic Uniretic)	approved for patients who have failed ONE preferred agent within this drug class within the last 12 months • Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: • Epaned® and Qbrelis® Oral Solution: Clinical reason why oral tablet is not appropriate
quinapril/HCTZ (generic Accuretic)		
ANGIOTENSIN R	ECEPTOR BLOCKERS	
irbesartan (generic Avapro) losartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be preserved for patients who have
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
ANGIOTENSIN	MODULATOR/	- Angiotensin Modulator/Calcium
	OCKER COMBINATIONS	Channel Blocker Combinations: Combination agents may be
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta)	approved if there has been a trial and failure of preferred agent
	amlodipine/valsartan/HCTZ (generic Exforge HCT)	
	PRESTALIA (perindopril/amlodipine)	
	trandolapril/verapamil (generic Tarka)	
		Direct Renin Inhibitors/Direct
DIRECT RENI	N INHIBITORS	Renin Inhibitor Combinations: May be approved witha history of
	aliskiren (generic Tekturna) ^{QL}	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIB	ITOR COMBINATIONS	within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	Drug Specific Criteria
NEPRILYSIN INHIBITOR COMBINATION		Entresto: May be approved with a diagnosis of heart failure
ENTRESTO (sacubitril/valsartan) ^{AL,QL}		AND > 18 years old
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALI FRGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA AL,CL (peanut allergen powder-dnfp)	ORALAIR Confirmed by positive skin teror in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age. PALFORZIA Confirmed diagnosis of pean allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previouse within the past 90 days Initial dose and increase titration doses should be give in a healthcare setting Should not be used in patient with uncontrolled asthma or concurrently on a NSAID

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANTIBIOTICS**, **GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
tinidazole (generic Tindamax) ^{CL}	DIFICID (fidaxomicin) CL TABLET, SUSPNR FLAGYL ER (metronidazole)CL MetronidazoleCL CAPSULE nitazoxanide (generic Alinia) TABLETAL, CL, QL paromomycin SOLOSEC (secnidazole) vancomycin CAPSULE (generic Vancocin)CL XIFAXAN (rifaximin)CL	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl @Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANTIBIOTICS, INHALED**

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSPENSION CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Bethkis) tobramycin (generic Tobi) ^{CL}	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic Polysporin) mupirocin OINTMENT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin® Cream: Clinical reason the ointment cannot be used

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) NUVESSA (metronidazole) VANDAZOLE (metronidazole)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole) metronidazole, vaginal	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	BEVYXXA (betrixaban)QL fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban)QL	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include:

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAI	BINOIDS	Non-preferred agents will be
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	Drug-specific criteria: • Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a
NK-1 RECEPTO	R ANTAGONIST	5-HT3 antagonist Regimens include: AC combination
EMEND (aprepitant) CAPSULE, CAPSULE PACKQL	aprepitant (generic Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	(Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine,
TRADITIONAL	ANTIEMETICS	Cyclophosphamide, Cytarabine, Dacarbazine. Dactinomycin. Daunorubicin.
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TABLET (generic Tigan)	Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance

PDL Updated September 2, 2021 Highlights indicated change from previous posting ANTIFUNGALS, ORAL

troche) fluconazole SUSPENSION, TABLET (generic Difflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic Lamisil) Marian POWDER ORAVIG (miconazole) posaconazole (generic Noxafil) voriconazole (generic VFEND)CL Marian Powsionazole (generic VFEND)CL Marian Powsionazole (generic VFEND)CL Marian Powsionazole (generic VFEND)CL Marian Powsionazole (generic Noxafil) Moxafil®: No trial for diagnosis-appropriate prefer agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of Septicemia, endocarditis UTIs Cryptococcus: Meningitis, pulmon-infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenia Admyeloid Leukemia (AML), Neutropenia Myelodysplastic Syndrome (MDS), Neutropenia Powsional Myelodysplastic Syndrome (MDS), Neutropenia de Moxima Myelodysplastic Syndrome (MDS), Neutropenia de Moxima Myelodysplastic Syndrome (MDS), Neutropenia Myelody	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Onychomycosis due to terbinafine resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazo Sporanox®: Requires trial and fail of generic itraconazole Sporanox® Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a tria failure of generic itraconazole Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS) Neutropenic Acute Myeloid Leuker (AML), Graft vs. Host disease (GV Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum a Fusarium spp.,	clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET	BREXAFEMME (ibrexafungerp) ^{QL,NR} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) nystatin POWDER ONMEL (itraconazole) ORAVIG (miconazole) posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	Non-preferred agents will be
clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM , SHAMPOO	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic	approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months
(generic Nizoral)	Penlac)	Drug-specific criteria:
LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC	ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLUTION RX (generic Lotrimin)	 Extina: Requires trial and failure or contraindication to other ketoconazole forms
nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin)	DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole)	 Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> ciclopirox nail lacquer: No trial
General Timaduri)	EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) tavaborole SOLUTION (generic Kerydin) ^{NR}	required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
	ketoconazole FOAM (generic Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC	
	LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) Iuliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Oxistat) salicylic acid (generic Bensal HP) tavaborole SOLUTION (generic Kerydin) tolnaftate SPRAY, OTC	
ANTIFUNGAL/STER	ROID COMBINATIONS	
clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT	clotrimazole/betamethasone LOTION (generic Lotrisone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **15** of **93**

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANTIHISTAMINES, MINIMALLY SEDATING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (Rx only) (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) cetirizine SOLUTION (OTC) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, ODT (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} colchicine CAPSULE (generic for Mitigare) febuxostat (generic for Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric®: Clinical reason why allopurinol cannot be used

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANTIMIGRAINE AGENTS, OTHER**

AJOVY (fremanezumab-vfrm) ^{CL, QL} PEN, Autoinjector, Autoinjector 3-pack ^{NR} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE UBRELVY (ubrogepant) ^{AL,CL, QL} TABLET AlMOVIG (erenumab-aooe) ^{CL,QL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL EMGALITY 100 mg (galcanezumab- gnlm) ^{CL,QL} SYRINGE ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGRANAL (dihydroergotamine) NASAL NURTEC ODT (rimegepant) ^{AL,CL,QL} REYVOW (lasmiditan) ^{AL, CL,QL} TABLET All acute treatment agents will be approved for patients who have a failed trial or contraindication of a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Cambia®: Requires diagnosis of migraine and documentation of why solid dosing for Migraine. Emgality 120mg is recommended dosing for Migraine, Emgality 100mg is recommended dosing for Migraine, Emgality 100mg is recommended dosing for Migraine, Emgality 120mg: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproale,	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig requires a trial of Emgality 120mg or Ajovy or clinical, patient specific reason that a preferred agent cannot be used	PEN, Autoinjector, Autoinjector 3-pack ^{NR} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE UBRELVY (ubrogepant) ^{AL,CL, QL} TABLET	CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL EMGALITY 100 mg (galcanezumabgnlm) CL,QL SYRINGE ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL NURTEC ODT (rimegepant)AL,CL,QL REYVOW (lasmiditan)AL, CL,QL	 approved for patients who have a failed trial or contraindication of a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality 120mg is recommended dosing for Migraine, Emgaility 100mg is recommended dosing for Episodic Cluster Headache Aimovig, Ajovy and Emgality 120mg: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig requires a trial of Emgality 120mg or Ajovy or clinical, patient specific reason that a preferred agent

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ANTIMIGRAINE AGENTS, TRIPTANS**^{QL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
C	RAL	Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan Na IMITREX (sumatriptan)	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT) ASAL ONZETRA XSAIL (sumatriptan) sumatriptan (generic Imitrex Nasal) TOSYMRA (sumatriptan) zolmitriptan (generic for Zomig) ZOMIG (zolmitriptan)	approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: • Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used • Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION NR lindane malathion (generic Ovide) SKLICE (ivermectin) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		for patients who have failed ONE preferred agent within this drug class
COMT IN	HIBITORS	Down and the self-self-self-self-self-self-self-self-
	entacapone (generic for Comtan) ONGENTYS (Opicapone) ^{NR,QL} tolcapone (generic for Tasmar)	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as addon therapy with levodopa-containing drug
DOPAMINE	AGONISTS	• Gocovri: Required diagnosis of Parkinson's
pramipexole (generic for Mirapex)	bromocriptine (generic for Parlodel) ropinirole ER (generic for Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®: For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole
MAO-B IN	HIBITORS	Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Somolex ER: Required diagnosis of Parkinson's disease or drug indused.
selegiline CAPSULE, TABLET (generic for Eldepryl)		Parkinson's disease or drug-induced extrapyramidal reactions and had trial of cintolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent tria Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent tria Zelapar®: Approved for documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting ANTIPARKINSON'S AGENTS, ORAL (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	KINSON'S DRUGS APOKYN (apomorphine) SUB-Q carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) INHALER ^{CL,QL} KYNMOBI (apomorphine) ^{QL,} KIT, SUBLINGUAL	Prior Authorization/Class Criteria
	NOURIANZ (istradefylline) ^{CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (levodopa/carbidopa/entacapone)	

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone OINTMENT (generic for Taclonex) calcipotriene/betamethasone SUSP	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be approved for patients who have
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) ^{CL} SUSPENSION SITAVIG (acyclovir buccal) ^{CL}	failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
oseltamivir (generic Tamiflu) ^{QL}	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINTMENT	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLUTION (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} lorazepam ORAL SYRINGE ^{NR} meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

PDL Updated September 2, 2021 Highlights indicated change from previous posting **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal)	acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLUTION INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used
propranolol ER (generic Inderal LA)	ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALI	PHA-BLOCKERS	
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER (generic Coreg CR)	
ANTIARRHYTHMIC		
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic for Actigall) ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	CHENODAL (chenodiol) CHOLBAM (cholic acid) OCALIVA (obeticholic acid)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Oxybutynin IR, ER (generic Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) GELNIQUE (oxybutynin) GEMTESA (vibegron) ^{AL,NR,QL} flavoxate	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class
	MYRBETRIQ TAB, SUSPAL,NR,QL	 Drug-specific criteria: Myrbetriq®: Covered without trial
	(mirabegron) OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA)	in contraindication to anticholinergic agents
	trospium IR, ER (generic Sanctura/ Sanctura XR)	
	VESICARE (solifenacin)	
	VESICARE LS SUSP (solifenacin succinate) ^{AL}	

PDL Updated September 2, 2021 Highlights indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

alendronate (generic Fosamax) TABLET ibandronate (generic Boniva) ^{QL} ibandronate (generic Boniva) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL} risedronate (generic Actonel) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group
TABLET ibandronate (generic Boniva) ^{QL} BINOSTO (alendronate) etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL}	failed a trial of ONE preferred agent within the same group
OTHER BONE RESORPTION SUPPRESSION AND RELATED DRUGS calcitonin-salmon NASAL raloxifene (generic Evista) teriparatide (generic Forteo) CL.QL TYMLOS (abaloparatide) TYMLOS (abaloparatide)	Actonel® Combinations: Covered as individual agents without prior authorization Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid

PDL Updated September 2, 2021 Highlights indicated change from previous posting **BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class
terazosin (generic Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTA	SE (5AR) INHIBITORS	Alfuzosin/dutasteride/finasteride
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used

PDL Updated September 2, 2021 Highlights indicated change from previous posting

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class
INHALERS – Short Acting		Non-preferred agents will
PROAIR HFA (albuterol)	albuterol HFA (generic for ProAir HFA, Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
	ERS – Long Acting	_
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	
INHAL	ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) ^{NR} BROVANA (arformoterol) formoterol fumarate (generic Performist) ^{NR} levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	ORAL	
albuterol SYRUP	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

Page **29** of **93**

PDL Updated September 2, 2021 Highlights indicated change from previous posting CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be approved for patients who have
Dihydro	oyridines	 failed a trial of ONE preferred
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin) LONG-	isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) NYMALIZE (nimodipine) SOLUTION ropyridines ACTING Dyridines felodipine ER (generic Plendil)	agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage Katerzia: May be approved with documented swallowing difficulty
nifedipine ER (generic Procardia XL/ Adalat CC)	KATERZIA (amlodipine) ^{QL} SUSP nisoldipine (generic Sular)	
Non-dihyd	ropyridines	
diltiazem ER (generic Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER (generic Verelan PM)	

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

PDL Updated September 2, 2021 Highlights indicated change from previous posting

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSPENSION, TABLET	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic Duricef) cephalexin CAPSULE, SUSPENSION (generic Keflex)	cefadroxil TABLET (generic Duricef) cephalexin TABLET DAXBIA (cephalexin)	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil) cefuroxime TABLET (generic Ceftin)	cefaclor (generic Ceclor) CEFTIN (cefuroxime) TABLET,	
OFFILM CORORING	SUSPENSION	
cefdinir (generic Omnicef)	- Third Generation cefixime CAPSULE, SUSPENSION	
cerdiniii (genene emineer)	(generic Suprax) cefpodoxime (generic Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) Nyvepria (pegfilgrastim-apgf) ^{NR} ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent	DOLISHALE (ethinyl estradiol/ levonorgestrel) ^{NR} NEXTSTELLIS(drospirenone/estetrol) ^{NR} TAYSOFY (norethindrone/ethinyl estradiol/iron) ^{NR} TYBLUME (levonorgestrel/ ethinyl estradiol) ^{NR}	
Specific agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/drug lookupweb/?client=nestate		

PDL Updated September 2, 2021 Highlights indicated change from previous posting

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	N SOLUTION LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	initial review
, , , , , , , , , , , , , , , , , , ,	AGENT DALIRESP (roflumilast) ^{CL, QL}	

COUGH AND COLD. OPIATE COMBINATION

Preferred Agents

PDL Updated September 2, 2021 Highlights indicated change from previous posting

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) ^{AL, CL}	 Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene

PDL Updated September 2, 2021 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN ^{QL} HUMIRA (adalimumab) ^{QL} ENBREL (etanercept) VIAL ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib,CL,QL SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SKYRIZI PEN (risankizamab-rzaa) SKYRIZI PEN (risankizamab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) ORAL, SOLN ^{CL,QL} XELJANZ XR (tofacitinib) ORAL ^{CL,QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Otezla: Requires a trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to methotrexate and an inadequate response to one or more TNF antagonist therapies. Rinvoq: Requires documentation of inadequate response or intolerance to methotrexate Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to methotrexate. Diagnosis of Juvenile Idiopathic Arthritis for ages 2 years old and older does not require documentation of treatment failure with methotrexate. Diagnosis of moderate to severe ulcerative colitis (UC) requires documentation of treatment failure with a Tumor Necrosis Factor blocker agent; does not require documentation of treatment failure with methotrexate.

PDL Updated September 2, 2021 Highlights indicated change from previous posting

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN	IT PRODUCTS	Non-preferred agents will be
amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril) furosemide SOLUTION, TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic Inspra) ethacrynic acid CAPSULE (generic Edecrin) KERENDIA (finerenone) TABLET NR,QL methyclothiazide TABLET triamterene (generic Dyrenium)	approved for patients who have failed a trial of TWO preferred agents within this drug class
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic Dyazide, Maxzide)		

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ SYMJEPI (epinephrine) PFS	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **36** of **93**

PDL Updated September 2, 2021 Highlights indicated change from previous posting

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TABLET (generic Cipro) evofloxacin TABLET (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic Cipro) levofloxacin SOLUTION moxifloxacin (generic Avelox) ofloxacin	Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non-gonorrhea)

PDL Updated September 2, 2021 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic Lotronex) Iubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

CLUCACON ACENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJECTION PROGLYCEM (diazoxide) SUSP	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} PEN , SYRINGE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

PDL Updated September 2, 2021 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALKINDI (hydrocortisone) GRANULESAL/NR CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DXEVO (dexamethasone) EMFLAZA (deflazacort) SUSPENSION, TABLETCL ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg, 32mg ORTIKOS ER (budesonide) ^{AL,QL} PEDIAPRED (prednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agents within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

PDL Updated September 2, 2021 Highlights indicated change from previous posting

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS	HAE Treatments PA Form
HAEGARDA (C1 esterase inhibitor, human) ^{AL,CL} SUB-Q icatibant acetate (generic for FIRAZYR) ^{AL} SUB-Q	FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SUB-Q	 All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class
		Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol

PDL Updated September 2, 2021 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FAC1	OR VIII	Non-preferred agents will be
ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR RECOMBINATE	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-21-21 will be allowed to continue same therapy
FAC	TOR IX	
BENEFIX	ALPHANINE SD ALPROLIX IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROM	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL,NR}	
FACTOR X AND XIII PRODUCTS		
COAGADEX CORIFACT	TRETTEN	
VON WILLEBRAND PRODUCTS		
WILATE	VONVENDI	
BISPECIFI	C FACTORS	
HEMLIBRA		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) lamivudine hbv TABLET VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) ^{CL}	HARVONI 200/45MG, TABLET, (sofosbuvir/ledipasvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET	Hepatitis C Treatments PA Form Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of
VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ^{CL}	sofosbuvir/ledipasvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TABLET (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/	why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the
	paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not
		required in the following: Harvoni:
		Post liver transplant for genotype1 or 4
	VIRIN	■ Vosevi: Requires documentation of non-
	REBETOL (ribavirin)	response after previous treatment course of Direct Acting Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with
PEGASYS (pegylated interferon alfa- 2a) CL	FERON	 compensated cirrhosis
PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		

PDL Updated September 2, 2021 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) nizatidine SOLUTION (generic for Axid)	cimetidine TABLET, SOLUTION ^{CL} (generic for Tagamet) famotidine SUSPENSION nizatidine CAP (generic for Axid) ranitidine CAPSULE, (generic for Zantac) ranitidine OTC, SYRUP, TABLET (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment cimetidine solution/ famotidine suspension/ranitidine syrup: Requires clinical reason why nizatidine syrup cannot be used ***famotidine suspension is authorized during shortage of nizatidine syrup.***

PDL Updated September 2, 2021 Highlights indicated change from previous posting HIV / AIDS^{CL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 AN	TAGONISTS	Non-preferred agents will be
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the
FUSION INHIBITORS		preferred products within this d
FUZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for patient, including, but not limite to, drug resistance or concomit
HIV-1 ATTACH	IMENT INHIBITOR	conditions not recommended w preferred agents
	RUKOBIA ER (fostemsavir) ^{AL,QL}	Patients undergoing treatment the time of any preferred status change will be allowed to continuous
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	therapy
ISENTRESS (raltegravir) ^{QL}	TIVICAY PD (dolutegravir)	 Diagnosis of HIV/AIDS required
ISENTRESS HD (raltegravir)	VOCABRIA (cabotegravir) ^{NR}	OR
TIVICAY (dolutegravir)	, g	 Pre and Post Exposure Prophylaxis
NON-NUCLEOSIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NNRTIS)	
efavirenz CAPSULE, TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL}	EDURANT (rilpivirine) ETRAVIRINE (new generic for Intelence) ^{NR,QL} nevirapine IR, ER (generic	
PIFELTRO (doravirine) ^{QL}	Viramune/Viramune XR) RESCRIPTOR (delavirdine)	
	SUSTIVA CAPSULE, TABLET (efavirenz)	
	VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRAN	ISCRIPTASE INHIBITORS (NRTIs)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPSULE, SOLN	didanosine DR (generic Videx EC) emtricitabine CAPSULE (generic for Emtriva)	
(emtricitabine)	EPIVIR (lamivudine)	
lamivudine SOLN , TABLET (generic	RETROVIR (zidovudine)	
Epivir)	stavudine CAPSULE (generic Zerit)	
zidovudine CAPSULE, SYRUP,	VIDEX (didanosine) SOLN	
TABLET (generic Retrovir)	ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	
PHARMACOKIN	NETIC ENHANCER	
	TYBOST (cobicistat) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atazanavir CAPSULE (generic Reyataz) LEXIVA SUSP (fosamprenavir) ritonavir TABLET (generic Norvir)	INHIBITORS	Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents
	REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis

PDL Updated September 2, 2021 Highlights indicated change from previous posting HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PHARMACOKIN EVOTAZ (atazanavir/cobicistat) ^{QL} Iopinavir/ritonavir SOLN (generic Kaletra)	EINHIBITORS (PIs) or PIs plus NETIC ENHANCER KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) opinavir/ritonavir TAB (generic Kaletra) PREZCOBIX (darunavir/cobicistat) QL	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
COMBINATION NUCLEOS(T)IDE RE	VERSE TRANSCRIPTASE INHIBITORS	_
Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL, CL} lamivudine/zidovudine (generic Combivir) TRUVADA (emtricitabine/tenofovir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) emtricitabine/tenofovir (generic Truvada) ^{CL} EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) ^{QL} TRIZIVIR (abacavir/lamivudine/zidovudine)	Drug-Specific Criteria Descovy: • Approval will be granted for a diagnosis of HIV/AIDS For PrEP use: Will require prior approval with a documentation of a contraindication to Truvada.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
ATRIPLA (tenofovir/emtricitabine/efavirenz) BIKTARVY (bictegravir/emtricitabine/tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) ^{QL} GENVOYA (elvitegravier/cobicistat/emtricitabine/tenofovir) ^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/tenofovir) ^{QL} STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir) ^{QL} SYMFI (efavirenz/lamivudine/tenofovir) ^{QL} SYMFI LO (efavirenz/lamivudine/tenofovir) ^{QL} TRIUMEQ (dolutegravir/abacavir/lamivudine)	SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL}	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis

PDL Updated September 2, 2021 Highlights indicated change from previous posting HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA)CL	Preferred agents require metformin
BYDUREON (exenatide ER) BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) RYBELSUS (semaglutide) TANZEUM (albiglutide)	trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: ■ Failed a trial of TWO preferred agents within GLP-1 RA AND ■ Diagnosis of diabetes with HbA1C ≥ 7 AND
INSULIN/GLP-1 RA	A COMBINATIONS	Trial of metformin, or contraindication or intolerance to
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	metformin
AMYLIN	ANALOG	ALL criteria must be met
	SYMLIN (pramlintide) subcutaneous	 Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDASE-4 (DPP-4) INI	HIBITOR ^{QL}	
GLYXAMBI (empagliflozin/linagliptin) JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ^{AL}	Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

PDL Updated September 2, 2021 Highlights indicated change from previous posting HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 PEN HUMALOG MIX VIAL (insulin lispro) U-100 BASAGLAR (insulin glargine, rec) Ispro/lispro protamine) ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN Afrezza® Approved for TADM on
HUMALOG MIX PEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 70/30 VIAL HUMULIN 0-500 VIAL HUMULIN 0TC PEN HUMULIN 70/30 OTC PEN Insulin aspart (generic for Novolog) Insulin lispro (generic for Novolog Mix) Insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN (Insulin glargine) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) LANTUS (insulin aspart) LANTUS (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG (insulin lispro) U-200 PEN VIAL(generic for Novolog) Insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin detemir) PEN, VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX PEN, VIAL (insulin aspart/aspart protamine) **Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease **Humulin® R U-500 Kwikpen: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease **Humulin® R U-500 Kwikpen: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease **Humulin® R U-500 Kwikpen: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease **Humulin® R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment **Usage must be for self-administration, not only convenience **PEN, VIAL (insulin glargine) PEN, VIAL TRESIBA (insulin degludec) **TRESIBA (insulin degludec) **Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease **Humulin® R U-500 Kwikpen: **Approved for physical reasons – such as dexterity problems and vision impairment **Usage must be for self-administration, not only convenience **PEN, VIAL (insulin degludec) **PEN, VIAL (insulin degludec) **TRESIBA (insulin degludec) **TRESIBA (insulin degludec) **TRESIBA (insulin degludec)

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) repaglinide/metformin (generic for Prandimet)	Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

PDL Updated September 2, 2021 Highlights indicated change from previous posting

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLUTION (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL, CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL} SYNJARDY (empagliflozin/metformin) ^{CL,QL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL}	INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY XR (empagliflozin/metformin) ^{QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

PDL Updated September 2, 2021 Highlights indicated change from previous posting HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COME	BINATIONS	within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone)	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

IMMUNOMODULATORS, ASTHMACL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ASENRA (benralizumab) ^{AL} PEN	NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR,	Drug Specific Criteria: Dupixent: See criteria listed under Immunomodulator, Atopic Dermatitis class Fasenra: is indicated for patient 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Nucala: is indicated for -Patients 6 years and older for accon maintenance treatment of severe asthma, and with an eosinophilic phenotype -Patients 12 years and older with hypereosinophilic syndrome (HES) for ≥6 months without identifiable non-hematologic secondary cause -Adult patients with eosinophilic granulomatosis with polyangi

PDL Updated September 2, 2021 Highlights indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL}	DUPIXENT PEN^{AL} pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: Indicated for moderate to severe atopic dermatitis, must have trial of Eucrisa; For moderate to severe asthma, must have eosinophilic phenotype or oral corticosteroid dependent asthma uncontrolled with maintenance controller medication; For adults with chronic rhinosinusitis with nasal polyposis, must document inadequate control on current treatment regimen and be used as add-on maintenance treatment with intranasal steroid Eucrisa: Requires use and failure of 1 topical steroid or Elidel.

IMMUNOMODULATORS, TOPICAL

MINIONO DO LA TORO, TO TOAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

PDL Updated September 2, 2021 Highlights indicated change from previous posting **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathiaprine (generic Imuran) cyclosporine, modified CAPSULE (generic Neoral) mycophenolate CAPSULE, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLUTION RAPAMUNE (sirolimus) TABLET tacrolimus ZORTRESS (everolimus) AL	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate SUSPENSION (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus SOLUTION, TABLET (generic Rapamune) everolimus (generic for Zortress) AL	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

PDL Updated September 2, 2021 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS'	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B)
CORTICO	STEROIDS	- Veramyst®: Prior authorization
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	NOT required for children ≤ 12 years • Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic for Singulair) ^{CL, AL} zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

PDL Updated September 2, 2021 Highlights indicated change from previous posting

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin) CAPSULE CLEOCIN PALMITATE (clindamycin) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	Non-preferred agents will be
cholestyramine (generic Questran) colestipol TABLETS (generic Colestid)	colesevelam (generic Welchol) TABLET, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	inadequate
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	 Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH)
FIBRIC ACID	DERIVATIVES	OR
fenofibrate (generic Tricor) fenofibrate (generic Lofibra) gemfibrozil (generic Lopid)	fenofibric acid (generic Fibricor/Trilipix) fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide)	 Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants
NIA	CIN	Require faxed copy of REMS PA form
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	 Vascepa[®]: Approved for TG ≥ 500
OMEGA-3 FA	ATTY ACIDS	
omega-3 fatty acids (generic for Lovaza)	icosapent (generic for Vascepa) ^{CL} omega-3 OTC VASCEPA (icosapent) ^{CL}	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe (generic for Zetia)	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	

PDL Updated September 2, 2021 Highlights indicated change from previous posting LIPOTROPICS, OTHER (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SU INHI	BTILISIN/KEXIN TYPE 9 (PCSK9) BITORS PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Praluent®: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue

PDL Updated September 2, 2021 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require clinical
STATIN COMBINATIONS		reason why individual ingredients cannot be
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACI	ROLIDES	Require clinical reason why
azithromycin (generic Zithromax) clarithromycin TABLET, SUSPENSION (generic Biaxin) erythromycin ethylsuccinate SUSPENSION	clarithromycin ER (generic Biaxin XL) E.E.S. SUSPENSION (erythromycin ethylsuccinate) E.E.S. TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYPED SUSPENSION (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET, CAPSULE	preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

PDL Updated September 2, 2021 Highlights indicated change from previous posting **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q AL, NR TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: Xatmep™:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} CAP, INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	Non-preferred agent requires trial of Austedo All drugs require an FDA approved indication – ICD-10 diagnosis code required. Drug-specific criteria: • Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease • Ingrezza: Diagnosis of Tardive Dyskinesia in adults and trial of Austedo • tetrabenazine:Diagnosis of chorea with Huntington's Disease

PDL Updated September 2, 2021 Highlights indicated change from previous posting

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} KESIMPTA (Ofatumumab) ^{CL,QL} TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) BAFIERTAM (monomethyl fumarate) ^{QL} dalfampridine (generic Ampyra) ^{QL} dimethyl fumarate (generic for Tecfidera) EXTAVIA (interferon beta-1b) ^{QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) ^{NR} REBIF (interferon beta-1a) ^{QL} VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	nitrofurantoin SUSPENSION (generic for Furadantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

NSAIDs, ORAL

PDL Updated September 2, 2021 Highlights indicated change from previous posting

NSAIDs, ORAL (Continued)

LL BRAND NAME NSAIDs including: AMBIA (diclofenac oral solution) UEXIS (ibuprofen/famotidine) uprofen/famotidine (generic Duexis) ^{NR} PRIX (ketorolac nasal spray) NASAL ^{QL, CL} IVORBEX (indomethacin) IVLODEX (meloxicam	Drug-specific criteria: Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral diclofenac OR clinical reason why
including: AMBIA (diclofenac oral solution) UEXIS (ibuprofen/famotidine) uprofen/famotidine (generic	 Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsule cannot be used Zorvolex®: Requires trial of oral
submicronized) IPSOR (diclofenac) ORVOLEX (diclofenac)	diclofenac potassium/sodium cannot be used
T COMBINATIONS	_
CTIVE	_
	T COMBINATIONS iclofenac/misoprostol (generic for Arthrotec)

PDL Updated September 2, 2021 Highlights indicated change from previous posting

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only)	diclofenac (generic for Pennsaid Solution) ^{CL} FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET , PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class Drug Specific Criteria • Flector®/Licart: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form • Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form • Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used • Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

PDL Updated September 2, 2021 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 I	NHIBITOR	Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT	THERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE	BLOCKADE	capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic for Fareston) ^{CL}	 cannot be used Fareston®: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
ОТ	HER	for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) ^{CL,NR} TALZENNA (talazoparib tosylate) QL TUKYSA(tucatinib) ^{QL}	 Soltamox: May be approved with documented swallowing difficulty

PDL Updated September 2, 2021 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved
	ML	indication OR documentation submitted supporting off-label use from current treatment guidelines
	DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} CLL COPIKTRA (duvelisib) ^{QL} ZYDELIG (idelalisib)	Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not required for age <19
	CML	Tasigna: Patients receiving
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with
N	1PN	dexamethasone
JAKAFI (ruxolitinib)		
MYE	LOMA	-
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) CL	
רס	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) ZOLINZA (vorinostat)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALECENSA (alectinib)	ALK ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET KETEK (telithromycin)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-Specific Criteria Iressa/ Xalkori: Patients receiving Iressa or Xalkori prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment Iressa/ Xalkori: Patients receiving Iressa or Xalkori prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment
ALF	(/ ROS1 / NTRK	
	ROZLYTREK (entrectinib) AL,QL XALKORI (crizotinib)	
	EGFR	
TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) GILOTRIF (afatinib) IRESSA (gefitinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib)	
	OTHER	
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) LUMAKRAS (sotrasib) ^{NR, QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{NR, QL}	

PDL Updated September 2, 2021 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) PEMAZYRE (pemigatinib) ^{QL} RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} TRUSELTIQ (infigratinib) CAPSULE ^{NR} VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{QL}	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

PDL Updated September 2, 2021 Highlights indicated change from previous posting NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic for Zytiga) ^{CL} bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL}	EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug Specific Critieris Zytiga: Patients receiving Zytiga prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib	AFINITOR DISPERZ (everolimus)CL CABOMETYX (cabozantinib) everolimus (generic for Afinitor) NEXAVAR (sorafenib) sunitinib malate (generic for Sutent)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
		 Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASA ERIVEDGE (vismodegib)	ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	Drug-specific critera • Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **70** of **93**

PDL Updated September 2, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) PAZEO (olopatadine 0.7%)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic for Bepreve) ^{NR} EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday) PATADAY (olopatadine 0.7%) ^{NR} PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection
MACRO	OLIDES	
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGL	YCOSIDES	
gentamicin SOLUTION tobramycin (generic for Tobrex drops)	TOBREX OINTMENT (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

PDL Updated September 2, 2021 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	Non-preferred agents will be
fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol GEL (generic for Lotemax Gel) NR loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
NS	SAID	-
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) QL EYSUVIS (loteprednol etabonate)NR,QL	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOTICS		Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATH	OMIMETICS	<u> </u>
brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) Alphagan P (brimonidine 0.15%) apraclonidine (generic for lopidine)	
BETA B	LOCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) timolol (generic for Timoptic Ocudose) ^{NR} TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDRASE INHIBITORS		
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic for Azopt) ^{NR}	
PROSTAGLA	IDIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINAT	TION DRUGS	_
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
OTHER		
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **75** of **93**

PDL Updated September 2, 2021 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine/naloxone FILM LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred buprenorphine and buprenorphine /naloxone agents: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY	KLOXXADO (naloxone) ^{NR} NASAL	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) sildenafil TABLET (generic Revatio) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLET (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan TABLET (generic Tracleer) LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic Revatio) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

PDL Updated September 2, 2021 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

CHEW OTC (pedi multivit 91/iron fum) CHEW initid multivitamins chew otc (pedi multivit 19/folic acid) CHEW HILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 191/iron fum) CHEW initid multivit 91/iron fum) CHEW OTC (pedi multivit 91/iron fum) CHEW initid ren's chewables otc (pedi multivit 23/folic acid) CHEW initid ren's vitamins with iron otc (pedi multivit 23/folic acid) CHEW initid ren's vitamins with iron otc (pedi multivit 130/fluoride) DROPS multivit A,C,D3, 21/fluoride) DROPS fant-toddler multivit drop OTC (pediatric multivit ron 165 drops) fant-toddler multivit ron 165 drops) fant-toddler multivit ron OTC (pedi multivit 23/fluoride) DROPS fant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) ultivitamins with fluoride (pedi multivit 24/fluoride) DROPS ultivitamins with fluoride (pedi multivit 24/fluoride) DROPS intitivit d5/fluoride/iron) DROPS intitivit d5/fluoride (pedi multivit 24/fluoride) DROPS intitivit d5/fluoride (pedi multivit 24/fluoride) DROPS intitivit d5/fluoride (pedi multivit 24/fluoride) CHEW TAB ed mvi A,C,D3,No 21/fluoride DROPS edi mvi no. 16 with fluoride CHEW edi mvi 17 with fluoride CHEW edi mvi 18 di nvi 18 di pvi 18 di p	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHEW	CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron fum) CHEW child multivitamins chew otc (pedi multivit 19/folic acid) CHEW CHILDREN'S CHEW MULTIVIT-IRON OTC (pedi multivit 91/iron fum) CHEW children's chewables otc (pedi multivit 23/folic acid) CHEW children's vitamins with iron otc (pedi multivit/iron) fluoride/vitamins A,C,AND D (ped multivit A,C,D3, 21/fluoride) DROPS infant-toddler multivit drop OTC (pediatric multivit no. 165 drops) infant-toddler multivit-iron OTC (pedi mv no.164/ferrous sulfate drops) infant-toddler tri-vit drop (vit a palmitate/vit c/vit d3 drops) multivitamins with fluoride (pedi multivit 2/fluoride) DROPS multivits with iron and fluoride (pedi multivit 45/fluoride/iron) DROPS MVC-FLUORIDE (pedi multivit 12/fluoride) CHEW TAB ped mvi A,C,D3,No 21/fluoride DROPS pedi mvi no. 16 with fluoride CHEW pedi mvi 17 with fluoride CHEW POLY-VI-SOL OTC (pedi multivit 81) DROPS POLY-VI-SOL WITH IRON (pedi multivit 80/ferrous sulfate) DROPS TRI-VI-SOL OTC (vit A palmitate/vit C/Vit D3) DROPS tri-vite-fluoride 0.25 mg/ml, and 0.5 mg/ml VITALETS OTC (pedi multivit 36/iron)	DEKA PLUS (ped multivitamin no.128/vitamin K) ^{NR} ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: DEKA Plus: Approved for

Page **78** of **93**

PDL Updated September 2, 2021 Highlights indicated change from previous posting **PENICILLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET , CAPSULE CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

PDL Updated September 2, 2021 Highlights indicated change from previous posting

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) calcium-pnv 28-1-250mg SOFTGEL classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE CONCEPT DHA CAPSULE CONCEPT DHA CAPSULE elite-ob CAPLET (fe c/fa) MARNATAL-F CAPSULE PRENATA TAB CHEW pnv with ca, #72/iron/fa pnv-ob+dha combo pack (pnv22/iron cbn&gluc/fa/dss/dha) pnv-vp-u CAPSULE prenaissance CAPSULE (pnv80/iron fum/fa/dss/dha) prenaissance plus SOFTGEL (pnv69/iron/fa/dss/dha) prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE OB PLUS TARON-PREX PRENATAL TRINATAL RX 1 triveen-duo dha combo pack		 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena) MAKENA (hydroxyprogesterone caproate) SDV	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
meprazole (generic Prilosec) RX antoprazole (generic Protonix) ^{QL} (ROTONIX SUSP (pantoprazole)	DEXILANT (dexlansoprazole) esomeprazole magnesium (generic Nexium) esomeprazole strontium lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES QL rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounde suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:

NR – Product was not reviewed - New Drug criteria will apply

PDL Updated September 2, 2021 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIAZEPINES		■ Lunesta®/ Rozerem®/zolpidem
	estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion)	■ Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used ■ Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder ■ flurazepam/triazolam: Requires trial of preferred benzodiazepine ■ Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used ■ Silenor®: Must meet ONE of the following: ○ Contraindication to preferred oral sedative hypnotics ○ Medical necessity for doxepin dose < 10mg ○ Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) ■ temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used ■ zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg ■ zolpidem SL: Requires clinical reason why half of zolpidem tablet

PDL Updated September 2, 2021 Highlights indicated change from previous posting **SICKLE CELL ANEMIA TREATMENT**^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea)	ENDARI (L-glutamine) ^{CL} OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: Approved for use in patients ages 2 to 17 years old

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION , TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

PDL Updated September 2, 2021 Highlights indicated change from previous posting

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Robaxin) tizanidine TABLET (generic Zanaflex)	carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) LORZONE (chlorzoxazone) ^{CL} metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use Carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used

PDL Updated September 2, 2021 Highlights indicated change from previous posting STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT (Rx only) hydrocortisone/aloe OINTMENT SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINTMENT MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY •	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH P	OTENCY -	riigir r otorioy rtori professou
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	H POTENCY	very riight eterley rien preferre.
clobetasol emollient (generic for Temovate-E) clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) AL,QL IMPEKLO (clobetasol) LOTIONAL,NR LEXETTE(halobetasol propionate) AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

PDL Updated September 2, 2021 Highlights indicated change from previous posting

STIMULANTS AND RELATED AGENTS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) CAPSULE, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine salt combination ER	agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

PDL Updated September 2, 2021 Highlights indicated change from previous posting STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	ADHANSIA XR (methylphenidate) QL APTENSIO XR (methylphenidate) COTEMPLA XR-ODT (methylphenidate) (methylphenidate)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18
FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate SOLUTION (generic for Methylin) methylphenidate ER (generic for Ritalin SR) QUILLICHEW ER CHEWTAB (methylphenidate)	DAYTRANA PATCH (methylphenidate) ^{QL} dexmethylphenidate XR (generic for Focalin XR) FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate 50/50 (generic for Ritalin LA) methylphenidate 30/70 (generic for Metadate CD) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic for Aptensio XR) ^{QL} Methylphenidate ER (generic for Metadate ER) methylphenidate ER 72mg (generic for RELEXXII) ^{QL} methylphenidate ER (generic for Ritalin SR) QUILLIVANT XR SUSP (methylphenidate) RITALIN (methylphenidate)	 Drug-specific criteria: Daytrana®: May be approved in history of substance use disorder by parent, caregiver, or patient.

PDL Updated September 2, 2021 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and –clonidine IR are available without
atomoxetine (generic for Strattera) ^{QL} guanfacine ER (generic for Intuniv) ^{QL}	clonidine ER (generic for Kapvay) ^{QL} QELBREE (viloxazine) ^{NR,QL} STRATTERA (atomoxetine)	prior authorization
		Drug-specific criteria: armodafinil and Sunosi: Require
ANALE	EPTICS	trial of modafinil
	armodafinil (generic for Nuvigil) ^{CL} modafanil (generic for Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	armodafinil and modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

PDL Updated September 2, 2021 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP, TABLET (generic Vibramycin) minocycline HCI CAPSULE, TABLET (generic Dynacin/ Minocin/Myrac)	demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa/Monodox/Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) ^{QL}	 Non-preferred agents will be approved for patients who have failed an 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TABLET ^{CL}	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

PDL Updated September 2, 2021 Highlights indicated change from previous posting

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic Synthroid) liothyronine TABLET (generic Cytomel) thyroid, pork TABLET UNITHROID (levothyroxine)	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPSULE (generic for Tirosint) THYROLAR TABLET (liotrix) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPSULE (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

PDL Updated September 2, 2021 Highlights indicated change from previous posting **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
EINEBA (mesalamine)	GIAZO (balsalazide) mesalamine ER (generic Apriso) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	 Asacol HD®/Delzicol DR®/ Pentasa®: Requires clinical reasor why preferred mesalamine products cannot be used Giazo®: Requires clinical reason why generic balsalazide cannot be used
RECTAL		NOT covered in females
CANASA (mesalamine) ROWASA (mesalamine)	mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide)	

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}	MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, NR, QL}	Orilissa/Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

PDL Updated September 2, 2021 Highlights indicated change from previous posting

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/ hydralazine) ^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TABLET (Oceanside Pharm MFR only) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) NITROMIST (nitroglycerin) VERQUVO (vericiguat) ^{AL,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%