



Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

• **Opioids**- The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning December 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Asthma Immunomodulator PA Form
- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic Duac) clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC erythromycin GEL erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic differin) adapalene/BPO (generic Epiduo) adapalene/BPO (generic Epiduo Forte) AKLIEF (trifarotene) ALTRENO (tretinoin) AMZEEQ (minocycline) ARAZLO (tazarotene) ARAZLO (tazarotene) ARAZLO (tazarotene) ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) BENZEFOAM (benzoyl peroxide) benzoyl peroxide FOAM (generic Benzepro) benzoyl peroxide FOAM (generic Benzoyl peroxide GEL OTC benzoyl peroxide GEL OTC benzoyl peroxide GEL Rx benzoyl peroxide TOWELETTE OTC clindamycin FOAM, LOTION clindamycin GEL clindamycin/BPO (generic Acanya, Benzaclin) GEL clindamycin/BPO (generic Veltin, Ziana) dapsone (generic Aczone) EPIDUO FORTE GEL PUMP (adapalene/BPO) erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) ONEXTON (clindamycin/BPO) ONEXTON (sulfacetamide sodium) PLIXDA (adapalene) SWAB RETIN-A GEL, CREAM (tretinoin) sulfacetamide sulfacetamide/sulfur tazarotene FOAM (generic Fabior) TRETIN-X (tretinoin) tretinoin CREAM, GELAL (generic Avita, Retin-A) tretinoin microspheres (generic for Retin-A Micro) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class Output Description: Output Desc

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
NMDA RECEPTO	OR ANTAGONIST	Drug-specific criteria:
memantine (generic for Namenda)	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL}	ARYMO ER (morphine sulfate) ^{QL} BELBUCA (buprenorphine) ^{QL} BUCCAL buprenorphine BUCCAL (generic for Belbuca) ^{AL,NR,QL} buprenorphine PATCH (generic Butrans) ^{QL} EMBEDA (morphine sulfate/naltrexone) DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydrocodone ER (generic for Hysingla ER) NR, QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET, ORAL SYR ^{NR,CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic Conzip) ^{CL}	The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. • Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days • Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: • Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care • Oxycontin®: Pain contract required for maximum quantity authorization

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting ANALGESICS, OPIOID SHORT-ACTING $^{\rm QL}$

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
acetaminophen/codeine ELIXIR, TABLET codeine TABLET hydrocodone/APAP SOLUTION, TABLET hydrocodone/ibuprofen hydromorphone TABLET morphine CONC SOLUTION, SOLUTION, TABLET oxycodone TABLET, SOLUTION oxycodone/APAP Tramadol 50 TABLETAL (generic Ultram) tramadol/APAP (generic Ultracet)	APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz ^{,CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/APAP/caffeine dihydrocodeine/aspirin/caffeine FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) IBUDONE (hydrocodone/ibuprofen) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} oxycodone/APAP SOLUTION oxycodone/APAP TABLET (generic Prolate) oxycodone/APAP TABLET (generic Prolate) oxycodone/ibuprofen oxymorphone IR (generic Opana) pentazocine/naloxone PROLATE SUSP (oxycodone/acetaminophen) ^{NR} ROXICODONE TABLET (oxycodone) tramadol 100mg TABLET (generic Ultram) ^{AL} ROXYBOND (oxycodone) ZAMICET (hydrocodone/APAP)	 approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting ANALGESICS, OPIOID SHORT-ACTINGQL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL ^{CL}		TDrug-specific criteria: -• Abstral®/Actiq®/Fentora®/
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NDROGEL (testosterone) PUMP ^{CL}	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone PUMP (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males or with diagnosis of: Primary hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **6** of **94**

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INHIBITORS		Non-preferred agents will be
benazepril (generic Lotensin) enalapril (generic Vasotec) fosinopril (generic Monopril) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace) ACE INHIBITOR/DIUI benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) fosinopril/HCTZ (generic Monopril HCT) lisinopril/HCTZ (generic Prinzide, Zestoretic) quinapril/HCTZ (generic Accuretic)	captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLUTION enalapril (generic for Epaned) ^{CL} ORAL SOLUTION moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLUTION trandolapril (generic Mavik) RETIC COMBINATIONS captopril/HCTZ (generic Capozide) moexipril/HCTZ (generic Uniretic)	approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned® and Qbrelis® Oral Solution: Clinical reason why oral tablet is not appropriate
ANGIOTENSIN RE	CEPTOR BLOCKERS	
irbesartan (generic Avapro) losartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLO	ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS	
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
ANGIOTENSIN	MODULATOR/	- Angiotensin Modulator/Calcium Channel Blocker Combinations:
	OCKER COMBINATIONS	Combination agents may be
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) amlodipine/valsartan/HCTZ (generic Exforge HCT) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	approved if there has been a trial and failure of preferred agent
		Direct Renin Inhibitors/Direct
DIRECT RENI	N INHIBITORS	Renin Inhibitor Combinations: May be approved witha history of
	aliskiren (generic Tekturna) ^{QL}	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIB	ITOR COMBINATIONS	within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	Drug Specific Criteria
NEPRILYSIN INHIBITOR COMBINATION		Entresto: May be approved with a diagnosis of heart failure
ENTRESTO (sacubitril/valsartan)AL,QL		AND > 18 years old
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months
		 Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA AL,CL (peanut allergen powder-dnfp)	ORALAIR Confirmed by positive skin test or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age. PALFORZIA Confirmed diagnosis of peansallergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previouse within the past 90 days Initial dose and increase titration doses should be give in a healthcare setting Should not be used in patient with uncontrolled asthma or concurrently on a NSAID

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

CL – Prior Authorization / Class Criteria apply

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin inidazole (generic Tindamax) ^{CL}	DIFICID (fidaxomicin) CL TABLET, SUSPNR FLAGYL ER (metronidazole)CL MetronidazoleCL CAPSULE nitazoxanide (generic Alinia) TABLETAL, CL, QL paromomycin SOLOSEC (secnidazole) vancomycin CAPSULE (generic Vancocin)CL XIFAXAN (rifaximin)CL	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: Trial and failure with oral vancomycin is required for a diagnosis of C. difficile diarrhea (pseudomembranous colitis) Flagyl ER®: Trial and failure with metronidazole is required Flagyl Metronidazole 375mg capsules and Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIBIOTICS, INHALED

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSPENSION CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Bethkis) tobramycin (generic Tobi) ^{CL}	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
pacitracin OINTMENT pacitracin/polymyxin (generic Polysporin) nupirocin OINTMENT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin® Cream: Clinical reason the ointment cannot be used

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) NUVESSA (metronidazole) VANDAZOLE (metronidazole)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole) metronidazole, vaginal	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the las 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg	BEVYXXA (betrixaban) ^{QL} fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL} XARELTO (rivaroxaban) ^{NR} SUSP	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria:
XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)		 Coumadin®: Clinical reason generic warfarin cannot be used
		 Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism
		(SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR
		Treatment of deep vein thrombosi (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy
		Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients
		with chronic coronary artery disease or peripheral artery disease

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	Drug-specific criteria: • Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist
NK-1 RECEPTO	R ANTAGONIST	Regimens include: AC combination (Doxorubicin or Epirubicin with
EMEND (aprepitant) CAPSULE, CAPSULE PACKQL	aprepitant (generic Emend) QL,CL AKYNZEO (netupitant/palonosetron)CL VARUBI (rolapitant) TABLET CL	Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin,
TRADITIONAL	ANTIEMETICS	Epirubicin, Etoposide,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TABLET (generic Tigan)	 Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSPENSION, TABLET (generic Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET nystatin SUSPENSION, TABLET terbinafine (generic Lamisil)	BREXAFEMME (ibrexafungerp) ^{QL,NR} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) nystatin POWDER ONMEL (itraconazole) posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSPENSION (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER (generic Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLUTION RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) tavaborole SOLUTION (generic Kerydin) ^{NR} ketoconazole FOAM (generic Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Dxistat) salicylic acid (generic Bensal HP) tavaborole SOLUTION (generic Kerydin) tolnaftate SPRAY, OTC	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia: Approved diagnoses includ Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
	ROID COMBINATIONS	
clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT	clotrimazole/betamethasone LOTION (generic Lotrisone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (Rx only) (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) cetirizine SOLUTION (OTC) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, ODT (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} colchicine CAPSULE (generic for Mitigare) febuxostat (generic for Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric®: Clinical reason why allopurinol cannot be used

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AJOVY (fremanezumab-vfrm) CL, QL PEN, Autoinjector, Autoinjector 3-packNR EMGALITY 120 mg/mL (galcanezumab- gnlm) CL, QL PEN, SYRINGE UBRELVY (ubrogepant)AL,CL, QL TABLET	Almovig (erenumab-aooe) CL,QL CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ELYXYB (celecoxib)AL,NR,QL SOLN EMGALITY 100 mg (galcanezumabgnlm) CL,QL SYRINGE ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL NURTEC ODT (rimegepant)AL,NR,QL QULIPTA (atogepant)AL,NR,QL REYVOW (lasmiditan)AL, CL,QL TABLET TRUDHESA (dihydroergotamine mesylate)AL,NR,QL NASAL	 All acute treatment agents will be approved for patients who have a failed trial or contraindication of a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality 120mg is recommended dosing for Migraine, Emgaility 100mg is recommended dosing for Episodic Cluster Headache Aimovig, Ajovy and Emgality 120mg: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) In addition, Aimovig requires a trial of Emgality 120mg or Ajovy or clinical, patient specific reason that a preferred agent cannot be used

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan NA IMITREX (sumatriptan)	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT) ASAL ONZETRA XSAIL (sumatriptan) sumatriptan (generic Imitrex Nasal) TOSYMRA (sumatriptan) zolmitriptan (generic for Zomig) ZOMIG (zolmitriptan)	approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: • Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used • Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
INJE	CTABLE	
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION NR lindane malathion (generic Ovide) SKLICE (ivermectin) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHO	INERGICS	Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane)		approved for patients who have failed ONE preferred agents within
,	HIBITORS	this drug class
	entacapone (generic for Comtan)	Drug-specific criteria:
	tolcapone (generic for Tasmar)	 Carbidopa/Levodopa ODT: Approved for documented swallowing disorder
		COMT Inhibitors: Approved if using as add-on therapy with levodopa-
	AGONISTS	- containing drug
pramipexole (generic for Mirapex) ropinirole (generic for Requip)	bromocriptine (generic for Parlodel) ropinirole ER (generic for Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	 Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®:
MAO-R IN	HIBITORS	For Parkinsons: Clinical reason
selegiline CAPSULE, TABLET (generic for Eldepryl)	rasagiline (generic for Azilect) QL XADAGO (safinamide) ZELAPAR (selegiline) CL KINSON'S DRUGS APOKYN (apomorphine) SUB-Q carbidopa (generic for Lodosyn) carbidopa/levodopa ODT (generic for Parcopa) DHIVY (carbidopa/levodopa) NR,QL DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) QL INBRIJA (levodopa) INHALER CL,QL KYNMOBI (apomorphine) QL, KIT, SUBLINGUAL NOURIANZ (istradefylline) CL,QL OSMOLEX ER (amantadine) QL RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone)	required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented swallowing disorder

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone OINTMENT(generic for Taclonex) calcipotriene/betamethasone SUSP (generic for Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) ^{CL} SUSPENSION SITAVIG (acyclovir buccal) ^{CL}	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE oseltamivir (generic Tamiflu) ^{QL}	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINTMENT	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANYIOI VTICE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLUTION (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} lorazepam ORAL SYRINGE ^{NR} LOREEV XR (lorazepam) ^{AL.NR} meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	•	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	_
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER (generic Coreg CR)	
ANTIARR	HYTHMIC	
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic for Actigall) ursodiol 250mg TABLET (generic for URSO) ursodiol 500mg TABLET (generic for URSO FORTE)	BYLVAY (odevixibat) ^{NR} CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) LIVMARLI (maralixibat) SOLN ^{AL,NR} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP ^{NR}	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Oxybutynin IR, ER (generic Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) GELNIQUE (oxybutynin) GEMTESA (vibegron) ^{AL,NR,QL} flavoxate MYRBETRIQ TAB , SUSP ^{AL,NR,QL} (mirabegron) OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin succinate)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic Fosamax) TABLET ibandronate (generic Boniva) QL	alendronate SOLUTION (generic Fosamax) ^{QL} ATELVIA DR (risedronate)	approved for patients who have failed a trial of ONE preferred agent within the same group
,	BINOSTO (alendronate)	Drug-specific criteria:
	etidronate disodium (generic Didronel) FOSAMAX PLUS DQL	
	risedronate (generic Actonel) ^{QL}	alendronate cannot be taken on an empty stomach
	PRESSION AND RELATED DRUGS	Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used
calcitonin-salmon NASAL	EVISTA (raloxifene)	• Etidronate disodium: Trial not required for
raloxifene (generic Evista)	FORTEO (teriparatide) ^{CL,QL}	diagnosis of hetertrophic ossification
teriparatide (generic Forteo) CL,QL	TYMLOS (abaloparatide)	Forteo®: Covered for high risk of fracture Light risk of fracture:
		High risk of fracture: • BMD -3 or worse
		Postmenopausal women with history of non-traumatic fractures
		 Postmenopausal women with 2 or more clinical risk factors
		 Family history of non-traumatic fractures
		o DXA BMD T-score ≤ -2.5 at any site
		 Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent
		 Rheumatoid Arthritis
		 Postmenopausal women with BMD T- score ≤ -2.5 at any site with any clinical risk factors
		 More than 2 units of alcohol per day
		Current smoker Man with primary or hypographed.
		 Men with primary or hypogonadal osteoporosis
		 Osteoporosis associated with sustained systemic glucocorticoid therapy
		Trial of calcitonin-salmon not required
		 Maximum of 24 months treatment per lifetime

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALPHA BLOCKERS	
alfuzosin (generic Uroxatral)	CARDURA XL (doxazosin)	approved for patients who have failed a trial of ONE preferred
doxazosin (generic Cardura)	silodosin (generic Rapaflo)	agent within this drug class
tamsulosin (generic Flomax) terazosin (generic Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTASE (5AR) INHIBITORS		Alfuzosin/dutasteride/finasteride
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALI	ERS – Short Acting	Non-preferred agents will be approved for patients
PROAIR HFA (albuterol) albuterol HFA (generic for ProAir HFA)	albuterol HFA (Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex®: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
INHAL	ERS – Long Acting	
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	
INHAI	_ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	ORAL	
albuterol SYRUP	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	SHORT-ACTING Dihydropyridines	
Non-dihydodiltiazem (generic Cardizem) verapamil (generic Calan/Isoptin) LONG-	isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) NYMALIZE (nimodipine) SOLUTION ropyridines ACTING Oyridines felodipine ER (generic Plendil) KATERZIA (amlodipine) nisoldipine (generic Sular)	failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage Katerzia: May be approved with documented swallowing difficulty
Non-dihyd	ropyridines	-
diltiazem ER (generic Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER (generic Verelan PM)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM/	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR)	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
	AUGMENTIN (amoxicillin/clavulanate) SUSPENSION, TABLET	
CEPHALOSPORINS	S – First Generation	_
cefadroxil CAPSULE, SUSPENSION (generic Duricef)	cefadroxil TABLET (generic Duricef) cephalexin TABLET	
cephalexin CAPSULE, SUSPENSION		
(generic Keflex)		
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil)	cefaclor (generic Ceclor)	
cefuroxime TABLET (generic Ceftin)	CEFTIN (cefuroxime) TABLET , SUSPENSION	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic Omnicef)	cefixime CAPSULE, SUSPENSION (generic Suprax) cefpodoxime (generic Vantin) SUPRAX CAPSULE, CHEWABLE TAB, SUSPENSION, TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) Nyvepria (pegfilgrastim-apgf) ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent	DOLISHALE (ethinyl estradiol/ levonorgestrel) ^{NR} NEXTSTELLIS(drospirenone/estetrol) ^{NR} TAYSOFY (norethindrone/ethinyl estradiol/iron) ^{NR} TYBLUME (levonorgestrel/ ethinyl estradiol) ^{NR}	
Specific agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/drug lookupweb/?client=nestate		

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
albuterol/ipratropium (generic for Duoneb)	N SOLUTION LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin) AGENT DALIRESP (roflumilast) ^{CL, QL}	exacerbation in last year upon initial review

COUGH AND COLD. OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor)	Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and
	PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) ^{AL, CL}	documentation of the drug-specific, FDA-approved mutation of CFTR gene • Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene • Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. • Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL HUMIRA (adalimumab) QL OTEZLA (apremilast) ORAL CL,QL	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) ORAL ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib) ^{CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SYRINGE SKYRIZI PEN (risankizamab-rzaa) CTALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) XELJANZ (tofacitinib) ORAL, SOLN ^{CL,QL} XELJANZ XR (tofacitinib) ORAL CL,QL	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Otezla: Requires a trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to a Tumor Necrosis Factor (TNF) blocker (ex., Enbrel, Humira) Rinvoq: Requires documentation of inadequate response or intolerance to a Tumor Necrosis Factor (TNF) blocker (ex., Enbrel, Humira) Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to a Tumor Necrosis Factor (TNF) blocker (ex., Enbrel, Humira).

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril) furosemide SOLUTION, TABLET	CAROSPIR (spironolactone) SUSPENSION eplerenone TABLET (generic Inspra) ethacrynic acid CAPSULE (generic	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
(generic Lasix) hydrochlorothiazide CAPSULE, TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic Aldactone) torsemide TABLET	Edecrin) KERENDIA (finerenone) TABLET NR.QL methyclothiazide TABLET THALITONE (chlorthalidone) TABLET triamterene (generic Dyrenium)	
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic Dyazide, Maxzide)		

ENZYME REPLACEMENT, GAUCHERS DISEASE

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Z	ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE. SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ SYMJEPI (epinephrine) PFS	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TABLET (generic Cipro) levofloxacin TABLET (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic Cipro) levofloxacin SOLUTION moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea)

Nebraska Medicaid **Preferred Drug List** with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic Lotronex) lubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJECTION PROGLYCEM (diazoxide) SUSP	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT ^{NR} , PEN, SYRINGE, VIAL ^{NR} ZEGALOGUE (dasiglucagon) ^{AL,NR} AUTO-INJECTOR. SYRINGE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	RTICOIDS	Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{CL,AL,QL} FLOVENT DISKUS (fluticasone) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	within this drug class, within the
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) ^{AL,QL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/glycopyrrolate) ^{QL} Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus) ^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus) ^{QL}	last 6 months.
INHALATION		
	budesonide RESPULES (generic for Pulmicort)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

GLUCOCORTICOIDS, ORAL

budesonide EC CAPSULE (generic for Entocort EC) dexamethasone ELIXIR, SOLN dexamethasone TABLET hydrocortisone TABLET hydrocortisone TABLET methylprednisolone tablet (generic for Medrol) prednisolone SOLUTION prednisone TABLET bydrocortisone) cortisone TABLET dexamethasone INTENSOL DEXPAK (dexamethasone) DEXPAK (dexamethasone) DEXPOK (dexamethasone) DEXPOK (dexamethasone) DEXPOK (dexamethasone) SUSPENSION, TABLET ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg, 32mg ORTIKOS ER (budesonide) methylprednisolone sodium phosphate) prednisolone sodium phosphate (generic for Millipred/Veripred) prednisolone sodium phosphate ODT prednisolone sodium phosphate ODT prednisone SOLUTION prednisone INTENSOL RAYOS DR (prednisone) Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months be approved for patients who have failed a trial of ONE prefered agent within this drug class within the last 6 months be approved for patients who have failed a trial of ONE prefered agent within the last 6 months be approved for patients who have failed a trial of ONE prefered agent within the last 6 months be approved for patients within the last 6 months be approved for patients of ONE prefered agent within the last 6 months be approved for patients of ONE prefer
RAYOS DR (prednisone) TABLET

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) SKYTROFA (lonapegsomatropin-tcgd) ^{NR} ZOMACTON (somatropin)	Growth Hormone PA Form Growth Hormone Criteria
	ZORBTIVE (somatropin)	

Nebraska Medicaid **Preferred Drug List** with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human)AL,CL SUB-Q icatibant acetate (generic for FIRAZYR)AL SUB-Q	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SUB-Q	 Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class Drug-Specific Criteria Cinryze, Haegarda, Orladeyo,
		and Takhzyro, require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	OR VIII	 Non-preferred agents will be
ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR RECOMBINATE	approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-21-21 will be allowed to continue same therapy
FAC	TOR IX	
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROM	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL}	
	XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI	
BISPECIFI	C FACTORS	
HEMLIBRA		

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET, SOLUTION HEPSERA (adefovir dipivoxil) lamivudine hbv TABLET VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTII	NG ANTI-VIRAL	Hepatitis C Treatments PA Form
sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TABLET ^{CL} , PELLET ^{AL,CL,NR} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TABLET (sofosbuvir/ledipasvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET sofosbuvir/ledipasvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TABLET (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni: Post liver transplant for genotype
DIDA	VIRIN	1 or 4
ribavirin 200mg CAPSULE, TABLET	REBETOL (ribavirin)	 Vosevi: Requires documentation of non- response after previous treatment course of Direct Acting Anti-viral agent (DAA) for
	FERON	genotype 1-6 without cirrhosis or with compensated cirrhosis
PEGASYS (pegylated interferon alfa-2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) nizatidine SOLUTION (generic for Axid)	cimetidine TABLET, SOLUTION ^{CL} (generic for Tagamet) famotidine SUSPENSION nizatidine CAP (generic for Axid) ranitidine CAPSULE, (generic for Zantac) ranitidine OTC, SYRUP, TABLET (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment cimetidine solution/ famotidine suspension/ranitidine syrup: Requires clinical reason why nizatidine syrup cannot be used ***famotidine suspension is authorized during shortage of nizatidine syrup.***

Nebraska Medicaid **Preferred Drug List** with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteri	ia
CCR5 AN	TAGONISTS	 Non-preferred agents will be 	
SELZENTRY SOLN, TAB (maraviroc)		approved for patients who had diagnosis of HIV/AIDS and page 1	atie
FUSION	NHIBITORS	specific documentation of who preferred products within this	y th
FUZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for	
, ,		patient, including, but not limito, drug resistance or concor	
HIV-1 ATTACH	HMENT INHIBITOR	conditions not recommended preferred agents	wit
	RUKOBIA ER (fostemsavir) ^{AL,QL}	Patients undergoing treatmer the time of any preferred state	us
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	change will be allowed to con therapy	ıtinı
SENTRESS (raltegravir)QL	TIVICAY PD (dolutegravir)	Diagnosis of HIV/AIDS requir	ed.
SENTRESS HD (raltegravir)	VOCABRIA (cabotegravir) ^{NR}	OR	Cu
FIVICAY (dolutegravir)	V O O N IBN (I) ((oubbicgravii)	 Pre and Post Exposure Prophylaxis 	
NON-NUCLEOSIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NNRTIS)	Торпушло	
efavirenz CAPSULE, TABLET (generio	EDURANT (rilpivirine)		
Sustiva)	ETRAVIRINE (new generic for		
NTELENCE (etravirine) ^{QL}	Intelence) ^{NR,QL}		
PIFELTRO (doravirine) ^{QL}	nevirapine IR, ER (generic		
	Viramune/Viramune XR)		
	RESCRIPTOR (delavirdine)		
	SUSTIVA CAPSULE, TABLET		
	(efavirenz)		
	VIRAMUNE (nevirapine) SUSP		
NUCLEOSIDE REVERSE TRAN	ISCRIPTASE INHIBITORS (NRTIs)		
abacavir SOLN, TABLET (generic	didanosine DR (generic Videx EC)		
Ziagen)	emtricitabine CAPSULE (generic for		
EMTRIVA Capsule, soln	Emtriva)		
(emtricitabine)	EPIVIR (lamivudine)		
amivudine SOLN, TABLET (generic	RETROVIR (zidovudine)		
Epivir)	stavudine CAPSULE (generic Zerit)		
zidovudine CAPSULE, SYRUP,	VIDEX (didanosine) SOLN		
TABLET (generic Retrovir)	ZIAGEN (abacavir)		
NUCLEOTIDE REVERSE TRAN	NSCRIPTASE INHIBITORS (NRTIs)		
enofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER		
PHARMACOKIN	NETIC ENHANCER		
	TYBOST (cobicistat)QL		

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE	INHIBITORS	
atazanavir CAPSULE (generic Reyataz) LEXIVA SUSP (fosamprenavir) ritonavir TABLET (generic Norvir)	APTIVUS CAPSULE, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic Lexiva) INVIRASE (saquinavir) LEXIVA TABLET (fosamprenavir) NORVIR POWDER, SOLN (ritonavir) NORVIR (ritonavir) TAB PREZISTA (darunavir) SUSP, TABLET REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis

NR – Product was not reviewed - New Drug criteria will apply

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PHARMACOKII EVOTAZ (atazanavir/cobicistat) ^{QL} I lopinavir/ritonavir SOLN (generic Kaletra)	EINHIBITORS (PIs) or PIs plus NETIC ENHANCER KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) lopinavir/ritonavir TAB (generic Kaletra) PREZCOBIX (darunavir/cobicistat) OL	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
COMBINATION NUCLEOS(T)IDE RE	VERSE TRANSCRIPTASE INHIBITORS	_
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL, CL} lamivudine/zidovudine (generic Combivir) TRUVADA (emtricitabine/tenofovir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) emtricitabine/tenofovir (generic Truvada) ^{CL} EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) ^{QL} TRIZIVIR (abacavir/lamivudine/zidovudine)	Drug-Specific Criteria Descovy: • Approval will be granted for a diagnosis of HIV/AIDS For PrEP use: Will require prior approval with a documentation of a contraindication to Truvada.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
BIKTARVY (bictegravir/emtricitabine/ tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir)	SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL}	class are not appropriate for

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA)CL	Preferred agents require metformin
BYDUREON (exenatide ER) BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} OZEMPIC (semaglutide) RYBELSUS (semaglutide) TANZEUM (albiglutide)	trial and diagnosis of diabetes Non-preferred agents will be approved for patients who have: ■ Failed a trial of TWO preferred agents within GLP-1 RA AND ■ Diagnosis of diabetes with HbA1C ≥ 7 AND
INSULIN/GLP-1 RA	A COMBINATIONS	Trial of metformin, or
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	contraindication or intolerance to metformin
AMYLIN	ANALOG	ALL criteria must be met
	SYMLIN (pramlintide) subcutaneous	 Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Fingerstick monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDASE-4 (DPP-4) IN	HIBITOR ^{QL}	
GLYXAMBI (empagliflozin/linagliptin) JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ^{AL}	Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within DPP-4

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro) U-100 KWIKPEN HUMALOG MIX KWIKPEN (insulin lispro) MAPIDRA (insulin glargine, rec) PEN HUMALOG MIX KWIKPEN (insulin lispro) WIAL HUMALIN 70/30 VIAL HUMULIN 70/30 VIAL HUMULIN 0-500 VIAL HUMULIN 0-500 VIAL HUMULIN 0-500 KWIKPEN HUMULIN 70/30 OTC PEN Insulin aspart (generic for Novolog) insulin aspart/insulin aspart protamine PEN, VIAL, JR KWIKPEN Insulin lispro/generic for Humalog PEN, VIAL, JR KWIKPEN Insulin lispro/generic for Humalog PEN, VIAL, JR KWIKPEN Insulin lispro/generic for Movolog Mix insulin lispro/lispro protamine KWIKPEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL (insulin aspart/aspart protamine) ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION APIDRA (insulin glargine, PEN, VIAL INHALOG (insulin aspart) CARTRIDGE, PEN, VIAL Inhalation APIDRA (insulin glargine, PEN, VIAL INHALATION APIDRA (insulin glargine, PEN, VIAL INHALOG (insulin aspart) CARTRIDGE, PEN, VIAL Inhalation APIDRA (insulin ispro) U-200 KWIKPEN Insulin Glargine-YFGN PEN, VIAL Insulin (glargine, VIAL (insulin) InhALATION APIDRA (insulin ispro) U-200 KWIKPEN Insulin Glargine-YFGN PEN, VIAL Insulin Ispro, VIAL In	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMULIN OTC PEN HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL	AFREZZA (regular insulin) INHALATION APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG (insulin lispro) U-200 KWIKPEN insulin Glargine-YFGN PEN, VIAL (generic for Semglee-YFGN) ^{NR} LYUMJEV KWIKPEN, VIAL(insulin lispro-aabc) NOVOLIN (insulin) NOVOLIN 70/30 VIAL(insulin) TOUJEO SOLOSTAR (insulin glargine) SEMGLEE (insulin glargine) PEN, VIAL SEMGLEE YFGN (insulin glargine) PEN, VIAL	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: • Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease • Humulin® R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment • Usage must be for self-administration, not only convenience • Patient requires >200 units/day • Safety reason patient can't use

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) ^{CL} repaglinide/metformin (generic for Prandimet) ^{CL}	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Nebraska Medicaid **Preferred Drug List** with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLUTION (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL,CL} SYNJARDY (empagliflozin/metformin) ^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL}	INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY XR (empagliflozin/metformin) ^{AL,QL}	 Preferred agents are Approved for diagnosis of diabetes AND a trial of metformin Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga and Jardiance: Approved for a diagnosis of heart failure with reduced ejection fraction (NYHA class II-IV)

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Nebraska Medicaid **Preferred Drug List** with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone)	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) ^{AL} PEN KOLAIR (omalizumab) SYR ^{AL,QL}	NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR,	Asthma Immunomodulator PA Form Non-preferred agents require a tria of a preferred agent within this drug class with the same indication Drug Specific Criteria: Dupixent: is indicated for Patients 6 years and older as an addomaintenance treatment in patients with moderate-to-severe asthma with an eosinophilic phenotype or with oral corticosteroid dependent asthma For other indications, see Immunomodulators, Atopic Dermatitis Fasenra: is indicated for Patient 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Nucala: is indicated for Patients 6 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype -Patients 12 years and older with hypereosinophilic syndrome (HES) for ≥6 months without identifiable non-hematologic secondary cause Patients 18 years and older for add-on maintenance treatment of chronic rhinosinusitis with nasal polyps (CRWSwNP) with inadequate response to nasal corticosteroids. -Adult patients with eosinophilic granulomatosis with polyangiitis Xolair Syringe- is indicated for Patients 6 years and older for moderate to severe persistent asthma with a positive skin test or in vitro reactivity to a perennial aeroallergen and symptoms that are inadequately controlled with inhaled corticosteroids -Patients 12 years and older with Chronic spontaneous urticaria (CSU) who remain symptomatic despite H1 antihistamine treatment Patients 18 years and older with Nasa Polyps with inadequate responde t nasal corticosteroids. As add-on maintenance treatment

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

IMMUNOMODULATORS, ATOPIC DERMATITISAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL}	ADBRY (tralokinumab-ldrm) SUB-QAL,NR,QL DUPIXENT (dupilumab)AL,CL DUPIXENT PENAL Opzelura (ruxolitinib phosphate) CREAMAL,NR,QL pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic)CL	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: Indicated for the treatment of patients aged 6 years and older with moderate-to-severe atopic dermatitis whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable. DUPIXENT can be used with or without topical corticosteroids. -as an add-on maintenance treatment of patients aged 6 years and older with moderate-to-severe asthma characterized by an eosinophilic phenotype or with oral corticosteroid dependent asthma. - as an add-on maintenance treatment in adult patients with inadequately controlled chronic rhinosinusitis with nasal polyposis (CRSwNP) Eucrisa: Requires use and failure of 1 topical steroid or Elidel.

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) cyclosporine, modified CAPSULE (generic Neoral) mycophenolate CAPSULE, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLUTION RAPAMUNE (sirolimus) TABLET tacrolimus ZORTRESS (everolimus) AL	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) azathioprine (generic Azasan, Imuran 75 mg and 100 mg) ^{NR} cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate SUSPENSION (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKET SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus SOLUTION, TABLET (generic Rapamune) everolimus (generic for Zortress) ^{AL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	,
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) VERAMYST (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	 B) Veramyst®: Prior authorization NOT required for children ≤ 12 years Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic for Singulair) ^{CL, AL} zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin) CAPSULE CLEOCIN PALMITATE (clindamycin) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION, TABLET	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		Non-preferred agents will be
cholestyramine (generic Questran) colestipol TABLETS (generic Colestid)	colesevelam (generic Welchol) TABLET, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	metformin, sulfonylurea, or insulin has been inadequate
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	 Juxtapid®/ Kynamro®: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH)
FIBRIC ACID	DERIVATIVES	OR
niacin ER (generic for Niaspan) OMEGA-3 F. omega-3 fatty acids (generic for	fenofibric acid (generic Fibricor/Trilipix) fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide) CIN NIACOR (niacin IR) NIASPAN (niacin ER) ATTY ACIDS icosapent (generic for Vascepa) ^{CL}	 Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants Require faxed copy of REMS PA form Vascepa®: Approved for TG ≥ 500
CHOLESTEROL ABSO ezetimibe (generic for Zetia)	omega-3 OTC VASCEPA (icosapent) ^{CL} DRPTION INHIBITORS NEXLIZET (bempedoic acid/ezetimibe) ^{QL}	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

LIPOTROPICS, OTHER (continued)

PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL} Heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
therapies AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL		PRALUENT (alorocumab) ^{CL}	 atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies AND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue, except for statin-induced rhabdomyolysis or a

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atorvastatin (generic Lipitor) ^{QL}	ALTOPREV (lovastatin ER) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred
lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require clinical
STATIN CO	MBINATIONS	reason why individual ingredients cannot be
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACROLIDES		Require clinical reason why
azithromycin (generic Zithromax) clarithromycin TABLET, SUSPENSION (generic Biaxin) erythromycin ethylsuccinate SUSPENSION	clarithromycin ER (generic Biaxin XL) E.E.S. SUSPENSION (erythromycin ethylsuccinate) E.E.S. TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYPED SUSPENSION (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET, CAPSULE	preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX	 Non-preferred agents will be approved for FDA-approved indications Drug-specific criteria: XatmepTM:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{AL,CLQL} CAP tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	Non-preferred agent requires trial of Austedo All drugs require an FDA approved indication – ICD-10 diagnosis code required. Drug-specific criteria: • Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease • Ingrezza: Diagnosis of Tardive Dyskinesia in adults • tetrabenazine: Diagnosis of chorea with Huntington's Disease

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} KESIMPTA (Ofatumumab) ^{CL,QL} TECFIDERA (dimethyl fumarate)	AUBAGIO (teriflunomide) BAFIERTAM (monomethyl fumarate) QL dalfampridine (generic Ampyra) QL dimethyl fumarate (generic for Tecfidera) EXTAVIA (interferon beta-1b) QL GILENYA (fingolimod) QL glatiramer (generic Copaxone) QL MAVENCLAD (cladribine) MAYZENT (siponimod) QL PLEGRIDY (peginterferon beta-1a) QL PONVORY (ponesimod) NR REBIF (interferon beta-1a) QL VUMERITY (diroximel) QL ZEPOSIA (ozanimod) AL, QL	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	nitrofurantoin SUSPENSION (generic for Furadantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium (generic for Voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril)	diclofenac potassium (generic for Cataflam, Zipsor) diclofenac SR (generic for Voltaren-XR) diflunisal (generic for Dolobid) etodolac & SR (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL, SUSPENSION ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) meclofenamate (generic for Ponstel) meloxicam CAP (generic Vivlodex) ^{CL, QL} naproxen CR (generic for Naprelan) naproxen SUSPENSION (generic for Naprosyn) naproxen-esomeprazole (generic for Vimovo) oxaprozin (generic for Daypro) piroxicam (generic for Feldene) RELAFEN DS (nabumetone) tolmetin (generic for Tolectin) Ketorolac Nasal QL (generic for Sprix)	 Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: Arthrotec®: Requires clinical reason why individual ingredients cannot be used Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used meclofenamate: Approvable without trial of preferred agents for menorrhagia

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	TVE (continued)	
	ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine) ^{CL} ibuprofen/famotidine (generic Duexis) ^{CL} SPRIX (ketorolac nasal spray) NASAL ^{QL, CL} TIVORBEX (indomethacin) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac)	Drug-specific criteria: Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex®: Requires clinical reason why indomethacin capsules cannot be used Zorvolex®: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECT	ANT COMBINATIONS	
	diclofenac/misoprostol (generic for Arthrotec)	
COX-II S	ELECTIVE	
celecoxib (generic for Celebrex)		

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only)	diclofenac (generic for Pennsaid Solution) ^{CL} FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET , PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class Drug Specific Criteria • Flector®/Licart: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form • Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form • Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used • Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical resaon patient cannot use oral dosage form

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	NHIBITOR	Non-preferred agents DO NOT require a trial of a preferred agent,
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMO	THERAPY	- Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE BLOCKADE		capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic for Fareston) ^{CL}	 cannot be used Fareston®: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
ОТ	HER	for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) ^{CL} TALZENNA (talazoparib tosylate) ^{QL} TUKYSA(tucatinib) ^{QL}	 Soltamox: May be approved with documented swallowing difficulty

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation
,	AML	submitted supporting off-label use from current treatment guidelines
IMBRUVICA (ibrutinib) LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} CLL COPIKTRA (duvelisib) ^{QL} ZYDELIG (idelalisib)	 Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not required for age <19
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) SCEMBLIX (asciminib) ^{NR} TASIGNA (nilotinib) ^{CL}	 Tasigna: Patients receiving Tasigna, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with
	MPN	dexamethasone
JAKAFI (ruxolitinib)		
MYE	ELOMA	
ALKERAN (melphalan) REVLIMID (lenalidomide)	FARYDAK (panobinostat) melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) CL	
0	THER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid)	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) UKONIQ (umbralisb) ^{NR} ZOLINZA (vorinostat)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALECENSA (alectinib)	ALK ALUNBRIG (brigatinib) LORBRENA (lorlatinib) QL ZYKADIA (ceritinib) CAPSULE, TABLET	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-Specific Criteria Iressa/ Xalkori: Patients receiving Iressa or Xalkori prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment
ALK / R	OS1 / NTRK	
	ROZLYTREK (entrectinib) ^{AL,QL} XALKORI (crizotinib)	
E	GFR	
TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) EXKIVITY (mobocertinib) ^{NR,QL} GILOTRIF (afatinib) IRESSA (gefitinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
0	THER	
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	AYVAKIT (avapritinib) ^{AL,NR,QL} BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) PEMAZYRE (pemigatinib) ^{QL} RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} TRUSELTIQ (infigratinib) CAPSULE VITRAKVI (larotrectinib) CAPSULE, SOLUTION ^{QL}	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic for Zytiga) ^{AL,QL} bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL} ZYTIGA (abiraterone) ^{AL,QL}	EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{QL} YONSA (abiraterone acetonide, submicronized)	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus (generic for Afinitor) everolimus SUSP (generic for Afinitor Disperz) ^{NR} FOTIVDA (tivozanib) ^{NR} NEXAVAR (sorafenib) sunitinib malate (generic for Sutent) WELIREG (belzutifan) ^{NR,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17-19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL_Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday once daily, Pataday twice daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic for Bepreve) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) PAZEO (olopatadine 0.7%) ZERVIATE (certirizine) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection
MACRO	OLIDES	
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGL	YCOSIDES	
gentamicin OINTMENT gentamicin SOLUTION tobramycin (generic for Tobrex drops)	TOBREX OINTMENT (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
·	dexamethasone (generic for Maxidex) difluprednate (generic Durezol) ^{NR} DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINTMENT, GEL (loteprednol) loteprednol GEL (generic for Lotemax Gel) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1% AID ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) QL EYSUVIS (loteprednol etabonate)QL TYRVAYA (varenicline tartrate)NR, QL	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply

AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
	VUITY (pilocarpine) ^{NR}	-
SYMPATHO		-
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	
BETA BLO	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) timolol (generic for Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDR	RASE INHIBITORS	
	AZOPT (brinzolamide) brinzolamide (generic for Azopt)	
PROSTAGLAND	IN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	brimonidine/timolol (generic Combigan) ^{NR} dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine	
OTHER		
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		Prug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics- glaucoma within 60 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/naloxone)	BUNAVAIL (buprenorphine/naloxone) buprenorphine/naloxone FILM LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	Buprenorphine PA Form Buprenorphine Informed Consent Non-Preferred buprenorphine and buprenorphine /naloxone agents: Diagnosis of Opioid Use Disorder, NOT approved for pain management Verification of "X" DEA license number of prescriber No concomitant opioids Failed trial of preferred drug or patient-specific documentation of why preferred product not appropiriate for patient Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY	KLOXXADO (naloxone) ^{NR} NASAL naloxone SPRAY (generic for Narcan) ^{NR}	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PUI MONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) sildenafil TABLET (generic Revatio) ^{CL} tadalafil (generic for Adcirca) ^{CL} TRACLEER TABLET (bosentan) TYVASO INHALATION (treprostinil) VENTAVIS INHALATION (iloprost)	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan TABLET (generic Tracleer) LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil SUSPENSION (generic Revatio) ^{CL} TRACLEER TABLETS FOR SUSPENSION (bosentan) UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PANCREAZE (pancrelipase) PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD LITTLE ANIMALS VITAMINS CHEW OTC (pedi multivit 91/iron	DEKAs PLUS (ped multivitamin no.128/vitamin K) ^{NR} ESCAVITE (pedi multivit 47/iron/fluoride) ESCAVITE D (pedi multivit 78/iron/fluoride) CHEW ESCAVITE LQ (pedi multivit 86/iron/fluoride) FLORIVA (pedi multivit 85/fluoride) CHEW FLORIVA PLUS OTC and Rx (pedi multivit 130/fluoride) DROPS multivit A, B, D, E, K, ZN (pediatric multivit 153/D3/K) POLY-VI-FLOR (pedi multivit 33/fluoride) CHEW POLY-VI-FLOR (pedi multivit 37/fluoride) DROPS POLY-VI-FLOR w/IRON (pedi multivit 33/fluoride/iron) CHEW POLY-VI-FLOR w/IRON (pedi multivit 37/fluoride/iron) DROPS QUFLORA OTC and Rx (pedi multivit 84/fluoride) QUFLORA FE (pedi multivit 142/iron/fluoride) TRI-VI-FLORO (ped multivit A, C, D3, 38/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET ampicillin CAPSULE dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET , CAPSULE CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AGGRENOX (dipyridamole/aspirin) aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance Drug-specific criteria: Zontivity®: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD) Use with aspirin and/or clopidogrel

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
c-nate dha SOFTGEL complete natal dha (pnv2/iron b-g suc-p/fa/omega-3) classic prenatal TABLET (prenatal vit/fe fum/fa) COMPLETENATE CHEWABLE pnv with ca, #72/iron/fa prenatal vitamin TABLET (pnv#124/iron/fa) prenatal no.137/iron/fa OTC pretab 29mg-1 TABLET (pnv#78/iron/fa) PUREFE PLUS PUREFE OB PLUS TRINATAL RX 1 virt-nate dha SOFTGEL (pnv 11-iron fum-fa-om3) zatean-pn plus SOFTGEL (pnv/ca no.68/iron/fa1/dha)	DERMACINRX PRENATRIX CAPLET (prenatal vit no. 170/fe/fa) DERMACINRX PRENATRYL CAPLET (prenatal vit no. 170/fe/fa) DERMACINRX PRETRATE CAPLET (prenatal vit no. 170/fe/fa) folivane-ob CAPSULE (pnv#15/iron fum & ps cmp/fa) niva-plus TABLET (pnv with ca,no.74/iron/fa) pnv-dha SOFTGEL (pnv combo#47/iron/fa #1/dha) taron-c dha CAPSULE (pnv#16/iron fum &ps/fa/om-3) virt-c dha SOFTGEL (pnv#16/iron fum &ps/fa/om-3) virt-pm dha SOFTGEL (pnv combo#47/iron/fa #1/dha) WESTGEL DHA (prenatal 93/iron/folate 9/dha) zatean-pn dha CAPSULE (pnv #47/iron/fa #1/dha)	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena) MAKENA (hydroxyprogesterone caproate) SDV	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -36 weeks gestation) Maximum of 30 days per dispensing

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic Prilosec) RX cantoprazole (generic Protonix) ^{QL} PROTONIX SUSP (pantoprazole)	DEXILANT (dexlansoprazole) dexlansoprazole (generic Dexilant) ^{NR} esomeprazole magnesium (generic Nexium) RX, OTC ^{NR, QL} esomeprazole strontium lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES QL rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of BOTH preferred agents within this drug class Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounde suspension. Patients ≥ 5 years if age- Only approve non-preferred for GI diagnosis if:

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

SEDATIVE HYPNOTICS

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea)	ENDARI (L-glutamine) ^{CL} OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: Approved for use in patients ages 2 to 17 years old

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION , TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) methocarbamol (generic Robaxin) tizanidine TABLET (generic Zanaflex)	carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250mg: Requires clinical reason why 350mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY -	Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM, LOTION, OINTMENT (Rx only) hydrocortisone/aloe OINTMENT SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINTMENT MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT , CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate	
	desoximetasone diflorasone diacetate	
	fluocinonide SOLUTION	
	fluocinonide CREAM, GEL, OINTMENT	
	fluocinonide emollient	
	halcinonide CREAM (generic for Halog)	
	HALOG (halcinonide) CREAM, OINT, SOLN	
	KENALOG AEROSOL (triamcinolone)	
	SERNIVO (betamethasone dipropionate)	
	triamcinolone SPRAY (generic for Kenalog spray)	
	TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	
VERY HIG	H POTENCY •	very ringir received received
clobetasol emollient (generic for	APEXICON-E (diflorasone)	agents will be approved for patients who have failed a trial of
Temovate-E)	BRYHALI (halobetasol prop) LOTION	TWO preferred agents within this
clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION	clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY	drug class
halobetasol propionate (generic for Ultravate)	CLOBEX (clobetasol)	
Olliavale)	halobetasol propionate FOAM (generic for Lexette) AL,QL	
	IMPEKLO (clobetasol) LOTION ^{AL}	
	LEXETTE(halobetasol propionate) AL,QL	
	OLUX-E /OLUX/OLUX-E CP (clobetasol)	
	` ,	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting STIMULANTS AND RELATED AGENTS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		Non-preferred agents will be
Ampheta	imine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) ^{QL} CAPSULE, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) QL methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe CONCERTA (methylphenidate ER) ^{QL} 18mg, 27mg, 36mg, 54mg dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate)	ADHANSIA XR (methylphenidate) QL APTENSIO XR (methylphenidate) COTEMPLA XR-ODT (methylphenidate)QL DAYTRANA PATCH (methylphenidate)QL dexmethylphenidate XR (generic for Focalin XR)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18 Maximum accumulated dose of 72mg per day for ages > 19 Drug-specific criteria:
QUILLICHEW ER CHEWTAB (methylphenidate)	FOCALIN IR (dexmethylphenidate) JORNAY PM (methylphenidate) QL methylphenidate 50/50 (generic for Ritalin LA) methylphenidate 30/70 (generic for Metadate CD) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)QL methylphenidate ER CAP (generic for Aptensio XR)QL Methylphenidate ER (generic for	 Daytrana®: May be approved in history of substance use disorder by parent, caregiver, or patient. May be approved with documentation of difficulty swallowing
	Metadate ER) methylphenidate ER 72mg (generic for RELEXXII) ^{QL} methylphenidate ER (generic for Ritalin SR) QUILLIVANT XR SUSP (methylphenidate) RITALIN (methylphenidate)	

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

c guanfacine IR and are available without zation criteria: nil and Sunosi: Require dafinil nil and modafinil: only for:
zation criteria: nil and <i>Sunosi</i> : Require idafinil nil and modafinil:
nil and <i>Sunosi</i> : Require dafinil nodafinil
nil and <i>Sunosi</i> : Require dafinil nodafinil
nil and modafinil:
only for:
leep Apnea with occumentation/confirmation a sleep study and occumentation that C-PAP as been maxed arcolepsy with occumentation of diagnosis a sleep study hift Work Sleep Disorder only approvable for 6 norths) with work schedule erified and documented. hift work is defined as orking the all night shift opproved only for: leep Apnea with occumentation/confirmation a sleep study and occumentation that C-PAP as been maxed arcolepsy with occumentation of diagnosis a sleep study opproved only for excessive leepiness in adults with y with documentation of y diagnosis via sleep

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG, 100MG CAPSULE doxycycline monohydrate SUSP, TABLET (generic Vibramycin) minocycline HCI CAPSULE, TABLET (generic Dynacin/ Minocin/Myrac)	demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa/Monodox/Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) ^{QL}	 Non-preferred agents will be approved for patients who have failed a 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH Doryx®/doxycycline hyclate DR/Dynacin®/Oracea®/Solodyn®: Requires clinical reason why generic doxycycline, minocycline or tetracycline cannot be used doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TABLET ^{CL}	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic Synthroid) liothyronine TABLET (generic Cytomel) thyroid, pork TABLET UNITHROID (levothyroxine)	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPSULE (generic for Tirosint) THYROLAR TABLET (liotrix) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPSULE (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	Non-preferred agents will be
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic Apriso) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/ Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used Giazo®: Requires clinical reason why generic balsalazide cannot be used
RECTAL		NOT covered in females
CANASA (mesalamine) ROWASA (mesalamine)	mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide)	

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}	MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, NR, QL}	Orilissa/Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months

with Prior Authorization Criteria

PDL Updated February 1, 2022 Highlights indicated change from previous posting

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
sosorbide dinitrate TABLET sosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR/Isordil) sosorbide mono IR/SR TABLET nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TABLET	BIDIL (isosorbide dinitrate/ hydralazine) ^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TABLET (Oceanside Pharm MFR only) NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) NITROMIST (nitroglycerin) VERQUVO (vericiguat) ^{AL,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%