

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

July 2022 PDL and May 2022 P&T Changes Noted in Red Font that Become Effective July 22, 2022

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>

- **PDMP Check Requirements** Nebraska Medicaid providers are required to check the prescription drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid beneficiaries. (Exemption to this requirement are for beneficiaries receiving cancer treatment, hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is required to document good faith effort, including reasons why unable to conduct the check and may be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a], beginning October 1, 2021.
- **Opioids** The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning December 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Asthma Immunomodulator PA Form
- Buprenorphine Products PA Form
- <u>Buprenorphine Products Informed Consent</u>
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

Helping People Live Better Lives

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

For a complete list of Claims Limitations visit:

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ACNE AGENTS, TOPICAL	
Preferred Agents	

Non-Preferred Agents

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic Benzaclin) PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC erythromycin GEL erythromycin-BPO (generic for Benzamycin) TETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic differin) adapalene/BPO (generic Epiduo) AdkLIEF (trifarotene) ^{AL} ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZACLIN PUMP (clindamycin/BPO) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide FOAM (generic Benzepro) benzoyl peroxide GEL OTC benzoyl peroxide GEL OTC benzoyl peroxide GEL OTC clindamycin FOAM , LOTION clindamycin FOAM , LOTION clindamycin FOAM , LOTION clindamycin/BPO (generic Acanya) GEL Clindamycin/BPO (generic Duac) clindamycin/BPO (generic Duac) clindamycin/BPO (generic Cutin, Ziana) dapsone (generic Aczone) EPIDUO FORTE GEL PUMP (adapalene/BPO) erythromycin GEL, PLEDGET erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB RETIN-A ^{AL} GEL, CREAM (tretinoin) sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM (generic Tazorac) tazarotene FOAM (generic Tazorac) tazarotene FOAM (generic Fabior) TRETIN-X (tretinoin) tretinoin CREAM, GELAL (generic Avita,	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_Age Limit

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERA	ASE INHIBITORS	Non-preferred agents will be
donepezil (generic for Aricept) donepezil ODT (generic for Aricept ODT) EXELON Transdermal (rivastigmine)	ADLARITY (donepezil) ^{NR} PATCH donepezil 23 (generic for Aricept 23) galantamine (generic for Razadyne) SOLUTION, TABLET galantamine ER (generic for Razadyne ER) rivastigmine (generic for Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
	DR ANTAGONIST	Drug-specific criteria: Donepezil 23: Requires donepezil
	memantine ER (generic for Namenda XR) memantine SOLUTION (generic for Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents Non-Preferred Agents Prior Authorization/Class Criteria	Non-Preferred Agents Prior Authorization/Class Criteria
fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL} BELBUCA (buprenorphine) ^{QL} buprenorphine BUCCAL (generic for Belbuca) ^{AL,QL} buprenorphine PATCH (generic Butrans) ^{QL} EMBEDA (morphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH ^{QL} hydrocodone bitartrate ER (generic for Hysingla ER) ^{QL} hydrocodone bitartrate ER (generic for Zohydro ER) hydrocodone ER (generic for Zohydro ER)	 PATCH^{CL} ric MS BELBUCA (buprenorphine)^{CL} BUCCAL buprenorphine BUCCAL (generic for Belbuca)^{AL,QL} buprenorphine PATCH (generic Butrans)^{QL} buprenorphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl)^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH^{QL} hydrocodone ER (generic for Hysingla ER)^{QL} hydrocodone ER (generic for Zohydro ER) hydrocodone ER (generic for Exalgo)^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPSULE NUCYNTA ER (tapentadol)^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Oxycontin) oxyconte ER (generic Oxycontin) oxymorphone ER (generic Oxycontin)

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 ANALGESICS, OPIOID SHORT-ACTING^{QL}

ORALacetaminophen/codeine ELIXIR, TABLETcodeine TABLETcodeine TABLEThydrocodone/APAP SOLUTION, TABLEThydrocodone/ibuprofenhydrocodone/ibuprofenhydromorphone TABLETmorphine CONC SOLUTION, SOLUTION, TABLEToxycodone TABLET, SOLUTION SOLUTION, TABLEToxycodone/APAPTramadol 50 TABLET^AL (generic Ultram)tramadol/APAP (generic Ultracet)BUDONE (hydrocodone/ibuprofen) (carisoprodol Compound-codeine)ibudalital compound w/codeinecarisoprodol compound-codeine (carisoprodol/ASA/codeine)oxycodone/APAPTramadol 50 TABLET^AL (generic Ultram)tramadol/APAP (generic Ultracet)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)codeine (generic Dilaudid)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/ASA/codeine)budalital compositioner (carisoprodol/APAP)budalital compositioner (carisoprodol/ASA/code	Non-preferred agents will be
TABLETbenzhydrocodone/APAP (genericIcodeine TABLETApadaz' ^{CL} Apadaz' ^{CL} Ihydrocodone/APAP SOLUTION, TABLETbutalbital/caffeine/APAP/codeineIhydrocodone/ibuprofen(butalbital/ASA/caffeine/codeine)Ihydromorphone TABLETcarisoprodol compound-codeineImorphine CONC SOLUTION, SOLUTION, TABLETdihydrocodeine/APAP/caffeineIoxycodone/APAPdihydrocodeine/APAP/caffeineITramadol 50 TABLET ^{AL} (generic Ultram)SUPPOSITORY (generic Dilaudid)IBUDONE (hydrocodone/ibuprofen)IBUDONE (hydrocodone/ibuprofen)Iibudone fablet fableibudone fableIoxycodone/APAPfiloRINAL/CODEINE (butalbital/ ASA/codeine/caffeine)Iibudone fablet fableibudone fableIibudone fablet fableibudone fableIoxycodone/APAPfiloRINAL/CODEINE (butalbital/ ASA/codeine/caffeine)Iibudone fablet fableibudone fableIibudone fableibudone fableIibudone fableibudone fableIibudone fableibudone fableIibudone fableib	
NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} OXAYDO (oxycodone) ^{CL} oxycodone CAPSULE oxycodone/APAP SOLUTION oxycodone/aspirin oxycodone CONCENTRATE oxycodone/ibuprofen oxymorphone IR (generic Opana) pentazocine/naloxone ROXICODONE TABLET (oxycodone) ROXYBOND (oxycodone) <i>SEGLENTIS</i> (celecoxib/tramadol) ^{AL} tramadol 100mg TABLET (generic Ultram) ^{AL} tramadol (generic Qdolo) ^{AL,QL} SOLN ZAMICET (hydrocodone/APAP)	approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 ANALGESICS, OPIOID SHORT-ACTING^{QL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL butorphanol SPRAY ^{QL}	
BUCCAL/TRA	LAZANDA (fentanyl citrate) NSMUCOSAL ^{CL} ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic	 Drug-specific criteria: Abstral[®]/Actiq[®]/Fentora[®]/ Onsolis (fentanyl): Approved only for diagnosis of cancer AND
	Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	current use of long-acting opiate

ANDROGENIC AGENTS (Topical)^{CL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP ^{cL}	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm[®]/Androgel[®]: Approved for Males only Natesto[®]: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Page **6** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE	NHIBITORS	 Non-preferred agents will be
benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)	captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLUTION enalapril (generic for Epaned) ^{CL} ORAL SOLUTION fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLUTION trandolapril (generic Mavik)	 approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned[®] and Qbrelis[®] Oral Solution: Clinical reason why oral tablet is not appropriate
ACE INHIBITOR/DI	URETIC COMBINATIONS	
benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) lisinopril/HCTZ (generic Prinzide, Zestoretic) quinapril/HCTZ (generic Accuretic)	captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic)	
ANGIOTENSIN R	ECEPTOR BLOCKERS	
irbesartan (generic Avapro) losartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **7** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone)	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months
valsartan/HCTZ (generic Diovan-HCT)	telmisartan/HCTZ (generic Micardis- HCT)	 Non-preferred combination products may be covered as individual prescriptions without prior authorization
ANGIOTENSIN	MODULATOR/	Angiotensin Modulator/Calcium
	OCKER COMBINATIONS	Channel Blocker Combinations: Combination agents may be
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor)	amlodipine/olmesartan/HCTZ (generic Tribenzor)	approved if there has been a trial and failure of preferred agent
amlodipine/valsartan (generic Exforge)	amlodipine/telmisartan (generic Twynsta)	
	amlodipine/valsartan/HCTZ (generic Exforge HCT)	
	PRESTALIA (perindopril/amlodipine)	
	trandolapril/verapamil (generic Tarka)	
		Direct Renin Inhibitors/Direct
DIRECT RENI	N INHIBITORS	Renin Inhibitor Combinations:
	aliskiren (generic Tekturna) ^{QL}	 May be approved with history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIBITOR COMBINATIONS		within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	Drug Specific Criteria
NEPRILYSIN INHIBITOR COMBINATION		 Entresto: May be approved with a diagnosis of heart failure
ENTRESTO (sacubitril/valsartan) ^{QL}		
ANGIOTENSIN RECEPTOR BLOCKE	R/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	



July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months
		 Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA ^{AL,CL} (peanut allergen powder-dnfp)	 Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollen-specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 10 through 65 years of age. PALFORZIA Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or concurrently on a NSAID

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLUTION metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL}	DIFICID (fidaxomicin) ^{CL} TABLET , SUSP FLAGYL ER (metronidazole) ^{CL} Metronidazole ^{CL} CAPSULE <i>nitazoxanide</i> (generic Alinia) <i>TABLET</i> ^{AL, CL, QL} paromomycin SOLOSEC (secnidazole) vancomycin CAPSULE (generic Vancocin) ^{CL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia[®]: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid[®]: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl ER[®]: Trial and failure with metronidazole is required Flagyl ER[®]: Trial and failure with metronidazole is required Flagyl ER[®]: Trial and failure with metronidazole is required Flagyl ER[®]: Inial and failure with metronidazole is required Flagyl ER[®]: Inial and failure with metronidazole is required Flagyl ER[®]: Inial and failure with metronidazole is required Flagyl ER[®]: Inial and failure with metronidazole is required Flagyl ER[®]: Inial and failure with metronidazole is required Flagyl ER[®]/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan[®]: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil[®] AND Imodium[®]

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIBIOTICS, INHALED

BETHKIS (tobramycin) ^{CL} ARIKAYCE (amikacin liposomal inh) ^{CL} Diagnosis of Cystic Fibrosis is required for all agents KITABIS PAK (tobramycin) ^{CL} , TOBI-PODHALER (tobramycin) ^{CL,QL} CAYSTON (aztreonam lysine) ^{QL,CL} , tobramycin (generic for Bethkis) ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized to bramycin via nebulizer or documentation why nebulized	Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
	KITABIS PAK (tobramycin) ^{CL}	SUSPENSION CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic for Bethkis)	 required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINTMENT bacitracin/polymyxin (generic Polysporin) mupirocin OINTMENT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINTMENT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole) VANDAZOLE (metronidazole)	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	BEVYXXA (betrixaban) ^{QL} dabigatran etexilate ^{NR} (generic Pradaxa) fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL} XARELTO (rivaroxaban) ^{CL} SUSP	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery disease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used.

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		Non-preferred agents will be
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 Drug-specific criteria: Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist
NK-1 RECEPTO	R ANTAGONIST	<u>Regimens include</u> : AC combination (Doxorubicin or Epirubicin with
EMEND (aprepitant) CAPSULE, CAPSULE PACK ^{QL}	aprepitant (generic Emend) ^{QL,CL} AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TABLET ^{CL}	Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin,
TRADITIONAL ANTIEMETICS		Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLUTION (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine SYRUP , TABLET (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine) ^{.CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TABLET (generic Tigan)	 Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) Puconazole SUSPENSION, TABLET (generic Diflucan) griseofulvin SUSPENSION griseofulvin microsized TABLET hystatin SUSPENSION, TABLET terbinafine (generic Lamisil)	BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Nizoral) nystatin POWDER ONMEL (itraconazole) posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucomycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasi refractory to itraconazole and/or fluconazole Onmel®: Requires trial and failure or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole Vfend®: No trial for diagnosis of Aspergillosis, Blastomycosis, Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and <i>Fusarium spp.</i>, Oropharyngeal/esophageal candidiasi

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIFUNGALS, TOPICAL

LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin) POWDER OTC (generic Tinactin) Natifine CREAM, POWDER OTC (miconazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) ^{CL} ketoconazole FOAM ^{CL} (generic Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN VLTRA (butenafine) luliconazole (generic Cuzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole OTC OXistat) salicylic acid (generic Castat) salicylic acid (generic Oxistat) salicylic acid (generic Oxistat)	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Ciclodan, Loprox) ciclopirox CREAM, GEL, SUSPENSION (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER ^{CL} (generic Perilac) ciclopirox SHAMPOO (generic Loprox) ciclopirox SHAMPOO (generic Loprox) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLUTION RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) terbinafine OTC (generic Tinactin) POWDER OTC (generic Tinactin) POWDER OTC (generic Tinactin) DESENEX POWDER OTC JUBLIA (efinaconazole) EXELDERM (sulconazole) FUNCODI OTC JUBLIA (efinaconazole) ^{CL} ketoconazole FOAM ^{CL} (generic Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN ULTRA (butenafine) Iuliconazole (generic Cuzu) MENTAX (butenafine) Iuliconazole (generic Cuzu) MENTAX (butenafine) Iuliconazole (generic Cuzu) MENTAX (butenafine) Iuliconazole (generic Cuzu) MENTAX (butenafine) Iuliconazole (generic Custat) salicylic add (generic Bensal HP) tavaborole SOLUTION ^{CL} (generic	ANTIFUNGAL		
tolnaftate SPRAY , OTC	RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM ,	 ciclopirox CREAM, GEL, SUSPENSION (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER^{CL} (generic Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLUTION RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole)^{CL} ketoconazole FOAM^{CL} (generic Extina, Ketodan) LAMISIL AT GEL, SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSPENSION, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Oxistat) salicylic acid (generic Bensal HP) tavaborole SOLUTION^{CL} (generic Kerydin) 	 approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to <i>T.rubrum OR T.</i> <i>Mentagrophytes</i> ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR
		Vusion) naftifine CREAM , GEL (generic Naftin) oxiconazole (generic Oxistat) salicylic acid (generic Bensal HP) tavaborole SOLUTION ^{CL} (generic Kerydin)	

ANTIFUNGAL/STEROID COMBINATIONS

clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog)

CREAM, OINT

clotrimazole/betamethasone LOTION (generic Lotrisone)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. QL – Quantity/Duration Limit CL – Prior Authorization / Class Criteria apply

Page 15 of 94

NR – Product was not reviewed - New Drug criteria will apply

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TABLET, SOLUTION (Rx only) (generic for Zyrtec) loratadine TABLET, SOLUTION (generic for Claritin) levocetirizine TABLET (generic for Xyzal)	cetirizine CHEWABLE (generic for Zyrtec) cetirizine SOLUTION (OTC) desloratadine (generic for Clarinex) desloratadine ODT (generic for Clarinex Reditabs) fexofenadine (generic for Allegra) fexofenadine 180mg (generic for Allegra 180mg) ^{QL} levocetirizine (generic for Xyzal) SOLUTION loratadine CAPSULE, CHEWABLE, ODT (generic for Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TABLET (generic for Catapres) guanfacine (generic for Tenex) methyldopa	clonidine TRANSDERMAL methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic for Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic for Col- Probenecid)	colchicine TABLET (generic for Colcrys) ^{CL} colchicine CAPSULE (generic for Mitigare) febuxostat (generic for Uloric) ^{CL} <i>GLOPERBA</i> SOLN (colchicine) ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric[®]: Clinical reason why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit NR – Product was not reviewed - New Drug criteria will apply Page **17** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AJOVY (fremanezumab-vfrm) ^{CL, QL} PEN, Autoinjector AJOVY (fremanezumab-vfrm) Autoinjector 3-pack^{CL,QL} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE NURTEC ODT (rimegepant) ^{AL,CL,QL} JBRELVY (ubrogepant) ^{AL,CL,QL} TABLET	AIMOVIG (erenumab-aooe) ^{CL,QL} CAFERGOT (ergotamine/caffeine) CAMBIA (diclofenac potassium) dihydroergotamine mesylate NASAL ELYXYB (celecoxib) ^{AL,QL} SOLN EMGALITY 100 mg (galcanezumab- gnlm) ^{CL,QL} SYRINGE ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL QULIPTA (atogepant) ^{ALQL} REYVOW (lasmiditan) ^{AL, CL,QL} TABLET TRUDHESA (dihydroergotamine mesylate) ^{AL,QL} NASAL	 All acute treatment agents will be approved for patients who have a failed trial or a contraindication to a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Cambia®: Requires diagnosis of migraine and documentation of why solid dosing forms not appropriate Emgality 120mg is recommended for preventative treatment of Migraine, Emgaility 100mg is recommended for treatment of Episodic Cluster Headache Aimovig, Ajovy, Emgality 120mg, Nurteo ODT (prophylaxis), and Qulipta:: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine) Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 ANTIMIGRAINE AGENTS, TRIPTANS^{QL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	RAL	Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan MATREX (sumatriptan)	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT) SAL ONZETRA XSAIL (sumatriptan) sumatriptan (generic Imitrex Nasal) TOSYMRA (sumatriptan) zolmitriptan (generic for Zomig) ZOMIG (zolmitriptan)	 approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
INJEC	CTABLE	-
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	_

Page **19** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM , LOTION ivermectin (generic Sklice) LOTION lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
benztropine (generic for Cogentin) trihexyphenidyl (generic for Artane) COMT IN	HIBITORS	approved for patients who have failed ONE preferred agents within this drug class
	entacapone (generic for Comtan)	_
	tolcapone (generic for Tasmar)	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using
DOPAMINE	AGONISTS	as add-on therapy with levodopa-
pramipexole (generic for Mirapex) ropinirole (generic for Requip)	bromocriptine (generic for Parlodel) ropinirole ER (generic for Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic for Mirapex ER) ^{CL} ropinirole ER (generic for Requip XL) ^{CL}	 containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro[®]:
MAO-B INHIBITORS		For Parkinsons: Clinical reason
selegiline CAPSULE, TABLET (generic for Eldepryl)		 required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar[®]: Approved for documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic for Soriatane)	methoxsalen (generic for Oxsoralen- Ultra) SORIATANE (acitretin)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINTMENT, SOLUTION,	calcitriol (generic for Vectical) calcipotriene/betamethasone OINTMENT(generic for Taclonex) calcipotriene/betamethasone SUSP (generic for Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPE	ETIC DRUGS	Non-preferred agents will be
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) ^{CL} SUSPENSION SITAVIG (acyclovir buccal) ^{CL}	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	NZA DRUGS	Drug-specific criteria:
oseltamivir (generic Tamiflu) ^{qL}	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Acyclovir Susp: Prior authorization NOT required for children 12 years old Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINTMENT	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLUTION	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class
(generic for Valium)	lorazepam ORAL SYRINGE ^{NR}	Drug-specific criteria:
lorazepam INTENSOL, TABLET	LOREEV XR (lorazepam) ^{AL.NR}	 Diazepam Intensol[®]: Requires
(generic for Ativan)	meprobamate	clinical reason why diazepam
	oxazepam	solution cannot be used
		Alprazolam Intensol [®] : Requires
		trial of diazepam solution OR

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

lorazepam Intensol®

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA B	LOCKERS	Non-preferred agents will be
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLUTION INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide nebivolol (generic Bystolic) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Bystolic[®]: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR[®]: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND AL	PHA-BLOCKERS	_
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER ^{CL} (generic Coreg CR)	
ANTIAR	RHYTHMIC	
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Actig ursodic URS ursodic	ol 250mg TABLET (generic for	BYLVAY (odevixibat) ^{NR} CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) LIVMARLI (maralixibat) SOLN ^{AL,NR} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP ^{NR}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

BLADDER RELAXANT PREPARATIONS

Preferred Agents N	on-Preferred Agents	Prior Authorization/Class Criteria
Ditropan/Ditropan XL) fesoterodir solifenacin (generic Vesicare) flavoxate TOVIAZ (fesoterodine ER) GELNIQUI GEMTESA MYRBETR (mirabegr OXYTROL tolterodine LA) trospium IF Sanctu VESICARE	(oxybutynin) IR, ER (generic Detrol/ Detrol R, ER (generic Sanctura/ ra XR) E (solifenacin) E LS SUSP (solifenacin	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic Fosamax) TABLET ibandronate (generic Boniva) ^{QL}	alendronate SOLUTION (generic Fosamax) ^{QL} ATELVIA DR (risedronate)	approved for patients who have failed a trial of ONE preferred agent within the same group
Banaronate (generie Boniva)	BINOSTO (alendronate)	Drug-specific criteria:
	etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL}	U .
	risedronate (generic Actonel) ^{QL}	 Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach
		Binosto [®] : Requires clinical reason why
OTHER BONE RESORPTION SU	PPRESSION AND RELATED DRUGS	alendronate tablets OR Fosamax [®] solutior cannot be used
calcitonin-salmon NASAL FORTEO (teriparatide) ^{CL,QL}	EVISTA (raloxifene) teriparatide (generic Forteo) ^{CL,QL}	 Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification
aloxifene (generic Evista)	TYMLOS (abaloparatide)	• Forteo [®] : Covered for high risk of fracture
		High risk of fracture:
		BMD -3 or worse
		Postmenopausal women with history non-traumatic fractures
		Postmenopausal women with 2 or more clinical risk factors
		 Family history of non-traumatic fractures
		 DXA BMD T-score ≤ -2.5 at any site
		 O Glucocorticoid use ≥ 6 months a 7.5 dose of prednisolone equivalent
		o Rheumatoid Arthritis
		 Postmenopausal women with BMD T- score ≤ -2.5 at any site with any clinic risk factors
		 More than 2 units of alcohol per day
		o Current smoker
		 Men with primary or hypogonadal osteoporosis
		 Osteoporosis associated with sustained systemic glucocorticoid therapy
		Trial of calcitonin-salmon not required
		Maximum of 24 months treatment per lifetime

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	ALPHA BLOCKERS	
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class
terazosin (generic Hytrin)		Drug-specific criteria:
5-ALPHA-REDUCTASE (5AR) INHIBITORS		Alfuzosin/dutasteride/finasteride
dutasteride (generic for Avodart) finasteride (generic for Proscar)	dutasteride/tamsulosin (generic for Jalyn)	 Covered for males only Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax[®]: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALE	ERS – Short Acting	Non-preferred agents will
PROAIR HFA (albuterol) albuterol HFA (generic for ProAir HFA)	albuterol HFA (Proventil HFA, Ventolin HFA) levalbuterol HFA (generic for Xopenex HFA) <i>PROAIR DIGIHALER (albuterol)</i> PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	 be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex[®]: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
INHAL	ERS – Long Acting	
SEREVENT (salmeterol)	ARCAPTA NEOHALER (indacaterol) STRIVERDI RESPIMAT (olodaterol)	
INHAL	ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
ORAL		
albuterol SYRUP	albuterol TABLET albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

Page **28** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydro	pyridines	approved for patients who have failed a trial of ONE preferred
Non-dihyd diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)	isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) NYMALIZE (nimodipine) SOLUTION ropyridines	agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage
LONG-ACTING		 Katerzia: May be approved with documented swallowing difficulty
	pyridines	
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) ^{NR} nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,NR,QL} SOLN	
Non-dihydropyridines		
diltiazem ER (generic Cardizem CD) verapamil ER TABLET	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPSULE verapamil 360mg CAPSULE verapamil ER (generic Verelan PM)	

Page **29** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate TABLETS, SUSPENSION	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSPENSION , TABLET	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORIN	S – First Generation	
cefadroxil CAPSULE, SUSPENSION (generic Duricef) cephalexin CAPSULE, SUSPENSION (generic Keflex)	cefadroxil TABLET (generic Duricef) cephalexin TABLET	
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil)	cefaclor (generic Ceclor)	
cefuroxime TABLET (generic Ceftin)	CEFTIN (cefuroxime) TABLET, SUSPENSION	
CEPHALOSPORINS -	 Third Generation 	
cefdinir (generic Omnicef)	cefixime CAPSULE , SUSPENSION (generic Suprax) cefpodoxime (generic Vantin) SUPRAX CAPSULE , CHEWABLE TAB , SUSPENSION , TABLET (cefixime)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) Nyvepria (pegfilgrastim-apgf) <i>RELEUKO (filgrastim-ayow)^{NR} SYR,VIAL</i> ZARXIO (filgrastim-sndz) <i>ZIEXTENZO SYR (pegfilgrastim- bmez)</i>	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Page **30** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time <i>Only those products for review are</i> <i>listed.</i> Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/drug</u> <u>lookupweb/?client=nestate</u>		
DOLISHALE (ethinyl estradiol/ levonorgestrel) NEXTSTELLIS(drospirenone/estetrol) TAYSOFY (norethindrone/ethinyl estradiol/iron) TYBLUME (levonorgestrel/ ethinyl		
estradiol)		

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ pratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SEEBRI NEOHALER (glycopyrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br) UTIBRON NEOHALER (indacaterol/glycopyrolate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
INHALATIO	N SOLUTION	initial review
albuterol/ipratropium (generic for Duoneb) ipratropium SOLUTION (generic for Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL	AGENT	
	DALIRESP (roflumilast) ^{CL, QL}	-

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP pseudoephedrine/codeine/ guaifenesin (generic for Lortuss EX, Tusnel C, Virtussin DAC)	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to <u>></u> 18 years of age

Page **32** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) ^{AL, CL}	 Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA- approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIBINQO (abrocitinib) ^{AL,NR,QL} CIMZIA (certolizumab pegol) ^{QL} COSENTYX (secukinumab) ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) TAB ^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib) ^{CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SYRINGE SKYRIZI ON-BODY (risankizamab-rzaa) ^{NR,QL} SKYRIZI PEN (risankizamab-rzaa) ^{QL} STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) TAB ^{CL,QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of ONE preferred agent within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. Drug-specific criteria: Otezla: Requires a trial of Humira Olumiant: Requires documentation of inadequate response or intolerance to a Tumor Necrosis Factor (TNF) blocker (ex., Enbrel, Humira) Rinvoq: Requires documentation of inadequate response or intolerance to a Tumor Necrosis Factor (TNF) blocker (ex., Enbrel, Humira) Xeljanz, Xeljanz XR: Requires documentation of inadequate response or intolerance to a Tumor Necrosis Factor (TNF) blocker (ex., Enbrel, Humira)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **34** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril) furosemide SOLUTION, TABLET (generic Lasix) hydrochlorothiazide CAPSULE, TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic Aldactone)		trial or intolerance to spironolactone, a trial with two preferred agents is not required.
torsemide TABLET COMBINATIO		
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic Dyazide, Maxzide)		

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{c∟}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC for Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJECTOR EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ SYMJEPI (epinephrine) PFS	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Brand name product may be authorized in event of documented national shortage of generic product.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

Page 35 of 94

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RETACRIT (EPOETIN ALFA- EPBX)	EPOGEN (rHuEPO) PROCRIT (rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TABLET (generic Cipro) levofloxacin TABLET (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSPENSION (generic Cipro) levofloxacin SOLUTION moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing
		 disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory
		Disease OR Acute Epididymitis (non- gonorrhea)

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic Lotronex) <i>IBSRELA (tenapanor)^{AL,NR,QL}</i> lubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Trulance[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJECTION PROGLYCEM (diazoxide) SUSP	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT, PEN, SYRINGE, VIAL ZEGALOGUE (dasiglucagon) ^{AL, QL} AUTO-INJECTOR, SYRINGE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	RTICOIDS	Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	AEROSPAN (flunisolide) ALVESCO (ciclesonide) ^{AL,CL} <i>ARMONAIR DIGIHALER</i> <i>(fluticasone)^{AL,QL}</i> ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{CL,AL,QL} FLOVENT DISKUS (fluticasone) fluticasone HFA (generic Flovent HFA) ^{NR} QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	 Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents
GLUCOCORTICOID/BRONCH	, , , , , , , , , , , , , , , , , , ,	within this drug class, within the
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) ^{AL,QL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate) ^{QL} Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus) ^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol ^{NR} (Breo Ellipta) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus) ^{QL}	last 6 months.
INHALATION	N SOLUTION	-
	budesonide RESPULES (generic for Pulmicort)	

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPSULE (generic for Entocort EC)ALK GRA GRA CO dexamethasone ELIXIR, SOLNCO CO dexamethasone TABLET hydrocortisone TABLET methylprednisolone tablet (generic for Medrol)CO CO DX DX DX DX DX Prednisolone SOLUTIONDE EM PR PR PR OR PEprednisolone SOLUTION prednisolone SOLUTIONEM PR PR PR OR PEprednisolone TABLETMe PEprednisolone SOLUTION prednisone TABLETEN PE PEprednisolone SOLUTION Prednisone TABLETPE PE PE PEprednisone TABLETOR PE PE PEprednisone TABLETPE PE PE PEprednisone TABLETOR PE PE PEprednisone TABLETPE PE PE PE PEprednisone TABLETPE PE PE PE PEprednisone TABLETPE PE PE PE PE PE PE PEprednisone TABLETPE <br< th=""><th>KINDI (hydrocortisone) ANULES^{AL} DRTEF (hydrocortisone) rtisone TABLET examethasone INTENSOL EXPAK (dexamethasone) KEVO (dexamethasone) MFLAZA (deflazacort) SUSPENSION, TABLET^{CL} NTOCORT EC (budesonide) ethylprednisolone 8mg, 16mg, 32mg RTIKOS ER (budesonide)^{AL,QL} EDIAPRED (prednisolone sodium phosphate) ednisolone sodium phosphate (generic for Millipred/Veripred) ednisolone sodium phosphate ODT ednisone INTENSOL AYOS DR (prednisone) TABLET ARPEYO (budesonide)^{NR} CAPSULE</th><th> Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient </th></br<>	KINDI (hydrocortisone) ANULES ^{AL} DRTEF (hydrocortisone) rtisone TABLET examethasone INTENSOL EXPAK (dexamethasone) KEVO (dexamethasone) MFLAZA (deflazacort) SUSPENSION, TABLET ^{CL} NTOCORT EC (budesonide) ethylprednisolone 8mg, 16mg, 32mg RTIKOS ER (budesonide) ^{AL,QL} EDIAPRED (prednisolone sodium phosphate) ednisolone sodium phosphate (generic for Millipred/Veripred) ednisolone sodium phosphate ODT ednisone INTENSOL AYOS DR (prednisone) TABLET ARPEYO (budesonide) ^{NR} CAPSULE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NUTROPIN AQ (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NORDITROPIN (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	SKYTROFA (lonapegsomatropin-tcgd)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

Page **39** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human) ^{AL,CL} SUB-Q icatibant acetate (generic for FIRAZYR) ^{AL} SUB-Q	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL, SYRINGE ^{NR}	 HAE Treatments PA Form All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication. Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **40** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
		 Non-preferred agents will be
ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR RECOMBINATE	 approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-21-21 will be allowed to continue same therapy
FAC		
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROM	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL}	
FACTOR X ANI	D XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI	
BISPECIFI	C FACTORS	
HEMLIBRA		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **41** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLUTION, TABLET EPIVIR HBV (lamivudine) TABLET , SOLUTION HEPSERA (adefovir dipivoxil) lamivudine hbv TABLET VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TABLET^{CL}, PELLET^{AL,CL,NR} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TABLET (sofosbuvir/ledipasvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET sofosbuvir/ledipasvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TABLET (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 <u>Hepatitis C Criteria</u> Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni: Post liver transplant for genotype 1 or 4
RIBA	VIRIN	 Vosevi: Requires documentation of non-
ribavirin 200mg CAPSULE, TABLET	REBETOL (ribavirin)	response after previous treatment course of Direct Acting Anti-viral agent (DAA) for
INTER	FERON	genotype 1-6 without cirrhosis or with compensated cirrhosis
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) nizatidine SOLUTION (generic for Axid)	cimetidine TABLET , SOLUTION ^{CL} (generic for Tagamet) famotidine SUSPENSION nizatidine CAP (generic for Axid) ranitidine CAPSULE , (generic for Zantac) ranitidine OTC, SYRUP, TABLET (generic for Zantac)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment cimetidine solution/ famotidine suspension/ranitidine syrup: Requires clinical reason why nizatidine syrup cannot be used ***famotidine suspension is authorized during shortage of nizatidine syrup.***

Page **44** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CCR5 AN	TAGONISTS	Non-preferred agents will be
SELZENTRY SOLN, TAB (maraviroc)	maraviroc (generic Selzentry)	 approved for patients who have a diagnosis of HIV/AIDS and patien specific documentation of why the
FUSION I	NHIBITORS	preferred products within this drug
FUZEON SUB-Q (enfuvirtide) ^{QL}		class are not appropriate for patient, including, but not limited to, drug resistance or concomitan
HIV-1 ATTACH		 conditions not recommended with preferred agents
	RUKOBIA ER (fostemsavir) ^{AL,QL}	Patients undergoing treatment at the time of any preferred status change will be allowed to continue
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	therapy
ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	 Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
NON-NUCLEOSIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NNRTIS)	-
efavirenz CAPSULE, TABLET (generic Sustiva)	· · · · ·	_
INTELENCE (etravirine) ^{QL}	nevirapine IR, ER (generic	
PIFELTRO (doravirine) ^{QL}	Viramune/Viramune XR)	
· · ·	RESCRIPTOR (delavirdine)	
	SUSTIVA CAPSULE, TABLET (efavirenz)	
	VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	_
abacavir SOLN, TABLET (generic Ziagen)	didanosine DR (generic Videx EC)	_
EMTRIVA CAPSULE, SOLN	emtricitabine CAPSULE (generic for Emtriva)	
(emtricitabine) lamivudine SOLN, TABLET (generic	EPIVIR (lamivudine)	
Epivir)	RETROVIR (zidovudine)	
zidovudine CAPSULE, SYRUP,	stavudine CAPSULE (generic Zerit) VIDEX (didanosine) SOLN	
TABLET (generic Retrovir)	ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	ISCRIPTASE INHIBITORS (NRTIS)	
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	_
PHARMACOKIN		_
	TYBOST (cobicistat) ^{QL}	-

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE	INHIBITORS	
atazanavir CAPSULE (generic Reyataz) ritonavir TABLET (generic Norvir)	APTIVUS CAPSULE , SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic Lexiva) INVIRASE (saquinavir) LEXIVA SUSP (fosamprenavir) LEXIVA TABLET (fosamprenavir) NORVIR POWDER , SOLN (ritonavir) NORVIR (ritonavir) TAB PREZISTA (darunavir) SUSP , TABLET REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PROTEASE INHIBITORS (PIs) or PIs plus PHARMACOKINETIC ENHANCER		 Non-preferred agents will be approved for patients who have a
EVOTAZ (atazanavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN (generic Kaletra)	KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) lopinavir/ritonavir TAB (generic Kaletra) PREZCOBIX (darunavir/cobicistat) ^{QL}	 diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis
COMBINATION NUCLEOS(T)IDE REVERSE TRANSCRIPTASE INHIBITORS		

abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL, CL} emtricitabine/tenofovir (generic Truvada) ^{CL} lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) ^{QL} TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	 Drug-Specific Criteria Descovy: Approval will be granted for a diagnosis of HIV/AIDS For PrEP use: Will require prior approval with a documentation of a contraindication to Truvada cannot be used.
---	--	---

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODU	CTS – MULTIPLE CLASSES	
 BIKTARVY (bictegravir/emtricitabine/ tenofovir)^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir)^{QL} DOVATO (dolutegravir/lamivudine)^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla)^{CL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir)^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/ tenofovir)^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir)^{QL} SYMFI (efavirenz/lamivudine/ tenofovir)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir)^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir)^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine) 	ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} JULUCA (dolutegravir/rilpivirine) ^{QL} TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP ^{NR}	 Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Diagnosis of HIV/AIDS required OR Pre and Post Exposure Prophylaxis

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HYPOGLYCEMICS. INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	GLP-1 RA Criteria
OZEMPIC (semaglutide) TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA
INSULIN/GLP-1 RA	A COMBINATIONS	AND Diagnosis of diabetes with HbA1C
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	 ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Monitoring of glucose during
DIPEPTIDYL PEPTIDASE	E-4 (DPP-4) INHIBITOR ^{QL}	initiation of therapy
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano)	DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN (insulin) VIAL HUMULIN TO/30 VIAL HUMULIN TO/30 VIAL HUMULIN R U-500 KWIKPEN^{CL} HUMULIN OTC PEN HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) insulin aspart/insulin aspart protamine PEN, VIAL (generic for Novolog Mix) insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL NOVOLOG MIX FLEXPEN, VIAL (insulin aspart/aspart protamine) 	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION APIDRA (insulin gluisine) BASAGLAR (insulin glargine, rec) PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG (insulin lispro) U-200 KWIKPEN insulin glargine PEN, VIAL (generic for Semglee-YFGN) LYUMJEV KWIKPEN, VIAL (insulin lispro-aabc) NOVOLIN (insulin) NOVOLIN 70/30 VIAL (insulin) NOVOLIN 70/30 VIAL (insulin) NOVOLOG MIX (insulin aspart/aspart protamine) VIAL TOUJEO SOLOSTAR (insulin glargine) SEMGLEE (insulin glargine) PEN, VIAL TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self-administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) ^{CL} repaglinide/metformin (generic for Prandimet) ^{CL}	Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page **51** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLUTION (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Metformin solution: Prior authorization not required for age <7 years

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL, CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL, CL} SYNJARDY (empagliflozin/metformin) ^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL}	INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY XR (empagliflozin/ metformin) ^{AL,QL}	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga: May be approved for a diagnosis of heart failure with reduced ejection fraction (NYHA class II-IV) without a diagnosis of diabetes May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of Heart Failure without a diagnosis of diabetes

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone) ^{QL} pirfenidone (generic for Esbriet) ^{NR,QL}	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 IMMUNOMODULATORS, ASTHMA^{CL}

Non-Preferred Agents	Prior Authorization/Class Criteria
NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR	 Asthma Immunomodulator PA Form Non-preferred agents require a tria of a preferred agent within this drug class with the same indication Drug Specific Criteria: Dupixent: is indicated for Patients 6 years and older as an add-o maintenance treatment in patients with moderate-to-severe asthma with an eosinophilic phenotype or with oral corticosteroid dependent asthma For other indications, see Immunomodulators, Atopic Dermatitis Fasenra: is indicated for Patient 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Nucala: is indicated for Patients 6 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Putients 6 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Patients 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Patients 12 years and older for add on maintenance treatment of severe asthma, and with an eosinophilic phenotype Patients 18 years and older for add-on maintenance treatment of chronic rhinosinusitis with nasal polyps (CRWSwNP) with inadequate response to nasal corticosteroids. Adult patients with eosinophilic granulomatosis with polyangiitis
	 (CRWSwNP) with inadequate response to nasal corticosteroids. -Adult patients with eosinophilic granulomatosis with polyangiitis Xolair Syringe- is indicated for -Patients 6 years and older for moderate to severe persistent asthma with a positive skin test or in vitro reactivity to a perennial aeroallergen and symptoms that
	are inadequately controlled with inhaled corticosteroids -Patients 12 years and older with Chronic spontaneous urticaria (CSU) who remain symptomatic despite H1 antihistamine treatmen -Patients 18 years and older with Nasa Polyps with inadequate response t nasal corticosteroids. As add-on maintenance treatment
	NUCALA (mepolizumab) ^{AL}

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL}	ADBRY (tralokinumab-ldrm) SUB-Q ^{AL,NR,QL} DUPIXENT (dupilumab) ^{AL,CL} DUPIXENT PEN^{AL} OPZELURA (ruxolitinib phosphate) CREAM ^{AL,NR,QL} pimecrolimus (generic for Elidel) tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: Indicated for the treatment of patients aged 6 months and older with moderate-to-severe atopic dermatitis whose disease is not adequately controlled with topical prescription therapies or when those therapies are not advisable. DUPIXENT can be used with or without topical corticosteroids. -as an add-on maintenance treatment of patients aged 6 years and older with moderate-to-severe asthma characterized by an eosinophilic phenotype or with oral corticosteroid dependent asthma. - as an add-on maintenance treatment in adult patients with inadequately controlled chronic rhinosinusitis with

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	ALDARA (imiquimod) imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified CAPSULE (generic Neoral) everolimus (generic for Zortress) ^{AL} mycophenolate CAPSULE, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLUTION RAPAMUNE (sirolimus) TABLET tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAPSULE, SOFTGEL cyclosporine, modified SOLUTION (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAPSULE, SOLUTION mycophenolate SUSPENSION (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPSULE, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPSULE, SOLUTION sirolimus SOLUTION, TABLET (generic Rapamune) TAVNEOS (avacopan) ^{QL} CAPSULE ZORTRESS (everolimus) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

Page **56** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved
ipratropium (generic for Atrovent)		⁻for patients who have failed a 30-day trial of ONE preferred agent within this
ANTIHIS	TAMINES	drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase)	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category
CORTICO	STEROIDS	– B)
fluticasone (generic for Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) TICANASE (fluticasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	_■ Xhance: Indicated for treatment of nasal polyps in ≥ 18 years only

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TABLET/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic for Singulair) ^{CL, AL} zafirlukast (generic for Accolate) zileuton ER (generic for Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPSULE clindamycin palmitate SOLUTION linezolid TABLET	CLEOCIN (clindamycin) CAPSULE CLEOCIN PALMITATE (clindamycin) linezolid SUSPENSION SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSPENSION , TABLET	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		 Non-preferred agents will be
cholestyramine (generic Questran) colestipol TABLETS (generic Colestid)	colesevelam (generic Welchol) TABLET, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	metformin, sulfonylurea, or insulin has been inadequate
	JUXTAPID (lomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	 Juxtapid[®]/ Kynamro[®]: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH)
FIBRIC ACID	DERIVATIVES	OR
fenofibrate (generic Tricor) fenofibrate (generic Lofibra) gemfibrozil (generic Lopid)	fenofibric acid (generic Fibricor/Trilipix) fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide)	 Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents,
NIACIN		 bile acid sequestrants Require faxed copy of REMS PA form
niacin ER (generic for Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	 Vascepa[®]: Approved for TG ≥ 500
OMEGA-3 F	ATTY ACIDS	
omega-3 fatty acids (generic for Lovaza)	icosapent (generic for Vascepa) ^{CL} omega-3 OTC VASCEPA (icosapent) ^{CL}	_
CHOLESTEROL ABS	ORPTION INHIBITORS	
ezetimibe (generic for Zetia)	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	_

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

LIPOTROPICS, OTHER (continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SU INHI	BTILISIN/KEXIN TYPE 9 (PCSK9) BIORS PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL}	 Praluent[®]: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies MAND Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha[®]: Approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue, except for statin-induced rhabdomyolysis or a contraindication to a statin

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	TINS ALTOPREV (lovastatin ER) ^{CL} EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical
STATIN COI	MBINATIONS atorvastatin/amlodipine (generic Caduet)	 reason why individual ingredients cannot be used fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin
	simvastatin/ezetimibe (generic Vytorin)	 OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3- month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACROLIDES		Require clinical reason why
azithromycin (generic Zithromax) clarithromycin TABLET , SUSPENSION (generic Biaxin) E.E.S. SUSPENSION (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSPENSION ERYPED SUSPENSION (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET , CAPSULE	preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL , TABLET , VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLUTION	 Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: Xatmep[™]:Indicated for pediatric patients only

MOVEMENT DISORDERS

FPreferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{AL,CLQL} CAP	INGREZZA (valbenazine) ^{CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	All drugs require an FDA approved indication – ICD-10 diagnosis code required.
tetrabenazine (generic for Xenazine) ^{CL}		Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used.
		 Drug-specific criteria: Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease Ingrezza: Diagnosis of Tardive Dyskinesia in adults tetrabenazine: Diagnosis of chorea with Huntington's Disease

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} dimethyl fumarate (generic for Tecfidera) KESIMPTA (Ofatumumab) ^{CL,QL}	AUBAGIO (teriflunomide) BAFIERTAM (monomethyl fumarate) ^{QL} dalfampridine (generic Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a) ^{QL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic for Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPSULE (generic for Macrobid)	nitrofurantoin SUSPENSION (generic for Furadantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SE	LECTIVE	Non-preferred agents within COX-
diclofenac sodium (generic for Voltaren) ibuprofen OTC, Rx (generic for Advil, Motrin) CHEW, DROPS, SUSPENSION, TABLET indomethacin CAPSULE (generic for Indocin) ketorolac (generic for Toradol) meloxicam TABLET (generic for Mobic) nabumetone (generic for Relafen) naproxen Rx, OTC (generic for Naprosyn) naproxen enteric coated sulindac (generic for Clinoril)	diclofenac potassium (generic for Cataflam, Zipsor) diclofenac SR (generic for Voltaren-XR) diflunisal (generic for Dolobid) etodolac & SR (generic for Lodine/XL) fenoprofen (generic for Nalfon) flurbiprofen (generic for Ansaid) ibuprofen OTC (generic for Advil, Motrin) CAPSULE indomethacin ER (generic for Indocin) INDOCIN RECTAL , SUSPENSION ketoprofen & ER (generic for Orudis) meclofenamate (generic for Orudis) melosticam CAP (generic Vivlodex) ^{CL, QL} naproxen CR (generic for Naprelan) naproxen sodium (generic for Naprosyn) naproxen sodium (generic for Anaprox) <i>naproxen-esomeprazole (generic for</i> <i>Vimovo</i>) oxaprozin (generic for Daypro) piroxicam (generic for Tolectin) Ketorolac Nasal ^{QL} (generic for Sprix)	 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: Arthrotec®: Requires clinical reason why individual ingredients cannot be used Duexis®/Vimovo®: Requires clinical reason why individual agents cannot be used meclofenamate: Approvable without trial of preferred agents for menorrhagia

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	IVE (continued)	
	 ALL BRAND NAME NSAIDs including: CAMBIA (diclofenac oral solution) DUEXIS (ibuprofen/famotidine)^{CL} ibuprofen/famotidine (generic Duexis)^{CL} SPRIX (ketorolac nasal spray) NASAL^{QL, CL} TIVORBEX (indomethacin) VIVLODEX (meloxicam submicronized) ZIPSOR (diclofenac) ZORVOLEX (diclofenac) 	 Drug-specific criteria: Sprix[®]: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs Tivorbex[®]: Requires clinical reason why indomethacin capsules cannot be used Zorvolex[®]: Requires trial of oral diclofenac OR clinical reason why diclofenac potassium/sodium cannot be used
NSAID/GI PROTECT/	ANT COMBINATIONS	-
	diclofenac/misoprostol (generic for Arthrotec)	-
COX-II SE	ELECTIVE	
celecoxib (generic for Celebrex)		

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only)	diclofenac (generic for Pennsaid Solution) ^{CL} FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET, PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class Drug Specific Criteria Flector®/Licart: Approved for diagnosis of acute pain due to sprain/strain/contusion AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid®: Approved for osteoarthritis of the knees AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form Pennsaid® Pump: Requires clinical reason why 1.5% solution cannot be used Voltaren®: Approved for diagnosis of osteoarthritis AND trial of oral diclofenac OR clinical reason patient cannot use oral dosage form

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
IBRANCE (palbociclib)	KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
CHEMOT	HERAPY	- - Drug-specific critera
cyclophosphamide XELODA (capecitabine)	capecitabine (generic for Xeloda) ^{CL}	 anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
HORMONE BLOCKADE		 capecitabine: Requires trial of Xeloda or clinical reason Xeloda
anastrozole (generic for Arimidex) exemestane (generic for Aromasin) letrozole (generic for Femara) tamoxifen citrate (generic for Nolvadex)	SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic for Fareston) ^{CL}	 Fareston[®]: Require clinical reason why tamoxifen cannot be used Ietrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTHER		for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) ^{CL} TALZENNA (talazoparib tosylate) ^{QL} TUKYSA(tucatinib) ^{QL}	 Soltamox: May be approved with documented swallowing difficulty

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
<i>M</i> ercaptopurine	ALL PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use
۵	ML	from current treatment guidelines
MBRUVICA (ibrutinib) LEUKERAN (chlorambucil) VENCLEXTA (venetoclax)	DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} CLL COPIKTRA (duvelisib) ^{QL} ZYDELIG (idelalisib)	 Drug-specific critera Hydrea®: Requires clinical reasor why generic cannot be used Melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not
	CML	required for age <19Tasigna: Patients receiving
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan) SPRYCEL (dasatinib)	BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) <i>SCEMBLIX (asciminib)^{NR}</i> TASIGNA (nilotinib) ^{CL}	 Tasigna, which changed from preferred to non-preferred on 1-17 19 will be allowed to continue therapy Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with
N	1PN	dexamethasone
JAKAFI (ruxolitinib)		
MYE	LOMA	
ALKERAN (melphalan) REVLIMID ^{QL} (lenalidomide)	FARYDAK (panobinostat) <i>lenalidomide^{NR,QL} (generic for Revlimid)</i> melphalan (generic for Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	
	THER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL}	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) VONJO (pacritinib) ^{NR,QL} ZOLINZA (vorinostat)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AL ALECENSA (alectinib)	K ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPSULE, <i>TABLET</i>	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-Specific Criteria Iressa/ Xalkori: Patients receiving Iressa or Xalkori prior to 1/21/21 (which changed from preferred to non-preferred) will be allowed to continue current treatment
ALK / ROS	61 / NTRK	
	ROZLYTREK (entrectinib) ^{AL,QL} XALKORI (crizotinib)	_
EG	EGFR	
TAGRISSO (osimertinib)	erlotinib (generic for Tarceva) EXKIVITY (mobocertinib) ^{NR,QL} GILOTRIF (afatinib) IRESSA (gefitinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
ОТН	ER	
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

Page 69 of 94

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPRELSA (vandetanib) GLEOSTINE (lomustine) LYNPARZA (olaparib) temozolomide (generic for Temodar) ZEJULA (niraparib)	AYVAKIT (avapritinib) ^{AL,NR,QL} BALVERSA (erdafitinib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) PEMAZYRE (pemigatinib) ^{QL} RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} TRUSELTIQ (infigratinib) CAPSULE VITRAKVI (larotrectinib) CAPSULE , SOLUTION ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. QL – Quantity/Duration Limit CL – Prior Authorization / Class Criteria apply NR – Product was not reviewed - New Drug criteria will apply Page **70** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic for Zytiga) ^{AL,QL} bicalutamide (generic for Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL} ZYTIGA (abiraterone) ^{AL,QL}	EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic for Nilandron) NUBEQA (darolutamide) ^{QL} YONSA (abiraterone acetonide, submicronized)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INLYTA (axitinib) LENVIMA (lenvatinib) SUTENT (sunitinib) VOTRIENT (pazopanib	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus (generic for Afinitor) everolimus SUSP (generic for Afinitor Disperz) ^{NR} FOTIVDA (tivozanib) ^{NR} NEXAVAR (sorafenib) sorafenib (generic Nexavar)^{NR} sunitinib malate (generic for Sutent) WELIREG (belzutifan) ^{NR,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Drug-specific critera Afinitor: Patients receiving Afinitor, which changed from preferred to non-preferred on 1-17- 19 will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASAI ERIVEDGE (vismodegib)	CELL ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF MU MEKINIST (trametinib) TAFINLAR (dabrafenib)	JTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	 Drug-specific critera Odomzo: Patients receiving Odomzo, which changed from preferred to non-preferred on 1-17 19 will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

Page **71** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic for Opticrom) ketotifen OTC (generic for Zaditor) olopatadine 0.1% (generic for Patanol) olopatadine 0.2% (generic for Pataday once daily, Pataday twice daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic for Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic for Bepreve) EMADINE (emedastine) epinastine (generic for Elestat) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) PAZEO (olopatadine 0.7%) ZERVIATE (certirizine) ^{AL}	-	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OPHTHALMICS. ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	 Non-preferred agents will be
ciprofloxacin SOLUTION (generic for Ciloxan) ofloxacin (generic for Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic for Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic for Vigamox) moxifloxacin (generic for Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection
MACRO	DLIDES	
erythromycin	AZASITE (azithromycin) ^{CL}	-
AMINOGL	YCOSIDES	
gentamicin OINTMENT gentamicin SOLUTION tobramycin (generic for Tobrex drops)	TOBREX OINTMENT (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	-
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic for Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINTMENT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLUTION (generic for Bleph-10) sulfacetamide OINTMENT	

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic for Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSPENSION, OINTMENT (tobramycin and dexamethasone)	 BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSPENSION, OINTMENT (prednisolone/gentamicin) tobramycin/dexamethasone SUSPENSION (generic for Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) 	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		 Non-preferred agents will be
fluorometholone 0.1% (generic for FML) OINTMENT LOTEMAX SOLUTION (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic for Maxidex) difluprednate (generic Durezol) ^{NR} DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLUT.) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINTMENT, GEL (loteprednol) <i>loteprednol GEL (generic for Lotemax Gel</i>) loteprednol 0.5% SOLUTION (generic for Lotemax SOLUTION) prednisolone acetate 1% (gen. for Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
NS	AID	-
diclofenac (generic for Voltaren) ketorolac 0.5% (generic for Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic for Bromday) flurbiprofen (generic for Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic for Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) ^{QL} maravi EYSUVIS (loteprednol etabonate) ^{QL} TYRVAYA (varenicline tartrate) ^{NR, QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

NR – Product was not reviewed - New Drug criteria will apply

Page **75** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	TICS	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine) ^{NR}	
SYMPATHO	MIMETICS	
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	-
BETA BLC	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic for Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic for Ocupress) timolol (generic for Istalol) <i>timolol (generic for Timoptic Ocudose)</i> TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYDR	RASE INHIBITORS	
	AZOPT (brinzolamide) brinzolamide (generic for Azopt)	
PROSTAGLAND	IN ANALOGS	-
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic for Lumigan) travoprost (generic for Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	-
COMBINATIO	ON DRUGS	-
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	brimonidine/timolol (generic Combigan) ^{NR} dorzolamide/timolol PF (generic for Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	
OTH	IER	-
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **76** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/ naloxone)	buprenorphine/naloxone FILM LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	 Buprenorphine PA Form Buprenorphine Informed Consent Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TABLET NARCAN (naloxone) SPRAY	KLOXXADO (naloxone) NASAL naloxone SPRAY (generic for Narcan) ZIMHI (naloxone) ^{AL} SYRINGE	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

Page **77** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic for Cortisporin) ofloxacin (generic for Floxin)	CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) ^{CL} SUSP, TABLET tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TABLET TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TABLET LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil (generic Revatio) ^{CL} SUSPENSION, TABLET TRACLEER (bosentan) TABLETS FOR SUSPENSION TYVASO DPI (treprostini) ^{NR} INHALATION POWDER UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy sildenafil suspension: Requires clinical reason why sildenafil tablets cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON PANCREAZE (pancrelipase) ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

Page **78** of **94**

NR – Product was not reviewed - New Drug criteria will apply

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD CHEW + IRON CHEW CHILDREN'S CHEWABLES MULTIVIT-FLUOR CHEW, DROP MULTIVIT-IRON-FLUOR POLY-VI-SOL WITH IRON DROPS TRI-VI-SOL DROP S TRI-VITE-FLUORIDE	DEKAS PLUS ^{AL} FLORIVA CHEW DROPS FLORIVA PLUS DROP MULTI-VIT-FLOR CHEW POLY-VI-FLOR CHEW, DROPS POLY-VI-FLOR /IRON POLY-VI-SOL DROP QUFLORA GUMMIES QUFLORA FE CHEW, DROP QUFLORA PED CHEW, DROP TRI-VI-FLOR DROPS	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Drug specific criteria: DEKAS Plus: Approved for diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPSULE, CHEWABLE TABLET, SUSP, TABLET		 Non-preferred agents will be approved for patients who have
ampicillin CAPSULE		failed a 3-day trial of ONE preferred agent within this drug
dicloxacillin		class
penicillin VK		

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TABLET CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate)	AURYXIA (ferric citrate) calcium acetate CAPSULE ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) ZONTIVITY (vorapaxar) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance
,		 Drug-specific criteria: Zontivity[®]: Approved for reduction of thrombotic cardiovascular events in history of MI or with peripheral artery disease (PAD)

Use with aspirin and/or clopidogrel

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETENATE CHEW TABLET EXPECTA PRENATAL OTC FE C/FA FE C/VIT C/VIT B12/FA OTC MARNATAL-F O-CAL FA PNV2/IRON B-G SUC-P/FA/OMEGA-3 PNV 11-IRON FUM-FOLIC ACID-OM3 PNV NO.118/IRON FUMARATE/FA CHEW TABLET PNV NO.15/IRON FUM & PS CMP/FA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PNV WITH CA,NO.72/IRON/FA PNV#16/IRON FUM & PS/FA/OM-3 PNV2/IRON B-G SUC-P/FA/OMEGA-3 PRENATAL VIT #76/IRON,CARB/FA PRENATAL VIT NO.78/IRON/FA PRENATAL VIT NO.78/IRON/FA PRENATAL VIT/FE FUMARATE/FA OTC PUREFE OB PLUS PUREFE PLUS STUART ONE OTC TRINATAL RX 1 VITAFOL TAB CHEW VITAFOL ULTRA VP-PNV-DHA	CITRANATAL B-CALM COMPLETENATE CHEW TABLET DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TABLET OTC ENBRACE HR MULTI-MAC OTC NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE ONE OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE TABLET OB COMPLETE WITH DHA PNV COMBO#47/IRON/FA #1/DHA PNV COMBO#47/IRON/FA #1/DHA PNV WITH CA,NO.72/IRON/FA PNV WITH CA,NO.74/IRON/FA OTC PNV119/IRON FUMARATE/FA/DSS PRENATAL + DHA OTC PRENATE AM PRENATE CHEWABLE TABLET PRENATE CHEWABLE TABLET PRENATE ELITE PRENATE ELITE PRENATE ESSENTIAL PRENATE ENHANCE PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB + DHA SELECT-OB TAB CHEW TENDERA-OB OTC TRICARE TRINATAL RX 1 TRISTART DHA VITAFOL FE+ VITAFOL NANO VITAFOL-OB VITAFOL-OB VITAFOL-OBE WESTGEL DHA	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MAKENA AUTO INJECTOR (hydroxyprogesterone caproate)	hydroxyprogesterone caproate (generic Makena) MAKENA (hydroxyprogesterone caproate) SDV	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 -30 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) ^{QL} PROTONIX SUSP (pantoprazole)	DEXILANT (dexlansoprazole) dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) RX ^{QL} esomeprazole magnesium (generic Nexium) OTC ^{QL} esomeprazole (generic Prevacid) ^{QL} NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) <i>pantoprazole GRANULES</i> ^{QL} rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of both preferred omeprazole Rx AND pantoprazole OR Protonix SUSP. Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years of age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODI temazepam 15mg, 30mg (generic for Restoril)	AZEPINES estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion) ERS BELSOMRA (suvorexant) ^{AL,QL} DAYVIGO (lemborexant) ^{AL,QL} doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) ^{CL} HETLIOZ LQ (tasimelteon) SUSP ^{AL,QL} QUVIVIQ (daridorexant) ^{NR,QL} ramelteon (generic for Rozerem) zolpidem ER (generic for Intermezzo) zolpidem SL (generic for Intermezzo)	 Lunesta®/ Rozerem®/zolpidem ER: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used Edluar®: Requires a trial with generic zolpidem within the last 12 months AND Trial OR Clinical reason why zaleplon and preferred benzodiapine cannot be used and Requires documentation of swallowing disorder flurazepam/triazolam: Requires trial of preferred benzodiazepine Hetlioz®: Requires trial with generic zolpidem within last 12 months AND clinical reason why zaleplon AND preferred benzodiazepine cannot be used Silenor®: Must meet ONE of the following: Contraindication to preferred oral sedative hypnotics Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) temazepam 7.5mg/22.5mg: Requires clinical reason why 15mg/30mg cannot be used zolpidem/zolpidem ER: Maximum daily dose for females: Zolpidem 5mg; Zolpidem ER® 6.25mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 SICKLE CELL ANEMIA TREATMENT^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ENDARI (L-glutamine) ^{CL} OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: Approved for use in patients ages 2 to 17 years old

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLUTION, TABLET (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

SKELETAL MUSCLE RELAXANTS

baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte)baclofen (generic for Ozobax)^NR.QL SOLN carisoprodol (generic Soma)^CL,QL carisoprodol compound cyclobenzaprine (generic Robaxin)Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug classcyclobenzaprine (generic Robaxin) tizanidine TABLET (generic Zanaflex)Amrix)^CL dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) SUSP LORZONE (chlorzoxazone)^CL LYVISPAH (baclofen)^NR.QL GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone)• Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class• Cyclobenzaprine (generic Zanaflex)• Amrix)^CL dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) SUSP LORZONE (chlorzoxazone)^CL CYVISPAH (baclofen)^NR.QL GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone)• Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class• Cyclobenzaprine ER • Cyclobenzaprine ER: • Cyclobenzaprine ER • NOT approved for chronic u • Mort approved for chronic u • Approved for Acute, musculoskeletal pain - NOT chronic pain • Use is limited to no more three • Chronic pain
 tizanidine CAPSULE ZANAFLEX (tizanidine) CAPSULE, TABLET Additional authorizations wi not be granted for at least 6 months following the last da of previous course of therap Dantrolene: Trial NOT required treatment of spasticity from spir cord injury Lorzone[®]: Requires clinical real why chlorzoxazone cannot be used Soma[®] 250mg: Requires clinical reason why 350mg generic strength cannot be used

 Zanaflex[®] Capsules: Requires clinical reason generic cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page 85 of 94

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY -	Low Potency Non-preferred agents
hydrocortisone OTC & RX CREAM , LOTION, OINTMENT (Rx only) hydrocortisone/aloe OINTMENT SCALPICIN OTC (hydrocortisone)	ALA-CORT (hydrocortisone) CREAM ALA-SCALP HP (hydrocortisone) alclometasone dipropionate (generic for Aclovate) CAPEX SHAMPOO (fluocinolone) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM , OINTMENT (generic for former products Desowen, Tridesilon) fluocinolone 0.01% OIL (generic for DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINTMENT MICORT-HC (hydrocortisone) TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM fluticasone propionate CREAM, OINTMENT (generic for Cutivate) mometasone furoate CREAM, OINTMENT, SOLUTION (generic for Elocon)	POTENCY betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **86** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH PO	DTENCY	 High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLUTION fluocinonide CREAM, GEL, OINTMENT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINTMENT (triamcinolone) VANOS (fluocinonide)	 Angine Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	I POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic for Temovate-E) clobetasol propionate CREAM, GEL, OINTMENT, SOLUTION halobetasol propionate (generic for Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) ^{AL,QL} IMPEKLO (clobetasol) LOTION ^{AL} LEXETTE(halobetasol propionate) ^{AL,QL} OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022 STIMULANTS AND RELATED AGENTS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Amphetamine type		approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) ^{QL} CAPSULE, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic for Adzenys ER) SUSPENSION amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLUTION (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) ^{QL} methamphetamine (generic for Desoxyn) ZENZEDI (dextroamphetamine)	 agent within this drug class Drug-specific criteria: Procentra[®]: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylph	enidate type	 Non-preferred agents will be approved for patients who have
CONCERTA (methylphenidate ER) ^{QL} 18mg, 27mg, 36mg, 54mg dexmethylphenidate (generic for Focalin IR) FOCALIN XR (dexmethylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate (generic for Ritalin) methylphenidate SOLUTION (generic for Methylin) QUILLICHEW ER CHEWTAB (methylphenidate)	 ADHANSIA XR (methylphenidate) ^{QL} APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate) AZSTARYS (serdexmethylphenidate) ^{QL} COTEMPLA XR-ODT (methylphenidate)^{QL} DAYTRANA PATCH (methylphenidate)^{QL} DAYTRANA PATCH (methylphenidate) DAYTRANA PATCH (methylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic for Metadate CD) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta)^{QL} methylphenidate ER CAP (generic for Aptensio XR)^{QL} Methylphenidate ER (generic for RELEXXII)^{QL} methylphenidate ER (generic for Ritalin SR) methylphenidate TD24^{AL, NR} PATCH (generic Daytrana) QUILLIVANT XR (methylphenidate)SUSP RITALIN (methylphenidate) 	 failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18 Maximum accumulated dose of 72mg per day for ages > 19

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and –clonidine IR are available without
atomoxetine (generic for Strattera) ^{QL} guanfacine ER (generic for Intuniv) ^{QL}	clonidine ER (generic for Kapvay) ^{QL} QELBREE (viloxazine) ^{QL} STRATTERA (atomoxetine)	prior authorization
		Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
	LEPTICS armodafinil (generic for Nuvigil) ^{CL}	armodafinil and modafinil:
	modafanil (generic for Provigil) ^{cL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	 approved only for: Sleep Apnea with documentation/confirmatio via sleep study and documentation that C-PAF has been maxed Narcolepsy with documentation of diagnosi via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedul verified and documented. Shift work is defined as working the all night shift
		 Sunosi approved only for: Sleep Apnea with documentation/confirmatio via sleep study and documentation that C-PAF has been maxed Narcolepsy with documentation of diagnosi via sleep study
		 Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

Page **90** of **94**

^{NR} – Product was not reviewed - New Drug criteria will apply

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG , 100MG CAPSULE doxycycline monohydrate SUSP , TABLET (generic Vibramycin) minocycline HCI CAPSULE , TABLET (generic Dynacin/ Minocin/Myrac)	 demeclocycline (generic Declomycin)^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAPSULES (generic for Adoxa/Monodox/ Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER)^{QL} 	 Non-preferred agents will be approved for patients who have failed a 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TABLET^{CL}	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TABLET (generic Synthroid) liothyronine TABLET (generic Cytomel) thyroid, pork TABLET UNITHROID (levothyroxine)	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) <i>levothyroxine</i> CAPSULE (generic for <i>Tirosint</i>) THYROLAR TABLET (liotrix) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPSULE (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit NR – Product was not reviewed - New Drug criteria will apply Page **92** of **94**

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) GIAZO (balsalazide) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) ^{NR} mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/ Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be used Giazo[®]: Requires clinical reason why generic balsalazide cannot be used
REC	TAL	NOT covered in females
CANASA (mesalamine) ROWASA (mesalamine)	mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide)	

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}		 Drug-specific criteria: Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months

July 2022 PDL and May 2022 P&T Changes Highlighted in Red effective July 22, 2022

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TABLET isosorbide dinitrate ER, SA TABLET (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TABLET nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TABLET	 BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TABLET (Oceanside Pharm MFR only) isosorbide dinitrate/hydralazine (Bidil)^{CL,NR} NITRO-BID OINTMENT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat)^{AL,CL,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%