

DEPT. OF HEALTH AND HUMAN SERVICES



Pete Ricketts, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

February 2023 PDL

Noted in Red Font that Become Effective February 1, 2023

For the most up to date list of covered drugs consult the Drug Lookup on the Nebraska Medicaid Website at https://druglookup.fhsc.com/druglookupweb/?client=nestate

- **PDMP Check Requirements** Nebraska Medicaid providers are required to check the prescription drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid beneficiaries. (Exemption to this requirement are for beneficiaries receiving cancer treatment, hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is required to document good faith effort, including reasons why unable to conduct the check and may be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a], beginning October 1, 2021.
- **Opioids** The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day. (beginning December 1, 2020)

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: <u>https://nebraska.fhsc.com/priorauth/paforms.asp</u>

- Immunomodulators Self-Injectable PA Form
- <u>Buprenorphine Products PA Form</u>
- <u>Buprenorphine Products Informed Consent</u>
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following:

Documentation of Medical Necessity PA Form

Helping People Live Better Lives

February 2023 PDL Highlighted in Red effective February 1, 2023 For a complete list of Claims Limitations visit: https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic Benzaclin) PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION DIFFERIN LOTION, CREAM, Rx-GEL (adapalene) DIFFERIN GEL (adapalene) OTC erythromycin SOLN erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic differin) adapalene/BPO (generic Epiduo) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZACLIN PUMP (clindamycin/BPO) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide GEL OTC benzoyl peroxide GEL OTC benzoyl peroxide GEL OTC benzoyl peroxide GEL OTC clindamycin FOAM , LOTION clindamycin phosphate (generic for Clindagel) GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO (generic Duac) clindagel) GEL clindamycin/BPO (generic Clindagel) GEL clindamycin/BPO (generic Clindagel) dapsone (generic Aczone) EPIDUO FORTE GEL PUMP (adapalene/BPO) erythromycin GEL , PLEDGET erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) PLIXDA (adapalene) SWAB RETIN-A ^{AL} GEL, CREAM (tretinoin) sulfacetamide sulfacetamide/sulfur) tazarotene CREAM , GELN (generic Fabior) TRETIN-X (tretinoin) tretinoin CREAM, GELAL (generic Avita, Retin-A) tretinoin microspheres (generic for Retin-A Micro) ^{AL}	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL_ – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page 2 of 95

February 2023 PDL Highlighted in Red effective February 1, 2023

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERA	SE INHIBITORS	Non-preferred agents will be approved for patients who have
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch)	ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN , TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon)	failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR
		Drug-specific criteria:
		Donepezil 23: Requires donepezil
NMDA RECEPTO	OR ANTAGONIST	10mg/day for at least 3 months
	memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	• AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

February 2023 PDL Highlighted in Red effective February 1, 2023

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL}	 BELBUCA (buprenorphine)^{QL} BUCCAL buprenorphine BUCCAL (generic for Belbuca)^{AL,QL} buprenorphine PATCH (generic Butrans)^{QL} EMBEDA (morphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl)^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH^{QL} hydrocodone ER (generic for Hysingla ER)^{QL} hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo)^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET^{CL} methadone ORAL SYR^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPS NUCYNTA ER (tapentadol)^{CL} oxycodone ER (generic Opana ER) 	 The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class
	tramadol ER (generic Conzip) ^{CL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **4** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ANALGESICS, OPIOID SHORT-ACTINGQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	Non-Preferred Agents RAL APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz. ^{CL} butalbital/caffeine/APAP/codeine butalbital/caffeine/APAP/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/APAP/caffeine FIORINAL/CODEINE (butalbital/ ASA/codeine/caffeine) hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) IBUDONE (hydrocodone/ibuprofen)	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day
	levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} oxycodone CAPS oxycodone/APAP SOLN oxycodone/aspirin	day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive
	oxycodone CONCENTRATE oxycodone/ibuprofen oxymorphone IR (generic Opana) pentazocine/naloxone PROLATE (oxycodone/APAP) ^{NR} SOLN,TAB ROXICODONE (oxycodone) ROXYBOND (oxycodone)	 Drug-specific criteria: Apadaz: Approval for 14 days or less Nucynta[®]: Approved only for diagnosis of acute pain, for 30 days or less
	SEGLENTIS (celecoxib/tramadol) ^{AL} tramadol 100mg (generic Ultram) ^{AL} tramadol (generic Qdolo) ^{AL,QL} SOLN ZAMICET (hydrocodone/APAP)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

ANALGESICS, OPIOID SHORT-ACTING^{QL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NASAL		
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL ^{CL}		Drug-specific criteria: Abstral [®] /Actig [®] /Fentora [®] /
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (Topical)^{CL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP ^{CL}	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL , PACKET , PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **6** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE INH benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)	HIBITORS captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN trandolapril (generic Mavik)	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned[®] and Qbrelis[®] Oral Solution: Clinical reason why oral
ACE INHIBITOR/DIUR benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) lisinopril/HCTZ (generic Prinzide, Zestoretic)	ETIC COMBINATIONS captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic)	tablet is not appropriate
quinapril/HCTZ (generic Accuretic) ANGIOTENSIN REC irbesartan (generic Avapro) losartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	CEPTOR BLOCKERS candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	-

Page **7** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	 Approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	MODULATOR/	- Angiotensin Modulator/Calcium
	OCKER COMBINATIONS	Channel Blocker Combinations: Combination agents may be
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) amlodipine/valsartan/HCTZ (generic Exforge HCT) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	approved if there has been a trial and failure of preferred agent
		Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
DIRECT RENI	N INHIBITORS	May be approved witha history of
	aliskiren (generic Tekturna) ^{QL}	TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers
DIRECT RENIN INHIBITOR COMBINATIONS		within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	– Drug Specific Criteria
NEPRILYSIN INHIBITOR COMBINATION		• Entresto: May be approved
ENTRESTO (sacubitril/valsartan) ^{QL}		with a diagnosis of heart failure

ANGIOTENSIN RECEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS

BYVALSON (nevibolol/valsartan)

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) PALFORZIA ^{AL,CL} (peanut allergen powder-dnfp)	 Drug-specific criteria: ORALAIR Confirmed by positive skin test or in vitro testing for pollen- specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 5 through 65 years of age. PALFORZIA Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or concurrently on a NSAID

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) SOLN metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL}	DIFICID (fidaxomicin) ^{CL} TABLET, SUSP FLAGYL ER (metronidazole) ^{CL} metronidazole ^{CL} CAPS nitazoxanide (generic Alinia) TABLET ^{AL, CL, QL} paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) ^{CL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl ER®: Trial and failure with metronidazole is required Flagyl ER®: Trial and failure with metronidazole is required Flagyl ER®: Trial and failure with metronidazole is code must be submitted for coverage. Flagyl ER®: Trial and failure with metronidazole is required Flagyl ER®: Trial and failure with metronidazole is conserved. Flagyl ER®/ Metronidazole 750mg ER tabs: Clinical reason why the generic regular-release cannot be used tinidazole: Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIBIOTICS, INHALED

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents ^{CL} BETHKIS (tobramycin) ^{CL} KITABIS PAK (tobramycin) ^{CL} TOBI-PODHALER (tobramycin) ^{CL,QL}	ARIKAYCE (amikacin liposomal inh) ^{CL} SUSP CAYSTON (aztreonam lysine) ^{QL,CL} tobramycin (generic Bethkis) tobramycin (generic Tobi) ^{CL}	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation why nebulized
		tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINT bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN CREAM (clindamycin) METROGEL (metronidazole) VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) vaginal gel ^{AL,NR}	 Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	BEVYXXA (betrixaban) ^{QL} dabigatran etexilate ^{NR} (generic Pradaxa) fondaparinux (generic Arixtra) FRAGMIN (dalteparin) SAVAYSA (edoxaban) ^{QL} XARELTO (rivaroxaban) ^{CL} SUSP	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin[®]: Clinical reason generic warfarin cannot be used Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

Page **12** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNABINOIDS		Non-preferred agents will be
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 Drug-specific criteria: Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist
NK-1 RECEPTO	R ANTAGONIST	 <u>Regimens include</u>: AC combination (Doxorubicin or Epirubicin with
EMEND (aprepitant) CAPS, CAPS PACK ^{QL}	aprepitant (generic Emend) ^{QL,CL} AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TAB ^{CL}	Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin,
TRADITIONAL	ANTIEMETICS	Epirubicin, Etoposide,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLN (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine SYRUP , TAB (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine) ^{.CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TAB (generic Tigan)	 Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis[®]/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT[®]: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso[®]/Zuplenz[®]: Documentation of oral dosage form intolerance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents clotrimazole (mucous membrane, troche) fuconazole SUSP, TAB (generic Diflucan) griseofulvin SUSP griseofulvin microsized TAB hystatin SUSP, TAB terbinafine (generic Lamisil)	Non-Preferred Agents BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{QL} flucytosine (generic Ancobon) ^{QL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Nizoral) NOXAFIL (posaconazole) POWDERMIX ^{AL,NR} nystatin POWDER ONMEL (itraconazole) posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} VIVJOA (oteseconazole) CAPS ^{NR} voriconazole (generic VFEND) ^{CL}	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasi refractory to itraconazole and/or fluconazole Onmel®: Requires trial and failure or contraindication to terbinafine Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine- resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Neutropenic Acute Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD) Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and <i>Fusarium spp.</i>, Oropharyngeal/esophageal candidiasis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **14** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	 Non-preferred agents will be
Clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC LAMISIL AT CREAM (terbinafine) OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin) POWDER OTC (generic Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM , GEL , SUSP (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER ^{CL} (generic Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLN RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) ^{CL} ketoconazole FOAM ^{CL} (generic Extina, Ketodan) LAMISIL AT GEL , SPRAY (terbinafine) OTC LOPROX (ciclopirox) SUSP , SHAMPOO , CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT , SPRAY SOLN miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM , GEL (generic Naftin) oxiconazole (generic Densal HP) tavaborole SOLN ^{CL} (generic Kerydin) tolnaftate SPRAY , OTC COID COMBINATIONS	 Non-pretented agents win be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to <i>T.rubrum OR T.</i> <i>Mentagrophytes</i> ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
nystatin/triamcinolone (generic Mycolog)		

CREAM, OINT

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TAB , SOLN (Rx only) (generic Zyrtec) loratadine TAB , SOLN (generic Claritin) levocetirizine TAB (generic Xyzal)	cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (OTC) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CATAPRES-TTS (clonidine) clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa	methyldopa/hydrochlorothiazide	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class clonidine TRANSDERMAL will be authorized during shortage of CATAPRES-TTS

Page **16** of **95**

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit CL – Prior Authorization / Class Criteria apply

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic Col- Probenecid)	allopurinol ^{NR} 200mg colchicine TAB (generic Colcrys) ^{CL} colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet[®]: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric[®]: Clinical reason why allopurinol cannot be used

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AJOVY (fremanezumab-vfrm) ^{CL, QL} PEN, Autoinjector AJOVY (fremanezumab-vfrm) Autoinjector 3-pack^{CL,QL} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE NURTEC ODT (rimegepant) ^{AL,CL,QL} UBRELVY (ubrogepant) ^{AL,CL, QL} TAB	 AIMOVIG (erenumab-aooe) ^{CL,QL} CAFERGOT (ergotamine/caffeine) diclofenac POWDER (generic Cambia)^{NR} dihydroergotamine mesylate NASAL ELYXYB (celecoxib)^{AL,QL} SOLN EMGALITY 100 mg (galcanezumab-gnlm) ^{CL,QL} SYR ERGOMAR SUBLINGUAL (ergotamine tartrate) MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL QULIPTA (atogepant)^{ALQL} REYVOW (lasmiditan)^{AL, CL,QL} TAB TRUDHESA (dihydroergotamine mesylate)^{AL,QL} NASAL 	 All acute treatment agents will be approved for patients who have a failed trial or a contraindication to a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Emgality 120mg is recommended for preventative treatment of Migraine, Emgality 100mg is recommended for treatment of Episodic Cluster Headache For Prophylactic Treatment: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply Page **18** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIMIGRAINE AGENTS, TRIPTANSQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF	ORAL	
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan MA: IMITREX (sumatriptan)	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig/Zomig ZMT) SAL ONZETRA XSAIL (sumatriptan) sumatriptan (generic Imitrex Nasal) TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	 approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
		-
INJECTABLE		_
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM , LOTION ivermectin (generic Sklice) LOTION lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
penztropine (generic Cogentin) trihexyphenidyl (generic Artane)		 Non-preferred agents will be approved for patients who have failed ONE preferred agents within this drug class
	HIBITORS entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) AGONISTS bromocriptine (generic Parlodel) ropinirole ER (generic Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic Mirapex ER) ^{CL}	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approve for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with
ΜΔΩ-Β ΙΝ	ropinirole ER (generic Requip XL) ^{CL}	 Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro[®]: For Parkinsons: Clinical reason required why preferred agent
selegiline CAPS, TABLET (generic Eldepryl)	rasagiline (generic Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	 required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis o Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agen trial Zelapar[®]: Approved for documented swallowing disorder
OTHER ANTIPAR amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo)	KINSON'S DRUGS APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn) SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) DHIVY (carbidopa/levodopa) ^{QL} DUOPA (carbidopa/levodopa) GOCOVRI (amantadine)QL INBRIJA (levodopa) INHALERCL,QL KYNMOBI (apomorphine)QL, KIT, SUBLINGUAL NOURIANZ (istradefylline)CL,QL OSMOLEX ER (amantadine)QL RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINT, SOLN	calcitriol (generic Vectical) calcipotriene/betamethasone OINT (generic Taclonex) calcipotriene/betamethasone SUSP (generic Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) VTAMA (tapinarof) ^{AL,NR} CREAM ZORYVE (roflumilast) ^{AL,NR} CREAM	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

February 2023 PDL Highlighted in Red effective February 1, 2023

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		 Non-preferred agents will be approved for patients who have
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) ^{CL} SUSP SITAVIG (acyclovir buccal) ^{CL}	failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
oseltamivir (generic Tamiflu) ^{q∟}	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINT	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) penciclovir (generic Denavir) ^{NR} XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLN (generic for Valium) lorazepam INTENSOL, TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} lorazepam ORAL SYRINGE ^{NR} LOREEV XR (lorazepam) ^{AL} meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR lorazepam Intensol[®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page 23 of 95

February 2023 PDL Highlighted in Red effective February 1, 2023

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	Acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLN INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) LEVATOL (penbutolol) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide nebivolol (generic Bystolic) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic[®]: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR[®]: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND AL	PHA-BLOCKERS	-
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER ^{CL} (generic Coreg CR)	
ANTIARRHYTHMIC		
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300mg (generic Actigall) ursodiol 250mg TABLET (generic URSO) ursodiol 500mg TABLET (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) LIVMARLI (maralixibat) SOLN ^{AL} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **24** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Oxybutynin IR, ER (generic Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) fesoterodine ^{NR} (generic Toviaz) flavoxate GELNIQUE (oxybutynin) GEMTESA (vibegron) ^{AL,QL} MYRBETRIQ TABLET, SUSP ^{AL,CL,QL} (mirabegron) OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq[®]: Covered without trial in contraindication to anticholinergic agents Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)

February 2023 PDL Highlighted in Red effective February 1, 2023

BONE RESORPTION SUPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
BISPHOS alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL}		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria:
		 Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of calcitonin-salmon not required Maximum of 24 months treatment per lifetime

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

February 2023 PDL Highlighted in Red effective February 1, 2023

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	• Alfuzosin/dutasteride/finasteride
dutasteride (generic Avodart) finasteride (generic Proscar)	dutasteride/tamsulosin (generic Jalyn)	 Covered for males only Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax[®]: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn[®]: Requires clinical reason why individual agents cannot be used

February 2023 PDL Highlighted in Red effective February 1, 2023

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHAL	ERS – Short Acting	Non-preferred agents will
PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)	albuterol HFA (generic ProAir HFA, Proventil HFA, and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol)	 be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex[®]: Covered for
INHAL	ERS – Long Acting	cardiac diagnoses or
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	side effect of tachycardia with albuterol product
INHAL	ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
ORAL		_
albuterol SYRUP	albuterol TAB albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

February 2023 PDL Highlighted in Red effective February 1, 2023

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING		Non-preferred agents will be
Dihydrop	oyridines	approved for patients who have failed a trial of ONE preferred
diltiazem (generic Cardizem)	isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) NYMALIZE (nimodipine) SOLN	 agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage
verapamil (generic Calan/Isoptin)		 Katerzia: May be approved with
LONG-ACTING		documented swallowing difficulty
Dihydropyridines		
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) ^{NR} nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,NR,QL} SOLN	
Non-dihyd	opyridines	
diltiazem ER (generic Cardizem CD) verapamil ER TAB	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM)	

February 2023 PDL Highlighted in Red effective February 1, 2023

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TAB, SUSP	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group
CEPHALOSPORINS	6 – First Generation	_
cefadroxil CAPS, SUSP (generic Duricef)	cefadroxil TAB (generic Duricef) cephalexin TAB	
cephalexin CAPS, SUSP (generic Keflex)		
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil) cefuroxime TAB (generic Ceftin)	cefaclor (generic Ceclor) CEFTIN (cefuroxime) TAB, SUSP	
CEPHALOSPORINS -	- Third Generation	
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS , SUSP cefpodoxime (generic Vantin) SUPRAX (cefixime) CAPS , CHEWABLE TAB, SUSP, TAB	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) VIAL NYVEPRIA (pegfilgrastim-apgf)	FULPHILA SUB-Q (pegfilgrastim-jmdb) FYLNETRA (pegfilgrastim-pbbk) ^{NR} GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA SYR(pegfilgrastim) NEUPOGEN DISP SYR (filgrastim) NIVESTYM SYR,VIAL (filgrastim-aafi) RELEUKO (filgrastim-ayow) SYR,VIAL STIMUFEND (pegfilgrastim-fpgk) ^{NR} UDENYCA SUB-Q (pegfilgrastim-cbqv) ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim- bmez)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply Page **30** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

CONTRACEPTIVES, ORAL

All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent Specific agents can be looked up using	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
the Drug Look-up Tool at: https://druglookup.fhsc.com/drug lookupweb/?client=nestate	preferred at this time <i>Only those products for review are</i> <i>listed.</i> Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent Specific agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/drug</u>	acetate) CHEW ^{NR} Her Style OTC (levonogestrel) ^{NR} norethindrone/ethinyl estradiol FE	

February 2023 PDL Highlighted in Red effective February 1, 2023

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

· · · · · · · · · · · · · · · · · · ·		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	LERS BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp[®]: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon
INHALATION SOLUTION		 exacerbation in last year upon initial review
albuterol/ipratropium (generic Duoneb) ipratropium SOLN (generic Atrovent)	LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	
ORAL AGENT		
	DALIRESP (roflumilast) ^{CL, QL} roflumilast (generic Daliresp) ^{CL,NR,QL}	

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

February 2023 PDL Highlighted in Red effective February 1, 2023

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TABLET (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TABLET ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA (elexacaftor, tezacaftor, ivacaftor) ^{AL, CL}	 Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.

February 2023 PDL Highlighted in Red effective February 1, 2023

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ACTEMRA (tocilizumab) SUB-Q ARCALYST (nilonacept) CIBINQO (abrocitinib) ^{AL,QL} CIMZIA (certolizumab pegol) ^{QL} ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q , PEN , SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) TABLET^{CL,QL} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib) ^{CL,QL} SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SYRINGE SKYRIZI (risankizamab-rzaa) SYRINGE SKYRIZI (risankizamab-rzaa) ^{QL} SOTYKTU (deucravacitinib) ^{NR} TABLET STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{QL} XELJANZ (tofacitinib) TABLET , SOLN^{CL,QL}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. Otezla: Requires a trial of Humira

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit Page **34** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorothiazide TABLET (generic Diuril) furosemide SOLN, TABLET (generic Lasix) hydrochlorothiazide CAPS, TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic Aldactone) torsemide TABLET	CAROSPIR (spironolactone) SUSP eplerenone TABLET (generic Inspra) ^{CL} ethacrynic acid CAPS (generic Edecrin) KERENDIA (finerenone) TABLET ^{CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required.
COMBINATIO	N PRODUCTS	
amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET		

(generic Dyazide, Maxzide)

ENZYME REPLACEMENT, GAUCHERS DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

February 2023 PDL Highlighted in Red effective February 1, 2023

EPINEPHRINE, SELF-INJECTEDQL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC	epinephrine (generic for Adrenaclick)	 Non-preferred agents require
Epipen/ Epipen Jr.) AUTOINJECTOR	epinephrine (generic for Epipen/	clinical documentation why the
EPIPEN (epinephrine) AUTOINJ	Epipen Jr.) AUTOINJECTOR	preferred product within this drug
EPIPEN JR. (epinephrine) AUTOINJ	SYMJEPI (epinephrine) PFS	class is not appropriate

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Ag	ents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) RETACRIT (EPOETIN / EPBX)		(rHuEPO)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TABLET (generic Cipro) levofloxacin TABLET (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **36** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL}	alosetron (generic Lotronex) <i>IBSRELA (tenapanor)^{AL,NR,QL}</i> lubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Drug-specific criteria: Lotronex[®]: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor[®]: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance[®]: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi[®]: Covered for diagnosis of either chronic diopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJECTION PROGLYCEM (diazoxide) SUSP	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT , PEN , SYRINGE, VIAL ZEGALOGUE (dasiglucagon) ^{AL, QL} AUTO-INJECTOR, SYRINGE	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

February 2023 PDL Highlighted in Red effective February 1, 2023

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCORTICOIDS		Non-preferred agents within the
ASMANEX (mometasone) ^{QL,AL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	ALVESCO (ciclesonide) ^{AL,CL} <i>ARMONAIR DIGIHALER</i> <i>(fluticasone)^{AL,QL}</i> ARMONAIR RESPICLICK (fluticasone) ^{AL} ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ^{CL,AL,QL} FLOVENT DISKUS (fluticasone) fluticasone HFA (generic Flovent HFA) QVAR (beclomethasone) QVAR Redihaler (beclomethasone)	 Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	last 6 months.
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) ^{AL,QL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate) ^{QL} Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus) ^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus) ^{QL}	within this drug class, within the last 6 months.
INHALATION	N SOLUTION	
	budesonide RESPULES (generic for Pulmicort)	

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALKINDI (hydrocortisone) GRANULES^{AL} CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL EMFLAZA (deflazacort) SUSP , TABLET ^{CL} ENTOCORT EC (budesonide) methylprednisolone 8mg, 16mg, 32mg ORTIKOS ER (budesonide) ^{AL,QL} prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate ODT prednisolone SOLN prednisone INTENSOL RAYOS DR (prednisone) TABLET TARPEYO (budesonide) CAPS	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN)

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NUTROPIN AQ (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) SKYTROFA (lonapegsomatropin-tcgd) ZOMACTON (somatropin) ZORBTIVE (somatropin)	<u>Growth Hormone PA Form</u> Growth Hormone Criteria

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS	Non-Preferred Agents CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL, SYRINGE ^{NR}	 HAE Treatments PA Form All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication.
		 Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol

Page **40** of **95**



February 2023 PDL Highlighted in Red effective February 1, 2023

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
FA	CTOR VIII	•	Non-preferred agents will be
ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADVATE AFSTYLA ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR RECOMBINATE		approved for patients who have failed a trial of ONE preferred agent within this drug class Patients receiving a hemophilia agent which moved from preferred to non-preferred status on 1-21-21 will be allowed to continue same therapy
FA	CTOR IX		
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS		
FACTOR VIIa AND PROTHRO	MBIN COMPLEX-PLASMA DERIVED		
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL}		
COAGADEX CORIFACT	TRETTEN		
VON WILLEE	BRAND PRODUCTS		
WILATE	VONVENDI		
BISPEC	IFIC FACTORS		
HEMLIBRA			

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **41** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TABLET	adefovir dipivoxil BARACLUDE (entecavir) SOLN, TABLET EPIVIR HBV (lamivudine) TABLET, SOLN lamivudine hbv TABLET VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply Page **42** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TABLET^{CL}, PELLET^{AL,CL,NR} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TABLET (sofosbuvir/ledipasvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET sofosbuvir/ledipasvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TABLET (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni: Post liver transplant for genotype
RIBA	VIRIN	 1 or 4 Vosevi: Requires documentation of non-
ribavirin 200mg CAPSULE, TABLET	REBETOL (ribavirin)	response after previous treatment course of Direct Acting Anti-viral agent (DAA) for
INTERI	FERON	genotype 1-6 without cirrhosis or with compensated cirrhosis
PEGASYS (pegylated interferon alfa- 2a) ^{CL} PEG-INTRON (pegylated interferon alfa-2b) ^{CL}		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit Page **43** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TABLET (generic for Pepcid) famotidine SUSP	cimetidine TABLET, SOLN^{CL} (generic Tagamet) nizatidine CAPS (generic for Axid)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
		 Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment
		*

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply NR – Product was not reviewed - New Drug criteria will apply Page **44** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HIV / AIDSCL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID	INHIBITOR	 All agents require:
	SUNLENCA (lenacapavir) ^{NR, QL}	 Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a
CCR5 AN	FAGONISTS	
SELZENTRY SOLN, TAB (maraviroc)	maraviroc (generic Selzentry)	
HIV-1 ATTACH	MENT INHIBITOR	diagnosis of HIV/AIDS and patier specific documentation of why the preferred products within this dru
	RUKOBIA ER (fostemsavir) ^{AL,QL}	class are not appropriate for patient, including, but not limited
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	to, drug resistance or concomitar
SENTRESS (raltegravir) ^{QL} SENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	 conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue
		therapy
efavirenz CAPS, TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL} PIFELTRO (doravirine) ^{QL}	EDURANT (rilpivirine) etravirine (generic Intelence) ^{QL} nevirapine IR, ER (generic Viramune/Viramune XR) RESCRIPTOR (delavirdine) SUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir)	didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) VIDEX (didanosine) SOLN ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	
PHARMACOKIN	ETIC ENHANCER	
	TYBOST (cobicistat) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **45** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Pric	or Authorization/Class Criteria
PROTEAS atazanavir CAPS (generic Reyataz) ritonavir TABLET (generic Norvir)	APTIVUS CAPS, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic Lexiva) INVIRASE (saquinavir) LEXIVA SUSP (fosamprenavir) LEXIVA TABLET (fosamprenavir) NORVIR POWDER, SOLN (ritonavir) NORVIR (ritonavir) TAB PREZISTA (darunavir) SUSP, TABLET REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)		 All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply NR – Product was not reviewed - New Drug criteria will apply Page **46** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HIV / AIDS^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER	 All agents require: Diagnosis of HIV/AIDS
EVOTAZ (atazanavir/cobicistat) ^{Q∟} lopinavir/ritonavir SOLN (generic Kaletra)	KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) lopinavir/ritonavir TAB (generic Kaletra) PREZCOBIX (darunavir/cobicistat) ^{QL}	 required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents
COMBINATION NUCLEOS(T)IDE RE	EVERSE TRANSCRIPTASE INHIBITORS	 Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL, CL} emtricitabine/tenofovir (generic Truvada) ^{CL} lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) ^{QL} TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **47** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HIV / AIDS^{CL} (Contnued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODUC	CTS – MULTIPLE CLASSES	All agents require: Discussion of LUNY(ALDO)
 BIKTARVY (bictegravir/emtricitabine/ tenofovir)^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir)^{QL} DOVATO (dolutegravir/lamivudine)^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla)^{CL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir)^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/ tenofovir)^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir)^{QL} SYMFI (efavirenz/lamivudine/ tenofovir)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir)^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir)^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine) 	ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} JULUCA (dolutegravir/rilpivirine) ^{QL} TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP ^{NR}	 Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

February 2023 PDL Highlighted in Red effective February 1, 2023

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply Page **49** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	GLP-1 RA Criteria
OZEMPIC (semaglutide) TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} BYDUREON (exenatide ER) BYDUREON PEN (exenatide ER) subcutaneous BYETTA (exenatide) subcutaneous MOUNJARO (tirazepatide) ^{NR} PEN RYBELSUS (semaglutide)	Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA
INSULIN/GLP-1 RA	COMBINATIONS	AND Diagnosis of diabetes with HbA1C
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	 ■ Diagnosis of diabetes with HbATC ≥ 7 AND ■ Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Monitoring of glucose during initiation of therapy
DIPEPTIDYL PEPTIDASE	E-4 (DPP-4) INHIBITOR ^{QL}	- initiation of therapy
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ^{AL}	DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **50** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 70/30 VIAL HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN OTC PEN HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLIN (insulin) PEN NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL NOVOLOG MIX FLEXPEN, VIAL (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN, TEMPO PEN ^{NR} FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG U-100 TEMPO PEN ^{NR} HUMALOG (insulin lispro) U-200 KWIKPEN insulin degludec (generic Tresiba) ^{NR} 100U/mL PEN, VIAL 200U/mL PEN insulin glargine PEN, VIAL (generic for Semglee-YFGN) LYUMJEV KWIKPEN, TEMPO PEN ^{NR} , VIAL(insulin lispro-aabc) NOVOLIN (insulin) NOVOLIN 70/30 VIAL (insulin) NOVOLOG MIX (insulin aspart/aspart protamine) VIAL TOUJEO SOLOSTAR (insulin glargine) SEMGLEE (insulin glargine) PEN, VIAL TRESIBA (insulin degludec)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self-administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe

HYPOGLYCEMICS, MEGLITINIDES

Preferred AgentsNon-Preferred AgentsPrior Authorization/Class Criteriarepaglinide (generic for Prandin)nateglinide (generic for Starlix)^{CL}
repaglinide/metformin (generic for
Prandimet)^{CL}• Non-preferred agents will be
approved for patients with:
Failure of a trial of ONE preferred
agent in another Hypoglycemic
class OR
T2DM and inadequate glycemic
control

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **51** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Metformin solution: Prior authorization not required for age <7 years

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL,CL} SYNJARDY (empagliflozin/metformin) ^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL}	INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY XR (empagliflozin/ metformin) ^{AL,QL}	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga: May be approved for a diagnosis of heart failure with reduced ejection fraction (NYHA class II-IV) without a diagnosis of diabetes May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of least failure without a diagnosis of diabetes

February 2023 PDL Highlighted in Red effective February 1, 2023

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLURE	A COMBINATIONS	
glipizide/metformin		
glyburide/metformin (generic		

Glucovance)

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINE	DIONES (TZDs)	 Non-preferred agents will be
pioglitazone (generic for Actos)	AVANDIA (rosiglitazone)	approved for patients who have failed a trial of THE preferred agent
TZD COM	TZD COMBINATIONS	
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL}	ESBRIET (pirfenidone) ^{QL} pirfenidone (generic Esbriet) ^{QL}	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

February 2023 PDL Highlighted in Red effective February 1, 2023

IMMUNOMODULATORS, ASTHMACL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
TASENRA (benralizumab) ^{AL} PEN COLAIR (omalizumab) SYR ^{AL,QL}		 Prior Authorization/Class Criteria Immunomodulators Self-Injectable PA Form All agents require prior authorization AND an FDA- approved diagnosis for approval Non-preferred agents require a tria of a preferred agent within this drug class with the same indication For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist Agents listed may have other FDA approved indications, and will be subject to prior authorization
		Drug Specific Criteria: Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis therapeutic class)- For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/ 150 + 1 exacerbation OR oral corticosteroid dependency AND prior dru therapy of med-high or max-tolerated inhaled corticosteroid + controller OR may tolerated inhaled corticosteroid / long acting beta agonist combo

Page **54** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

IMMUNOMODULATORS, ATOPIC DERMATITISAL

ADBRY (tralokinumab-ldrm) SUB-Q ^{AL,QL} OPZELURA (ruxolitinib phosphate)	Immunomodulators Self-
	Injectable PA Form
CREAM ^{AL,QL}	(For Adbry and Dupixent only)
tacrolimus (generic for Protopic) ^{CL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class Drug-specific criteria: Dupixent: Atopic Dermatitis: Trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Eosinophilic Esophagitis: Trial, failure, or technique difficulty to a swallowed topical corticosteroid or treatment failure of a proton pump inhibitor. Prescribed by, or in consultation with an allergist, gastroenterologist.
	gastroenterologist, or immunologist. Documentation that the Patient has a confirmed diagnosis of eosinophilic esophagitis with > 15 eosinophils/high- power field.
	3. Nasal Polyps : Documentation of treatment failure or contraindication to an intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT]
	4. Prurigo Nodularis : Patient must have a diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist.
	 Eucrisa: Requires trial and failure of 1 topical steroid or Elidel. Opzelura: May be approved for a diagnosis of Atopic Dermatitis and after a trial/failure of a topical steroid and trial of a preferred agent
	pimecrolimus (generic for Elidel)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit Page **55** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) ^{AL,NR} GEL imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified CAPS (generic Neoral) everolimus (generic for Zortress) ^{AL} mycophenolate CAPS, TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TABLET tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified SOLN (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate SUSP (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPS, SOLN sirolimus SOLN, TABLET (generic Rapamune) TAVNEOS (avacopan) ^{QL} CAPS ZORTRESS (everolimus) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **56** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro)	Drug-specific criteria: • mometasone: Prior authorization
	azelastine/fluticasone (generic for Dymista)	NOT required for children ≤ 12 years
	olopatadine (generic for Patanase)	budesonide: Approved for use in Dragpapart (Dragpapart Cotagon D)
	RYALTRIS (olopatadine/mometasone) ^{AL,NR}	 Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of
CORTICO	STEROIDS	\perp nasal polyps in \geq 18 years only
fluticasone Rx (generic Flonase)	BECONASE AQ (beclomethasone)	
	budesonide Rx (generic for Rhinocort)	
	flunisolide (generic for Nasalide)	
	fluticasone OTC (generic Flonase OTC)	
	mometasone (generic for Nasonex)	
	OMNARIS (ciclesonide)	
	QNASL 40 & 80 (beclomethasone)	
	XHANCE (fluticasone)	
	ZETONNA (ciclesonide)	

February 2023 PDL Highlighted in Red effective February 1, 2023

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast TAB/CHEWABLE (generic for Singulair) ^{AL}	montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPS clindamycin palmitate SOLN linezolid TAB	CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{NR} – Product was not reviewed - New Drug criteria will apply Page **58** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	 Non-preferred agents will be opproved for patients who have
cholestyramine (generic Questran) colestipol TAB (generic Colestid)	colesevelam (generic Welchol) TAB, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin,
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	sulfonylurea, or insulin has been
	JUXTAPID (Iomitapide) ^{CL} KYNAMRO (mipomersen) ^{CL}	 inadequate Juxtapid[®]/ Kynamro[®]: Approved for diagnosis of
	DERIVATIVES	homozygous familial
fenofibrate (generic Tricor)	fenofibric acid (generic Fibricor/Trilipix)	hypercholesterolemia (HoFH)
fenofibrate (generic Lofibra) gemfibrozil (generic Lopid)	fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide)	 Treatment failure/maximized dosing/contraindication to ALL the following: statins,
NIA	CIN	ezetimibe, niacin, fibric acid
niacin ER (generic Niaspan)	NIACOR (niacin IR) NIASPAN (niacin ER)	 derivatives, omega-3 agents, bile acid sequestrants Require faxed copy of REMS PA form
OMEGA-3 F	ATTY ACIDS	
omega-3 fatty acids (generic Lovaza)	icosapent (generic Vascepa) ^{CL} omega-3 OTC VASCEPA (icosapent) ^{CL}	Vascepa [®] : Approved for TG ≥ 500
CHOLESTEROL ABS	ORPTION INHIBITORS	
ezetimibe (generic Zetia)	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **59** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

LIPOTROPICS, OTHER (continued)

Preferred Agents
Proprotein convertase su Inhi

February 2023 PDL Highlighted in Red effective February 1, 2023

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	STATINS	
atorvastatin (generic Lipitor) ^{QL} Iovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN CON	IBINATIONS	clinical reason why individual
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 ingredients cannot be used fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACR	OLIDES	Non-preferred agents require
azithromycin (generic Zithromax) clarithromycin TABLET, SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET, CAPS	Clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN	 Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: Xatmep[™]:Indicated for pediatric patients only

MOVEMENT DISORDERS

FPreferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS	INGREZZA (valbenazine) ^{CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	All drugs require an FDA approved indication – ICD-10 diagnosis code required.
tetrabenazine (generic for Xenazine) ^{CL}		 Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. Drug-specific criteria: Austedo: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease Ingrezza: Diagnosis of Tardive Dyskinesia in adults tetrabenazine: Diagnosis of chorea with Huntington's Disease

February 2023 PDL Highlighted in Red effective February 1, 2023

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} dimethyl fumarate (generic for Tecfidera) KESIMPTA (Ofatumumab) ^{CL,QL}	AUBAGIO (teriflunomide) BAFIERTAM (monomethyl fumarate) ^{QL} dalfampridine (generic Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} fingolimod (generic Gilenya) ^{NR,QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a) ^{QL} TASCENSO ODT (fingolimod) TAB ^{AL,NR} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class Drug-specific criteria: Ampyra[®]: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid)	nitrofurantoin SUSPENSION (genericFuradantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **63** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SE	LECTIVE	• Non-preferred agents within COX-
diclofenac sodium (generic Voltaren) ibuprofen OTC, Rx (generic fAdvil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS indomethacin CAPS (generic Indocin) ketorolac (generic Toradol) meloxicam TAB (generic Mobic) nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril)	diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) ^{CL} indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Meclomen) mefenamic acid (generic Ponstel) meloxicam CAP (generic Vivlodex) ^{CL, QL} naproxen CR (generic Naprelan) naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Feldene) tolmetin (generic Tolectin) ketorolac NASAL ^{QL} (generic Sprix)	 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: meclofenamate: Approvable without trial of preferred agents for menorrhagia Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **64** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTIVE (continued)		
	ALL BRAND NAME NSAIDs including: DUEXIS (ibuprofen/famotidine)CL INDOCIN RECTAL, SUSP NALFON (flurbiprofen) RELAFEN DS (nabumetone)	
	ANT COMBINATIONS	
NGAID/GI PROTECT/	diclofenac/misoprostol (generic Arthrotec)	 All combination agents require a clinical reason why individual agents can't be used separately
COX-II SI	ELECTIVE	
celecoxib (generic Celebrex)		

February 2023 PDL Highlighted in Red effective February 1, 2023

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only) diclofenac SOLN (generic Pennsaid Soln) ^{CL}	FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET, PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit NR – Product was not reviewed - New Drug criteria will apply Page **66** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
CHEMOT capecitabine (generic Xeloda)	IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib) THERAPY XELODA (capecitabine)	 require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
cyclophosphamide		Drug-specific critera anastrozole: May be approved for
anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	BLOCKADE SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL}	 Infastrozofe: Why be approved for malignant neoplasm of male breast (male breast cancer) Fareston[®]: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved
OTHER		for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) ^{CL} TALZENNA (talazoparib tosylate) ^{QL} TUKYSA(tucatinib) ^{QL}	 Soltamox: May be approved with documented swallowing difficulty

February 2023 PDL Highlighted in Red effective February 1, 2023

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A mercaptopurine	LL PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation
	ML DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{NR,QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} LL COPIKTRA (duvelisib) ^{QL} IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELICA (idealaticib)	 submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used Purixan: Prior authorization not
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan)	ZYDELIG (idelalisib) ML BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib) ^{CL} PN JAKAFI (ruxolitinib)	 required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not required for age <19 Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone
MYE ALKERAN (melphalan) REVLIMID ^{QL} (lenalidomide)	L OMA lenalidomide ^{QL} (generic Revlimid) melphalan (generic Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	_
OT MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL}	HER BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat)	-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

Page 68 of 95

NR – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALK ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
ALK / R	OS1 / NTRK	
	ROZLYTREK (entrectinib) ^{AL,QL} XALKORI (crizotinib)	
E	GFR	_
	erlotinib (generic for Tarceva) EXKIVITY (mobocertinib) ^{QL} GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
0'	THER	_
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}	

February 2023 PDL Highlighted in Red effective February 1, 2023

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) HEXALEN (altretamine) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) ^{NR} PEMAZYRE (pemigatinib) ^{QL} RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} TRUSELTIQ (infigratinib) CAPS VITRAKVI (larotrectinib) CAPS , SOLN ZEJULA (niraparib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – AL_ – Age Limit NR – Product was not reviewed - New Drug criteria will apply Page **70** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp

for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex) flutamide	EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} XTANDI (enzalutamide) ^{AL,Q} L YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUTENT (sunitinib)	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus (generic Afinitor) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) sorafenib (generic Nexavar) sunitinib malate (generic Sutent) VOTRIENT (pazopanib) WELIREG (belzutifan) ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

February 2023 PDL Highlighted in Red effective February 1, 2023

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASAL ERIVEDGE (vismodegib)	. CELL ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF MU MEKINIST (trametinib) TAFINLAR (dabrafenib)	JTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKTOVI (binimetinib) ZELBORAF (vemurafenib)	 Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine 0.1% (generic Patanol) olopatadine OTC (Pataday once daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) EMADINE (emedastine) epinastine (generic Elestat) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) OTC olopatadine DROPS (generic Pataday) olopatadine OTC (Pataday twice daily) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) PAZEO (olopatadine 0.7%) ZERVIATE (certirizine) ^{AL}	•	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – A

February 2023 PDL Highlighted in Red effective February 1, 2023

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn[®]: Approved for documented fungal infection
MACR	OLIDES	, i i i i i i i i i i i i i i i i i i i
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGLYCOSIDES		
gentamicin OINT gentamicin SOLN tobramycin (generic Tobrex drops)	TOBREX OINT (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	-
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit NR – Product was not reviewed - New Drug criteria will apply Page **73** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSP, OINT (tobramycin and dexamethasone)	 BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSP, OINT (prednisolone/gentamicin) tobramycin/dexamethasone SUSP (generic Tobradex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) 	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

February 2023 PDL Highlighted in Red effective February 1, 2023

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	 Non-preferred agents will be
fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent
NS	SAID	
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic Bromday) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) ^{QL} maravi EYSUVIS (loteprednol etabonate) ^{QL} TYRVAYA (varenicline tartrate) ^{QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit

Page **75** of **95**

NR – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	TICS	Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
SYMPATHO	MIMETICS	Rhopressa and Rocklatan:
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	 Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days
BETA BL	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	_
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic Azopt)	_
PROSTAGLANI		-
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic Lumigan) tafluprost (generic Zioptan) ^{NR} travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	_
COMBINATI	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	brimonidine/timolol (generic Combigan) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	
от	HER	
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

February 2023 PDL Highlighted in Red effective February 1, 2023

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/ naloxone)	buprenorphine/naloxone FILM LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	 Buprenorphine PA Form Buprenorphine Informed Consent Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone SYRINGE, VIAL naltrexone TAB NARCAN (naloxone) SPRAY	KLOXXADO (naloxone) NASAL naloxone SPRAY (generic for Narcan) ZIMHI (naloxone) ^{AL} SYRINGE	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

February 2023 PDL Highlighted in Red effective February 1, 2023

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/ hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) COLY-MYCIN S(neomycin/ hydrocortisone/colistin) OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) ^{CL} SUSP, TAB tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB LETAIRIS (ambrisentan) OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil (generic Revatio) ^{CL} SUSP , TAB TADLIQ (tadalafil) ^{NR} SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO DPI (treprostini) ^{NR} INHALATION POWDER UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy

sildenafil suspension: Requires clinical reason why sildenafil tablets cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL –

AL – Age Limit

NR – Product was not reviewed - New Drug criteria will apply

```
Page 78 of 95
```

February 2023 PDL Highlighted in Red effective February 1, 2023

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit NR – Product was not reviewed - New Drug criteria will apply Page **79** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD CHEW + IRON (MULTIVITAMIN WITH IRON) CHEW	DEKAs PLUS ^{AL} FLORIVA (PEDI MULTIVIT NO.85/FLUORIDE) CHEW	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
CHILDREN'S CHEWABLES (PEDI MULTIVIT NO.31/IRON/FOLIC, PEDI MULTIVIT NO.25/FOLIC ACID,	FLORIVA PLUS (PEDI MULTIVIT NO.161/FLUORIDE DROP	 Drug specific criteria: DEKAS Plus: Approved for diagnosis of Cystic Fibrosis and
PEDI MULTIVIT NO.23/FOLIC ACID)	MULTI-VIT-FLOR (PEDI MULTIVIT NO.205/FLUORIDE) CHEW	does not require a trial of a preferred agent
NO.17 W-FLUORIDE,	POLY-VI-FLOR (PEDI MULTIVIT NO.33/FLUORIDE) CHEW	
PEDI MULTIVIT NO.16 W- FLUORIDE) CHEW	POLY-VI-FLOR (PEDI MULTIVIT NO.37 W-FLUORIDE) DROPS	
MULTIVIT-FLUOR (PEDI MULTIVIT NO.2 W-FLUORIDE) DROP	POLY-VI-FLOR /0.25mg IRON (PEDI MULTIVIT 37/FLUORIDE/IRON)	
MULTIVIT-IRON-FLUOR (PEDI MULTIVIT 45/FLUORIDE/IRON)	POLY-VI-FLOR /0.5mg IRON (PEDI MULTIVIT 33/FLUORIDE/IRON)	
PED MVIT A,C,D3 NO.21/FLUORIDE	POLY-VI-SOL (PEDIATRIC MULTIVITAMIN NO.192) DROP	
POLY-VI-SOL WITH IRON (PEDI MV NO.189/FERROUS SULFATE) DROPS	QUFLORA (PEDI MULTIVIT NO.157/FLUORIDE) GUMMIES	
TRI-VI-SOL (VIT A PALMITATE/VIT C/VIT D3) DROP S	QUFLORA FE (PED MULTIVIT 142/IRON/FLUORIDE) CHEW	
TRI-VITE-FLUORIDE (PED MVIT A,C,D3 NO.21/FLUORIDE)	QUFLORA FE (PED MULTIVIT 151/IRON/FLUORIDE) DROP	
A,0,00 NO.2 IN LOONDE	QUFLORA PED (PEDI MULTIVIT NO.63 W-FLUORIDE) CHEW	
	QUFLORA PED (PEDI MULTIVIT 84 WITH FLUORIDE, PEDI MULTIVIT NO.83 W-FLUORIDE) DROP	
	TRI-VI-FLOR (PED MVIT A,C,D3 NO.38/FLUORIDE) DROPS	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **80** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class
penicillin VK		

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TAB CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate)	AURYXIA (ferric citrate) calcium acetate CAPS ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) sevelamer HCI (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit CL – Prior Authorization / Class Criteria apply

Page **81** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

PRENATAL VITAMINS

Additional covered agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETENATE CHEW TABLET EXPECTA PRENATAL OTC FE C/FA FE C/VIT D12/FA OTC MARNATAL-F O-CAL FA PNV2/IRON B-G SUC-P/FA/OMEGA-3 PNV 11-IRON FUM-FOLIC ACID-OM3 PNV NO.118/IRON FUMARATE/FA CHEW TABLET PNV NO.15/IRON FUM & PS CMP/FA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PNV WITH CA,NO.72/IRON/FA PNVW16/IRON B-G SUC-P/FA/OMEGA-3 PNV2/IRON B-G SUC-P/FA/OMEGA-3 PRENATAL VIT 76/IRON,CARB/FA PRENATAL VIT 76/IRON,CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC PUREFE OB PLUS PUREFE PLUS STUART ONE OTC TRINATAL RX 1 VITAFOL TAB CHEW VITAFOL ULTRA VP-PNV-DHA	CITRANATAL B-CALM COMPLETENATE CHEW TABLET DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TABLET OTC ENBRACE HR MULTI-MAC OTC NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE ONE OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE WITH DHA PNV COMBO#47/IRON/FA #1/DHA PNV COMBO#47/IRON/FA #1/DHA PNV WITH CA,NO.72/IRON/FA PNV WITH CA,NO.74/IRON/FA OTC PNV119/IRON FUMARATE/FA/DSS PRENATAL + DHA OTC PRENATE AM PRENATE CHEWABLE TABLET PRENATE ELITE PRENATE ELITE PRENATE ESSENTIAL PRENATE ESSENTIAL PRENATE RESTORE PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB + DHA SELECT-OB TAB CHEW TENDERA-OB OTC TRICARE TRINATAL RX 1 TRISTART DHA VITAFOL FE+ VITAFOL NANO VITAFOL-OB VITAFOL-OB VITAFOL-ONE WESTGEL DHA	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply
^{QL} – Quantity/Duration Limit
^{AL}

Page 82 of 95

February 2023 PDL Highlighted in Red effective February 1, 2023

PROGESTERONE (hydroxyprogesterone caproate)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	hydroxyprogesterone caproate (generic Makena) MAKENA AUTO INJECTOR (hydroxyprogesterone caproate) MAKENA (hydroxyprogesterone caproate) SDV	 When filled as outpatient prescription, use limited to: Singleton pregnancy AND Previous Pre-term delivery AND No more than 20 doses (administered between 16 - 36 weeks gestation) Maximum of 30 days per dispensing

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) ^{QL} PROTONIX SUSP (pantoprazole)	DEXILANT (dexlansoprazole) dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) RX^{QL} esomeprazole magnesium (generic Nexium) OTC^{QL} esomeprazole strontium lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSPENSION (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES ^{QL} rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of both preferred omeprazole Rx AND pantoprazole OR Protonix SUSP. Pediatric Patients: Patients ≤4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥5 years of age- Only approve non-preferred for GI diagnosis if: Child can not swallow whole generic omeprazole capsules OR, Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit AL – Age Limit CL – Prior Authorization / Class Criteria apply

^{NR} – Product was not reviewed - New Drug criteria will apply

Page **83** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODI temazepam 15mg, 30mg (generic for Restoril)	AZEPINES estazolam (generic for ProSom) flurazepam (generic for Dalmane) temazepam (generic for Restoril) 7.5mg, 22.5mg triazolam (generic for Halcion) ERS BELSOMRA (suvorexant) ^{AL,QL} DAYVIGO (lemborexant) ^{AL,QL} doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) ^{CL} HETLIOZ LQ (tasimelteon) SUSP ^{AL,QL} QUVIVIQ (daridorexant) ^{QL} ramelteon (generic for Rozerem) tasimelteon (generic for Hetlioz) ^{CL,NR} zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo)	 Benzodiazepines Criteria Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5mg: Requires clinical reason why 15mg/30mg cannot be used Others Criteria Non-preferred agents require a trial of TWO preferred agents in the OTHERS sub-category Silenor: Must meet ONE of the following: Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10mg Age greater than 65 years old or hepatic impairment (3mg dose will be approved if this criteria is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5mg; zolpidem ER 6.25mg zolpidem SL: Requires clinical reason why half of zolpidem tablet
		cannot be used or documented swallowing disorder

February 2023 PDL Highlighted in Red effective February 1, 2023

SICKLE CELL ANEMIA TREATMENTAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL}	OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLN, TAB (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

February 2023 PDL Highlighted in Red effective February 1, 2023

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
chlorzoxazone (generic Parafon Forte) caris cyclobenzaprine (generic Flexeril) ^{QL} cycl methocarbamol (generic Robaxin) A tizanidine TAB (generic Zanaflex) dant FEX FLE LOF LYV meta NOF	Iofen (generic for Ozobax) ^{NR,QL} SOLN soprodol (generic Soma) ^{CL,QL} soprodol compound lobenzaprine ER (generic Amrix) ^{CL} trolene (generic Dantrium) (MID (cyclobenzaprine ER) (2QSUVY (baclofen) SUSP RZONE (chlorzoxazone) ^{CL} /ISPAH (baclofen) ^{NR,QL} GRANULES axalone (generic Skelaxin) RGESIC FORTE forphenadrine/ASA/caffeine) nenadrine ER RAFON FORTE (chlorzoxazone) nidine CAPS NAFLEX (tizanidine) CAPS, TAB	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why chlorzoxazone cannot be used Zanaflex[®] Capsules: Requires clinical reason yeason generic strength cannot be used Zanaflex[®] Capsules: Requires clinical reason yeason generic cannot be used

Page **86** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY •	Low rotation prototroa agoina
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT	alclometasone dipropionate (generic for Aclovate) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM , OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **87** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH PC	DTENCY	 High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM	amcinonide CREAM, LOTION, OINTMENT	agents will be approved for patients who have failed a trial of TWO preferred egents within this
triamcinolone LOTION	betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) TRIANEX OINT (triamcinolone) VANOS (fluocinonide)	TWO preferred agents within this drug class
VERY HIGH	H POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM , OINT, SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate GEL,FOAM, SPRAY CLOBEX (clobetasol) halobetasol propionate FOAM (generic for Lexette) ^{AL,QL} IMPEKLO (clobetasol) LOTION ^{AL} LEXETTE(halobetasol propionate) ^{AL,QL} OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit

Page **88** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

STIMULANTS AND RELATED AGENTSAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be
Amphetamine type		approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) ^{QL} CAPS, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic Adzenys ER) SUSP amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLN (generic Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) ^{QL} EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) ^{QL} methamphetamine (generic for Desoxyn) XELSTRYM (detroamphetamine) ^{AL,NR,QL} PATCH ZENZEDI (dextroamphetamine)	 agent within this drug class Drug-specific criteria: Procentra[®]: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply Page **89** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphenidate type		 Non-preferred agents will be approved for patients who have
CONCERTA (methylphenidate ER) ^{QL} 18mg, 27mg, 36mg, 54mg dexmethylphenidate (generic for Focalin IR) dexmethylphenidate (generic Focalin XR) METHYLIN SOLN (methylphenidate) methylphenidate (generic Ritalin) methylphenidate SOLN (generic Methylin) QUILLICHEW ER CHEWTAB (methylphenidate)	ADHANSIA XR (methylphenidate) ^{QL} APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) ^{QL} COTEMPLA XR-ODT (methylphenidate) ^{QL} DAYTRANA PATCH (methylphenidate) ^{QL} FOCALIN IR (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate CHEW methylphenidate ER (45mg and 63mg) ^{NR,QL} methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic Metadate CD) methylphenidate ER 18mg, 27mg, 36mg, 54mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic Aptensio XR) ^{QL} methylphenidate ER 72mg (generic RELEXXII) ^{QL} methylphenidate ER (generic Ritalin SR) methylphenidate TD24 ^{AL} PATCH (generic Daytrana) QUILLIVANT XR (methylphenidate) SUSP RELEXXII ER (methylphenidate 45mg and 63mg) ^{AL,NR,QL} TAB RITALIN (methylphenidate)	 approved for patients who have failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18 Maximum accumulated dose of 72mg per day for ages > 19 Drug-specific criteria: Daytrana[®]: May be approved in history of substance use disorder by parent, caregiver, or patient. May be approved with documentation of difficulty swallowing Quillichew ER: May be approved for children ≤ 12 years of age OR with documentation of difficulty swallowing

Page **90** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

STIMULANTS AND RELATED ADHD DRUGS (Continued)AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and
atomoxetine (generic Strattera) ^{QL} guanfacine ER (generic Intuniv) ^{QL} QELBREE (viloxazine) ^{QL}	clonidine ER (generic Kapvay) ^{Q∟} STRATTERA (atomoxetine)	authorization
		Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
	EPTICS armodafinil (generic Nuvigil) ^{CL}	armodafinil and modafinil:
	modafanil (generic Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	 approved only for: Sleep Apnea with documentation/confirmatio via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosi via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedul verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmatio via sleep study and documentation/confirmatio via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosi via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

Page **91** of **95**

^{NR} – Product was not reviewed - New Drug criteria will apply

February 2023 PDL Highlighted in Red effective February 1, 2023

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG , 100MG CAPS doxycycline monohydrate SUSP , TAB (generic Vibramycin) minocycline HCI CAPS , TAB (generic Dynacin/ Minocin/Myrac)	 demeclocycline (generic Declomycin)^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER)^{QL} 	 Non-preferred agents will be approved for patients who have failed a 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINSCL

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib) FDA-approved indication, ICD code is required. Non-preferred agents require a trial of a preferred agent with t same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved one course of therapy for a scheduled procedure with a rise bleeding for treatment of 	PROMACTA (eltrombopag) TAB^{CL}	MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP	 FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients

February 2023 PDL Highlighted in Red effective February 1, 2023

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TAB (generic Synthroid) liothyronine TAB (generic Cytomel) thyroid, pork TAB UNITHROID (levothyroxine)	EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) THYROLAR TAB (liotrix) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPS (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Prior Authorization / Class Criteria apply ^{QL} – Quantity/Duration Limit ^{AL} – Age Limit ^{NR} – Product was not reviewed - New Drug criteria will apply Page **93** of **95**

February 2023 PDL Highlighted in Red effective February 1, 2023

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		 Non-preferred agents will be
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) ^{NR} mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]/ Pentasa[®]: Requires clinical reason why preferred mesalamine products cannot be used
REC	TAL	
CANASA (mesalamine) ROWASA (mesalamine)	mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide)	

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}		 Drug-specific criteria: Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months



February 2023 PDL Highlighted in Red effective February 1, 2023

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TAB isosorbide dinitrate ER, SA TAB (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TAB	 BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) isosorbide dinitrate/hydralazine (Bidil)^{CL,NR} NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat)^{AL,CL,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%