



DEPT. OF HEALTH AND HUMAN SERVICES

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

June 2023 PDL

Noted in Red Font that Become Effective June 1, 2023

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at https://druglookup.fhsc.com/druglookupweb/?client=nestate.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment, hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is required to document good faith effort, including reasons why unable to conduct the check and may be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a], beginning October 1, 2021.
- **Opioids** The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day (beginning December 1, 2020).

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- <u>Immunomodulators Self-Injectable PA Form</u>
- Buprenorphine Products PA Form
- Buprenorphine Products Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ACNE AGENTS, TOPICAL

| ACNE AGENTS, TOPICAL | | |
|---|---|--|
| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
| benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic BenzaClin) PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL | adapalene (generic Differin) adapalene/BPO (generic Epiduo) adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePrO) benzoyl peroxide GEL OTC benzoyl peroxide GEL Rx benzoyl peroxide TOWELETTE OTC clindamycin FOAM, LOTION clindamycin GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO (generic Duac) clindamycin/BPO (generic Veltin, Ziana) dapsone (generic Aczone) erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin) FABIOR (tazarotene foam) NEUAC (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A ^{AL} GEL, CREAM (tretinoin) sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM, GEL ^{NR} (generic Tazorac) tazarace, tazorace) tazarotene FOAM (generic Fabior) TRETIN-X (tretinoin) tretinoin CREAM, GELAL (generic Avita, Retin-A) tretinoin microspheres (generic for Retin-A Micro) AL WINLEVI (clascoterone) AL | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

QL – Quantity/Duration Limit

NR - Product was not reviewed - New Drug criteria will apply

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ALZHEIMER'S AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| CHOLINESTERA | ASE INHIBITORS • | Non-preferred agents will be approved for patients who have |
| donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch) | ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN,• TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon) | failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days |
| | Dı | rug-specific criteria: |
| NMDA RECEPTO | DR ANTAGONIST | Donepezil 23: Requires donepezil 10mg/day for at least 3 months |
| | memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil) | AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg) |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANALGESICS, OPIOID LONG-ACTING

| BUTRANS (buprenorphine) Cal. PATCH fentanyl 25, 50, 75, 100 mcg PATCH and proprine BUCCAL (generic for Belbuca) AL.OL. buprenorphine BUCCAL (generic for Belbuca) AL.OL. buprenorphine PATCH (generic for Butrans) Cal. buprenorphine PATCH (generic for Belbuca) AL.OL. buprenorphine PATCH (generic for Butrans) Cal. buprenorphine PATCH (generic for Call Butrans) Cal. buprenorphine PATCH (generic for Belbuca) AL.OL. buprenorphine PATCH (generic for Butrans) Cal. buprenorphine PATCH (generic for Avinza, Kadian) Caps Cal. Generic for Avinza, Kadian) Caps Cal. Generic for Call Butrans) Cal. Butrans) Cal. Butrans) Cal. Butrans) Cal. Generic for Call Generic Cal. Butrans) Cal. Generic for Avinza Cal. Butrans) Cal. Generic for Call Generic | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|---|
| oxymorphone ER (generic Opana ER) tramadol ER (generic ConZip) ^{CL} | fentanyl 25, 50, 75, 100 mcg PATCH QL morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN CL (oxycodone ER) | BUCCAL buprenorphine BUCCAL (generic for Belbuca) AL,QL buprenorphine PATCH (generic Butrans)QL EMBEDA (morphine sulfate/ naltrexone) DURAGESIC MATRIX (fentanyl)QL fentanyl 37.5, 62.5, 87.5 mcg PATCH QL hydrocodone ER (generic for Hysingla ER)QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo)CL HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET CL methadone ORAL SYR CL MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPS NUCYNTA ER (tapentadol)CL oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) | does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin®: Pain contract required for maximum quantity |
| | | DURAGESIC MATRIX (fentanyl) ^{QL} fentanyl 37.5, 62.5, 87.5 mcg PATCH hydrocodone ER (generic for Hysingla ER) ^{QL} hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET ^{CL} methadone ORAL SYR ^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPS NUCYNTA ER (tapentadol) ^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) | Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care Oxycontin®: Pain contract required for maximum quantity |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANALGESICS, OPIOID SHORT-ACTING QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| acetaminophen/codeine ELIXIR, TAB codeine TAB hydrocodone/APAP SOLN, TAB hydrocodone/ibuprofen hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone TAB, SOLN oxycodone/APAP Tramadol 50 TABAL (generic Ultram) tramadol/APAP (generic Ultracet) | APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz ^{-CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/aspirin/caffeine hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} oxycodone CAPS oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone PROLATE (oxycodone/APAP) ^{NR} SOLN,TAB | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the las 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|---|
| NA | SAL | |
| | butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate) | |
| BUCCAL/TRA | NSMUCOSAL ^{CL} | *Drug-specific criteria: • Abstral®/Actiq®/Fentora®/ |
| | ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL} | Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate |

ANDROGENIC AGENTS (TOPICAL) CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| NDROGEL (testosterone) PUMP ^{CL} | ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone PUMP (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim) | Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males or with diagnosis of: Primary hypogonadism (congenital or acquired) Hypogonadotropic hypogonadism (congenital or acquired) |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANGIOTENSIN MODULATORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace) ACE INHIBITOR/DIUR benazepril/HCTZ (generic Lotensin HCT) | captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN trandolapril (generic Mavik) ETIC COMBINATIONS captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic) | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned® and Qbrelis® Oral Solution: Clinical reason why oral tablet is not appropriate |
| ANGIOTENSIN REC | EPTOR BLOCKERS | |
| losartan (generic Cozaar) olmesartan (generic Benicar) | candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANGIOTENSIN MODULATORS (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS | | Non-preferred agents will be preserved for patients who have |
| irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT) | candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT) | approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization |
| | MODULATOR/ OCKER COMBINATIONS | - Angiotensin Modulator/Calcium Channel Blocker Combinations: |
| amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) | amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) amlodipine/valsartan/HCTZ (generic Exforge HCT) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka) | Combination agents may be approved if there has been a trial and failure of preferred agent |
| | | Direct Renin Inhibitors/Direct |
| DIRECT RENI | N INHIBITORS | Renin Inhibitor Combinations: May be approved witha history of |
| | aliskiren (generic Tekturna) ^{QL} | TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers |
| DIRECT RENIN INHIB | ITOR COMBINATIONS | within the last 12 months |
| | TEKTURNA/HCT (aliskiren/HCTZ) | Drug Specific Criteria |
| NEPRILYSIN INHIBI | TOR COMBINATION | Entresto: May be approved with a diagnosis of heart failure |
| ENTRESTO (sacubitril/valsartan) ^{CL,QL} | | alagitotic of floar failare |
| ANGIOTENSIN RECEPTOR BLOCKE | ER/BETA-BLOCKER COMBINATIONS | |
| | BYVALSON (nevibolol/valsartan) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTHELMINTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol) | ALBENZA (albendazole) EMVERM (mebendazole) ^{CL} praziquantel (generic for Biltricide) STROMECTOL (ivermectin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months |
| | | Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents |

ANTI-ALLERGENS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|--|
| | ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) ^{CL} PALFORZIA (peanut allergen powder- dnfp) AL,CL | Drug-specific criteria: ORALAIR Confirmed by positive skin to or in vitro testing for pollenspecific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 5 through 65 years of age. PALFORZIA Confirmed diagnosis of pear allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previouse within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patient with uncontrolled asthma or concurrently on a NSAID |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIBIOTICS, GASTROINTESTINAL

| and biles | nough azithromycin, ciprofloxacin, thoprim/ sulfmethoxazole are not |
|---|---|
| metronidazole (generic Tindamax) ^{CL} metronidazole (generic Alinia) TABLETAL, CL, QL paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) ^{CL} vancomycin (generic Firvanq) ^{NR,QL} VOWST (fecal microbiota spores, live-brpk) ^{AL,NR} XIFAXAN (rifaximin) ^{CL} * Alinia®: 1 is require diarrhead, code mus Flagyl®/M and fifficile, a code mus Flagyl®/M and / Met Clinical re release c tinidazol Approvab Giardia Amebiasi Bacterial * vancomy specific d Firvanq/v appropria * Xifaxan®, Travelers Hepatic e failure of Diarrhead, | Trial and failure with metronidazole d for a diagnosis of giardiasis For diagnosis of C. difficile (pseudomembranous colitis), trial e or intolerance to oral cin is required. In appropriate ICD-10 diagnosis at be submitted for coverage. Metronidazole 375mg capsules tronidazole 750mg ER tabs: Beason why the generic regular-annot be used |

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIBIOTICS, INHALED CL

| Preferred Agents ^{CL} | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| BETHKIS (tobramycin) KITABIS PAK (tobramycin) TOBI-PODHALER (tobramycin) AL AL AL AL AL AL AL AL AL A | ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) tobramycin (generic Bethkis) tobramycin (generic Tobi) | Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used |

ANTIBIOTICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| bacitracin OINT bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine | CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL} | Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin® Cream: Clinical reason the ointment cannot be used |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIBIOTICS, VAGINAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) metronidazole, vaginal NUVESSA (metronidazole) | CLEOCIN CREAM (clindamycin) VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) vaginal gel ^{AL,NR} | Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months |

ANTICOAGULANTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban) | dabigatran etexilate ^{NR} (generic Pradaxa) fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) PELLETS ^{NR} SAVAYSA (edoxaban) ^{CL,QL} XARELTO (rivaroxaban) ^{CL} SUSP | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used. |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIEMETICS/ANTIVERTIGO AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| CANNA | BINOIDS | Non-preferred agents will be |
| dronabinol (generic Marinol) ^{AL} | CESAMET (nabilone) | approved for patients who have failed ONE preferred agent within this drug class within the same |
| 5HT3 RECEPTO | OR BLOCKERS | group |
| ondansetron (generic Zofran/Zofran ODT) ^{QL} | ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron) | Drug-specific criteria: • Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist |
| NK-1 RECEPTO | R ANTAGONIST | Regimens include: AC combination (Doxorubicin or Epirubicin with |
| EMEND (aprepitant) CAPS, CAPS PACK ^{QL} | aprepitant (generic Emend) ^{QL} AKYNZEO (netupitant/palonosetron) ^{CL} VARUBI (rolapitant) TAB ^{CL} | Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, |
| TRADITIONAL | ANTIEMETICS | Dactinomycin, Daunorubicin, |
| DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLN (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine SYRUP, TAB (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine) | BONJESTA (doxylamine/pyridoxine)·CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TAB (generic Tigan) | Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIFUNGALS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| otrimazole (mucous membrane, oche) Iconazole SUSP, TAB (generic Diflucan) Iseofulvin SUSP Iseofulvin microsized TAB Irstatin SUSP, TAB Irbinafine (generic Lamisil) | BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) NOXAFIL (posaconazole) ^{AL} SUSP, SUSP Delayed-Release NR nystatin POWDER posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} VIVJOA (oteseconazole) CAPS ^{NR} voriconazole (generic VFEND) ^{CL} | Non-preferred agents will be approve for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropen hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Suspension: Oropharyngeal/esophageal candidiasrefractory to itraconazole and/or fluconazole Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafineresistant dermatophytes, Oropharyngeal/esophageal candidiasis refractory to fluconazole Sporanox®: Requires trial and failure of generic itraconazole Sporanox®: Requires trial and failure of generic itraconazole Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial ar failure of generic itraconazole Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHE Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIFUNGALS, TOPICAL

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIHISTAMINES, MINIMALLY SEDATING

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| cetirizine TAB, SOLN (Rx only) (generic Zyrtec) loratadine TAB, SOLN (generic Claritin) levocetirizine TAB (generic Xyzal) | cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (OTC) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs) | Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered |

ANTIHYPERTENSIVES, SYMPATHOLYTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--------------------------------|---|
| clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa | methyldopa/hydrochlorothiazide | Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class clonidine TRANSDERMAL will be authorized during shortage of CATAPRES-TTS |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIHYPERURICEMICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| allopurinol (generic Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic Col- Probenecid) | allopurinol ^{NR} 200mg colchicine TAB (generic Colcrys) ^{CL} colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class colchicine tablet®: Approved without trial for familial Mediterranean fever OR pericarditis Gloperba: Approved for documented swallowing disorder Uloric®: Clinical reason why allopurinol cannot be used |

ANTIMIGRAINE AGENTS, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| AJOVY (fremanezumab-vfrm) CL, QL PEN, Autoinjector AJOVY (fremanezumab-vfrm) Autoinjector 3-packCL,QL EMGALITY 120 mg/mL (galcanezumab- gnlm) CL, QL PEN, SYRINGE NURTEC ODT (rimegepant)AL,CL,QL UBRELVY (ubrogepant) | Almovig (erenumab-aooe) CL,QL diclofenac POWDER (generic Cambia)NR dihydroergotamine mesylate NASAL ELYXYB (celecoxib)AL,QL SOLN EMGALITY 100 mg (galcanezumabgnlm) CL,QL SYR MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL QULIPTA (atogepant)ALQL REYVOW (lasmiditan)AL, CL,QL TAB TRUDHESA (dihydroergotamine mesylate)AL,QL NASAL | All acute treatment agents will be approved for patients who have a failed trial or a contraindication to a triptan. In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication Drug-specific criteria: Emgality 120mg is recommended for preventative treatment of Migraine, Emgaility 100mg is recommended for treatment of Episodic Cluster Headache For Prophylactic Treatment: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, timolol, atenolol), anti-epileptics (valproate, topiramate), ACE/ARB (lisinopril, candesartan) |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIMIGRAINE AGENTS, TRIPTANS QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| , and the second se | almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) | Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL |
| NA: IMITREX (sumatriptan) | zolmitriptan (generic Zomig) SAL ONZETRA XSAIL (sumatriptan) sumatriptan (generic Imitrex Nasal) TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan) | preferred agents |
| sumatriptan KIT, SYRINGE, VIAL | IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) | |

ANTIPARASITICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200) | CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIPARKINSON'S AGENTS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| penztropine (generic Cogentin) rihexyphenidyl (generic Artane) | LINERGICS HIBITORS | Non-preferred agents will be approved for patients who have failed ONE preferred agents within this drug class |
| | | Drug-specific criteria: Carbidopa/Levodopa ODT: Approve for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug Gocovri: Required diagnosis of Parkinson's disease and had trial of o is intolerant to amantadine AND must be used as an add-on therapy with levodopacontaining drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®: |
| MAO-B IN selegiline CAPS, TABLET (generic Eldepryl) | rasagiline (generic Azilect) QL XADAGO (safinamide) ZELAPAR (selegiline)CL | For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented swallowing disorder |
| OTHER ANTIPARI amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo) | APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn) SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) DHIVY (carbidopa/levodopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine)QL INBRIJA (levodopa) INHALERCL,QL KYNMOBI (apomorphine)QL, KIT, SUBLINGUAL NOURIANZ (istradefylline)CL,QL OSMOLEX ER (amantadine)QL RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIPSORIATICS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------|---|---|
| acitretin (generic Soriatane) | methoxsalen (generic Oxsoralen- Ultra) | Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy |

ANTIPSORIATICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|--|---|
| calcipotriene CREAM, OINT, SOLN | calcitriol (generic Vectical) calcipotriene/betamethasone OINT | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIVIRALS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| ANTI-HERP acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex) | acyclovir (generic for Zovirax) ^{CL} SUSP SITAVIG (acyclovir buccal) ^{CL} | Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group |
| ANTI-INFLUE oseltamivir (generic Tamiflu) ^{QL} CAPS, SUSP | rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS, SUSP XOFLUZA (baloxavir marboxil) ^{AL,CL,QL} | Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used |

ANTIVIRALS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------|--|--|
| acyclovir OINT | acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) penciclovir (generic Denavir) ^{NR} XERESE (acyclovir/hydrocortisone) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent |

ANXIOLYTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLN (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan) | alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} lorazepam ORAL SYRINGE ^{NR} LOREEV XR (lorazepam) ^{AL} meprobamate oxazepam | Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol® |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BETA BLOCKERS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal) propranolol ER (generic Inderal LA) | acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) SOLN INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide nebivolol (generic Bystolic) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER) | Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Bystolic®: Only ONE trial is required with Diagnosis of Obstructive Lung Disease Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used |
| BETA- AND ALF | PHA-BLOCKERS | _ |
| carvedilol (generic Coreg) labetalol (generic Trandate) | carvedilol ER ^{CL} (generic Coreg CR) | |
| ANTIARR | HYTHMIC | |
| sotalol (generic Betapace) | SOTYLIZE (sotalol) | |

BILE SALTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE) | BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) LIVMARLI (maralixibat) SOLNAL OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BLADDER RELAXANT PREPARATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| Oxybutynin IR, ER (generic Ditropan/Ditropan XL) solifenacin (generic Vesicare) TOVIAZ (fesoterodine ER) | darifenacin ER (generic Enablex) fesoterodine ^{NR} (generic Toviaz) flavoxate GELNIQUE (oxybutynin) GEMTESA (vibegron) ^{AL,QL} MYRBETRIQ TABLET , SUSP ^{AL,CL,QL} (mirabegron) oxybutynin 2.5mg ^{NR} OXYTROL (oxybutynin) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin) ^{AL} | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq®: Covered without trial in contraindication to anticholinergic agents Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO) |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|----------------------|---|
| BISPHOSPHONATES | | Non-preferred agents will be |
| BISPHOS alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL} | | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel® Combinations: Covered as individual agents without prior authorization Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason why alendronate tablets OR Fosamax® solution cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo®: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors |
| | | Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinicarisk factors More than 2 units of alcohol per day |
| | | o Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of calcitonin-salmon not required Maximum of 24 months treatment per lifetime |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| ALPHA BLOCKERS | | Non-preferred agents will be |
| alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin) | CARDURA XL (doxazosin) silodosin (generic Rapaflo) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: |
| 5-ALPHA-REDUCTAS | SE (5AR) INHIBITORS | Alfuzosin/dutasteride/finasteride |
| dutasteride (generic Avodart) finasteride (generic Proscar) | dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil) ^{NR} | Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BRONCHODILATORS, BETA AGONIST

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|------------------------------------|
| PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol) | - Short Acting albuterol HFA (generic ProAir HFA, Prove HFA, and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol) S - Long Acting STRIVERDI RESPIMAT (olodaterol) | falled a trial of ONE preferred |
| INHALAT | ION SOLUTION | |
| albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml) | arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol) | |
| | ORAL | _ |
| albuterol SYRUP | albuterol TAB albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CALCIUM CHANNEL BLOCKERS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| | SHORT-ACTING Dihydropyridines | |
| | isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) NYMALIZE (nimodipine) SOLN | failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy |
| Non-dihyd | opyridines | Induced Hypertension (PIH) Nimodipine: Covered without trial |
| diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin) | | for diagnosis of subarachnoid hemorrhage • Katerzia: May be approved with |
| LONG-/ | ACTING | documented swallowing difficulty |
| Dihydro | pyridines | |
| amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC) | felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) ^{NR} nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,NR,QL} SOLN | |
| Non-dihydi | opyridines | |
| diltiazem ER (generic Cardizem CD) verapamil ER TAB | CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| BETA LACTAM/BETA-LACTAM | ASE INHIBITOR COMBINATIONS | Non-preferred agents will be |
| amoxicillin/clavulanate TAB, SUSP | amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB | approved for patients who have failed a 3-day trial of ONE preferred agent within the same group |
| CEPHALOSPORIN | S – First Generation | |
| cefadroxil CAPS, SUSP (generic Duricef) cephalexin CAPS, SUSP (generic Keflex) | cefadroxil TAB (generic Duricef) cephalexin TAB | |
| CEPHALOSPORINS - | Second Generation | |
| cefprozil (generic Cefzil) cefuroxime TAB (generic Ceftin) | cefaclor (generic Ceclor) CEFTIN (cefuroxime) TAB , SUSP | |
| CEPHALOSPORINS | - Third Generation | |
| cefdinir (generic Omnicef) | cefixime (generic Suprax) CAPS, SUSP cefpodoxime (generic Vantin) SUPRAX (cefixime) CAPS, CHEWABLE TAB, SUSP, TAB | |

COLONY STIMULATING FACTORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| NEUPOGEN (filgrastim) VIAL NYVEPRIA (pegfilgrastim-apgf) | FULPHILA (pegfilgrastim-jmdb) SUB-Q • FYLNETRA (pegfilgrastim-pbbk) ^{NR} GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NEUPOGEN DISP SYR NIVESTYM (filgrastim-aafi) SYR,VIAL RELEUKO (filgrastim-ayow) SYR,VIAL STIMUFEND (pegfilgrastim-fpgk) ^{NR} UDENYCA (pegfilgrastim-cbqv) ^{NR} AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CONTRACEPTIVES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class |
|--|---|---------------------------|
| All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent | FINZALA (ethinyl estradiol/norethindrone acetate) CHEW NR Her Style OTC (levonogestrel)NR norethindrone/ethinyl estradiol FE estrophasic (generic EstropFE)NR | |
| Specific agents can be looked up using the Drug Look-up Tool at: https://druglookup.fhsc.com/druglookupweb/?client=nestate | | |

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol) | BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SPIRIVA RESPIMAT (tiotropium) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp®: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon |
| albuterol/ipratropium (generic Duoneb) | N SOLUTION LONHALA (glycopyrrolate inhalation soln) | initial review |
| | YUPELRI (revefenacin) AGENT DALIRESP (roflumilast) ^{CL, QL} roflumilast (generic Daliresp) ^{CL,NR,QL} | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

COUGH AND COLD, OPIATE COMBINATION

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|--|
| | guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP | Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age |

CYSTIC FIBROSIS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|---|
| | BRONCHITOL (mannitol) AL,CL,QL KALYDECO PACKET, TAB (ivacaftor)QL, AL ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB QL, AL SYMDEKO (tezacaftor/ivacaftor)QL, AL TRIKAFTA(elexacaftor, tezacaftor, ivacaftor)AL, CL PACKETCL,NR, TAB | Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CYTOKINE & CAM ANTAGONISTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| COSENTYX (secukinumab) ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIALQL HUMIRA (adalimumab)QL OTEZLA (apremilast) ORALCL,QL | ACTEMRA (tocilizumab) SUB-Q AMJEVITA (adalimumab-atto)AL,NR AUTOINJ, SYR ARCALYST (nilonacept) CIBINQO (abrocitinib)AL,QL CIMZIA (certolizumab pegol)QL ENSPRYNG (satralizumab-mwge) SUB-Q ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) OLUMIANT (baricitinib) TABLETCL,QL ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib)CL,QL SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SYRINGE SKYRIZI ON-BODY (risankizamab-rzaa)QL SOTYKTU (deucravacitinib)NR TABLET STELARA (ustekinumab) SUB-Q TALTZ (ixekizumab)AL TREMFYA (guselkumab)QL XELJANZ (tofacitinib) TABLET, | Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. Otezla: Requires a trial of Humira |
| | SOLN ^{CL,QL} | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

DIURETICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| amiloride TABLET bumetanide TABLET chlorothiazide TABLET chlorthalidone TABLET (generic Diuril) furosemide SOLN, TABLET (generic Lasix) hydrochlorothiazide CAPS, TABLET (generic Microzide) indapamide TABLET metolazone TABLET spironolactone TABLET (generic Aldactone) torsemide TABLET | CAROSPIR (spironolactone) SUSP eplerenone TABLET (generic Inspra)CL ethacrynic acid CAPS (generic Edecrin) KERENDIA (finerenone) TABLET THALITONE (chlorthalidone) TABLET triamterene (generic Dyrenium) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone : Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia : For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required. |
| COMBINATIO | N PRODUCTS | |
| amiloride/HCTZ TABLET spironolactone/HCTZ TABLET (generic Aldactazide) triamterene/HCTZ CAPSULE, TABLET (generic Dyazide, Maxzide) | | |

ENZYME REPLACEMENT, GAUCHER'S DISEASE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|--|--|
| ZAVESCA (miglustat) ^{CL} | CERDELGA (eliglustat) miglustat (generic Zavesca) | Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate |
| | | Drug-specific criteria: Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

EPINEPHRINE, SELF-INJECTED QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------|---------------------------------------|------------------------------------|
| epinephrine (AUTHORIZED GENERIC | epinephrine (generic for Adrenaclick) | Non-preferred agents require |
| Epipen/ Epipen Jr.) AUTOINJECTOR | epinephrine (generic for Epipen/ | clinical documentation why the |
| EPIPEN (epinephrine) AUTOINJ | Epipen Jr.) AUTOINJECTOR | preferred product within this drug |
| EPIPEN JR. (epinephrine) AUTOINJ | SYMJEPI (epinephrine) PFS | class is not appropriate |

ERYTHROPOIESIS STIMULATING PROTEINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|----------------------|--|
| EPOGEN (rHuEPO) RETACRIT (EPOETIN ALFA- EPBX) | PROCRIT (rHuEPO) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

FLUOROQUINOLONES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| ciprofloxacin TABLET (generic Cipro) levofloxacin TABLET (generic Levaquin) | BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin | Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea) |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

GI MOTILITY, CHRONIC

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{QL} MOVANTIK (naloxegol oxalate) ^{QL} | alosetron (generic Lotronex) IBSRELA (tenapanor) ^{AL,NR,QL} lubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TABLET ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline) | Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor®: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate |

GLUCAGON AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJECTION PROGLYCEM (diazoxide) SUSP | diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT, PEN, SYRINGE, VIAL ZEGALOGUE (dasiglucagon) ^{AL,QL} AUTO-INJECTOR, SYRINGE | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

GLUCOCORTICOIDS, INHALED

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

GLUCOCORTICOIDS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---|---|
| | ALKINDI (hydrocortisone) GRANULES ^{AL} CORTEF (hydrocortisone) cortisone TABLET dexamethasone INTENSOL EMFLAZA (deflazacort) SUSP, | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN) |

GROWTH HORMONES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| GENOTROPIN (somatropin) NUTROPIN AQ (somatropin) NORDITROPIN (somatropin) | HUMATROPE (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) SKYTROFA (lonapegsomatropin-tcgd) SOGROYA (somapacitan-beco) ^{NR} ZOMACTON (somatropin) ZORBTIVE (somatropin) | Growth Hormone PA Form Growth Hormone Criteria |
| | | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

H. PYLORI TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| PYLERA (bismuth, metronidazole, tetracycline) ^{QL} | lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL} bismuth,metronidazole,tetracycline (generic Pylera) ^{NR,QL} TALICIA (omeprazole/amoxicillin/rifabutin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

HAE TREATMENTS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| BERINERT (C1 esterase inhibitor, human) INTRAVENOUS | CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS | HAE Treatments PA Form |
| HAEGARDA (C1 esterase inhibitor, human)AL,CL SUB-Q icatibant acetate (generic for FIRAZYR)AL SUB-Q | FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL, SYRINGE ^{NR} | All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication. Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly, and trial and failure or contraindication |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HEMOPHILIA TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| F.A. | ACTOR VIII | Non-preferred agents will be |
| ALPHANATE HELIXATE FS HUMATE-P NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE | ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ^{NR} ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS KOVALTRY OBIZUR | approved for patients who have failed a trial of ONE preferred agent within this drug class |
| | RECOMBINATE ACTOR IX | |
| | ACTORIX | |
| ALPROLIX BENEFIX | ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS | |
| FACTOR VIIa AND PROTHRO | OMBIN COMPLEX-PLASMA DERIVED | |
| NOVOSEVEN RT | FEIBA NF SEVENFACT ^{AL} | |
| FACTOR X | AND XIII PRODUCTS | |
| COAGADEX CORIFACT | TRETTEN | |
| VON WILLEBRAND PRODUCTS | | |
| WILATE | VONVENDI | |
| BISPEC | CIFIC FACTORS | |
| HEMLIBRA | | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HEPATITIS B TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------|---|--|
| entecavir TABLET | adefovir dipivoxil BARACLUDE (entecavir) SOLN, TABLET EPIVIR HBV (lamivudine) TABLET, SOLN lamivudine hbv TABLET VEMLIDY (tenofovir alafenamide fumarate) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HEPATITIS C TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| DIRECT ACTING ANTI-VIRAL | | Hepatitis C Treatments PA Form |
| sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TABLET ^{CL} , PELLET ^{AL,CL,NR} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL} | HARVONI 200/45MG, TABLET (sofosbuvir/ledipasvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET sofosbuvir/ledipasvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TABLET (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL} | Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni: Post liver transplant for |
| RIBA | VIDIN | genotype 1 or 4 |
| ribavirin 200mg CAPSULE, TABLET | AUVIN | Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting |
| INTERFERON | | Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with |
| PEGASYS (pegylated interferon alfa- 2a) ^{CL} | | compensated cirrhosis |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HISTAMINE II RECEPTOR BLOCKERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| famotidine TABLET (generic for Pepcid) famotidine SUSP | cimetidine TABLET , SOLN ^{CL} (generic Tagamet) nizatidine CAPS (generic for Axid) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| | | Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HIV / AIDS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| CAPSID | INHIBITOR | All agents require: |
| | SUNLENCA (lenacapavir) ^{NR, QL} | Diagnosis of HIV/AIDS required, OR |
| CCR5 AN | TAGONISTS | Diagnosis of Pre and Post |
| SELZENTRY SOLN , TAB (maraviroc) | maraviroc (generic Selzentry) | Exposure Prophylaxis Non-preferred agents will be approved for patients who have a |
| | INHIBITORS | diagnosis of HIV/AIDS and patient |
| FUZEON SUB-Q (enfuvirtide) ^{QL} | | specific documentation of why the preferred products within this drug |
| HIV-1 ATTACH | IMENT INHIBITOR | class are not appropriate for patient, including, but not limited |
| | RUKOBIA ER (fostemsavir) ^{AL,QL} | to, drug resistance or concomitant conditions not recommended with preferred agents |
| INTEGRASE STRAND TRA | NSFER INHIBITORS (INSTIS) | Patients undergoing treatment at |
| ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir) | TIVICAY PD (dolutegravir) | the time of any preferred status change will be allowed to continue therapy |
| NON-NUCLEOSIDE REVERSE TRA | NSCRIPTASE INHIBITORS (NNRTIs) | |
| efavirenz CAPS , TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL} PIFELTRO (doravirine) ^{QL} | EDURANT (rilpivirine) etravirine (generic Intelence) ^{QL} nevirapine IR, ER (generic Viramune/Viramune XR) RESCRIPTOR (delavirdine) SUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP | |
| NUCLEOSIDE REVERSE TRAN | SCRIPTASE INHIBITORS (NRTIs) | |
| abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir) | didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) VIDEX (didanosine) SOLN ZIAGEN (abacavir) | |
| NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTIs) | | |
| tenofovir TABLET (generic Viread) | VIREAD (tenofovir) POWDER | |
| PHARMACOKINETIC ENHANCER | | |
| | TYBOST (cobicistat) ^{QL} | |
| | | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HIV / AIDS CL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| PROTEA | SE INHIBITORS | All agents require: |
| atazanavir CAPS (generic Reyataz) ritonavir TABLET (generic Norvir) | APTIVUS CAPS, SOLN (tipranavir) CRIXIVAN (indinavir) fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TABLET (fosamprenavir) NORVIR POWDER, SOLN (ritonavir) NORVIR (ritonavir) TAB PREZISTA (darunavir) SUSP, TABLET REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir) | Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| | KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) lopinavir/ritonavir TAB (generic Kaletra) PREZCOBIX (darunavir/cobicistat) ALETRA TAB (lopinavir/ritonavir) | All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir)QL DESCOVY (emtricitabine/tenofovir)QL emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic Combivir) | abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TEMIXYS (lamivudine/tenofovir) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL- Age Limit NR - Product was r

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HIV / AIDS CL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| COMBINATION PRODU | CTS – MULTIPLE CLASSES | All agents require: |
| BIKTARVY (bictegravir/emtricitabine/ tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) ^{QL} DOVATO (dolutegravir/lamivudine) ^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla) ^{CL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir) ^{QL, AL} ODEFSEY (emtricitabine/rilpivirine/ tenofovir) ^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir) ^{QL} SYMFI (efavirenz/lamivudine/ tenofovir) ^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir) ^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL} SYMTUZA (dolutegravir/abacavir/ lamivudine) | ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} JULUCA (dolutegravir/rilpivirine) ^{QL} TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP ^{NR} | Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|--|--|
| acarbose (generic for Precose) | miglitol (generic for Glyset) GLYSET (miglitol) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| GLUCAGON-LIKE PEPTIDE-1 RE | CEPTOR AGONIST (GLP-1 RA)CL | GLP-1 RA Criteria |
| OZEMPIC (semaglutide) ^{QL} TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous | ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} BYETTA (exenatide) subcutaneous MOUNJARO (tirazepatide) ^{NR} PEN RYBELSUS (semaglutide) | Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND |
| INSULIN/GLP-1 RA | A COMBINATIONS | Diagnosis of diabetes with HbA1C |
| | SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide) | ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin |
| AMYLIN | ANALOG | Amylin Analog Criteria |
| | SYMLIN (pramlintide) subcutaneous | ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Monitoring of glucose during initiation of therapy |
| DIPEPTIDYL PEPTIDAS | E-4 (DPP-4) INHIBITOR ^{QL} | miliation of therapy |
| JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin) | alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) alogliptin/pioglitazone (generic for Oseni) QTERN (dapagliflozin/saxagliptin) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ^{AL} | DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMULIN OTC PEN HUMULIN 70/30 OTC PEN Insulin aspart (generic for Novolog) insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLIN (insulin) PEN NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL (insulin aspart/aspart protamine) | ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION APIDRA (insulin glulisine) BASAGLAR (insulin glargine, rec) PEN, TEMPO PENNR FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG U-100 TEMPO PENNR HUMALOG (insulin lispro) U-200 KWIKPEN insulin degludec (generic Tresiba)NR 100U/mL PEN, VIAL 200U/mL PEN insulin glargine PEN, VIAL (generic for Semglee-YFGN) LYUMJEV KWIKPEN, TEMPO PENNR, VIAL(insulin lispro-aabc) NOVOLIN (insulin) NOVOLIN 70/30 VIAL(insulin) NOVOLOG MIX (insulin aspart/aspart protamine) VIAL REZVOGLAR (insulin glargine-aglr)NR KWIKPEN SEMGLEE (insulin glargine) PEN, VIAL SEMGLEE YFGN (insulin glargine) PEN, VIAL TOUJEO SOLOSTAR (insulin glargine) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen: Approved for physical reasons – such as dexterity problems and vision impairment Usage must be for self-administration, not only convenience Patient requires >200 units/day Safety reason patient can't use vial/syringe |
| | TRESIBA (insulin degludec) | |

HYPOGLYCEMICS, MEGLITINIDES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|---|--|
| repaglinide (generic for Prandin) | nateglinide (generic for Starlix) ^{CL} repaglinide/metformin (generic for Prandimet) ^{CL} | Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, METFORMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| metformin IR & ER (generic Glucophage/Glucophage XR) | metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL} | Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years |

HYPOGLYCEMICS, SGLT2

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| FARXIGA (dapagliflozin) ^{QL,CL} INVOKAMET (canagliflozin/metformin) ^{QL,CL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{QL,CL} SYNJARDY (empagliflozin/metformin) ^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin) ^{QL,CL} | INVOKAMET XR (canagliflozin/metformin) ^{QL} SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY XR (empagliflozin/metformin) ^{AL,QL} | Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, OR A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, SULFONYLUREAS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase) | chlorpropamide tolazamide tolbutamide | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| SULFONYLUREA | COMBINATIONS | |
| glipizide/metformin glyburide/metformin (generic Glucovance) | | |

HYPOGLYCEMICS, TZD

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------|---|---|
| THIZAOLIDINEDIONES (TZDs) | | Non-preferred agents will be |
| pioglitazone (generic for Actos) | | approved for patients who have failed a trial of THE preferred agent |
| TZD COMI | BINATIONS | within this drug class |
| | pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met) | Combination products: Require clinical reason why individual ingredients cannot be used |

IDIOPATHIC PULMONARY FIBROSIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| OFEV (nintedanib esylate) ^{CL} | ESBRIET (pirfenidone) ^{QL} pirfenidone (generic Esbriet) ^{QL} | Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

IMMUNOMODULATORS, ASTHMA CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| FASENRA (benralizumab) ^{AL} PEN XOLAIR (omalizumab) SYR ^{AL,QL} | NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR TEZSPIRE (tezepelumab-ekko) ^{AL,NR} PEN | Immunomodulators Self-Injectable PA Form All agents require prior authorization AND an FDA-approved diagnosis for approval Non-preferred agents require a trial of a preferred agent within this drug class with the same indication For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist Agents listed may have other FDA approved indications, and will be subject to prior authorization Drug Specific Criteria: Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis therapeutic class) For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid / long acting beta agonist combo |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

IMMUNOMODULATORS, ATOPIC DERMATITIS AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| DUPIXENT (dupilumab)AL,CL PEN,SYR | ADBRY (tralokinumab-ldrm) SUB-Q AL,QL | Immunomodulators Self- |
| ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL} | OPZELURA (ruxolitinib phosphate) CREAM ^{AL,QL} | Injectable PA Form (For Adbry and Dupixent only) |
| out the fit (chaderole) | pimecrolimus (generic for Elidel) | Non-preferred agents require: Trial of a |
| | tacrolimus (generic for Protopic) ^{CL} | topical steroid AND Trial of one preferre product within this drug class |
| | | Drug-specific criteria: • Dupixent: |
| | | Atopic Dermatitis: May be approved after a trial or failure of a topical |
| | | corticosteroid AND a topical calcineurin inhibitor within the previous 24 months. |
| | | Initial approval for 6 months and 12 months thereafter with physician attestation |
| | | 2. Eosinophilic Esophagitis: Trial, failure |
| | | or technique difficulty to a swallowed topical corticosteroid or treatment failure of |
| | | a proton pump inhibitor. Prescribed by, or in consultation with an allergist, |
| | | gastroenterologist, or immunologist. Documentation that the Patient has a |
| | | confirmed diagnosis of eosinophilic |
| | | esophagitis with > 15 eosinophils/high- power field. |
| | | 3. Nasal Polyps : May be approved with documentation of treatment failure or |
| | | contraindication within the previous year tan intranasal corticosteroid OR systemic |
| | | corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation |
| | | with an allergist, pulmonologist, or otolaryngologist [ENT]. Initial approval for months and 12 months thereafter with |
| | | physician attestation |
| | | Prurigo Nodularis: Patient must have diagnosis of Prurigo Nodularis with provice attestation of > 20 nodular lesions. Trial |
| | | and failure of a topical corticosteroid. Prescribed by, or in consultation with an |
| | | allergist, dermatologist, or immunologist. |
| | | Eucrisa: May be approved after a 30 day trial failure of a preferred topical |
| | | corticosteroid (TCS) or topical calcineurin inhibitor (TCI) within the past 180 days; |
| | | Maximum of 300 grams per year |
| | | Opzelura: May be approved for a diagnosis of Atopic Dermatitis and after a tripl/failure of a topical storaid and tripl of |
| | | trial/failure of a topical steroid and trial of preferred agent |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

IMMUNOMODULATORS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|---|---|
| imiquimod (generic for Aldara) | HYFTOR (sirolimus) ^{AL,NR} GEL imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod) | Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used |

IMMUNOSUPPRESSIVES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified CAPS (generic Neoral) everolimus (generic for Zortress) ^{AL} mycophenolate CAPS , TABLET (generic Cellcept) RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TABLET tacrolimus | ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified SOLN (generic Neoral) ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate SUSP (generic Cellcept) mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPS, SOLN sirolimus SOLN, TABLET (generic Rapamune) TAVNEOS (avacopan) ^{QL} CAPS ZORTRESS (everolimus) AL | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

INTRANASAL RHINITIS DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| ANTICHO | LINERGICS | Non-preferred agents will be |
| ipratropium (generic for Atrovent) | | approved for patients who have failed a 30-day trial of ONE preferred |
| ANTIHIS | TAMINES | agent within this drug class |
| azelastine 0.1% (generic for Astelin) | azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL,NR} | Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B) |
| CORTICOSTEROIDS | | Thance: Indicated for treatment of nasal polyps in ≥ 18 years only |
| fluticasone Rx (generic Flonase) | BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) fluticasone OTC (generic Flonase OTC) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) XHANCE (fluticasone) ZETONNA (ciclesonide) | |

LEUKOTRIENE MODIFIERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| montelukast TAB/CHEWABLE (generic for Singulair) ^{AL} | montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton) | Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| clindamycin CAPS clindamycin palmitate SOLN linezolid TAB | CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

LIPOTROPICS, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| BILE ACID SEQUESTRANTS | | Non-preferred agents will be |
| cholestyramine (generic Questran) colestipol TAB (generic Colestid) | colesevelam (generic Welchol) TAB, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin, |
| TREATMENT OF HOMOZYGOUS FA | MILIAL HYPERCHOLESTEROLEMIA | sulfonylurea, or insulin has been |
| | JUXTAPID (lomitapide) ^{CL} | inadequate |
| | KYNAMRO (mipomersen) ^{CL} | Juxtapid®/ Kynamro®: Approved for discressing of |
| EIDDIC ACID | DEDIVATIVES | Approved for diagnosis of homozygous familial |
| | DERIVATIVES | hypercholesterolemia (HoFH) |
| fenofibrate (generic Tricor) | fenofibric acid (generic Fibricor/Trilipix) | OR |
| fenofibrate (generic Lofibra) | fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide) | Treatment failure/maximized dosing/contraindication to ALL |
| gemfibrozil (generic Lopid) | Lipotetii Trigilde) | the following: statins, |
| NIACIN | | ezetimibe, niacin, fibric acid |
| niacin ER (generic Niaspan) | NIACOR (niacin IR) | derivatives, omega-3 agents, bile acid sequestrants |
| | | Require faxed copy of REMS PA form |
| OMEGA-3 F | ATTY ACIDS | |
| omega-3 fatty acids (generic Lovaza) | icosapent (generic Vascepa) ^{CL} | • Vascepa®: Approved for TG ≥ 500 |
| , , | omega-3 OTC | |
| | VASCEPA (icosapent) ^{CL} | |
| | . , , | |
| CHOLESTEROL ABS | ORPTION INHIBITORS | |
| ezetimibe (generic Zetia) | NEXLETOL (bempedoic acid) | |
| | NEXLIZET (bempedoic acid/ ezetimibe) ^{QL} | |
| | | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

LIPOTROPICS, OTHER (Continued)

| Preferred Agents Non-Preferred Agents Prior Authorization/Class Criteria |
|---|
| PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL} REPATHA (evolocumab) ^{CL} Nomozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies NAD Maximized high-intensity statin WITH ezetimibe for at 3 continuous months Failure to reach target LDL-C levels: ASCVD - <70 mg/dL, HeFH - <100 mg/dL Repatha®: Approved for: adult diagnoses of atterozygous familial hypercholesterolemia (HoFH) homozygous familial hypercholesterolemia (HoFH) homozygous familial hypercholesterolemia (HoFH) in age ≥ 13 statin-induce rhabdomyolysis AND Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - <70 mg/dL, HeFH - <100 mg/dL, |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

LIPOTROPICS, STATINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| STATINS | | Non-preferred agents will be |
| atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor) | ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{NR,QL} SUSP EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ZYPITAMAG (pitavastatin) | approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require |
| STATIN COM | MBINATIONS | clinical reason why individual ingredients cannot be used |
| | atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin) | fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin |

MACROLIDES AND KETOLIDES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| MACRO | OLIDES | Non-preferred agents require |
| azithromycin (generic Zithromax) clarithromycin TABLET , SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate) | clarithromycin ER (generic Biaxin XL) E.E.S. TABLET (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TABLET , CAPS | clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

METHOTREXATE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------|---|---|
| methotrexate PF VIAL, TABLET, VIAL | OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN | Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: Xatmep TM :Indicated for pediatric patients only |

MOVEMENT DISORDERS

| FPreferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| AUSTEDO (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS tetrabenazine (generic for Xenazine) ^{CL} | AUSTEDO XR (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL} | All drugs require an FDA approved indication – ICD-10 diagnosis code required. Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. Drug-specific criteria: • Austedo/Austedo XR: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease • Ingrezza: Diagnosis of Tardive Dyskinesia in adults • tetrabenazine: Diagnosis of chorea with Huntington's Disease |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

MULTIPLE SCLEROSIS DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} dimethyl fumarate (generic for Tecfidera) KESIMPTA (Ofatumumab) ^{CL,QL} | AUBAGIO (teriflunomide) ^{QL} BAFIERTAM (monomethyl fumarate) ^{QL} dalfampridine (generic Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} fingolimod (generic Gilenya) ^{NR,QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a) ^{QL} TASCENSO ODT (fingolimod) TAB ^{AL,NR} TECFIDERA (dimethyl fumarate) teriflunomide (generic Aubagio) ^{NR,QL} VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,CL,QL} | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira. |

NITROFURAN DERIVATIVES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| itrofurantoin macrocrystals CAPSULE (generic Macrodantin) itrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid) | nitrofurantoin SUSPENSION (genericFuradantin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NSAIDs, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| diclofenac sodium (generic Voltaren) ibuprofen OTC, Rx (generic fAdvil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS indomethacin CAPS (generic Indocin) ketorolac (generic Toradol) meloxicam TAB (generic Mobic) nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril) | diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) ^{CL} indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Meclomen) mefenamic acid (generic Ponstel) meloxicam CAP (generic Vivlodex) ^{CL, QL} meloxicam SUSP (generic Naprelan) naproxen CR (generic Naprosyn) naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Tolectin) ketorolac NASAL QL (generic Sprix) | Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: meclofenamate: Approvable without trial of preferred agents for menorrhagia Sprix®: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NSAIDs, ORAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------|---|--|
| COX-I SELECT | COX-I SELECTIVE (continued) | |
| | ALL BRAND NAME NSAIDs including: DUEXIS (ibuprofen/famotidine)CL NALFON (fenoprofen) RELAFEN DS (nabumetone) | clinical reason why individual agents can't be used separately |
| NSAID/GI PROTECTA | ANT COMBINATIONS | |
| | diclofenac/misoprostol (generic Arthrotec) | |
| COX-II SE | LECTIVE | |
| celecoxib (generic Celebrex) | | |

NSAIDs, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| diclofenac sodium GEL (OTC only) diclofenac PUMP (generic Pennsaid) ^{CL} | diclofenac SOLN (generic Pennsaid) • FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET , PUMP (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL} | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form. |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| | IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib) THERAPY XELODA (capecitabine) | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera |
| anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex) | BLOCKADE ORSERDU (elacestrant) ^{NR} SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL} | anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer) Fareston®: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved |
| ОТ | NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) QL TUKYSA(tucatinib) QL | for short term use Soltamox: May be approved with documented swallowing difficulty |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| mercaptopurine | PURIXAN (mercaptopurine) ^{AL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation |
| | AML | submitted supporting off-label use from current treatment guidelines |
| | DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{NR,QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} XOSPATA (gilteritinib) ^{QL} | Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used |
| | CLL | - • Melphalan: Requires trial of |
| LEUKERAN (chlorambucil) | COPIKTRA (duvelisib) ^{QL} IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib) | Alkeran or clinical reason Alkeran cannot be used ■ Purixan: Prior authorization not required for age ≤12 or for |
| | CML | documented swallowing disorder Tabloid: Prior authorization not |
| hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan) | BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib) ^{CL} | required for age <19 * Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone |
| | MPN | - |
| | JAKAFI (ruxolitinib) | - |
| M | YELOMA | |
| ALKERAN (melphalan) REVLIMID ^{QL} (lenalidomide) | lenalidomide ^{QL} (generic Revlimid) melphalan (generic Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL} | |
| | OTHER | |
| MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL} | BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---|---|
| | ALK ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| ALK / F | ROS1 / NTRK | |
| | ROZLYTREK (entrectinib) ^{AL,QL} XALKORI (crizotinib) | |
| | EGFR | |
| | erlotinib (generic for Tarceva) EXKIVITY (mobocertinib) ^{QL} gefitinib (generic Iressa) ^{NR} GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL} | |
| | OTHER | |
| | GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) KRAZATI (adagrasib) ^{NR} LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL} | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|---|---|
| temozolomide (generic Temodar) | AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) HEXALEN (altretamine) JAYPIRCA (pirtobrutinib) ^{NR} KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) ^{NR} PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} TRUSELTIQ (infigratinib) CAPS VITRAKVI (larotrectinib) CAPS, SOLN ZEJULA (niraparib) | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

ONCOLOGY AGENTS, ORAL, PROSTATE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex) flutamide | EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} XTANDI (enzalutamide) ^{AL,Q} L YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------|---|---|
| SUTENT (sunitinib) | AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus (generic Afinitor) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) sorafenib (generic Nexavar) sunitinib malate (generic Sutent) VOTRIENT (pazopanib) WELIREG (belzutifan) ^{QL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

ONCOLOGY AGENTS, ORAL, SKIN

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|-----------------------|---|---|---|
| ERIVEDGE (vismodegib) | CELL ODOMZO (sonidegib) ^{CL} | • | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines |
| MEKINIST (trametinib) | BRAFTOVI (encorafenib) | • | Patients undergoing treatment at the time of any preferred status change will be allowed to continue |
| TAFINLAR (dabrafenib) | COTELLIC (cobimetinib) MEKINIST (trametinib) ^{NR} SOLN MEKTOVI (binimetinib) TAFINLAR (dabrafenib) ^{NR} SUSP ZELBORAF (vemurafenib) | | therapy |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine 0.1% (generic Patanol) olopatadine OTC (Pataday once daily) | ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) OTC olopatadine DROPS (generic Pataday) olopatadine OTC (Pataday twice daily) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL} | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTIBIOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| FLUOROQUINOLONES | | Non-preferred agents will be |
| ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox) | BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin) | approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection |
| MACRO | DLIDES | - |
| erythromycin | AZASITE (azithromycin) ^{CL} | |
| AMINOGL | YCOSIDES | |
| gentamicin OINT gentamicin SOLN tobramycin (generic Tobrex drops) | TOBREX OINT (tobramycin) | |
| OTHER OPHTHALMIC AGENTS | | |
| bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim) | bacitracin neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSP, OINT (tobramycin and dexamethasone) | BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSP, OINT (prednisolone/gentamicin) tobramycin/dexamethasone SUSP (generic TobraDex) TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTI-INFLAMMATORIES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| CORTICO | STEROIDS | Non-preferred agents will be |
| fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%) | dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1% | approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent |
| NS. | SAID | _ |
| diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular) | ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic Bromday) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Cr | iteria |
|--|--|--|-------------|
| RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast) | CEQUA (cyclosporine) ^{QL} EYSUVIS (loteprednol etabonate) ^{QL} TYRVAYA (varenicline tartrate) ^{QL} VERKAZIA (cyclosporine emulsion) ^{NR} | Non-preferred agents will approved for patients who failed a trial of ONE prefer agent within this drug clas | have red |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, GLAUCOMA

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| MIO | TICS | Non-preferred agents will be |
| pilocarpine | PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine) | approved for patients who have failed a trial of ONE preferred agen within this drug class Drug-specific criteria: |
| SYMPATHO | MIMETICS | Rhopressa and Rocklatan: |
| Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan) | Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15% | Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days |
| BETA BLO | OCKERS | |
| levobunolol (generic for Betagan) timolol (generic for Timoptic) | betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) | |
| CARBONIC ANHYD | RASE INHIBITORS | |
| dorzolamide (generic for Trusopt) | AZOPT (brinzolamide) brinzolamide (generic Azopt) | |
| PROSTAGLANI | DIN ANALOGS | |
| atanoprost (generic for Xalatan) TRAVATAN Z (travoprost) | bimatoprost (generic Lumigan) tafluprost (generic Zioptan) ^{NR} travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) | |
| COMBINATION | ON DRUGS | |
| COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt) | brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine) | |
| OT | HER | |
| RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL} | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPIOID DEPENDENCE TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/naloxone) | buprenorphine/naloxone FILM LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone) | Buprenorphine PA Form Buprenorphine Informed Consent Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required. |

OPIOID-REVERSAL TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| naloxone SYRINGE, VIAL naltrexone TAB NARCAN (naloxone) SPRAY | KLOXXADO (naloxone) NASAL naloxone SPRAY (generic for Narcan) ZIMHI (naloxone) ^{AL} SYRINGE | Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient |

OTIC ANTI-INFECTIVES & ANESTHETICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|---|--|
| acetic acid (generic for Vosol) | acetic acid/hydrocortisone (generic for Vosol HC) | Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OTIC ANTIBIOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| CIPRO HC (ciprofloxacin/ hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin) | ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| ambrisentan (generic Letairis) REVATIO (sildenafil) ^{CL} SUSP, TAB ^{QL} tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION | ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB LETAIRIS (ambrisentan) LIQREV (sildenafil) ^{NR} SUSP OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil (generic Revatio) ^{CL} SUSP , TAB TADLIQ (tadalafil) ^{NR} SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO DPI (treprostinil) ^{NR} INHALATION POWDER UPTRAVI (selexipag) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: |

PANCREATIC ENZYMES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------|---|---|
| CREON ZENPEP (pancrelipase) | PERTZYE (pancrelipase) VIOKACE (pancrelipase) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

QL – Quantity/Duration Limit

NR - Product was not reviewed - New Drug criteria will apply

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PEDIATRIC VITAMIN PREPARATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| CHILD CHEW + IRON (MULTIVITAMIN WITH IRON) CHEW CHILDREN'S CHEWABLES (PEDI | DEKAs PLUS ^{AL} FLORIVA (PEDI MULTIVIT NO.85/FLUORIDE) CHEW | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| MULTIVIT NO.31/IRON/FOLIC, PEDI MULTIVIT NO.25/FOLIC ACID, | FLORIVA PLUS (PEDI MULTIVIT NO.161/FLUORIDE DROP | Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and |
| PEDI MULTIVIT NO.23/FOLIC ACID) | MULTI-VIT-FLOR (PEDI MULTIVIT NO.205/FLUORIDE) CHEW | does not require a trial of a preferred agent |
| MULTIVIT-FLUOR (PEDI MULTIVIT NO.17 W-FLUORIDE, | POLY-VI-FLOR (PEDI MULTIVIT NO.33/FLUORIDE) CHEW | |
| PEDI MULTIVIT NO.16 W- FLUORIDE) CHEW | POLY-VI-FLOR (PEDI MULTIVIT NO.37 W-FLUORIDE) DROPS | |
| MULTIVIT-FLUOR (PEDI MULTIVIT NO.2 W-FLUORIDE) DROP | POLY-VI-FLOR /0.25mg IRON (PEDI MULTIVIT 37/FLUORIDE/IRON) | |
| MULTIVIT-IRON-FLUOR (PEDI MULTIVIT 45/FLUORIDE/IRON) | POLY-VI-FLOR /0.5mg IRON (PEDI MULTIVIT 33/FLUORIDE/IRON) | |
| PED MVIT A,C,D3 NO.21/FLUORIDE | POLY-VI-SOL (PEDIATRIC MULTIVITAMIN NO.192) DROP | |
| POLY-VI-SOL WITH IRON (PEDI MV NO.189/FERROUS SULFATE) DROPS | POLY-VI-FLOR 0.5 MG (PED MVI NO. 217/Fluoride) GUMMY | |
| TRI-VI-SOL (VIT A PALMITATE/VIT C/VIT D3) DROP S | QUFLORA (PEDI MULTIVIT NO.157/FLUORIDE) GUMMIES | |
| rri-vite-fluoride (PED MVIT | QUFLORA FE (PED MULTIVIT 142/IRON/FLUORIDE) CHEW | |
| A,C,D3 NO.21/FLUORIDE) | QUFLORA FE (PED MULTIVIT 151/IRON/FLUORIDE) DROP | |
| | QUFLORA PED (PEDI MULTIVIT NO.63 W-FLUORIDE) CHEW | |
| | QUFLORA PED (PEDI MULTIVIT 84 WITH FLUORIDE, PEDI MULTIVIT NO.83 W-FLUORIDE) DROP | |
| | TRI-VI-FLOR (PED MVIT A,C,D3 NO.38/FLUORIDE) DROPS | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PENICILLINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|----------------------|--|
| amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK | | Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class |

PHOSPHATE BINDERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| calcium acetate TAB CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate) | AURYXIA (ferric citrate) calcium acetate CAPS ELIPHOS (calcium acetate) lanthanum (generic FOSRENOL) PHOSLO (calcium acetate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months |
| | RENVELA (sevelamer carbonate) PWD PACK sevelamer HCl (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide) | |

PLATELET AGGREGATION INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient) | aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

PRENATAL VITAMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| PUREFE PLUS STUART ONE OTC TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL ULTRA VP-PNV-DHA | CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB OTC ENBRACE HR MULTI-MAC OTC NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PETITE OB COMPLETE PEMIER OB COMPLETE WITH DHA PNV COMBO#47/IRON/FA #1/DHA PNV WITH CA,NO.72/IRON/FA PNV WITH CA,NO.74/IRON/FA OTC PNV119/IRON FUMARATE/FA/DSS PRENATAL + DHA OTC PRENATAL MULTI OTC PRENATAL VIT/FE FUMARATE/FA OTC PRENATE AM PRENATE CHEW TAB PRENATE ESSENTIAL PRENATE ESSENTIAL PRENATE PIXIE PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB + DHA SELECT-OB CHEW TAB TENDERA-OB OTC TRICARE TRINATAL RX 1 TRISTART DHA VITAFOL NANO VITAFOL-OB | Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PROTON PUMP INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) ^{QL} PROTONIX SUSP (pantoprazole) | DEXILANT (dexlansoprazole) dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) RX ^{QL} esomeprazole magnesium (generic Nexium) OTC ^{QL} esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) ^{NR} SUSP lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSP (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES ^{QL} rabeprazole (generic Aciphex) | Non-preferred agents will be approved for patients who have failed an 8-week trial of both preferred omeprazole Rx AND pantoprazole OR Protonix SUSP. Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years of age- Only approve non-preferred for Gl diagnosis if: |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

SEDATIVE HYPNOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| temazepam 15 mg, 30 mg (generic for Restoril) | estazolam (generic for ProSom) temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion) ERS BELSOMRA (suvorexant) AL,QL DAYVIGO (lemborexant) AL,QL doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) HETLIOZ LQ (tasimelteon) SUSP AL,QL QUVIVIQ (daridorexant) ramelteon (generic for Rozerem) tasimelteon (generic for Hetlioz) CL,NR zolpidem NR,QL CAP zolpidem ER (generic for Ambien CR) | Prior Authorization/Class Criteria Benzodiazepines Criteria Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used Others Criteria Non-preferred agents require a trial of TWO preferred agents in the OTHERS sub-category Silenor: Must meet ONE of the following: Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10 mg Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criteria is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg |
| | zolpidem ^{NR,QL} CAP | met) • zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

SICKLE CELL ANEMIA TREATMENT AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL} | OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea) | Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia |

SINUS NODE INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|---|
| | CORLANOR SOLN , TAB (ivabradine) | Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

SKELETAL MUSCLE RELAXANTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) methocarbamol (generic Robaxin) tizanidine TAB (generic Zanaflex) | baclofen (generic for Ozobax) ^{NR,QL} SOLN baclofen (generic Fleqsuvy) ^{NR,QL} SUSP carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{NR,QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB | Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250 mg: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STEROIDS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| LOW Po | OTENCY | Low Potency Non-preferred agents |
| DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT | alclometasone dipropionate (generic for Aclovate) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT TEXACORT (hydrocortisone) | will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| MEDIUM | POTENCY | modium rotorioy rtom protoriou |
| fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon) | betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop) | agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STEROIDS, TOPICAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION | amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) VANOS (fluocinonide) | High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| VERY HIGI clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM, OINT, SOLN halobetasol propionate (generic Ultravate) | APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) AL,QL IMPEKLO (clobetasol) LOTIONAL LEXETTE(halobetasol propionate) AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol) | Very High Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STIMULANTS AND RELATED AGENTS AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|--|
| CNS STI | MULANTS amine type ADZENYS XR (amphetamine) amphetamine ER (generic Adzenys ER) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Procentra®: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| Methylph CONCERTA (methylphenidate ER) ^{QL} 18 mg, 27 mg, 36 mg, 54 mg dexmethylphenidate (generic for Focalin IR) dexmethylphenidate (generic Focalin XR) METHYLIN SOLN (methylphenidate) methylphenidate (generic Ritalin) methylphenidate SOLN (generic | ADHANSIA XR (methylphenidate) QL APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) QL COTEMPLA XR-ODT (methylphenidate) QL DAYTRANA PATCH (methylphenidate) POCALIN IR (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) | ■ Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class ■ Maximum accumulated dose of 108mg per day for ages < 18 ■ Maximum accumulated dose of 72mg per day for ages > 19 Drug-specific criteria: ■ Daytrana®: May be approved in history of substance use disorder by parent, caregiver, or patient. |
| Methylin) QUILLICHEW ER CHEWTAB (methylphenidate) | JORNAY PM (methylphenidate) QL methylphenidate CHEW methylphenidate ER (45 mg and 63 mg) NR,QL methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic Metadate CD) methylphenidate ER 18 mg, 27 mg, 36 mg, 54 mg (generic Concerta) QL methylphenidate ER CAP (generic Aptensio XR) QL methylphenidate ER (generic Metadate ER) | May be approved with documentation of difficulty swallowing ■ QuilliChew ER: May be approved for children ≤ 12 years of age OR with documentation of difficulty swallowing |
| | methylphenidate ER 72 mg (generic RELEXXII) ^{QL} methylphenidate ER (generic Ritalin SR) methylphenidate TD24 ^{AL} PATCH (generic Daytrana) QUILLIVANT XR (methylphenidate) SUSP RELEXXII ER (methylphenidate 45mg and 63mg) ^{AL,NR,QL} TAB RITALIN (methylphenidate) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---|---|
| MISCELLANEOUS | | Note: generic guanfacine IR and clonidine IR are available without prior |
| | clonidine ER (generic Kapvay) ^{QL} STRATTERA (atomoxetine) | authorization |
| ANALER | PTICS | |
| r | armodafinil (generic Nuvigil) ^{CL} modafanil (generic Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL} | armodafinil and Sunosi: Require trial of modafinil armodafinil and modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

TETRACYCLINES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50 mg, 100 mg CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI CAPS, TAB (generic Dynacin/ Minocin/Myrac) | demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40 mg, 75 mg and 150 mg CAP (generic Adoxa/Monodox/ Oracea) minocycline HCl ER (generic Solodyn) NUZYRA (omadacycline) tetracycline XIMINO (minocycline ER) ^{QL} | Non-preferred agents will be approved for patients who have failed a 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty |

THROMBOPOIESIS STIMULATING PROTEINS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|---|---|
| PROMACTA (eltrombopag) TAB | DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib) | All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

THYROID HORMONES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| levothyroxine TAB (generic Synthroid) liothyronine TAB (generic Cytomel) thyroid, pork TAB UNITHROID (levothyroxine) | ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPS (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty |

ULCERATIVE COLITIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| OR | AL | Non-preferred agents will be |
| APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine) | balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) ^{NR} mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used |
| RECTAL | | |
| CANASA (mesalamine) ROWASA (mesalamine) | budesonide (generic Uceris) FOAM NR mesalamine ENEMA (generic Rowasa) mesalamine SUPPOSITORY (generic Canasa) UCERIS (budesonide) | |

June 2023 PDL Highlighted in Red effective June 1, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

UTERINE DISORDER TREATMENT

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|----------------------|---|
| MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL} | | Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive |

VASODILATORS, CORONARY

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| osorbide dinitrate TAB osorbide dinitrate ER, SA TAB (generic Dilatrate-SR/Isordil) osorbide mono IR/SR TAB troglycerin SUBLINGUAL, TRANSDERMAL troglycerin ER TAB | BIDIL (isosorbide dinitrate/ hydralazine) ^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) isosorbide dinitrate/hydralazine (Bidil) ^{CL,NR} NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat) ^{AL,CL,QL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45% |