

DEPT. OF HEALTH AND HUMAN SERVICES



**Jim Pillen, Governor** 

# Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

July 2023 PDL Contains May 2023 P&T Changes Noted in Red Font that Become Effective July 21, 2023

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at <u>https://druglookup.fhsc.com/druglookupweb/?client=nestate</u>.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription
  drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid
  beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment,
  hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is
  required to document good faith effort, including reasons why unable to conduct the check and may
  be required to submit documentation to the State upon request.
  - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a], beginning October 1, 2021.
- **Opioids** The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day (beginning December 1, 2020).

#### Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

- https://nebraska.fhsc.com/priorauth/paforms.asp
  - Immunomodulators Self-Injectable PA Form
  - <u>Buprenorphine Products PA Form</u>
  - <u>Buprenorphine Products Informed Consent</u>
  - Growth Hormone PA Form
  - HAE Treatments PA Form
  - Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **ACNE AGENTS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Adapalene (generic Differin) CREAM, GEL (OTC/RX), GEL PUMP benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic BenzaClin) PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin SOLN erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) <sup>AL</sup> CREAM, GEL		<ul> <li>Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **ALZHEIMER'S AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be approved for patients who have
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine <b>PATCH</b> (generic for Exelon Patch)	ADLARITY (donepezil) <b>PATCH</b> ARICEPT (donepezil) donepezil 23 (generic Aricept 23) <sup>CL</sup> EXELON (rivastigmine) <b>PATCH</b> galantamine (generic Razadyne) <b>SOLN,•</b> <b>TAB</b> galantamine ER (generic Razadyne ER) rivastigmine <b>CAPS</b> (generic Exelon)	failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months <b>OR</b> Current, stabilized therapy of the non-preferred agent within the previous 45 days
	Dr	ug-specific criteria:
NMDA RECEPTO		<b>Donepezil 23:</b> Requires donepezil 10mg/day for at least 3 months
	memantine ER (generic Namenda XR) memantine <b>SOLN</b> (generic Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	AND clinical reason as to why 5m or 10mg tablets can't be used (to deliver 20mg or 25mg)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### ANALGESICS, OPIOID LONG-ACTING

<ul> <li>BUTRANS (buprenorphine)<sup>QL</sup> PATCH fentanyl 25, 50, 75, 100 mcg PATCH morphine ER TABLET (generic MS Contin, Oramorph SR)</li> <li>OXYCONTIN <sup>GL</sup> (aycodone ER) tramadol ER (generic Ultram ER)<sup>GL</sup></li> <li>Duprenorphine SUCCAL (generic for Belbuca) <sup>AL,QL</sup></li> <li>buprenorphine PATCH (generic Butrans)<sup>QL</sup></li> <li>DURAGESIC MATRIX (fentanyl)<sup>QL</sup> fentanyl 37.5, 62.5, 87.5 mcg PATCH QL</li> <li>hydrocodone ER (generic for Exalgo)<sup>QL</sup></li> <li>hydrocodone bitartrate ER (generic for Exalgo)<sup>QL</sup></li> <li>hydrocodone bitartrate ER (generic for Exalgo)<sup>QL</sup></li> <li>hydrocodone ER (generic for Exalgo)<sup>QL</sup></li> <li>HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET <sup>CL</sup> methadone TABLET <sup>CL</sup> MORPHABOND ER (generic for Avinza, Kadian) CAPS</li> <li>NUCYNTA ER (tapentadol)<sup>QL</sup> oxycodone ER (generic Oxycontin) oxymorphone ER (generic Oxycontin) oxymorphone ER (generic ConZip)<sup>CL</sup></li> </ul>	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	fentanyl 25, 50, 75, 100 mcg <b>PATCH</b> <sup>QL</sup> morphine ER <b>TABLET</b> (generic MS Contin, Oramorph SR) OXYCONTIN <sup>CL</sup> (oxycodone ER) tramadol ER (generic Ultram ER) <sup>CL</sup>	<ul> <li>BUCCAL</li> <li>buprenorphine BUCCAL (generic for Belbuca) <sup>AL,QL</sup></li> <li>buprenorphine PATCH (generic Butrans)<sup>QL</sup></li> <li>EMBEDA (morphine sulfate/ naltrexone)</li> <li>DURAGESIC MATRIX (fentanyl)<sup>QL</sup></li> <li>fentanyl 37.5, 62.5, 87.5 mcg PATCH <sup>QL</sup></li> <li>hydrocodone ER (generic for Hysingla ER)<sup>QL</sup></li> <li>hydrocodone bitartrate ER (generic for Zohydro ER)</li> <li>hydromorphone ER (generic for Exalgo)<sup>CL</sup></li> <li>HYSINGLA ER (hydrocodone ER)</li> <li>KADIAN (morphine ER)</li> <li>methadone TABLET <sup>CL</sup></li> <li>morphine ER (generic for Avinza, Kadian) CAPS</li> <li>NUCYNTA ER (tapentadol)<sup>CL</sup></li> <li>oxycodone ER (generic Opana ER)</li> </ul>	<ul> <li>does not recommend long acting opioids when beginning opioid treatment.</li> <li>Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days</li> <li>Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care</li> <li>Oxycontin<sup>®</sup>: Pain contract required for maximum quantity</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# ANALGESICS, OPIOID SHORT-ACTING QL

Preferred Agents Non-F	referred Agents Prior Authorization/Class Criteria
codeine TAB hydrocodone/APAP SOLN, TAB hydrocodone/ibuprofen hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone TAB, SOLN oxycodone/APAP Tramadol 50 TAB <sup>AL</sup> (generic Ultram) Tramadol 50 TAB <sup>AL</sup> (generic Ultram) WALOCET (oxy NUCYNTA (tap oxycodone CO oxymorphone I pentazocine/na PROLATE (oxy SOLN, TAI ROXICODONE ROXYBOND (o SEGLENTIS (ot tramadol 100m tramadol (generic	<ul> <li>aspirin/caffeine</li> <li>LIQUID,</li> <li>ORY (generic Dilaudid)</li> <li>heric Demerol)</li> <li>POSITORIES</li> <li>codone/APAP)</li> <li>entadol)<sup>CL</sup></li> <li>PS</li> <li>NP SOLN</li> <li>NCENTRATE</li> <li>R (generic Opana)</li> <li>oxone</li> <li>codone/APAP)</li> <li>entadol (CL)</li> <li>PS</li> <li>NCENTRATE</li> <li>R (generic Opana)</li> <li>oxone</li> <li>codone/APAP)</li> <li>for opiate naïve patients will consist of</li> <li>prescriptions limited to a 7 day supply, AND</li> <li>initial opiate prescription fill limited to maximum of 50 Morphine</li> <li>Milligram Equivalents (MME) per day</li> <li>These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive</li> <li>codone/APAP)</li> <li>for opiate naïve patients (MME) per day</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	NASAL	
	butorphanol <b>SPRAY</b> <sup>QL</sup> LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL <sup>CL</sup>		Drug-specific criteria: • Abstral®/Actiq®/Fentora®/
	ABSTRAL (fentanyl) <sup>CL</sup> fentanyl <b>TRANSMUCOSAL</b> (generic Actiq) <sup>CL</sup> FENTORA (fentanyl) <sup>CL</sup>	<b>Onsolis (fentanyl):</b> Approved only for diagnosis of cancer AND current use of long-acting opiate

# ANDROGENIC AGENTS (TOPICAL) CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) <b>PUMP</b> <sup>CL</sup>	ANDRODERM (testosterone) <sup>CL</sup> NATESTO (testosterone) <sup>CL</sup> testosterone PACKET (generic Androgel) <sup>CL</sup> testosterone <b>GEL</b> , <b>PACKET</b> , <b>PUMP</b> (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	<ul> <li>Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause</li> <li>In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Androderm®/Androgel®: Approved for Males only</li> <li>Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace) ACE INHIBITOR/DIUR benazepril/HCTZ (generic Lotensin HCT)	IBITORS         captopril (generic Capoten)         EPANED (enalapril) <sup>CL</sup> ORAL SOLN         enalapril (generic for Epaned) <sup>CL</sup> ORAL SOLN         fosinopril (generic Monopril)         moexepril (generic Univasc)         perindopril (generic Aceon)         QBRELIS (lisinopril) <sup>CL</sup> ORAL SOLN         trandolapril (generic Mavik)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> <li>Drug-specific criteria:</li> <li>Epaned<sup>®</sup> and Qbrelis<sup>®</sup> Oral Solution: Clinical reason why oral tablet is not appropriate</li> </ul>
	EPTOR BLOCKERS	-
losartan (generic Cozaar) olmesartan (generic Benicar)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	<ul> <li>failed TWO preferred agents within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul>
	I MODULATOR/ OCKER COMBINATIONS	
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) amlodipine/valsartan/HCTZ (generic Exforge HCT)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	
	N INHIBITORS	<ul> <li>Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:</li> </ul>
	aliskiren (generic Tekturna) <sup>QL</sup>	<ul> <li>May be approved with history of TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers</li> </ul>
DIRECT RENIN INHIBITOR COMBINATIONS		within the last 12 months
	TEKTURNA/HCT (aliskiren/HCTZ)	Drug Specific Criteria
NEPRILYSIN INHIBITOR COMBINATION		• Entresto: May be approved in
ENTRESTO (sacubitril/valsartan) <sup>CL,QL</sup>		patients ages >1 years old and with a diagnosis of heart failure
ANGIOTENSIN RECEPTOR BLOCK	ER/BETA-BLOCKER COMBINATIONS	
	BYVALSON (nevibolol/valsartan)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic for Albenza) BILTRICIDE (praziquantel) ivermectin (generic for Stromectol)	ALBENZA (albendazole) EMVERM (mebendazole) <sup>CL</sup> praziquantel (generic for Biltricide) STROMECTOL (ivermectin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

### ANTI-ALLERGENS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORALAIR (sweet vernal/orchard/rye/ timothy/kentucky blue grass mixed pollen allergen extract) <sup>CL</sup> PALFORZIA (peanut allergen powder- dnfp) <sup>AL,CL</sup>	<ul> <li>Drug-specific criteria:</li> <li>ORALAIR <ul> <li>Confirmed by positive skin test or in vitro testing for pollen-specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.</li> <li>For use in patients 5 through 65 years of age.</li> </ul> </li> <li>PALFORZIA <ul> <li>Confirmed diagnosis of peanut allergy by allergist</li> <li>For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days</li> <li>Initial dose and increase titration doses should be given in a healthcare setting</li> <li>Should not be used in patients with uncontrolled asthma or concurrently on a NSAID</li> </ul> </li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **ANTIBIOTICS, GASTROINTESTINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) <sup>QL</sup> <b>SOLN</b> metronidazole <b>TABLET</b> neomycin tinidazole (generic Tindamax) <sup>CL</sup>	DIFICID (fidaxomicin) <sup>CL</sup> <b>TABLET</b> , <b>SUSP</b> metronidazole <sup>CL</sup> <b>CAPS</b> nitazoxanide (generic Alinia) <b>TABLET</b> <sup>AL, CL, QL</sup> paromomycin SOLOSEC (secnidazole) Vancomycin <b>CAPS</b> (generic Vancocin) <sup>CL</sup> vancomycin (generic Firvanq) <sup>NR,QL</sup> VOWST (fecal microbiota spores) <sup>AL,NR,QL</sup> XIFAXAN (rifaximin) <sup>CL</sup>	<ul> <li>Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization</li> <li>Drug-specific criteria:</li> <li>Alinia<sup>®</sup>: Trial and failure with metronidazole is required for a diagnosis of giardiasis</li> <li>Dificid<sup>®</sup>: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage.</li> <li>Flagyl<sup>®</sup>/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regularrelease cannot be used</li> <li>tinidazole:         <ul> <li>Approvable diagnoses include:</li> <li>Giardia</li> <li>Amebiasis intestinal or liver abscess</li> <li>Bacterial vaginosis or trichomoniasis</li> </ul> </li> <li>vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient</li> <li>Xifaxan<sup>®</sup>: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil<sup>®</sup> AND Imodium<sup>®</sup></li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### ANTIBIOTICS, INHALED CL

Preferred Agents <sup>CL</sup>	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) <sup>QL</sup>	ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) <sup>QL</sup> tobramycin (generic Bethkis)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents</li> <li>ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09</li> </ul>
		<ul> <li>Drug-specific criteria:</li> <li>Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy</li> <li>Cayston<sup>®</sup>: Trial of tobramycin via nebulizer and demonstration of TOBI<sup>®</sup> compliance required</li> <li>Tobi Podhaler<sup>®</sup>: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used</li> </ul>

# **ANTIBIOTICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin <b>OINT</b> bacitracin/polymyxin (generic Polysporin) mupirocin <b>OINT</b> (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin <b>OINT, CREAM</b> mupirocin <b>CREAM</b> (generic Bactroban) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Mupirocin<sup>®</sup> Cream: Clinical reason the ointment cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic Cleocin) CLINDESSE (clindamycin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN <b>CREAM</b> (clindamycin) VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) GEL <sup>AL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months</li> </ul>

### **ANTICOAGULANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg <sup>CL,QL</sup> XARELTO DOSE PACK (rivaroxaban)	dabigatran etexilate (generic Pradaxa) fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) PELLETS SAVAYSA (edoxaban) <sup>CL,QL</sup> XARELTO (rivaroxaban) <sup>CL</sup> SUSP	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Coumadin®: Clinical reason generic warfarin cannot be used</li> <li>Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy</li> <li>Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease</li> <li>Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used.</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNA	CANNABINOIDS	
dronabinol (generic Marinol) <sup>AL</sup>	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) <sup>q∟</sup>	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) <sup>CL</sup> ZUPLENZ (ondansetron)	<ul> <li>Drug-specific criteria:</li> <li>Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist</li> </ul>
NK-1 RECEPTO	R ANTAGONIST	<u>Regimens include</u> : AC combination     (Doxorubicin or Epirubicin with
aprepitant (generic Emend) <b>CAPS</b> QL	AKYNZEO (netupitant/palonosetron) <sup>CL</sup> aprepitant (generic Emend) <b>PACK</b> <b>EMEND (aprepitant) CAPS, PACK,</b> <b>POWDER</b> <sup>QL</sup> VARUBI (rolapitant) <b>TAB</b> <sup>CL</sup>	Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin,
TRADITIONAL	ANTIEMETICS	Epirubicin, Etoposide,
DICLEGIS (doxylamine/pyridoxine) <sup>CL,QL</sup> dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose <b>SOLN</b> (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine <b>SYRUP</b> , <b>TAB</b> (generic Phenergan) promethazine <b>SUPPOSITORY</b> 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine) <sup>,CL,QL</sup> COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) <sup>CL,QL</sup> metoclopramide ODT (generic Metozolv ODT) prochlorperazine <b>SUPPOSITORY</b> (generic Compazine) promethazine <b>SUPPOSITORY</b> 50mg scopolamine <b>TRANSDERMAL</b> trimethobenzamide <b>TAB</b> (generic Tigan)	<ul> <li>Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide</li> <li>Diclegis<sup>®</sup>/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy</li> <li>Metozolv (metoclopramide) ODT<sup>®</sup>: Documentation of inability to swallow or Clinical reason oral liquid cannot be used</li> <li>Sancuso<sup>®</sup>/Zuplenz<sup>®</sup>: Documentation of oral dosage form intolerance</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### ANTIFUNGALS, ORAL

#### Non-Preferred Agents

clotrimazole (mucous membrane, troche) fluconazole **SUSP, TAB** (generic Diflucan) griseofulvin **SUSP** griseofulvin microsized **TAB** nystatin **SUSP, TAB** terbinafine (generic Lamisil)

**Preferred Agents** 

BREXAFEMME (ibrexafungerp)<sup>QL</sup>
 CRESEMBA (isavuconazonium)<sup>CL</sup>
 flucytosine (generic Ancobon)<sup>CL</sup>
 griseofulvin ultramicrosize (generic GRIS-PEG)
 itraconazole (generic Sporanox)<sup>CL</sup>
 ketoconazole (generic Nizoral)
 NOXAFIL (posaconazole)<sup>AL</sup> SUSP,
 TAB
 NOXAFIL (posaconazole)<sup>AL,CL</sup>
 POWDERMIX

#### nystatin **POWDER**

posaconazole (generic Noxafil)<sup>AL,CL</sup> TOLSURA (itraconazole)<sup>CL</sup> VIVJOA (oteseconazole) **CAPS** voriconazole (generic VFEND)<sup>CL</sup>

#### Prior Authorization/Class Criteria

Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class

Drug-specific criteria:

•

- Cresemba<sup>®</sup>: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis
- Flucytosine: Approved for diagnosis of: <u>Candida</u>: Septicemia, endocarditis, UTIs <u>Cryptococcus</u>: Meningitis, pulmonary infections
- Noxafil<sup>®</sup>: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant
- **Noxafil<sup>®</sup> Powdermix:** pediatric patients 2 years of age and older who weigh 40 kg or less
- **Noxafil<sup>®</sup> Suspension:** Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole
- Sporanox<sup>®</sup>/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafineresistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole
- Sporanox<sup>®</sup> Liquid: Clinical reason solid oral cannot be used
- Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole
- Vfend<sup>®</sup>: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis refractory to fluconazole

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **ANTIFUNGALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox <b>CREAM, GEL, SUSP</b> (generic Ciclodan, Loprox) ciclopirox <b>NAIL LACQUER</b> <sup>CL</sup> (generic Peplac)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria: <ul> <li>Extina: Requires trial and failure or contraindication to other ketoconazole forms</li> </ul> </li> <li>Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i></li> <li>ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine</li> </ul>
ANTIFUNGAL/STEF	OID COMBINATIONS	
clotrimazole/betamethasone CREAM	clotrimazole/betamethasone LOTION	
(generic Lotrisone)	(generic Lotrisone)	
nystatin/triamcinolone (generic Mycolog) CREAM, OINT		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine <b>TAB, SOLN (Rx only)</b> (generic Zyrtec) loratadine <b>TAB, SOLN</b> (generic Claritin) levocetirizine <b>TAB</b> (generic Xyzal)	cetirizine <b>CHEWABLE</b> (generic Zyrtec) cetirizine <b>SOLN (OTC)</b> desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) <sup>QL</sup> levocetirizine (generic Xyzal) <b>SOLN</b> loratadine <b>CAPS, CHEWABLE, ODT</b> (generic Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class</li> <li>Combination products not covered         <ul> <li>individual products may be covered</li> </ul> </li> </ul>

### **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clonidine TAB (generic Catapres) clonidine <b>TRANSDERMAL</b> guanfacine (generic Tenex) methyldopa	methyldopa/hydrochlorothiazide	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class</li> <li>clonidine TRANSDERMAL will be authorized during shortage of CATAPRES-TTS</li> </ul>

### ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) MITIGARE (colchicine) probenecid probenecid/colchicine (generic Col- Probenecid)	allopurinol <sup>№</sup> 200mg colchicine <b>TAB</b> (generic Colcrys) <sup>CL</sup> colchicine <b>CAPS</b> (generic Mitigare) febuxostat (generic Uloric) <sup>CL</sup> GLOPERBA <b>SOLN</b> (colchicine) <sup>CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>colchicine tablet<sup>®</sup>: Approved without trial for familial Mediterranean fever OR pericarditis</li> <li>Gloperba: Approved for documented swallowing disorder</li> <li>Uloric<sup>®</sup>: Clinical reason why allopurinol cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **ANTIMIGRAINE AGENTS, OTHER**

**Preferred Agents** 

**Prior Authorization/Class Criteria** 

contraindication to a triptan. For use in preventative treatment, will be approved for patients who have a failed trial of ONE preferred

iniectable CGRP.

#### AIMOVIG (erenumab-aooe) CL,QL AJOVY (fremanezumab-vfrm) CL, QL In addition, all non-preferred • agents will require a failed trial or **PEN**, Autoinjector diclofenac POWDER (generic contraindication of a preferred Cambia) AJOVY (fremanezumab-vfrm) agent of the same indication Autoinjector 3-pack<sup>CL,QL</sup> dihydroergotamine mesylate NASAL EMGALITY 120 mg/mL (galcanezumab- ELYXYB (celecoxib)AL, QL SOLN For Acute Treatment: agents will gnlm) CL, QL PEN, SYRINGE EMGALITY 100 mg (galcanezumabbe approved for patients who have NURTEC ODT (rimegepant)AL, CL, QL anlm) CL,QL SYR a failed trial or a contraindication to a triptan. UBRELVY (ubrogepant)AL,CL, QL TAB MIGERGOT (ergotamine/caffeine) RECTAL For Prophylactic Treatment: Require MIGRANAL (dihydroergotamine) > 4 migraines per month for > 3 NASAL months and has tried and failed a > 1 QULIPTA (atogepant)ALQL month trial of two medications listed in the 2012 American Academy of REYVOW (lasmiditan)AL, CL, QL TAB Neurology/American Headache TRUDHESA (dihydroergotamine Society guidelines (examples include: mesylate)AL,QL NASAL antidepressants (amitriptyline, ZAVZPRET (zavegepant)<sup>AL,NR,QL</sup> venlafaxine), Beta blockers NASAL (propranolol, metroprolol, atenolol), anti-epileptics (valproate, topiramate), ACE (lisinopril) Drug-specific criteria: Emgaility 100mg will only be approved for treatment of Episodic **Cluster Headache** Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or a

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) <sup>QL</sup> sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Sumavel<sup>®</sup> Dosepro: Requires clinical reason sumatriptan injection cannot be used</li> <li>Onzetra, Zembrace: approved for patients who have failed ALL preferred agents</li> </ul>
NA IMITREX (sumatriptan)	SAL ONZETRA XSAIL (sumatriptan)	-
	sumatriptan (generic Imitrex Nasal) TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	
INJEC	TABLE	
sumatriptan <b>KIT, SYRINGE, VIAL</b>	IMITREX (sumatriptan) <b>INJECTION</b> SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

### **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) <b>CREAM</b> , <b>LOTION</b> ivermectin (generic Sklice) <b>LOTION</b> lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL benztropine (generic Cogentin) trihexyphenidyl (generic Artane)	INERGICS	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agents within</li> </ul>
COMT INHIBITORS		- this drug class
	entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar)	<ul> <li>Drug-specific criteria:</li> <li>Carbidopa/Levodopa ODT: Approved for documented swallowing disorder</li> <li>COMT Inhibitors: Approved if using</li> </ul>
DOPAMINE	AGONISTS	as add-on therapy with levodopa- containing drug
pramipexole (generic Mirapex) ropinirole (generic Requip)	bromocriptine (generic Parlodel) ropinirole ER (generic Requip ER) <sup>CL</sup> NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic Mirapex ER) <sup>CL</sup> ropinirole ER (generic Requip XL) <sup>CL</sup>	<ul> <li>Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug</li> <li>Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent</li> <li>Neupro<sup>®</sup>:</li> </ul>
MAO-B IN	HIBITORS	For Parkinsons: Clinical reason required why preferred agent
selegiline <b>CAPS, TABLET</b> (generic Eldepryl)	rasagiline (generic Azilect) <sup>QL</sup> XADAGO (safinamide) ZELAPAR (selegiline) <sup>CL</sup>	cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole
	KINSON'S DRUGS	<ul> <li>Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent</li> </ul>
amantadine <b>CAPS, SYRUP TABLET</b> (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo)	APOKYN (apomorphine) <b>SUB-Q</b> apomorphine (generic Apokyn) <b>SUB-Q</b> carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) DHIVY (carbidopa/levodopa) <sup>QL</sup> DUOPA (carbidopa/levodopa) GOCOVRI (amantadine)QL INBRIJA (levodopa) INHALERCL,QL KYNMOBI (apomorphine)QL, KIT, SUBLINGUAL NOURIANZ (istradefylline)CL,QL OSMOLEX ER (amantadine)QL RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone)	<ul> <li>treatment with carbidopa/levodopa agent</li> <li>Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR</li> <li>Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial</li> <li>Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial</li> <li>Zelapar<sup>®</sup>: Approved for documented swallowing disorder</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria	
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>	

### **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINT, SOLN	calcitriol (generic Vectical) calcipotriene/betamethasone <b>OINT</b> (generic Taclonex) calcipotriene/betamethasone <b>SUSP</b> (generic Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX <b>CREAM</b> (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) VTAMA (tapinarof) <sup>AL,NR</sup> <b>CREAM</b> ZORYVE (roflumilast) <sup>AL,NR</sup> <b>CREAM</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **ANTIVIRALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERP acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	ETIC DRUGS acyclovir (generic for Zovirax) <sup>CL</sup> SUSP SITAVIG (acyclovir buccal) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group</li> </ul>
ANTI-INFLUE oseltamivir (generic Tamiflu) <sup>QL</sup> CAPS, SUSP	rimantadine (generic Flumadine) RELENZA (zanamivir) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup> <b>CAPS,</b> <b>SUSP</b> XOFLUZA (baloxavir marboxil) <sup>AL,CL,QL</sup>	<ul> <li>Drug-specific criteria:</li> <li>Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old</li> <li>Sitavig<sup>®</sup>: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults</li> <li>Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir <b>OINT</b>	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) penciclovir (generic Denavir) XERESE (acyclovir/hydrocortisone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent</li> </ul>

### ANXIOLYTICS

Preferred Agents		Non-Preferred Agents	Prior Authorization/Class Criteria
	alprazolam <b>TABLET</b> (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam <b>TABLET, SOLN</b> (generic for	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam <b>INTENSOL</b> <sup>CL</sup> clorazepate (generic for Tranxene-T) diazepam <b>INTENSOL</b> <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class</li> </ul>
	Valium)	lorazepam ORAL SYRINGE <sup>NR</sup>	Drug-specific criteria:
	lorazepam <b>INTENSOL, TABLET</b> (generic for Ativan)	LOREEV XR (lorazepam) <sup>AL</sup> meprobamate oxazepam	<ul> <li>Diazepam Intensol<sup>®</sup>: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol<sup>®</sup>: Requires trial of diazepam solution OR</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

lorazepam Intensol®

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA BL atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) BYSTOLIC (nebivolol) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	Acebutolol (generic Sectral) betaxolol (generic Kerlone) HEMANGEOL (propranolol) <b>SOLN</b> INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide nebivolol (generic Bystolic) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Coreg CR®: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used</li> </ul> </li> </ul>
BETA- AND ALP		

carvedilol ER <sup>CL</sup> (generic Coreg CR)

labetalol (generic Trandate)		
	ANTIARR	НҮТНМІС
sotalol (generic Betapace)		SOTYLIZE (sotalol)

#### **BILE SALTS**

carvedilol (generic Coreg)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol <b>CAPSULE</b> 300 mg (generic Actigall) ursodiol 250 mg <b>TABLET</b> (generic URSO) ursodiol 500 mg <b>TABLET</b> (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) LIVMARLI (maralixibat) SOLN <sup>AL</sup> OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYRBETRIQ (mirabegron) <sup>AL</sup> <b>TAB</b> Oxybutynin IR, ER (generic Ditropan/Ditropan XL) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) fesoterodine (generic Toviaz) flavoxate HCL GELNIQUE (oxybutynin) GEMTESA (vibegron) <sup>AL,QL</sup> MYRBETRIQ (mirabegron) <b>SUSP</b> <sup>AL,CL,QL</sup> oxybutynin 2.5mg <sup>NR</sup> OXYTROL (oxybutynin) <b>solifenacin (generic Vesicare)</b> tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS <b>SUSP</b> (solifenacin) <sup>AL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)</li> </ul>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### BONE RESORPTION SUPPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSE	PHONATES	Non-preferred agents will be
alendronate (generic Fosamax) <b>TAB</b> ibandronate (generic Boniva) <sup>QL</sup>	alendronate <b>SOLN</b> (generic Fosamax) <sup>QL</sup> ATELVIA DR (risedronate)	approved for patients who have failed a trial of ONE preferred agent within the same group
	BINOSTO (alendronate)	Drug-specific criteria:
	etidronate disodium (generic Didronel) FOSAMAX PLUS D <sup>QL</sup>	<ul> <li>Actonel<sup>®</sup> Combinations: Covered as individual agents without prior authorization</li> </ul>
	risedronate (generic Actonel) <sup>QL</sup>	<ul> <li>Atelvia DR<sup>®</sup>: Requires clinical reason alendronate cannot be taken on an empty stomach</li> </ul>
OTHER BONE RESORPTION SUP	PRESSION AND RELATED DRUGS	• <b>Binosto<sup>®</sup>:</b> Requires clinical reason
calcitonin-salmon NASAL	EVISTA (raloxifene)	<ul> <li>why alendronate tablets OR</li> <li>Fosamax<sup>®</sup> solution cannot be used</li> </ul>
FORTEO (teriparatide) <sup>CL,QL</sup> raloxifene (generic Evista)	teriparatide (generic Forteo) <sup>CL,QL</sup> TYMLOS (abaloparatide)	<ul> <li>Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification</li> </ul>
		Forteo <sup>®</sup> : Covered for high risk of fracture
		High risk of fracture:
		BMD -3 or worse
		<ul> <li>Postmenopausal women with history of non-traumatic fractures</li> </ul>
		<ul> <li>Postmenopausal women with 2 or more clinical risk factors</li> </ul>
		<ul> <li>Family history of non- traumatic fractures</li> </ul>
		<ul> <li>DXA BMD T-score ≤ -2.5 at any site</li> </ul>
		<ul> <li>O Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent</li> </ul>
		• Rheumatoid Arthritis
		<ul> <li>Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors</li> </ul>
		<ul> <li>More than 2 units of alcohol per day</li> </ul>
		<ul> <li>Current smoker</li> </ul>
		<ul> <li>Men with primary or hypogonadal osteoporosis</li> </ul>
		<ul> <li>Osteoporosis associated with sustained systemic glucocorticoid therapy</li> </ul>
		<ul> <li>Trial of calcitonin-salmon not required</li> </ul>
		Maximum of 24 months     treatment per lifetime

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# **BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	Non-preferred agents will be	
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> </ul>
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	<ul> <li>Alfuzosin/dutasteride/finasteride</li> <li>Covered for males only</li> </ul>
dutasteride (generic Avodart) finasteride (generic Proscar)	ENTADEL (finantorida/tadalafil)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALERS PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)	<ul> <li>Short Acting</li> <li>albuterol HFA (generic ProAir HFA, Provention HFA, and Ventolin HFA)</li> <li>levalbuterol HFA (generic Xopenex HFA)</li> <li>PROAIR DIGIHALER (albuterol)</li> <li>PROAIR RESPICLICK (albuterol)</li> <li>S – Long Acting</li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	
INHALAT	ION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	_
albuterol <b>SYRUP</b>	albuterol <b>TAB</b> albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING Dihydropyridines		Non-preferred agents will be     approved for patients who have
	isradipine (generic Dynacirc) nicardipine (generic Cardene)	<ul> <li>failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy</li> <li>Induced Hypertension (PIH)</li> </ul>
Non-dihydi	ropyridines	<ul> <li>Nimodipine: Covered without trial</li> </ul>
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)		<ul> <li>for diagnosis of subarachnoid hemorrhage</li> <li>Katerzia/ Norliqva: May be</li> </ul>
LONG-/	ACTING	approved with documented
Dihydror	oyridines	swallowing difficulty
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) <sup>QL</sup> <b>SUSP</b> levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) <sup>AL,CL,QL</sup> <b>SOLN</b>	
Non-dihydr	ropyridines	
diltiazem ER (generic Cardizem CD) verapamil ER <b>TAB</b>	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER <b>CAPS</b> verapamil 360mg <b>CAPS</b> verapamil ER (generic Verelan PM)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# **CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate <b>TAB, SUSP</b>	amoxicillin/clavulanate <b>CHEWABLE</b> amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) <b>SUSP, TAB</b>	<ul> <li>approved for patients who have failed a 3-day trial of ONE preferred agent within the same group</li> <li>Drug Specific Criteria</li> <li>Cefixime- May be approved</li> </ul>
CEPHALOSPORIN	S – First Generation	for a diagnosis of gonorrhea, with
cefadroxil <b>CAPS, SUSP</b> (generic Duricef) cephalexin <b>CAPS, SUSP</b> (generic Keflex)	cefadroxil <b>TAB</b> (generic Duricef) cephalexin <b>TAB</b>	<ul> <li>an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent</li> <li>Cefpodoxime- May be approved for a diagnosis of pyelonephritis, with an appropriate</li> </ul>
CEPHALOSPORINS -	Second Generation	ICD-10 diagnosis code without a
cefprozil (generic Cefzil) cefuroxime <b>TAB</b> (generic Ceftin)	cefaclor (generic Ceclor) CEFTIN (cefuroxime) <b>TAB, SUSP</b>	3-day trial of a preferred agent
CEPHALOSPORINS – Third Generation		
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS, SUSP cefpodoxime (generic Vantin) SUPRAX (cefixime) CAPS, CHEWABLE TAB, SUSP, TAB	

### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NEUPOGEN (filgrastim) <b>VIAL</b> NYVEPRIA (pegfilgrastim-apgf)	FULPHILA (pegfilgrastim-jmdb) <b>SUB-Q</b> FYLNETRA (pegfilgrastim-pbbk) <sup>NR</sup> GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) <b>SYR</b> NEUPOGEN <b>DISP SYR</b> NIVESTYM (filgrastim-aafi) <b>SYR,VIAL</b> RELEUKO (filgrastim-aafi) <b>SYR,VIAL</b> STIMUFEND (pegfilgrastim-fpgk) <sup>NR</sup> UDENYCA (pegfilgrastim-cbqv) <sup>NR</sup> <b>AUTOINJ</b> UDENYCA (pegfilgrastim-cbqv) <b>SUB-Q</b> ZARXIO (filgrastim-sndz) ZIEXTENZO <b>SYR</b> (pegfilgrastim- bmez)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class
All reviewed agents are recommended preferred at this time <i>Only those products for review are</i> <i>listed.</i> Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent		
Specific agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/drug</u> <u>lookupweb/?client=nestate</u>		

### COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	LERS BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SPIRIVA RESPIMAT (tiotropium) TUDORZA PRESSAIR (aclidinium br)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device.</li> <li>Drug-specific criteria:</li> <li>Daliresp<sup>®</sup>: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one exacerbation in last year upon</li> </ul>
INHALATION albuterol/ipratropium (generic Duoneb) ipratropium SOLN (generic Atrovent)	N SOLUTION LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	initial review
	AGENT DALIRESP (roflumilast) <sup>CL, QL</sup> roflumilast (generic Daliresp) <sup>CL,NR,QL</sup>	-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine <b>LIQUID</b> hydrocodone/homatropine SYRUP promethazine/codeine <b>SYRUP</b> promethazine/phenylephrine/codeine SYRUP	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product</li> <li>All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age</li> </ul>

# **CYSTIC FIBROSIS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) <sup>AL,CL,QL</sup> KALYDECO <b>PACKET, TAB</b> (ivacaftor) <sup>QL, AL</sup> ORKAMBI (lumacaftor/ivacaftor) <b>PACKET, TAB</b> <sup>QL, AL</sup> SYMDEKO (tezacaftor/ivacaftor) <sup>QL, AL</sup> TRIKAFTA(elexacaftor, tezacaftor, ivacaftor) <sup>AL, CL</sup> <b>PACKET</b> <sup>CL,NR</sup> , <b>TAB</b>	<ul> <li>Drug-specific criteria:</li> <li>Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test</li> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.</li> <li>Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL <sup>QL</sup> HUMIRA (adalimumab) <sup>QL</sup> OTEZLA (apremilast) ORAL <sup>CL,QL</sup>	ACTEMRA (tocilizumab) <b>SUB-Q</b> AMJEVITA (adalimumab-atto) <sup>AL,NR</sup> <b>AUTOINJ, SYR</b> ARCALYST (nilonacept) CIBINQO (abrocitinib) <sup>AL,QL</sup> CIMZIA (certolizumab pegol) <sup>QL</sup> ENSPRYNG (satralizumab-mwge) <b>SUB-Q</b> ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) <b>SUB-Q, PEN,</b> <b>SYRINGE</b> KINERET (anakinra) OLUMIANT (baricitinib) <b>TABLET</b> <sup>CL,QL</sup> ORENCIA (abatacept) <b>SUB-Q</b> RINVOQ ER (upadacitinib) <sup>CL,QL</sup> SILIQ (brodalumab) SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) <b>SYRINGE</b> SKYRIZI (risankizamab-rzaa) <sup>QL</sup> SKYRIZI <b>ON-BODY</b> (risankizamab-rzaa) <sup>QL</sup> SOTYKTU (deucravacitinib) <sup>NR</sup> <b>TABLET</b> STELARA (ustekinumab) <b>SUB-Q</b> TALTZ (ixekizumab) <sup>AL</sup> TREMFYA (guselkumab) <sup>QL</sup> XELJANZ (tofacitinib) <b>TABLET,</b> <b>SOLN</b> <sup>CL,QL</sup>	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required.</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approved for diagnosis.</li> <li>JAK-Inhibitors: For FDA approved indication if no preferred agent eresponse to a TNF blocker, documentation of an inadequate response is required.</li> <li>Drug-specific criteria:</li> <li>Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits.</li> <li>Otezla: Requires a trial of Humira</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TAB bumetanide TAB chlorothiazide TAB chlorthalidone TAB (generic Diuril) furosemide SOLN, TAB (generic Lasix) hydrochlorothiazide CAPS, TAB (generic Microzide) indapamide TAB metolazone TAB spironolactone TAB (generic Aldactone) torsemide TAB	IT PRODUCTS CAROSPIR (spironolactone) SUSP eplerenone TAB (generic Inspra) <sup>CL</sup> ethacrynic acid CAPS (generic Edecrin) KERENDIA (finerenone) TAB <sup>CL,QL</sup> THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of <b>TWO</b> preferred agents within this drug class</li> <li><b>Eplerenone</b>: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required.</li> <li><b>Kerendia</b>: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required.</li> </ul>
COMBINATION PRODUCTS		
amiloride/HCTZ <b>TAB</b> spironolactone/HCTZ <b>TAB</b> (generic		
Aldactazide)		

Aldactazide) triamterene/HCTZ **CAPS, TAB** 

(generic Dyazide, Maxzide)

# **ENZYME REPLACEMENT, GAUCHER'S DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) <sup>CL</sup>	CERDELGA (eliglustat) miglustat (generic Zavesca)	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Drug-specific criteria:</li> <li>Zavesca: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option</li> </ul>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### EPINEPHRINE, SELF-INJECTED QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
epinephrine (AUTHORIZED GENERIC	epinephrine (generic for Adrenaclick)	<ul> <li>Non-preferred agents require</li></ul>
Epipen/ Epipen Jr.) <b>AUTOINJ</b>	epinephrine (generic for Epipen/	clinical documentation why the
EPIPEN (epinephrine) <b>AUTOINJ</b>	Epipen Jr.) <b>AUTOINJ</b>	preferred product within this drug
EPIPEN JR. (epinephrine) <b>AUTOINJ</b>	SYMJEPI (epinephrine) <b>PFS</b>	class is not appropriate

### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EPOGEN (rHuEPO) RETACRIT (EPOETIN ALFA- EPBX)	PROCRIT (rHuEPO)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

### FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin <b>TAB</b> (generic Cipro) levofloxacin <b>TAB</b> (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin <b>SUSP</b> (generic Cipro) levofloxacin <b>SOLN</b> moxifloxacin (generic Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea)</li> </ul> </li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **GI MOTILITY, CHRONIC**

AMITIZA (lubiprostone) <sup>AL, QL</sup> LINZESS (linaclotide) <sup>AL, QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup> RELISTOR (methylnaltrexone) SYR RELISTOR (methylnaltrexone) TAB <sup>QL</sup> SYMPROIC (naldemedine) TRULANCE (plecanatide) <sup>QL</sup> VIBERZI (eluxodoline) RELISTOR (methylnaltrexone) TBS with constipation after trial of at least TWO OTC laxatives (sema, bisacody), etc.) Lotronex <sup>®</sup> Covered for diagnosis of IBS Diarhea Predominant type with trial and failure of loperamide AND diphenoxylate Symproic: Covered for diagnosis of so opioid-induced constipation in adults with chronic non-cancer pain after trial on at least TWO OTC laxatives (sema, bisacody), etc.) Symproic: Covered for diagnosis of either chronic idopathic constipation or BS with

### **GLUCAGON AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) <sup>AL,QL</sup> <b>NASAL</b> GLUCAGON EMERGENCY (glucagon) <sup>QL</sup> <b>INJ KIT</b> (Lilly) glucagon <sup>QL</sup> <b>INJ</b> PROGLYCEM (diazoxide) <b>SUSP</b> ZEGALOGUE (dasiglucagon) <sup>AL, QL</sup> AUTO-INJ	diazoxide <b>SUSP</b> (generic Proglycem) GLUCAGON EMERGENCY (glucagon) <sup>QL</sup> <b>INJ KIT</b> (Fresenius) GVOKE (glucagon) <sup>AL,QL</sup> <b>KIT</b> , <b>PEN</b> , <b>SYR</b> , <b>VIAL</b> ZEGALOGUE (dasiglucagon) <sup>AL, QL</sup> <b>SYR</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO ASMANEX (mometasone) <sup>QL,AL</sup> FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	Ţ	<ul> <li>Non-preferred agents within the Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have</li> </ul>
GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) <sup>QL</sup> ADVAIR HFA (fluticasone/salmeterol) <sup>QL</sup> DULERA (mometasone/formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) <sup>AL,QL</sup> BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate) <sup>QL</sup>	failed a trial of two preferred agents within this drug class, within the last 6 months.
SYMBICORT (budesonide/ formoterol)	Budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus) <sup>QL</sup> fluticasone/salmeterol (generic for Advair HFA) <sup>NR,QL</sup> fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta)	
INHALATION	TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) WIXELA INHUB (generic for Advair Diskus) <sup>QL</sup>	-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

# https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC <b>CAPS</b> (generic Entocort EC) dexamethasone <b>ELIXIR, SOLN</b> dexamethasone <b>TAB</b> hydrocortisone <b>TAB</b> methylprednisolone tablet (generic Medrol) prednisolone <b>SOLN</b> prednisolone sodium phosphate prednisone <b>DOSE PAK</b> prednisone <b>TAB</b>	ALKINDI (hydrocortisone) <b>GRANULES<sup>AL</sup></b> CORTEF (hydrocortisone) cortisone <b>TAB</b> dexamethasone <b>INTENSOL</b> EMFLAZA (deflazacort) <b>SUSP, TAB</b> <sup>CL</sup> ENTOCORT EC (budesonide) HEMADY (dexamethasone) methylprednisolone 8mg, 16mg, 32mg ORTIKOS ER (budesonide) <sup>AL,QL</sup> prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate <b>ODT</b> prednisone <b>SOLN</b> prednisone <b>INTENSOL</b> RAYOS DR (prednisone) <b>TAB</b> TARPEYO (budesonide) <b>CAPS</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older</li> <li>Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient</li> <li>Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN)</li> </ul>

#### **GROWTH HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NUTROPIN AQ (somatropin)	OMNITROPE (somatropin)	Growth Hormone Criteria
NORDITROPIN (somatropin)	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	SKYTROFA (lonapegsomatropin-tcgd)	
	SOGROYA (somapacitan-beco) <sup>NR</sup>	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	
	· · · /	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **H. PYLORI TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	<ul> <li>lansoprazole/amoxicillin/clarithromycin (generic Prevpac)<sup>QL</sup></li> <li>OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin)<sup>QL</sup></li> <li>bismuth,metronidazole,tetracycline (generic Pylera)<sup>NR,QL</sup></li> <li>TALICIA (omeprazole/amoxicillin/rifabutin)</li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

# HAE TREATMENTS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS	CINRYZE (C1 esterase inhibitor, human) <sup>AL,CL</sup> INTRAVENOUS	HAE Treatments PA Form
HAEGARDA (C1 esterase inhibitor, human) <sup>AL,CL</sup> <b>SUB-Q</b> icatibant acetate (generic for FIRAZYR) <sup>AL</sup> <b>SUB-Q</b>	FIRAZYR (icatibant acetate) <sup>AL</sup> SUB-Q ORLADEYO (berotralstat) <b>CAP</b> <sup>AL,QL</sup> RUCONEST (recombinant human C1 inhibitor) <sup>AL</sup> INTRAVENOUS TAKHZYRO (lanadelumab-flyo) <sup>AL,CL</sup> VIAL TAKHZYRO (lanadelumab-flyo) <sup>AL,CL</sup> SYRINGE	Non-preferred agents will be
		<ul> <li>Drug-Specific Criteria</li> <li>Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly, and trial and failure or contraindication to oral danazol</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT	FACTOR VIII	
ALPHANATE HUMATE-P NOVOEIGHT NUWIQ XYNTHA <b>KIT, SOLOFUSE</b>	ADVATE ADYNOVATE AFSTYLA ALTUVIIIO <sup>NR</sup> ELOCTATE ESPEROCT HEMOFIL-M JIVI <sup>AL</sup> KOATE-DVI <b>KIT</b> KOATE-DVI <b>VIAL</b> KOGENATE FS KOVALTRY OBIZUR RECOMBINATE	approved for patients who have failed a trial of ONE preferred agent within this drug class
FACT	OR IX	
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROME	IN COMPLEX-PLASMA DERIVED	-
NOVOSEVEN RT	FEIBA NF SEVENFACT <sup>AL</sup>	
	XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
VON WILLEBRAND PRODUCTS		
WILATE	VONVENDI	
	CFACTORS	
HEMLIBRA		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir <b>TAB</b>	adefovir dipivoxil BARACLUDE (entecavir) <b>SOLN,</b> <b>TAB</b> EPIVIR HBV (lamivudine) <b>TAB,</b> <b>SOLN</b> Iamivudine hbv <b>TAB</b> VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug Specific Criteria</li> <li>tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection.</li> <li>See HIV/AIDS class for drug listing and placement</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
sofosbuvir/velpatasvir (generic Epclusa) <sup>CL</sup> MAVYRET (glecaprevir/pibrentasvir) <b>TAB<sup>CL</sup>, PELLET<sup>AL,CL,NR</sup></b> VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) <sup>CL</sup>	HARVONI 200/45MG, <b>TAB</b> (sofosbuvir/ledipasvir) <sup>CL</sup> HARVONI (ledipasvir/sofosbuvir) <sup>CL</sup> <b>PELLET</b> sofosbuvir/ledipasvir (generic Harvoni) <sup>CL</sup> SOVALDI (sofosbuvir) <sup>CL</sup> <b>PELLET</b> SOVALDI (sofosbuvir) <sup>CL</sup> VIEKIRA <b>PAK</b> (ombitasvir/ paritaprevir/ritonavir/dasabuvir) <sup>CL</sup> ZEPATIER (elbasvir/grazoprevir) <sup>CL</sup>	<ul> <li>Hepatitis C Criteria</li> <li>Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient</li> <li>Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor</li> </ul>
		Drug-specific criteria: Trial with with a preferred agent not required in the following: • Harvoni: • Post liver transplant for genotype 1 or 4
RIBA	VIRIN	Vosevi: Requires documentation
ribavirin 200mg CAPSULE, TAB		of non-response after previous treatment course of Direct Acting
INTERFERON		Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with
PEGASYS (pegylated interferon alfa- 2a) <sup>CL</sup>		compensated cirrhosis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TAB</b> (generic for Pepcid) famotidine <b>SUSP</b>	cimetidine <b>TAB, SOLN<sup>CL</sup></b> (generic Tagamet) nizatidine <b>CAPS</b> (generic for Axid)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# HIV / AIDS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID I	NHIBITOR	All agents require:
	SUNLENCA (lenacapavir) <sup>QL</sup>	<ul> <li>Diagnosis of HIV/AIDS required, OR</li> </ul>
CCR5 ANT	AGONISTS	<ul> <li>Diagnosis of Pre and Post</li> </ul>
SELZENTRY <b>SOLN, TAB</b> (maraviroc)	maraviroc (generic Selzentry)	<ul> <li>Exposure Prophylaxis</li> <li>Non-preferred agents will be</li> </ul>
FUSION I	NHIBITORS	approved for patients who have a diagnosis of HIV/AIDS and patient
FUZEON <b>SUB-Q</b> (enfuvirtide) <sup>QL</sup>		specific documentation of why the preferred products within this drug
HIV-1 ATTACH		class are not appropriate for patient, including, but not limited
	RUKOBIA ER (fostemsavir) <sup>AL,QL</sup>	to, drug resistance or concomitant conditions not recommended with preferred agents
INTEGRASE STRAND TRAN	NSFER INHIBITORS (INSTIS)	<ul> <li>Patients undergoing treatment at</li> </ul>
ISENTRESS (raltegravir) <sup>QL</sup> ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	the time of any preferred status change will be allowed to continue therapy
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIS)	
EDURANT (rilpivirine) efavirenz CAPS, TABLET (generic Sustiva) INTELENCE (etravirine) <sup>QL</sup> PIFELTRO (doravirine) <sup>QL</sup>	etravirine (generic Intelence) <sup>QL</sup> nevirapine IR, ER (generic Viramune/Viramune XR) basglaSUSTIVA <b>CAPS, TABLET</b> (efavirenz) VIRAMUNE (nevirapine) <b>SUSP</b>	
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIS)	
abacavir <b>SOLN, TABLET</b> (generic Ziagen) EMTRIVA <b>CAPS, SOLN</b> (emtricitabine) lamivudine <b>SOLN, TABLET</b> (generic Epivir) zidovudine <b>CAPS, SYRUP, TABLET</b> (generic Retrovir)	didanosine DR (generic Videx EC) emtricitabine <b>CAPS</b> (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine <b>CAPS</b> (generic Zerit) ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
tenofovir <b>TABLET</b> (generic Viread)	VIREAD (tenofovir) <b>POWDER</b>	
PHARMACOKIN	ETIC ENHANCER	
	TYBOST (cobicistat) <sup>QL</sup>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# HIV / AIDS <sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEAS	SE INHIBITORS	All agents require:
atazanavir <b>CAPS</b> (generic Reyataz) NORVIR (ritonavir) <b>TAB</b>	APTIVUS <b>CAPS</b> , <b>SOLN</b> (tipranavir) CRIXIVAN (indinavir) darunavir (generic Prezista) <sup>AL,NR</sup> <b>TAB</b> fosamprenavir <b>TAB</b> (generic Lexiva) LEXIVA <b>SUSP</b> (fosamprenavir) LEXIVA <b>TAB</b> (fosamprenavir) NORVIR <b>POWDER</b> , <b>SOLN</b> (ritonavir) PREZISTA (darunavir) <b>SUSP</b> , <b>TAB</b> REYATAZ <b>POWDER</b> (atazanavir) ritonavir <b>TAB</b> (generic Norvir) VIRACEPT (nelfinavir)	<ul> <li>Diagnosis of HIV/AIDS required; OR</li> <li>Diagnosis of Pre and Post Exposure Prophylaxis</li> <li>Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
	E INHIBITORS (PIs) or PIs plus INETIC ENHANCER	<ul> <li>All agents require:</li> <li>Diagnosis of HIV/AIDS</li> </ul>
EVOTAZ (atazanavir/cobicistat) <sup>QL</sup> lopinavir/ritonavir <b>SOLN, TAB</b> (generic Kaletra)	KALETRA <b>SOLN</b> (lopinavir/ritonavir) KALETRA <b>TAB</b> (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) <sup>QL</sup>	<ul> <li>required; OR         <ul> <li>Diagnosis of Pre and Post Exposure Prophylaxis</li> </ul> </li> <li>Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
COMBINATION NUCLEOS(T)IDE R	EVERSE TRANSCRIPTASE INHIBITORS	_
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) <sup>QL</sup> DESCOVY (emtricitabine/tenofovir) <sup>QL</sup> emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Combivir)

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# HIV / AIDS <sup>CL</sup> (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODUCTS	– MULTIPLE CLASSES	<ul> <li>All agents require:</li> </ul>
tenofovir) <sup>QL</sup> COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) <sup>QL</sup> DOVATO (dolutegravir/lamivudine) <sup>QL</sup>	RIPLA (efavirenz/emtricitabine/tenofovir) virenz/lamivudine/tenofovir generic for Symfi) <sup>QL</sup> /irenz/lamivudine/tenofovir generic for Symfi Lo) <sup>QL</sup> IUMEQ PD (abacavir, dolutegravir, and lamivudine) <b>SUSP</b>	<ul> <li>Diagnosis of HIV/AIDS required; OR</li> <li>Diagnosis of Pre and Post Exposure Prophylaxis</li> <li>Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

### HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) <sup>CL</sup>	GLP-1 RA Criteria
OZEMPIC (semaglutide) <sup>QL</sup> TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE <b>PEN</b> (exenatide) <sup>QL</sup> BYETTA (exenatide) subcutaneous MOUNJARO (tirazepatide) <b>PEN</b> RYBELSUS (semaglutide)	<ul> <li>Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin <b>OR</b></li> <li>A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required)</li> <li>Non-preferred agents will be approved for patients who have:</li> <li>Failed a trial of TWO preferred agents within GLP-1 RA AND</li> </ul>
INSULIN/GLP-1 R/	A COMBINATIONS	• Diagnosis of diabetes with HbA1C
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	<ul> <li>≥ 7 AND</li> <li>Trial of metformin, or contraindication or intolerance to metformin</li> </ul>
AMYLIN	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Monitoring of glucose during initiation of therapy</li> </ul>
DIPEPTIDYL PEPTIDASI	E-4 (DPP-4) INHIBITOR <sup>QL</sup>	- initiation of therapy
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	<ul> <li>alogliptin (generic for Nesina)</li> <li>alogliptin/metformin (generic for Kazano)</li> <li>GLYXAMBI (empagliflozin/linagliptin)</li> <li>JENTADUETO XR         <ul> <li>(linagliptin/metformin)</li> </ul> </li> <li>KOMBIGLYZE XR         <ul> <li>(saxagliptin/metformin)</li> </ul> </li> <li>ONGLYZA (saxagliptin)</li> <li>alogliptin/pioglitazone (generic for Oseni)</li> <li>QTERN (dapagliflozin/saxagliptin)</li> <li>STEGLUJAN (ertugliflozin/sitagliptin)</li> <li>TRIJARDY XR         <ul> <li>(empagliflozin/linagliptin/metformin)<sup>AL</sup></li> </ul> </li> </ul>	DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
APIDRA (insulin glulisine) SOLOSTAR, VIAL HUMALOG (insulin lispro) U-100	ADMELOG (insulin lispro) <b>PEN, VIAL</b> AFREZZA (regular insulin) <b>INHALATION</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN	BASAGLAR (insulin glargine, rec) <b>PEN, TEMPO PEN<sup>NR</sup></b> FIASP (insulin aspart) <b>CARTRIDGE,</b>	Drug-specific criteria: • Afrezza <sup>®</sup> : Approved for T1DM on
HUMALOG MIX <b>VIAL</b> (insulin lispro/lispro protamine) HUMALOG MIX <b>KWIKPEN</b> (insulin	<b>PEN, VIAL</b> HUMALOG U-100 <b>TEMPO PEN</b> <sup>NR</sup> HUMALOG (insulin lispro) <sup>CL</sup> U-200	long-acting insulin with no current history of smoking or chronic lung disease
lispro/lispro protamine) HUMULIN (insulin) <b>VIAL</b> HUMULIN 70/30 <b>VIAL</b>	<b>KWIKPEN</b> insulin degludec (generic Tresiba) 100U/mL <b>PEN</b> , <b>VIAL</b>	<ul> <li>Humulin<sup>®</sup> R U-500 Kwikpen: May be approved for patients who require &gt;200 units/day</li> </ul>
HUMULIN U-500 <b>VIAL</b> HUMULIN R U-500 <b>KWIKPEN<sup>CL</sup></b> HUMULIN OTC <b>PEN</b>	insulin degludec (generic Tresiba) 200U/mL <b>PEN</b> insulin Glargine-YFGN <b>PEN, VIAL</b>	<ul> <li>Humalog U-200 Pen: May be approved for patients who require</li> </ul>
HUMULIN 70/30 OTC <b>PEN</b> insulin aspart (generic for Novolog)	(generic for Semglee-YFGN) insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen)	> 100 units/day AND using an insulin pump
insulin aspart/insulin aspart protamine <b>PEN, VIAL</b> (generic for Novolog Mix) insulin glargine <b>PEN, VIAL</b>	LYUMJEV <b>KWIKPEN, VIAL</b> (insulin lispro-aabc) LYUMJEV (insulin lispro-aabc)	
insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN LANTUS SOLOSTAR PEN (insulin	TEMPO PEN NOVOLIN (insulin) NOVOLIN 70/30 VIAL(insulin)	
glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL	NOVOLOG MIX (insulin aspart/aspart protamine) <b>VIAL</b>	
NOVOLIN (insulin) <b>PEN</b> NOVOLOG (insulin aspart) <b>CARTRIDGE, FLEXPEN, VIAL</b>	REZVOGLAR (insulin glargine-aglr) <sup>NR</sup> <b>KWIKPEN</b> SEMGLEE (insulin glargine) <b>PEN</b> ,	
NOVOLOG MIX FLEXPEN, VIAL (insulin aspart/aspart protamine)	VIAL SEMGLEE YFGN (insulin glargine) PEN, VIAL	
	TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) <sup>CL</sup> repaglinide/metformin (generic for Prandimet) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control</li> </ul>

### **HYPOGLYCEMICS, METFORMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin <b>SOLN</b> (generic Riomet) RIOMET ER (metformin ER) <sup>AL</sup>	<ul> <li>Metformin ER (generic Fortamet<sup>®</sup>)/Glumetza<sup>®</sup>: Requires clinical reason why generic Glucophage XR<sup>®</sup> cannot be used</li> <li>Metformin solution: Prior authorization not required for age &lt;7 years</li> </ul>

AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **HYPOGLYCEMICS, SGLT2**

**Preferred Agents** 

#### Non-Preferred Agents

#### INPEFA (sotagliflozin)<sup>NR,QL</sup> TAB FARXIGA (dapagliflozin)QL,CL Preferred agents require a diagnosis of Type II diabetes AND a trial and INVOKAMET INVOKAMET XR failure or intolerance to metformin, OR (canagliflozin/metformin)QL, CL (canagliflozin/metformin)QL A diagnosis of ASCVD or Heart INVOKANA (canagliflozin)<sup>CL</sup> SEGLUROMET Failure, or Chronic Kidney Disease (ertugliflozin/metformin) QL associated with a diagnosis of Type II JARDIANCE (empagliflozin)<sup>QL, CL</sup> diabetes (no metformin trial required) STEGLATRO (ertugliflozin)QL **SYNJARDY** (empagliflozin/metformin)AL,CL,QL SYNJARDY XR (empagliflozin/ Non-preferred agents will be metformin)<sup>AL,QL</sup> XIGDUO XR approved for patients who have (dapagliflozin/metformin)QL,CL failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

 May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes

**Prior Authorization/Class Criteria** 

Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
SULFONYLUREA	COMBINATIONS	
glipizide/metformin		
glyburide/metformin (generic Glucovance)		

### HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		<ul> <li>Non-preferred agents will be</li> </ul>
pioglitazone (generic for Actos)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) <sup>CL</sup>	ESBRIET (pirfenidone) <sup>QL</sup> pirfenidone (generic Esbriet) <sup>QL</sup>	<ul> <li>Non-preferred agent requires trial of preferred agent within this drug class</li> <li>FDA approved indication required – ICD-10 diagnosis code</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### IMMUNOMODULATORS, ASTHMA<sup>CL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) <sup>AL</sup> PEN XOLAIR (omalizumab) SYR <sup>AL,QL</sup>	NUCALA (mepolizumab) <sup>AL</sup> AUTO-INJ, SYR TEZSPIRE (tezepelumab- ekko) <sup>AL,NR</sup> PEN	<ul> <li>Immunomodulators Self-Injectable PA <u>Form</u></li> <li>All agents require prior authorization AND an FDA-approved diagnosis for approval</li> <li>Non-preferred agents require a trial of a preferred agent within this drug class with the same indication</li> <li>For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist</li> <li>Agents listed may have other FDA approved indications, and will be subject to prior authorization</li> <li>Drug Specific Criteria:</li> <li>Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis therapeutic class)</li> <li>For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils &gt;/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid + controller OR max- tolerated inhaled corticosteroid / long acting beta agonist combo</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### IMMUNOMODULATORS, ATOPIC DERMATITIS<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DUPIXENT (dupilumab) <sup>AL,CL</sup> PEN,SYR	ADBRY (tralokinumab-ldrm) <b>SUB-Q</b> <sup>AL,QL</sup>	Immunomodulators Self-
ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>CL,QL</sup>	OPZELURA (ruxolitinib phosphate) CREAM <sup>AL,QL</sup>	Injectable PA Form (For Adbry and Dupixent only)
	pimecrolimus (generic for Elidel)	<ul> <li>Non-preferred agents require: Trial of a</li> </ul>
	tacrolimus (generic for Protopic) <sup>CL</sup>	topical steroid AND Trial of one preferred product within this drug class
		Drug-specific criteria: • Dupixent:
		1. Atopic Dermatitis: May be approved after a trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor within the previous 24 months. Initial approval for 6 months and 12 months
		thereafter with physician attestation 2. <b>Eosinophilic Esophagitis</b> : Trial, failure,
		or technique difficulty to a swallowed topical corticosteroid or treatment failure of a proton pump inhibitor. Prescribed by, or
		in consultation with an allergist,
		gastroenterologist, or immunologist. Documentation that the Patient has a confirmed diagnosis of eosinophilic
		esophagitis with > 15 eosinophils/high- power field.
		3. <b>Nasal Polyps</b> : May be approved with documentation of treatment failure or contraindication within the provided year to
		contraindication within the previous year to an intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal
		surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or
		otolaryngologist [ENT]. Initial approval for 6 months and 12 months thereafter with
		physician attestation 4. <b>Prurigo Nodularis</b> : Patient must have a diagnosis of Prurigo Nodularis with provider
		attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an
		allergist, dermatologist, or immunologist. • <b>Eucrisa</b> : May be approved after a 30
		day trial failure of a preferred topical corticosteroid (TCS) or topical calcineurin inhibitor (TCI) within the past 180 days; Maximum of 300 grams per year
		• <b>Opzelura</b> : May be approved for a diagnosis of Atopic Dermatitis and after a trial/failure of a topical steroid and trial of a preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **IMMUNOMODULATORS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) <sup>AL,NR</sup> <b>GEL</b> imiquimod (generic for Zyclara) podofilox (generic for Condylox) VEREGEN (sinecatechins) ZYCLARA (imiquimod)	<ul> <li>Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used</li> </ul>

#### **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) <sup>NR</sup> cyclosporine, modified (generic Neoral) <b>CAPS</b> everolimus (generic for Zortress) <sup>AL</sup> mycophenolate (generic Cellcept) <b>CAPS, TAB</b> RAPAMUNE (sirolimus) <b>SOLN</b> RAPAMUNE (sirolimus) <b>TAB</b> tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) <sup>AL,QL</sup> TAB SANDIMMUNE (cyclosporine) CAPS, SOLN sirolimus (generic Rapamune) SOLN, TAB TAVNEOS (avacopan) <sup>QL</sup> CAPS ZORTRESS (everolimus) <sup>AL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Patients established on existing therapy will be allowed to continue</li> <li>Drug Specific Criteria</li> <li>Tavneos (avacopan)</li> <li>No trial of a preferred agent required with appropriate FDA indications with concurrent use of standard therapy, including glucocorticoids</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **INTRANASAL RHINITIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) <sup>AL,NR</sup>	<ul> <li>Drug-specific criteria:</li> <li>mometasone: Prior authorization NOT required for children ≤ 12 years</li> <li>budesonide: Approved for use in Pregnancy (Pregnancy Category B)</li> <li>Xhance: Indicated for treatment of</li> </ul>
CORTICO	STEROIDS	nasal polyps in $\geq$ 18 years only
fluticasone <b>Rx</b> (generic Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) fluticasone OTC (generic Flonase OTC) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	

### **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast (generic for Singulair) TAB <sup>QL</sup> /CHEWABLE <sup>AL</sup>	montelukast <b>GRANULES</b> (generic Singulair) <sup>CL, AL</sup> zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>montelukast granules: PA not required for age &lt; 2 years</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin <b>CAPS</b> clindamycin palmitate <b>SOLN</b> linezolid <b>TAB</b>	CLEOCIN (clindamycin ) <b>CAPS</b> CLEOCIN PALMITATE (clindamycin) linezolid <b>SUSP</b> SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) <b>SUSP, TAB</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

### LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	<ul> <li>Non-preferred agents will be</li> </ul>
cholestyramine (generic Questran) colestipol <b>TAB</b> (generic Colestid)	colesevelam (generic Welchol) <b>TAB,</b> <b>PACKET</b> colestipol <b>GRANULES</b> (generic Colestid) QUESTRAN LIGHT (cholestyramine)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Colesevelam: Trial not required for diabetes control and monotherapy with metformin,</li> </ul>
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	sulfonylurea, or insulin has been
	JUXTAPID (lomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup>	inadequate ■ Juxtapid <sup>®</sup> / Kynamro <sup>®</sup> : _ ○ Approved for diagnosis of
FIBRIC ACID	DERIVATIVES	homozygous familial
fenofibrate (generic Tricor)	fenofibric acid (generic Fibricor/Trilipix)	hypercholesterolemia (HoFH)
fenofibrate (generic Lofibra)	fenofibrate (generic Antara/Fenoglide/	<ul> <li>Treatment failure/maximized</li> </ul>
gemfibrozil (generic Lopid)	Lipofen/Triglide)	dosing/contraindication to ALL the following: statins,
NIA	CIN	ezetimibe, niacin, fibric acid
niacin ER (generic Niaspan)	NIACOR (niacin IR)	<ul> <li>derivatives, omega-3 agents, bile acid sequestrants</li> <li>Require faxed copy of REMS PA form</li> </ul>
OMEGA-3 F	ATTY ACIDS	
omega-3 fatty acids (generic Lovaza) VASCEPA (icosapent)	icosapent (generic Vascepa) <sup>CL</sup> omega-3 OTC	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe (generic Zetia)	NEXLETOL (bempedoic acid) NEXLIZET (bempedoic acid/ ezetimibe) <sup>QL</sup>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### LIPOTROPICS, OTHER (Continued)

Preferred Agents	Non-Preferred Agents Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SUBTILISIN INHIBITORS	KEXIN TYPE 9 (PCSK9) • Praluent <sup>®</sup> : Approved for diagnoses of:
	A (evolocumab) <sup>CL</sup> <ul> <li>atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> <li>Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies</li> <li>AND</li> <li>Maximized high-intensity statin WITH ezetimibe for at 3 continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> </ul> Repatha®: May be approved for: <ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		<ul> <li>Non-preferred agents will be</li> </ul>
atorvastatin (generic Lipitor) <sup>QL</sup> lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) <sup>CL</sup> ATORVALIQ (atorvastatin) <sup>NR,QL</sup> <b>SUSP</b> EZALLOR SPRINKLE (rosuvastatin) <sup>QL</sup> fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin)	<ul> <li>approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Altoprev<sup>®</sup>: One of the TWO trials must be IR lovastatin</li> </ul>
	ZYPITAMAG (pitavastatin)	Combination products: Require clinical reason why individual
STATIN CON	MBINATIONS atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	<ul> <li>ingredients cannot be used</li> <li>fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

# MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACR	OLIDES	Non-preferred agents require
azithromycin (generic Zithromax) clarithromycin <b>TAB, SUSP</b> (generic Biaxin) E.E.S. <b>SUSP</b> (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. <b>TAB</b> (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate <b>SUSP</b> ERYPED <b>SUSP</b> (erythromycin) ERYTHROCIN (erythromycin) erythromycin base <b>TAB, CAPS</b>	clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate <b>PF VIAL, TABLET, VIAL</b>	RASUVO (methotrexate) <b>SUB-Q</b> REDITREX (methotrexate) <b>SUB-Q</b>	<ul> <li>Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication</li> <li>Drug-specific criteria:</li> <li>Xatmep<sup>™</sup>:Indicated for pediatric patients only</li> </ul>

#### **MOVEMENT DISORDERS**

FPreferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INGREZZA (valbenazine) <sup>AL,CLQL</sup> IN	USTEDO XR (deutetrabenazine) <sup>CL</sup> IGREZZA (valbenazine) <sup>CL</sup> INITIATION PACK ENAZINE (tetrabenazine) <sup>CL</sup>	All drugs require an FDA approved indication – ICD-10 diagnosis code required. Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. Drug-specific criteria: • Austedo/Austedo XR: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease • Ingrezza: Diagnosis of Tardive Dyskinesia in adults • tetrabenazine: Diagnosis of chorea with Huntington's Disease

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **MULTIPLE SCLEROSIS DRUGS**

**Preferred Agents** 

#### Non-Preferred Agents

Prior Authorization/Class Criteria

AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE 20mg (glatiramer) <sup>QL</sup> dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya) <sup>QL</sup> KESIMPTA (Ofatumumab) <sup>CL,QL</sup> teriflunomide (generic Aubagio) <sup>QL</sup>	AUBAGIO (teriflunomide) <sup>QL</sup> BAFIERTAM (monomethyl fumarate) <sup>QL</sup> dalfampridine (generic Ampyra) <sup>QL</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> GILENYA (fingolimod) <sup>QL</sup> glatiramer (generic Copaxone) <sup>QL</sup> MAVENCLAD (cladribine) MAYZENT (siponimod) <sup>QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> PONVORY (ponesimod) REBIF (interferon beta-1a) <sup>QL</sup> TASCENSO ODT (fingolimod) TAB <sup>AL</sup> TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) <sup>QL</sup> ZEPOSIA (ozanimod) <sup>AL,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> <li>Plegridy: Approved for diagnosis of relapsing MS</li> <li>Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class</li> <li>Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.</li> </ul>
--	--	---

### NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals <b>CAPSULE</b> (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals <b>CAPS</b> (generic Macrobid)	nitrofurantoin <b>SUSPENSION</b> (genericFuradantin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of <b>ONE</b> preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
, and the second s	Non-Preferred Agents         ELECTIVE         diclofenac potassium (generic Cataflam, Zipsor)         diclofenac SR (generic Voltaren-XR)         diflunisal (generic Dolobid)         etodolac & SR (generic Lodine/XL)         fenoprofen (generic Nalfon)         flurbiprofen (generic Ansaid)         ibuprofen/famotidine (generic Duexis) <sup>CL</sup> indomethacin ER (generic Indocin)         ketoprofen & ER (generic Orudis)         meclofenamate (generic Meclomen)         mefenamic acid (generic Ponstel)         meloxicam CAP (generic Naprelan)         naproxen CR (generic Naprelan)         naproxen sodium (generic Anaprox)         naproxen-esomeprazole (generic Vimovo)         oxaprozin (generic Daypro)         piroxicam (generic Feldene)         tolmetin (generic Tolectin)	<ul> <li>Prior Authorization/Class Criteria</li> <li>Non-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria: <ul> <li>meclofenamate: Approvable without trial of preferred agents for menorrhagia</li> <li>Sprix<sup>®</sup>: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs</li> </ul> </li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	VE (continued)	All combination agents require a
	ALL BRAND NAME NSAIDs including: DUEXIS (ibuprofen/famotidine)CL NALFON (fenoprofen) RELAFEN DS (nabumetone)	clinical reason why individual agents can't be used separately
NSAID/GI PROTECTANT COMBINATIONS		-
	diclofenac/misoprostol (generic Arthrotec)	
COX-II SELECTIVE		
celecoxib (generic Celebrex)		

#### **NSAIDs, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium <b>GEL (OTC only)</b> diclofenac <b>PUMP</b> (generic Pennsaid) <sup>CL</sup>	diclofenac <b>SOLN</b> (generic Pennsaid) FLECTOR <b>PATCH</b> (diclofenac) <sup>CL</sup> LICART <b>PATCH</b> (diclofenac) <sup>CL</sup> PENNSAID <b>PACKET</b> , <b>PUMP</b> (diclofenac) <sup>CL</sup> VOLTAREN <b>GEL</b> (diclofenac) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, BREAST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
	IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA <b>CO-PACK</b> VERZENIO (abemaciclib)	<ul> <li>require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status</li> </ul>
CHEMOT	THERAPY	change will be allowed to continue
capecitabine (generic Xeloda) cyclophosphamide	XELODA (capecitabine)	therapy Drug-specific critera
HORMONE	BLOCKADE	<ul> <li>anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)</li> <li>Fareston<sup>®</sup>: Require clinical reason why tamoxifen cannot be used</li> <li>letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved</li> </ul>
anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	ORSERDU (elacestrant) <sup>NR</sup> SOLTAMOX <b>SOLN</b> (tamoxifen) <sup>CL</sup> toremifene (generic Fareston) <sup>CL</sup>	
OTHER		for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) <sup>QL</sup> TUKYSA(tucatinib) <sup>QL</sup>	<ul> <li>Soltamox: May be approved with documented swallowing difficulty</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

# **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

AL– Age Limit

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Amercaptopurine	LL PURIXAN (mercaptopurine) <sup>AL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use</li> </ul>
	ML DAURISMO (glasdegib maleate) <sup>QL</sup> IDHIFA (enasidenib) REZLIDHIA (olutasidenib) <sup>NR,QL</sup> RYDAPT (midostaurin) TIBSOVO (ivosidenib) <sup>QL</sup> XOSPATA (gilteritinib) <sup>QL</sup> LL COPIKTRA (duvelisib) <sup>QL</sup> IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax)	<ul> <li>From current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> <li>Drug-specific critera</li> <li>Hydrea®: Requires clinical reason why generic cannot be used</li> <li>Melphalan: Requires trial of Alkeran or clinical reason Alkeran cannot be used</li> <li>Purixan: Prior authorization not</li> </ul>
C hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan)	ZYDELIG (idelalisib) ML BOSULIF (bosutinib) GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib) <sup>CL</sup>	<ul> <li>Furthall. Phot addition/2ation not required for age ≤12 or for documented swallowing disorder</li> <li>Tabloid: Prior authorization not required for age &lt;19</li> <li>Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone</li> </ul>
M	PN	
	JAKAFI (ruxolitinib)	
MYE ALKERAN (melphalan) REVLIMID <sup>QL</sup> (lenalidomide)	LOMA lenalidomide <sup>QL</sup> (generic Revlimid) melphalan (generic Alkeran) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) <sup>CL</sup>	-
	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) <sup>AL</sup>	BRUKINSA (zanubrutinib <sup>QL</sup> CALQUENCE (acalabrutinib) <sup>QL</sup> INREBIC (fedratinib dihydrochloride) <sup>QL</sup> INQOVI (decitabine/cedazuridine) VONJO (pacritinib) <sup>QL</sup> ZOLINZA (vorinostat)	
nless otherwise specified, the listing of a partic L – Prior Authorization / Class Criteria apply	ular brand or generic name includes all dosage fo QL – Quantity/Duration Limit	-

NR - Product was not reviewed - New Drug criteria will apply

Page **62** of **88** 

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

# **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AL	K ALECENSA (alectinib) ALUNBRIG (brigatinib) <sup>QL</sup> LORBRENA (lorlatinib) <sup>QL</sup> ZYKADIA (ceritinib) <b>CAPS, TAB</b>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
ALK / ROS	1 / NTRK	-
	ROZLYTREK (entrectinib) <sup>AL,QL</sup> XALKORI (crizotinib)	-
EGF	R	
	erlotinib (generic for Tarceva) EXKIVITY (mobocertinib) <sup>QL</sup> gefitinib (generic Iressa) <sup>NR</sup> GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) <sup>QL</sup>	-
ОТН	ER	
	GAVRETO (pralsetinib) <sup>QL</sup> HYCAMTIN (topotecan) KRAZATI (adagrasib) <sup>NR</sup> LUMAKRAS (sotrasib) <sup>QL</sup> RETEVMO (selpercatinib) <sup>AL</sup> TABRECTA (capmatinib) <sup>QL</sup> TEPMETKO (tepotinib) <sup>QL</sup>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

# **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AYVAKIT (avapritinib) <sup>AL,QL</sup> BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) HEXALEN (altretamine) JAYPIRCA (pirtobrutinib) <sup>NR</sup> KOSELUGO (selumetinib) <sup>AL</sup> LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) <sup>NR</sup> PEMAZYRE (pemigatinib) <sup>QL</sup> QINLOCK (ripretinib) RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) <sup>AL</sup> TURALIO (pexidartinib) <sup>QL</sup> TRUSELTIQ (infigratinib) <b>CAPS</b> VITRAKVI (larotrectinib) <b>CAPS, SOLN</b> ZEJULA (niraparib)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

# **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) <sup>AL,QL</sup> bicalutamide (generic Casodex) flutamide	EMCYT (estramustine) ERLEADA (apalutamide) <sup>QL</sup> nilutamide (generic Nilandron) NUBEQA (darolutamide) <sup>QL</sup> ORGOVYX (relugolix) <sup>AL</sup> XTANDI (enzalutamide) <sup>AL,Q</sup> L YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) <sup>AL,QL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUTENT (sunitinib)	AFINITOR DISPERZ (everolimus) <sup>CL</sup> CABOMETYX (cabozantinib) everolimus (generic Afinitor) everolimus <b>SUSP</b> (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) sorafenib (generic Nexavar) sunitinib malate (generic Sutent) VOTRIENT (pazopanib) WELIREG (belzutifan) <sup>QL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BASAI ERIVEDGE (vismodegib)	L <b>CELL</b> ODOMZO (sonidegib) <sup>CL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> </ul>
BRAF M	UTATION	<ul> <li>Patients undergoing treatment at</li> </ul>
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) <sup>NR</sup> <b>SOLN</b> MEKTOVI (binimetinib) TAFINLAR (dabrafenib) <sup>NR</sup> <b>SUSP</b> ZELBORAF (vemurafenib)	the time of any preferred status change will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine 0.1% (generic Patanol) olopatadine OTC (Pataday once daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) <b>OTC</b> olopatadine DROPS (generic Pataday) olopatadine OTC (Pataday twice daily) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) <sup>AL</sup>	•	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	<ul> <li>Non-preferred agents will be</li> </ul>
ciprofloxacin <b>SOLN</b> (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	<ul> <li>approved for patients who have failed a one-month trial of TWO preferred agent within this drug class</li> <li>Azasite®: Approval only requires trial of erythromycin</li> <li>Drug-specific criteria:</li> <li>Natacyn<sup>®</sup>: Approved for documented fungal infection</li> </ul>
MACRO	DLIDES	]
erythromycin	AZASITE (azithromycin) <sup>CL</sup>	_
AMINOGL	YCOSIDES	_
gentamicin <b>OINT</b> gentamicin <b>SOLN</b> tobramycin (generic Tobrex drops)	TOBREX <b>OINT</b> (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin neomycin/bacitracin/polymyxin B <b>OINT</b> neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide <b>SOLN</b> (generic Bleph-10) sulfacetamide <b>OINT</b>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX <b>SUSP, OINT</b> (tobramycin and dexamethasone)	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G <b>SUSP, OINT</b> (prednisolone/gentamicin) tobramycin/dexamethasone <b>SUSP</b> (generic TobraDex) TOBRADEX S.T. (tobramycin and dexamethasone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>
	ZYLET (loteprednol, tobramycin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.CL - Prior Authorization / Class Criteria applyQL - Quantity/Duration LimitAL- Age LimitNR - Product was not reviewed - New Drug criteria will apply

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	<ul> <li>Non-preferred agents will be</li> </ul>
fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% <b>SOLN</b> ) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX <b>OINT, GEL</b> (loteprednol) loteprednol <b>GEL</b> (generic Lotemax Gel) loteprednol 0.5% <b>SOLN</b> (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	<ul> <li>approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li><b>NSAID class:</b> Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent</li> </ul>
NS	AID	
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.09% (generic Bromday) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) <sup>QL</sup> EYSUVIS (loteprednol etabonate) <sup>QL</sup> TYRVAYA (varenicline tartrate) <sup>QL</sup> VERKAZIA (cyclosporine emulsion) <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.CL - Prior Authorization / Class Criteria applyQL - Quantity/Duration LimitAL- Age LimitNR - Product was not reviewed - New Drug criteria will apply

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIC	TICS	<ul> <li>Non-preferred agents will be</li> </ul>
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> </ul>
SYMPATHO	MIMETICS	Rhopressa and Rocklatan: Electronically approved for patients
Alphagan P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	Alphagan P (brimonidine 0.1%) apraclonidine (generic for lopidine) brimonidine P 0.15%	<ul> <li>Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days</li> </ul>
BETA BL	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic Azopt)	
PROSTAGLAN		-
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic Lumigan) tafluprost (generic Zioptan) <sup>NR</sup> travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATI	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic for Cosopt)	brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	
ОТ	HER	
RHOPRESSA (netarsudil) <sup>CL</sup> ROCKLATAN (netarsudil and latanoprost) <sup>CL</sup>		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/ naloxone)	buprenorphine/naloxone <b>FILM</b> LUCEMYRA (lofexidine) <sup>CL,QL</sup> ZUBSOLV (buprenorphine/naloxone)	<ul> <li>Buprenorphine PA Form Buprenorphine Informed Consent</li> <li>Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient.</li> <li>Drug-specific criteria:         <ul> <li>Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.</li> </ul> </li> </ul>

### **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone <b>NASAL SPRAY, SYR, VIAL</b> naltrexone <b>TAB</b>	KLOXXADO (naloxone) <b>NASAL</b> NARCAN (naloxone) <b>NASAL SPRAY</b> ZIMHI (naloxone) <sup>AL</sup> <b>SYR</b>	<ul> <li>Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient</li> </ul>

### **OTIC ANTI-INFECTIVES & ANESTHETICS**

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (g	generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/ hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/dexamethasone (generic for CIPRODEX) ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

## PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) <sup>CL</sup> <b>SUSP, TAB<sup>QL</sup></b> tadalafil (generic for Adcirca) <sup>CL</sup> TRACLEER (bosentan) <b>TAB</b> TYVASO (treprostinil) <b>INHALATION</b> VENTAVIS (iloprost) <b>INHALATION</b>	ADEMPAS (riociguat) <sup>CL</sup> ADCIRCA (tadalafil) <sup>CL</sup> bosentan (generic Tracleer) <b>TAB</b> LETAIRIS (ambrisentan) LIQREV (sildenafil) <sup>NR</sup> <b>SUSP</b> OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil (generic Revatio) <sup>CL</sup> <b>SUSP</b> , <b>TAB</b> <b>TADLIQ (tadalafil) SUSP</b> <b>TRACLEER (bosentan) TAB FOR</b> <b>SUSPENSION</b> <b>TYVASO DPI (treprostinil)</b> <b>INHALATION POWDER</b> UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> <li>Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy</li> <li>sildenafil suspension (Liqrev, generic Revatio): Requires clinical reason why preferred Revatio<sup>®</sup> suspension cannot be used</li> </ul>

### PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## **PEDIATRIC VITAMIN PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) <b>OTC CHEW</b> CHILDREN'S MVI-IRON <b>OTC CHEW</b>	DEKAs PLUS <sup>AL</sup> FLORIVA (ped mvi no.85/fluoride) <b>CHEW</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>
(ped mvi no. 91/iron fum) CHILDREN'S CHEWABLES <b>OTC</b> (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf)	FLORIVA PLUS (ped mvi no.161/fluoride) <b>OTC DROP</b> MULTI-VIT-FLOR (ped mvi no.205/fluoride) <b>CHEW</b>	<ul> <li>Drug specific criteria:</li> <li>DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent</li> </ul>
CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron)	POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no. 205/fluoride) <b>CHEW</b>	
FLUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/ fluoride)	POLY-VI-FLOR (ped mvi no.213 w/fluoride) <b>DROPS</b>	
MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) <b>DROPS</b>	POLY-VI-FLOR W/ IRON (ped mvi no. 205/fluoride/iron) <b>CHEW</b> POLY-VI-FLOR W/ IRON (ped mvi no.	
MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron)	214/fluoride/iron) <b>DROP</b> QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no.	
PED MVI NO. 16 w/ FLUORIDE CHEW	83/fluoride)	
PED MVI NO.17 W/ FLUORIDE CHEW POLY-VITAMIN (ped mvi no. 212)	QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) <b>CHEW</b>	
DROPS OTC	QUFLORA (ped mvi no.157/ fluoride) OTC	
TRI-VI-SOL (vit A palmitate/vit C/vit D3) TRI-VITAMIN W/ FLUORIDE (ped mvi A,C, D3 no. 21/fluoride)	TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) <b>DROPS</b>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>

## **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TAB</b> CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate) <b>PWD PACK, TAB</b>	AURYXIA (ferric citrate) calcium acetate <b>CAPS</b> lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCl) RENVELA (sevelamer carbonate) PWD PACK sevelamer HCl (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> </ul>

## PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

#### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

## **PRENATAL VITAMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMPLETENATE CHEW TAB EXPECTA PRENATAL OTC FE C/FA FE C/VIT C/VIT B12/FA OTC MARNATAL-F O-CAL FA PNV2/IRON B-G SUC-P/FA/OMEGA-3 PNV 11-IRON FUM-FOLIC ACID-OM3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA,NO.72/IRON/FA PNV#16/IRON FUM & PS/FA/OM-3 PNV2/IRON B-G SUC-P/FA/OMEGA-3 PRENATAL VIT #76/IRON,CARB/FA PRENATAL VIT MO.78/IRON/FA PRENATAL VIT/FE FUMARATE/FA OTC PUREFE OB PLUS PUREFE PLUS STUART ONE OTC TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL ULTRA	CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB OTC ENBRACE HR MULTI-MAC OTC NATAL PNV (pnv no. 164/iron/folate no.6) <sup>NR</sup> NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE WITH DHA PNV COMBO#47/IRON/FA #1/DHA PNV COMBO#47/IRON/FA #1/DHA PNV WITH CA NO.68/IRON/FA NO. 1/DHA PNV WITH CA,NO.72/IRON/FA OTC PNV 119/IRON FUMARATE/FA/DSS PRENATAL + DHA OTC PRENATAL + DHA OTC PRENATE CHEW TAB PRENATE CHEW TAB PRENATE ELITE PRENATE ENHANCE PRENATE ENHANCE PRENATE ENHANCE PRENATE SSENTIAL PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB + DHA SELECT-OB CHEW TAB TENDERA-OB OTC TRICARE TRINATAL RX 1 TRISTART DHA VITAFOL FE+ VITAFOL-OB VITAFOL-OB VITAFOL-ONE WESTGEL DHA	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

#### **PROTON PUMP INHIBITORS**

**Preferred Agents** 

#### **Non-Preferred Agents**

**Prior Authorization/Class Criteria** 

e e e e e e e e e e e e e e e e e e e	<u> </u>	·
DEXILANT (dexlansoprazole) omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) <sup>QL</sup> PROTONIX SUSP (pantoprazole)	dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) <b>RX</b> <sup>QL</sup> esomeprazole magnesium (generic Nexium) <b>OTC</b> <sup>QL</sup> esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) <sup>NR</sup> <b>SUSP</b> lansoprazole (generic Prevacid) <sup>QL</sup> NEXIUM <b>SUSP</b> (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole <b>GRANULES</b> <sup>QL</sup> rabeprazole (generic Aciphex)	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of preferred Dexilant (dexlansoprazole), omeprazole Rx, AND pantoprazole OR Protonix SUSP.</li> <li>Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions).</li> <li>Drug-specific criteria:</li> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension.</li> <li>Patients ≥ 5 years of age- Only approve non-preferred for GI diagnosis if:         <ul> <li>Child can not swallow whole generic omeprazole capsules OR,</li> <li>Documentation that contents of capsule may not be sprinkled in applesauce</li> </ul> </li> </ul>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temazepam 15 mg, 30 mg (generic for Restoril)	temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion)	<ul> <li>Benzodiazepines Criteria</li> <li>Non-preferred agents require a trial of the preferred benzodiazepine agent</li> <li>temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used</li> <li>Others Criteria</li> <li>Non-preferred agents require a trial</li> </ul>
OTF zaleplon (generic for Sonata) zolpidem (generic for Ambien)	BELSOMRA (suvorexant) <sup>AL,QL</sup> DAYVIGO (lemborexant) <sup>AL,QL</sup> doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) <sup>CL</sup> HETLIOZ LQ (tasimelteon) <b>SUSP</b> <sup>AL,QL</sup> QUVIVIQ (daridorexant) <sup>QL</sup> ramelteon (generic for Rozerem) tasimelteon (generic for Hetlioz) <sup>CL,NR</sup> zolpidem <sup>NR,QL</sup> <b>CAP</b> zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo)	<ul> <li>Non-protective agents require a that of TWO preferred agents in the OTHERS sub-category</li> <li>Silenor: Must meet ONE of the following:         <ul> <li>Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category</li> <li>Medical necessity for doxepin dose &lt; 10 mg</li> <li>Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criteria is met)</li> </ul> </li> <li>zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg</li> <li>zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder</li> </ul>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) <sup>CL</sup>	OXBRYTA (voxelotor) <sup>CL</sup> SIKLOS (hydroxyurea)	<ul> <li>Drug-Specific Criteria</li> <li>Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage.</li> <li>Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy</li> <li>Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia</li> </ul>

# SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR <b>SOLN, TAB</b> (ivabradine)	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

N

## SKELETAL MUSCLE RELAXANTS

**Preferred Agents** 

on-Pref	erred	Agents
	eneu	Agenta

baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril)<sup>QL</sup> methocarbamol (generic Robaxin) tizanidine **TAB** (generic Zanaflex) baclofen (generic for Ozobax)<sup>QL</sup> SOLN
 baclofen (generic Fleqsuvy)<sup>NR,QL</sup>SUSP
 carisoprodol (generic Soma)<sup>CL,QL</sup>
 carisoprodol compound
 cyclobenzaprine ER (generic Amrix)<sup>CL</sup>
 dantrolene (generic Dantrium)
 FEXMID (cyclobenzaprine ER)
 FLEQSUVY (baclofen)<sup>QL</sup> SUSP
 LORZONE (chlorzoxazone)<sup>CL</sup>

#### LYVISPAH (baclofen)<sup>QL</sup> **GRANULES**

metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine **CAPS** ZANAFLEX (tizanidine) **CAPS, TAB**  Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class

**Prior Authorization/Class Criteria** 

Drug-specific criteria:

- cyclobenzaprine ER:
  - Requires clinical reason why IR cannot be used
  - Approved only for acute muscle spasms
  - NOT approved for chronic use
- carisoprodol:
  - Approved for Acute, musculoskeletal pain - NOT for chronic pain
  - Use is limited to no more than 30 days
  - Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy
- Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury
- Lorzone<sup>®</sup>: Requires clinical reason why chlorzoxazone cannot be used
- Soma<sup>®</sup> 250 mg: Requires clinical reason why 350 mg generic strength cannot be used
- Zanaflex<sup>®</sup> Capsules: Requires clinical reason generic cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW POTENCY		Low Potency Non-preferred agents
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX <b>CREAM</b> , <b>LOTION, OINT (Rx only)</b> hydrocortisone/aloe <b>OINT</b>	<ul> <li>alclometasone dipropionate (generic for Aclovate)</li> <li>DESONATE (desonide) GEL</li> <li>desonide LOTION (generic for Desowen)</li> <li>desonide CREAM, OINT (generic Desowen, Tridesilon)</li> <li>fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS)</li> <li>hydrocortisone/aloe CREAM</li> <li>hydrocortisone OTC OINT</li> <li>TEXACORT (hydrocortisone)</li> </ul>	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	<ul> <li>Medium Potency Non-preferred</li> </ul>
MEDIUM fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	POTENCY         betamethasone valerate (generic for Luxiq)         clocortolone (generic for Cloderm)         fluocinolone acetonide (generic for Synalar)         flurandrenolide (generic for Cordran)         fluticasone propionate LOTION         (generic for Cutivate)         hydrocortisone butyrate (generic for Locoid)         hydrocortisone butyrate/emoll (generic for Locoid Lipocream)         hydrocortisone valerate (generic for Westcort)         PANDEL (hydrocortisone probutate 0.1%)         prednicarbate (generic for Dermatop)	<ul> <li>Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## **STEROIDS, TOPICAL (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIGI	H POTENCY	<ul> <li>Very High Potency Non-preferred</li> </ul>
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM, OINT, SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) <sup>AL,QL</sup> IMPEKLO (clobetasol) LOTION <sup>AL</sup> LEXETTE(halobetasol propionate) <sup>AL,QL</sup> OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## STIMULANTS AND RELATED AGENTS AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
Ampheta	mine type	failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR VYVANSE (lisdexamfetamine) <sup>QL</sup> CAPS, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic Adzenys ER) SUSP amphetamine salt combination ER (generic for Adderall XR) amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine SOLN (generic Procentra) dextroamphetamine ER (generic for Dexedrine ER) DYANAVEL XR (amphetamine) <sup>QL</sup> EVEKEO ODT (amphetamine sulfate) MYDAYIS (amphetamine salt combo) <sup>QL</sup> methamphetamine (generic for Desoxyn) XELSTRYM (detroamphetamine) <sup>AL,NR,QL</sup> PATCH ZENZEDI (dextroamphetamine)	<ul> <li>agent within this drug class</li> <li>Drug-specific criteria: <ul> <li>Procentra®: May be approved with documentation of swallowing disorder</li> <li>Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used</li> </ul> </li> </ul>

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# STIMULANTS AND RELATED ADHD DRUGS (Continued)<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylpl	nenidate type	<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
CONCERTA (methylphenidate ER) <sup>QL</sup> 18 mg, 27 mg, 36 mg, 54 mg dexmethylphenidate (generic for Focalin IR) dexmethylphenidate (generic Focalin XR) METHYLIN <b>SOLN</b> (methylphenidate) methylphenidate (generic Ritalin) methylphenidate <b>SOLN</b> (generic Methylin) QUILLICHEW ER <b>CHEWTAB</b> (methylphenidate)	ADHANSIA XR (methylphenidate) <sup>QL</sup> APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) <sup>QL</sup> COTEMPLA XR-ODT (methylphenidate) <sup>QL</sup> DAYTRANA <b>PATCH</b> (methylphenidate) <sup>QL</sup> FOCALIN IR (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate) <sup>QL</sup> methylphenidate CHEW methylphenidate ER (45 mg and 63 mg) <sup>NR,QL</sup> methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic Metadate CD) methylphenidate ER 18 mg, 27 mg, 36 mg, 54 mg (generic Concerta) <sup>QL</sup> methylphenidate ER CAP (generic Aptensio XR) <sup>QL</sup> methylphenidate ER (generic Metadate ER) methylphenidate ER 72 mg (generic RELEXXII) <sup>QL</sup> methylphenidate ER (generic Ritalin SR) methylphenidate TD24 <sup>AL</sup> PATCH (generic Daytrana) QUILLIVANT XR (methylphenidate 45mg and 63mg) <sup>AL,NR,QL</sup> TAB RITALIN (methylphenidate)	<ul> <li>approved for patients with nave failed a trial of TWO preferred agents within this drug class</li> <li>Maximum accumulated dose of 108mg per day for ages &lt; 18</li> <li>Maximum accumulated dose of 72mg per day for ages &gt; 19</li> <li>Drug-specific criteria: <ul> <li>Daytrana®: May be approved in history of substance use disorder by parent, caregiver, or patient. May be approved with documentation of difficulty swallowing</li> <li>QuilliChew ER: May be approved for children ≤ 12 years of age OR with documentation of difficulty swallowing</li> </ul> </li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

#### July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

# STIMULANTS AND RELATED ADHD DRUGS (Continued)<sup>AL</sup>

	· · · · ·	
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and clonidine IR are available without prior
atomoxetine (generic Strattera) <sup>QL</sup> guanfacine ER (generic Intuniv) <sup>QL</sup> QELBREE (viloxazine) <sup>QL</sup>	clonidine ER (generic Kapvay) <sup>QL</sup> STRATTERA (atomoxetine)	authorization
ANAL	EPTICS	
	armodafinil (generic Nuvigil) <sup>CL</sup> modafanil (generic Provigil) <sup>CL</sup> SUNOSI (solriamfetol) <sup>CL,QL</sup> WAKIX (pitolisant) <sup>CL,QL</sup>	<ul> <li>Drug-specific criteria:</li> <li>armodafinil and Sunosi: Require trial of modafinil</li> <li>armodafinil and modafinil: approved only for: <ul> <li>Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> <li>Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift</li> </ul> </li> <li>Sunosi approved only for: <ul> <li>Sleep Apnea with documentation via sleep study</li> <li>Sleep Apnea with use the all night shift</li> </ul> </li> <li>Sunosi approved only for: <ul> <li>Sleep Apnea with documentation via sleep study and documentation via sleep study and documentation that C-PAP has been maxed</li> <li>Narcolepsy with documentation of diagnosis via sleep study</li> </ul> </li> <li>Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of diagnosis via sleep study</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

### https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## TETRACYCLINES

**Preferred Agents** 

#### Non-Preferred Agents

#### **Prior Authorization/Class Criteria**

doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate <b>50MG</b> , <b>100MG CAPS</b> doxycycline monohydrate <b>SUSP, TAB</b> (generic Vibramycin) minocycline HCI <b>CAPS</b> (generic Dynacin/ Minocin/Myrac)	<ul> <li>demeclocycline (generic Declomycin)<sup>CL</sup></li> <li>DORYX MPC DR (doxycycline pelletized)</li> <li>doxycycline hyclate DR (generic Doryx)</li> <li>doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea)</li> <li>minocycline HCI TAB (generic Dynacin/Myrac)</li> <li>minocycline HCI ER (generic Solodyn)</li> <li>NUZYRA (omadacycline)</li> <li>tetracycline</li> <li>VIBRAMYCIN SUSP (doxycycline)</li> <li>XIMINO (minocycline ER)<sup>QL</sup></li> </ul>	<ul> <li>Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>doxycycline suspension: May be approved with documented swallowing difficulty</li> </ul>

# THROMBOPOIESIS STIMULATING PROTEINS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) <b>TAB</b>	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) <b>SUSP</b> TAVALISSE (fostamatinib)	<ul> <li>All agents will be approved with FDA-approved indication, ICD-10 code is required.</li> <li>Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication.</li> <li>Drug-Specific Criteria</li> <li>Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

## https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TAB</b> (generic Synthroid) liothyronine <b>TAB</b> (generic Cytomel) thyroid, pork <b>TAB</b> UNITHROID (levothyroxine)	ERMEZA (levothyroxine) <b>SOLN</b> EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine <b>CAPS</b> (generic Tirosint) THYQUIDITY (levothyroxine) <b>SOLN</b> TIROSINT <b>CAPS</b> (levothyroxine) TIROSINT-SOL <b>LIQUID</b> (levothyroxine) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Tirosint-Sol: May be approved with documented swallowing difficulty</li> </ul>

## **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	<ul> <li>Non-preferred agents will be</li> </ul>
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Asacol HD<sup>®</sup>/Delzicol DR<sup>®</sup>/ Pentasa<sup>®</sup>: Requires clinical reason why preferred mesalamine products cannot be used</li> </ul>
REC	TAL	
Sulfite-Free ROWASA (mesalamine) mesalamine <b>SUPPOSITORY</b> (generic Canasa)	CANASA (mesalamine) mesalamine ENEMA (generic Rowasa) ROWASA (mesalamine) UCERIS (budesonide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL with May 2023 P&T Changes Highlighted in Red that become effective July 21, 2023

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

## UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) <sup>AL, CL,QL</sup> ORIAHNN (elagolix/ estradiol/ norethindrone) <sup>AL,CL</sup> ORILISSA (elagolix sodium) <sup>QL,CL</sup>		<ul> <li>Drug-specific criteria:</li> <li>Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive         <ul> <li>Total duration of treatment is max of 24 months</li> </ul> </li> </ul>

# VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BIDIL (isosorbide dinitrate/ hydralazine) <sup>CL</sup> isosorbide dinitrate <b>TAB</b> isosorbide dinitrate ER, SA <b>TAB</b> (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR <b>TAB</b> nitroglycerin <b>SUBLINGUAL</b> , <b>TRANSDERMAL</b> nitroglycerin ER <b>TAB</b>	GONITRO (nitroglycerin) isosorbide dinitrate <b>TAB (Oceanside</b> <b>Pharm MFR only)</b> isosorbide dinitrate/hydralazine (Bidil) <sup>CL</sup> NITRO-BID <b>OINT</b> (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic Nitrolingual) VERQUVO (vericiguat) <sup>AL,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients</li> <li>Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit