



DEPT. OF HEALTH AND HUMAN SERVICES

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

February 2024 PDL

Noted in Red Font that Become Effective February 1, 2024

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at https://ne.magellanrx.com/drug-lookup.

- **PDMP Check Requirements** Nebraska Medicaid providers are required to check the prescription drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment, hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is required to document good faith effort, including reasons why unable to conduct the check and may be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a], beginning October 1, 2021.
- **Opioids** The maximum opioid dose covered will decrease from 120 Morphine Milligram Equivalents (MME) per day to 90 Morphine Milligram Equivalents (MME) per day (beginning December 1, 2020).

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- <u>Immunomodulators Self-Injectable PA Form</u>
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ACNE AGENTS, TOPICAL

ACNE AGENTS, TOPICAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
adapalene (generic Differin) CREAM, GEL (OTC/Rx), GEL PUMP benzoyl peroxide (BPO) WASH, LOTION clindamycin/BPO (generic BenzaClin) PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene/BPO (generic Epiduo) adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePro) benzoyl peroxide GEL OTC benzoyl peroxide GEL Rx benzoyl peroxide TOWELETTE OTC CABTREO (clindamycin phosphate/BPO/adapalene) ^{AL,NR} GEL clindamycin FOAM, LOTION clindamycin GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO (generic Duac) clindamycin/BPO PUMP(generic Onexton) ^{AL,NR} clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) erythromycin-BPO (generic for Benzamycin) EVOCLIN (clindamycin)	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ACNE AGENTS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	FABIOR (tazarotene foam) NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur SUMADAN (sulfacetamide/sulfur) tazarotene CREAM (generic Tazorac) tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin CREAM, GELAL (generic Avita, Retin-A) tretinoin microspheres (generic for Retin-A Micro) AL GEL, GEL PUMP WINLEVI (clascoterone)	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be approved for patients who have
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch)	ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN, TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon)	failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
	D	rug-specific criteria:
NMDA RECEPTOR ANTAGONIST		Donepezil 23: Requires donepezil 10mg/day for at least 3 months
	memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) QL PATCH fentanyl 25, 50, 75, 100 mcg PATCH QL morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN CL (oxycodone ER) tramadol ER (generic Ultram ER) CL XTAMPZA (oxycodone) ER	BELBUCA (buprenorphine) QL BUCCAL buprenorphine BUCCAL (generic for Belbuca) AL,QL buprenorphine PATCH (generic Butrans)QL EMBEDA (morphine sulfate/naltrexone) DURAGESIC MATRIX (fentanyl)QL fentanyl 37.5, 62.5, 87.5 mcg PATCHQL hydrocodone ER (generic for Hysingla ER)QL hydrocodone bitartrate ER (generic for Zohydro ER) hydromorphone ER (generic for Exalgo)CL HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET CL methadone ORAL SYR CL MORPHABOND ER (morphine sulfate) morphine ER (generic for Avinza, Kadian) CAPS NUCYNTA ER (tapentadol)CL oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic ConZip) CL	The Center for Disease Control (CDC) does not recommend long acting opioids when beginning opioid treatment. • Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days • Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: • Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care • Oxycontin®: Pain contract required for maximum quantity authorization

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANALGESICS, OPIOID SHORT-ACTING QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetaminophen/codeine ELIXIR, TAB codeine TAB hydrocodone/APAP SOLN, TAB hydrocodone/ibuprofen hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone/APAP Tramadol 50 TABAL (generic Ultram)	APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz· ^{CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/aspirin/caffeine hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} oxycodone CAPS oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone PROLATE (oxycodone/APAP) SOLN,TAB	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the las 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Beginning Oct. 11, 2018: Opiate limits for opiate naïve patients will consist of -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NASAL		
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	
BUCCAL/TRANSMUCOSAL ^{CL}		Drug-specific criteria: - Abstral®/Actiq®/Fentora®/
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	Onsolis (fentanyl): Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (TOPICAL) CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP ^{CL} estosterone PUMP (generic Androgel) ^{CL}	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual — gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males or with diagnosis of: Primary hypogonadism (congenital or acquired)

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ACE IN benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace) ACE INHIBITOR/DIUI benazepril/HCTZ (generic Lotensin HCT) enalapril/HCTZ (generic Vaseretic) lisinopril/HCTZ (generic Prinzide, Zestoretic)	captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN trandolapril (generic Mavik) RETIC COMBINATIONS captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned® and Qbrelis® Oral Solution: Clinical reason why oral tablet is not appropriate
ANGIOTENSIN RE- irbesartan (generic Avapro) losartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	 failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization
	MODULATOR/ OCKER COMBINATIONS	
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) amlodipine/valsartan/HCTZ (generic Exforge HCT)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	
DIRECT RENI	N INHIBITORS	
	aliskiren (generic Tekturna) ^{QL}	
DIRECT RENIN INHIB	ITOR COMBINATIONS	
	TEKTURNA/HCT (aliskiren/HCTZ)	Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
NEPRILYSIN INHIBI	TOR COMBINATION	May be approved witha history of TWO preferred ACE Inhibitors or
ENTRESTO (sacubitril/valsartan) ^{CL,QL}		Angiotensin Receptor Blockers within the last 12 months
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	During Chapitia Critaria
	BYVALSON (nevibolol/valsartan)	 Drug Specific Criteria Entresto: May be approved in patients ages >1 years old and with a diagnosis of heart failure

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol)	EMVERM (mebendazole) ^{CL} praziquantel (generic Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months
		Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTI-ALLERGENS, ORAL

ANTI-ALLERGENS, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	GRASTEK (timothy grass pollen allergen) AL,QL ODACTRA (Dermatophagoides farinae and Dermatophagoides pteronyssinus)AL,QL ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)CL PALFORZIA (peanut allergen powderdnfp) AL,QL RAGWITEK (weed pollen-short ragweed)AL,QL	All agents require initial dose to be given in a healthcare setting Drug-specific criteria: GRASTEK Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens. For use in persons 5 through 65 years of age. ODACTRA Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite For use in persons 12 through 65 years of age ORALAIR Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 5 through 65 years of age. PALFORZIA Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or concurrently on a NSAID RAGWITEK Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen. For use in patients 5 through 65 years of age.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) ^{QL} SOLN metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL}	DIFICID (fidaxomicin) CL TABLET, SUSP LIKMEZ (metronidazole) NR SUSP metronidazole CL CAPS nitazoxanide	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia®: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl®/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regular release cannot be used tinidazole: Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan®: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil® AND Imodium®

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIBIOTICS, INHALED $^{\text{CL}}$

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) QL	Non-Preferred Agents ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) tobramycin (generic Bethkis)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or
		documentation why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINT bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin® Cream: Clinical reason the ointment cannot be used

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN CREAM (clindamycin) VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) GEL AL	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ELIQUIS (apixaban) enoxaparin (generic Lovenox) PRADAXA CAP (dabigatran) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	dabigatran etexilate (generic Pradaxa) fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) PELLETS SAVAYSA (edoxaban) CL,QL XARELTO (rivaroxaban) CLSUSP	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAI	BINOIDS	Non-preferred agents will be
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	Drug-specific criteria: • Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist
NK-1 RECEPTO	R ANTAGONIST	Regimens include: AC combination (Doxorubicin or Epirubicin with)
TRADITIONAL DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert)	AKYNZEO (netupitant/palonosetron) ^{CL} aprepitant (generic Emend) PACK EMEND (aprepitant) CAPS, PACK, POWDER ^{QL} VARUBI (rolapitant) TAB ^{CL} ANTIEMETICS BONJESTA (doxylamine/pyridoxine), CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic	Cyclophosphamide), Aldesleukin, Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin,
metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose SOLN (generic Emetrol) prochlorperazine, oral (generic Compazine) promethazine SYRUP, TAB (generic Phenergan) promethazine SUPPOSITORY 12.5mg, 25mg TRANSDERM-SCOP (scopolamine)	Diclegis) ^{CL,QL} metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg scopolamine TRANSDERMAL trimethobenzamide TAB (generic Tigan)	 Diclegis®/Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv (metoclopramide) ODT®: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso®/Zuplenz®: Documentation of oral dosage form intolerance

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
otrimazole (mucous membrane, oche) conazole SUSP, TAB (generic Diflucan) iseofulvin SUSP iseofulvin microsized TAB istatin SUSP, TAB rbinafine (generic Lamisil)	BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) NOXAFIL (posaconazole) AL SUSP, TAB NOXAFIL (posaconazole) AL,CL POWDERMIX nystatin POWDER posaconazole (generic Noxafil)AL,CL TOLSURA (itraconazole) ^{CL} VIVJOA (oteseconazole) CAPS voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approve for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil®: No trial for diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropeni hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Powdermix: pediatric patients 2 years of age and older who weigh 40 kg or less Noxafil® Suspension: Oropharyngeal/esophageal candidias refractory to itraconazole and/or fluconazole Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafineresistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox® Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, Blastomycosis, and Histoplasmosis and requires a trial ar failure of generic itraconazole Vfend®: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHE Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasir, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasir refractory to fluconazole

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIF	UNGAL	Non-preferred agents will be
clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) LAMISIL (terbinafine) SPRAY OTC miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate POWDER, CREAM, POWDER OTC (generic Tinactin)	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSP (generic Ciclodan, Loprox) ciclopirox NAIL LACQUERCL (generic Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLN RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID OTC JUBLIA (efinaconazole) ^{CL} ketoconazole FOAMCL (generic Extina, Ketodan) LOPROX (ciclopirox) SUSP, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINTMENT, SPRAY SOLN miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Bensal HP) tavaborole SOLNCL (generic Kerydin) tolnaftate SPRAY, OTC VOTRIZA-AL (clotrimazole) ^{NR} LOTION OTC	approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina: Requires trial and failure or contraindication to other ketoconazole forms Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to T.rubrum OR T. Mentagrophytes ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
ANTIFUNGAL/STEF	ROID COMBINATIONS	-
clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT	clotrimazole/betamethasone LOTION (generic Lotrisone)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) loratadine TAB, SOLN (generic Claritin) levocetirizine TAB (generic Xyzal)	cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (Rx) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa	methyldopa/hydrochlorothiazide	Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) colchicine TAB (generic Colcrys) probenecid probenecid/colchicine (generic Col- Probenecid)	allopurinol 200mg colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} MITIGARE (colchicine)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Gloperba: Approved for documente swallowing disorder Uloric/febuxostat: Clinical reaso why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL- Age Limit

NR - Product was not reviewed - New Drug criteria will apply

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AJOVY (fremanezumab-vfrm) CL, QL PEN, Autoinjector AJOVY (fremanezumab-vfrm) Autoinjector 3-packCL,QL EMGALITY 120 mg/mL (galcanezumab-gnlm) CL, QL PEN, SYRINGE NURTEC ODT (rimegepant) AL,CL,QL UBRELVY (ubrogepant) AL,CL, QL TAB	Almovig (erenumab-aooe) CL,QL diclofenac Powder (generic Cambia) dihydroergotamine mesylate NASAL ELYXYB (celecoxib)AL,QL SOLN EMGALITY 100 mg (galcanezumabgnim) CL,QL SYR MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL QULIPTA (atogepant)ALQL REYVOW (lasmiditan)AL, CL,QL TAB TRUDHESA (dihydroergotamine mesylate)AL,QL NASAL ZAVZPRET (zavegepant)AL,NR,QL NASAL	 In addition, all non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication For Acute Treatment: agents will be approved for patients who have a failed trial or a contraindication to a triptan. For Prophylactic Treatment: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (valproate, topiramate), ACE (lisinopril) Drug-specific criteria: Emgaility 100mg will only be approved for treatment of Episodic Cluster Headache Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or a
		contraindication to a triptan. For use in preventative treatment, will be approved for patients who have a failed trial of ONE preferred injectable CGRP.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig)	 approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel® Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA	SAL	-
IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal)	ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	
INJECTABLE		
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class withir the past 6 months

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	INERGICS	Non-preferred agents will be
benztropine (generic Cogentin) trihexyphenidyl (generic Artane)		approved for patients who have failed ONE preferred agent within
7 10	HIBITORS	this drug class
DOPAMINE pramipexole (generic Mirapex) ropinirole (generic Requip)	entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) AGONISTS bromocriptine (generic Parlodel) ropinirole ER (generic Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic Mirapex ER) ^{CL} ropinirole ER (generic Requip XL) ^{CL}	 Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopacontaining drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Neupro®:
MAO-B IN selegiline CAPS, TABLET (generic Eldepryl)	rasagiline (generic Azilect) QL XADAGO (safinamide) ZELAPAR (selegiline)CL	For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole
OTHER ANTIPAR amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo)	KINSON'S DRUGS APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn) SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) DHIVY (carbidopa/levodopa) DUOPA (carbidopa/levodopa) GOCOVRI (amantadine)QL INBRIJA (levodopa) INHALERCL,QL KYNMOBI (apomorphine)QL, KIT, SUBLINGUAL NOURIANZ (istradefylline)CL,QL OSMOLEX ER (amantadine)QL RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone)	 Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar®: Approved for documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINT, SOLN	calcitriol (generic Vectical) ^{AL} OINT calcipotriene/betamethasone OINT	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) ^{CL} SUSP SITAVIG (acyclovir buccal) ^{CL}	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE oseltamivir (generic Tamiflu) ^{QL} CAPS, SUSP	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS, SUSP XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig®: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINT	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) penciclovir (generic Denavir) XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLN (generic for Valium) orazepam INTENSOL , TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} lorazepam ORAL SYRINGE ^{NR} LOREEV XR (lorazepam) ^{AL} meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) BYSTOLIC (nebivolol) metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) nebivolol (generic Bystolic) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	acebutolol (generic Sectral) betaxolol (generic Kerlone) HEMANGEOL (propranolol) SOLN INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Coreg CR®: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER ^{CL} (generic Coreg CR)	
ANTIARR	НҮТНМІС	
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) LIVMARLI (maralixibat) SOLN ^{AL} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

QL – Quantity/Duration Limit

NR - Product was not reviewed - New Drug criteria will apply

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYRBETRIQ (mirabegron) ^{AL} TAB oxybutynin IR, ER (generic Ditropan/Ditropan XL) TOVIAZ (fesoterodine ER)	darifenacin ER (generic Enablex) fesoterodine (generic Toviaz) flavoxate HCL GELNIQUE (oxybutynin) GEMTESA (vibegron)AL,QL MYRBETRIQ (mirabegron) SUSPAL,CL,QL oxybutynin 2.5mgNR OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin)	for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL}	alendronate SOLN (generic Fosamax) ^{QL} ATELVIA DR (risedronate)	approved for patients who have failed a trial of ONE preferred agent within the same group
	BINOSTO (alendronate)	Drug-specific criteria:
	etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL}	 Actonel® Combinations: Covere as individual agents without prior
	risedronate (generic Actonel) ^{QL}	 authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be
		taken on an empty stomach
OTHER BONE RESORPTION SUI	PPRESSION AND RELATED DRUGS	 Binosto®: Requires clinical reaso why alendronate tablets OR
alcitonin-salmon NASAL	EVISTA (raloxifene)	Fosamax® solution cannot be use
ORTEO (teriparatide) ^{CL,QL} aloxifene (generic Evista)	teriparatide (generic Forteo) ^{CL,QL} TYMLOS (abaloparatide)	Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification
		Forteo®: Covered for high risk of fracture
		High risk of fracture:
		 BMD -3 or worse
		 Postmenopausal women with history of non-traumatic fractures
		 Postmenopausal women with or more clinical risk factors
		 Family history of non- traumatic fractures
		 DXA BMD T-score ≤ -2.5 any site
		 Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent
		 Rheumatoid Arthritis
		 Postmenopausal women with BMD T-score ≤ -2.5 at any sit with any clinical risk factors
		 More than 2 units of alcohol per day
		Current smoker
		Men with primary or hypogonadal osteoporosis Octooporosis associated with
		 Osteoporosis associated with sustained systemic glucocorticoid therapy
		Trial of calcitonin-salmon not required
		 Maximum of 24 months treatment per lifetime

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class
terazosin (generic Hytrin)		Drug-specific criteria: Alfuzosin/dutasteride/finasteride
dutasteride (generic Avodart) finasteride (generic Proscar)	dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil)	 Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax®: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn®: Requires clinical reason why individual agents cannot be used

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class
albuterol HFA (generic Proventil HFA) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA)	albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol) ERS – Long Acting STRIVERDI RESPIMAT (olodaterol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex/levalbuterol solution: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
INHAL	ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	ORAL	
albuterol SYRUP	albuterol TAB albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING Dihydropyridines		Non-preferred agents will be approved for patients who have
Dinyuro	isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) NYMALIZE (nimodipine) SOLN	failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy
Non-dihyd	ropyridines	 Induced Hypertension (PIH) Nimodipine: Covered without trial
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)		for diagnosis of subarachnoid hemorrhage Katerzia/ Norliqva: May be
LONG-ACTING		approved with documented
Dihydrog	pyridines	swallowing difficulty
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,CL,QL} SOLN	
Non-dihydi	ropyridines	
diltiazem ER (generic Cardizem CD) verapamil ER TAB	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS	
amoxicillin/clavulanate TAB, SUSP	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group Drug Specific Criteria
CEPHALOSPORIN	S – First Generation	 Cefixime- May be approved for a diagnosis of gonorrhea, with
cefadroxil CAPS, SUSP (generic Duricef) cephalexin CAPS, SUSP (generic Keflex)	cefadroxil TAB (generic Duricef) cephalexin TAB	 an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent Cefpodoxime- May be approved for a diagnosis of
CEPHALOSPORINS -	Second Generation	pyelonephritis, with an appropriate ICD-10 diagnosis code without a
cefprozil (generic Cefzil) cefuroxime TAB (generic Ceftin)	cefaclor (generic Ceclor) CEFTIN (cefuroxime) TAB , SUSP	3-day trial of a preferred agent
CEPHALOSPORINS	– Third Generation	
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS, SUSP cefpodoxime (generic Vantin) SUPRAX (cefixime) CAPS, CHEWABLE TAB, SUSP, TAB	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL	FULPHILA (pegfilgrastim-jmdb) SUB-Q GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR,VIAL STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class
All reviewed agents are recommended preferred at this time Only those products for review are	JOYEAUX (levonorgestrel and ethinyl estradiol and ferrous fumarate kit) ^{NR}	
Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic	levonorgestrel and ethinyl estradiol/ iron (generic Balcoltra) ^{NR}	
equivalent	TURQOZ (norgestrel and ethinyl estradiol kit) ^{NR}	
Specific agents can be looked up using the Drug Look-up Tool at:	,	
https://druglookup.fhsc.com/drug lookupweb/?client=nestate		

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SPIRIVA RESPIMAT (tiotropium)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp/roflumilast: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
albuterol/ipratropium (generic Duoneb)	N SOLUTION LONHALA (glycopyrrolate inhalation soln) YUPELRI (revefenacin)	exacerbation in last year upon initial review
ORAL of roflumilast (generic Daliresp) ^{CL,QL}	AGENT DALIRESP (roflumilast) ^{CL, QL}	<u>. </u>

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	BRONCHITOL (mannitol) AL,CL,QL KALYDECO PACKET, TAB (ivacaftor)QL, AL ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB QL, AL SYMDEKO (tezacaftor/ivacaftor)QL, AL TRIKAFTA(elexacaftor, tezacaftor, ivacaftor)AL, CL PACKETCL,NR, TAB	 Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COSENTYX (secukinumab) ^{AL} PEN, SYRINGE ENBREL (etanercept) KIT, MINI CART, PEN, SYRINGE, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) ORAL ^{CL,QL}	ABRILADA KIT (adalimumab-afzb)AL,NR (CF) ABRILADA PEN KIT (adalimumab-afzb)AL,NR (CF) ACTEMRA (tocilizumab) SUB-Q ADALIMUMAB-AACF (CF)AL,NR PEN KIT ADALIMUMAB-ADAZ(CF)(biosim for Hyrimoz)AL PEN,SYRINGE ADALIMUMAB-ADBM(CF) PEN CROHNSAL,NR ADALIMUMAB-ADBM(CF) PEN CROHNSAL,NR ADALIMUMAB-FKJP (biosim for Hulio)AL PEN, SYRINGE AMJEVITA (adalimumab-atto)AL AUTOINJ, SYR AMJEVITA(adalimumab-atto)AL,NR KIT AMJEVITA(adalimumab-atto)AL,NR PEN KIT ARCALYST (nilonacept) BIMZELX (bimekizumab-bkzx)AL,NR PEN, SYR CIBINQO (abrocitinib)AL,QL CIMZIA (certolizumab pegol)QL CYLTEZO (adalimumab-adbm)AL PEN SYRINGE ENSPRYNG (satralizumab-mwge) SUB-Q ENTYVIO (vedolizumab)AL,NR PEN HADLIMA (adalimumab- bwwd)AL PUSHTOUCH, SYRINGE HYRIMO (GF) (adalimumab-bwwd)AL PUSHTOUCH, SYRINGE HYRIMOZ(CF) (adalimumab-adaz)AL PEN, SYRINGE HYRIMOZ(CF) (adalimumab-adaz)AL PEN, SYRINGE IDACIO (adalimumab-aacf)AL PEN, SYRINGE IDACIO (adalimumab-aacf)AL PEN, SYRINGE IDACIO (adalimumab-aacf)AL PEN, SYRINGE ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) SUB-Q KINERET (anakinra) OLUMIANT (baricitinib) TABLETCL,QL OMVOH (mirikizumab-mrkz)AL,NR PEN ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib)CL,QL SILIQ (brodalumab) SIMPONI (golimumab)	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. Otezla: Requires a trial of Humira

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

C

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	SKYRIZI (risankizamab-rzaa) SYRINGE SKYRIZI ON-BODY	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication for preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure Enbrel OR Humira with the same FDA approved indications and age limits. Otezla: Requires a trial of Humira

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

DIURETICS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
amiloride TAB bumetanide TAB chlorothiazide TAB chlorothalidone TAB (generic Diuril) furosemide SOLN, TAB (generic Lasix) hydrochlorothiazide CAPS, TAB	CAROSPIR (spironolactone) SUSP eplerenone TAB (generic Inspra) ^{CL} ethacrynic acid CAPS (generic Edecrin) KERENDIA (finerenone) TAB ^{CL,QL} spironolactone (generic Carospir) ^{NR} SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium)	•	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone : Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia : For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required.
COMBINATIO	N PRODUCTS		
amiloride/HCTZ TAB spironolactone/HCTZ TAB (generic Aldactazide) triamterene/HCTZ CAPS , TAB (generic Dyazide, Maxzide)			

ENZYME REPLACEMENT, GAUCHER'S DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca/miglustat: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

EPINEPHRINE, SELF-INJECTED QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ	AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJ SYMJEPI (epinephrine) PFS	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ARANESP (darbopoetine alfa) DISP SYR, VIAL EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer manufacturer only</i>	JESDUVROQ (daprodustat) ^{NR} TAB PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Vifor</i> manufacturer only	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TAB (generic Cipro) evofloxacin TAB (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolic sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea)

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{AL,QL} MOVANTIK (naloxegol oxalate) ^{QL} RELISTOR (methylnaltrexone) SYR	alosetron (generic Lotronex) IBSRELA (tenapanor) ^{AL,QL} Iubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) TAB ^{QL} SYMPROIC (naldemedine) TRULANCE (plecanatide) ^{QL} VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication Drug-specific criteria: Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Lotronex®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor® TAB: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Trulance®: Covered for diagnosis of either chronic idiopathic constipation or IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJ PROGLYCEM (diazoxide) SUSP ZEGALOGUE (dasiglucagon) ^{AL, QL} AUTO-INJ	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT , PEN , SYR , VIAL ZEGALOGUE (dasiglucagon) ^{AL,QL} SYR	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

QL – Quantity/Duration Limit

NR – Product was not reviewed - New Drug criteria will apply

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) ^{QL,AL} ASMANEX HFA (mometasone) ^{QL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} ARMONAIR RESPICLICK (fluticasone) ^{AL} FLOVENT DISKUS (fluticasone) fluticasone (generic Flovent Diskus) ^{NR} fluticasone HFA (generic Flovent HFA)	 Non-preferred agents within the Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved fo patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agent within this drug class, within the
GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/	AIRDUO DIGIHALER	last 6 months.
salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)	(fluticasone/salmeterol)AL,QL AIRSUPRA HFA (albuterol and budesonide)AL BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/glycopyrrolate)QL budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)QL fluticasone/salmeterol (generic for Advair HFA)QL fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) WIXELA INHUB (generic for Advair Diskus)QL	
INHALATION	N SOLUTION	
INIALATIO	budesonide RESPULES (generic for Pulmicort)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPS (generic Entocort EC) dexamethasone ELIXIR, SOLN dexamethasone TAB hydrocortisone TAB methylprednisolone tablet (generic Medrol) prednisolone SOLN prednisolone sodium phosphate prednisone DOSE PAK prednisone TAB	ALKINDI (hydrocortisone) GRANULES ^{AL} CORTEF (hydrocortisone) cortisone TAB dexamethasone INTENSOL EMFLAZA (deflazacort) SUSP, TAB ^{CL} ENTOCORT EC (budesonide) HEMADY (dexamethasone) methylprednisolone 8mg, 16mg, 32mg ORTIKOS ER (budesonide) ^{AL,QL} prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLN prednisone INTENSOL RAYOS DR (prednisone) TAB TARPEYO (budesonide) CAPS	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emflaza: Indicated for the treatment of Duchenne muscular dystrophy (DMD) in patients 2 years of age and older Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN)

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NUTROPIN AQ (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NGENLA (somatrogon-ghla) ^{AL,NR} OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) SKYTROFA (lonapegsomatropin-tcgd) SOGROYA (somapacitan-beco) ^{NR} ZOMACTON (somatropin) ZORBTIVE (somatropin)	Growth Hormone PA Form Growth Hormone Criteria

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL} bismuth,metronidazole,tetracycline (generic Pylera) ^{NR,QL} TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA (vonoprazan) ^{NR, QL}	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS	HAE Treatments PA Form
HAEGARDA (C1 esterase inhibitor, human)AL,CL SUB-Q icatibant acetate (generic for FIRAZYR)AL SUB-Q	(icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SYRINGE	 Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication. Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two
		or more HAE attacks monthly, and trial and failure or contraindication to oral danazol

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACTOR VIII		 Non-preferred agents will be
ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE	approved for patients who have failed a trial of ONE preferred agent within this drug class
F	ACTOR IX	
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHRO	OMBIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL}	
FACTOR X	AND XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
VON WILLE	BRAND PRODUCTS	
WILATE	VONVENDI	
BISPE	CIFIC FACTORS	
HEMLIBRA		

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TAB	adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB EPIVIR HBV (lamivudine) TAB, SOLN lamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTING ANTI-VIRAL		Hepatitis C Treatments PA Form
sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TAB ^{CL} , PELLET ^{AL,CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TAB (sofosbuvir/ledipasvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET sofosbuvir/ledipasvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TAB (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Post liver transplant for genotype 1 or 4
RIBA	VIRIN	Vosevi: Requires documentation
ribavirin 200mg CAPSULE, TAB		of non-response after previous treatment course of Direct Acting
INTERFERON		Anti-viral agent (DAA) for genotype 1-6 without cirrhosis or with
PEGASYS (pegylated interferon alfa- 2a) ^{CL}		compensated cirrhosis

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TAB (generic for Pepcid) famotidine SUSP	cimetidine TAB , SOLN ^{CL} (generic Tagamet) famotidine ^{NR} CHEW-TAB nizatidine CAPS (generic for Axid)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
		Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HIV / AIDS CL

HIV / AIDS		D: A II : II /OL O II :
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID	NHIBITOR	All agents require:Diagnosis of HIV/AIDS
	SUNLENCA (lenacapavir) ^{QL}	required, OR
CCR5 AN1	AGONISTS	Diagnosis of Pre and Post
SELZENTRY SOLN, TAB (maraviroc)	maraviroc (generic Selzentry)	 Exposure Prophylaxis Non-preferred agents will be approved for patients who have a
FUSION I	NHIBITORS	diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for
FUZEON SUB-Q (enfuvirtide) ^{QL}		
HIV-1 ATTACH	MENT INHIBITOR	patient, including, but not limited to, drug resistance or concomitant
	RUKOBIA ER (fostemsavir) ^{AL,QL}	conditions not recommended with preferred agents
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	 Patients undergoing treatment at
ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	the time of any preferred status change will be allowed to continue therapy
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIs)	
efavirenz CAPS, TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL} PIFELTRO (doravirine) ^{QL}	etravirine (generic Intelence) ^{QL} nevirapine IR, ER (generic Viramune/Viramune XR) basglaSUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIs)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir)	didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTIs)		
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	
PHARMACOKIN	ETIC ENHANCER	
	TYBOST (cobicistat) ^{QL}	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HIV / AIDS CL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEA	SE INHIBITORS	All agents require:
atazanavir CAPS (generic Reyataz) NORVIR (ritonavir) TAB	APTIVUS CAPS, SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATE ^{AL,NR} TAB darunavir ethanolate (generic Prezista) ^{AL,NR} TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER, SOLN (ritonavir) PREZISTA (darunavir) SUSP, TAB REYATAZ POWDER (atazanavir) ritonavir TAB (generic Norvir) VIRACEPT (nelfinavir)	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
	KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) REFECCIONAL (derupavir/pebicietet)	 All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir)QL DESCOVY (emtricitabine/tenofovir)QL emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL – Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HIV / AIDS CL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODU	CTS – MULTIPLE CLASSES	All agents require:
BIKTARVY (bictegravir/emtricitabine/ tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) ^{QL} DOVATO (dolutegravir/lamivudine) ^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla) ^{CL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir) ^{QL, AL} JULUCA (dolutegravir/rilpivirine) ^{QL} ODEFSEY (emtricitabine/rilpivirine/ tenofovir) ^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir) ^{QL} SYMFI (efavirenz/lamivudine/ tenofovir) ^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir) ^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine)	ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA)CL	GLP-1 RA Criteria
OZEMPIC (semaglutide) ^{QL} TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} BYETTA (exenatide) subcutaneous MOUNJARO (tirazepatide) PEN RYBELSUS (semaglutide)	Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: • Failed a trial of TWO preferred agents within GLP-1 RA AND
INSULIN/GLP-1 RA	A COMBINATIONS	Diagnosis of diabetes with HbA1C
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	 ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
AMYLIN A	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous 4 (DPP-4) INHIBITORAL,QL alogliptin (generic for Nesina) alogliptin/metformin (generic for Kazano) alogliptin/pioglitazone (generic for Oseni) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin) saxagliptin (generic Onglyza) ^{NR} saxagliptin/metformin ER ^{NR} (generic Kombiglyze ER) STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIO (sitagliptin) ^{NR}	ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Monitoring of glucose during initiation of therapy DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

APIDRA (insulin glulisine) SOLOSTAR, VIAL VIAL HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION BASAGLAR (insulin glargine, rec) PEN, TEMPO PEN ^{NR} FIASP (insulin aspart) CARTRIDGE Afrance Approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG U-100 TEMPO PENNR HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMALOG (insulin lispro) ^{CL} U-200 KWIKPEN HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN R U-500 KWIKPEN ^{CL} HUMULIN PEN Insulin degludec (generic Tresiba) 100U/mL PEN 100U/mL PEN Humalog U-200 Pen: May be	VIAL HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN U-500 VIAL HUMULIN TO/30 OTC PEN HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin glargine PEN, VIAL insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLIN (insulin) PEN NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL	AFREZZA (regular insulin) INHALATION BASAGLAR (insulin glargine, rec) PEN, TEMPO PENNR FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG U-100 TEMPO PENNR HUMALOG (insulin lispro)CL U-200 KWIKPEN insulin degludec (generic Tresiba) 100U/mL PEN, VIAL insulin glargine (Toujeo)NR insulin glargine (Toujeo)NR insulin glargine max (Toujeo Max)NR insulin glargine-YFGN PEN, VIAL (generic for Semglee-YFGN) insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) LYUMJEV KWIKPEN, VIAL(insulin lispro-aabc) LYUMJEV (insulin lispro-aabc) TEMPO PEN NOVOLIN (insulin) NOVOLOG MIX (insulin aspart/aspart protamine) VIAL REZVOGLAR (insulin glargine-aglr)NR KWIKPEN SEMGLEE (insulin glargine) PEN, VIAL SEMGLEE YFGN (insulin glargine) PEN, VIAL TOUJEO SOLOSTAR (insulin glargine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen: May be approved for patients who require >200 units/day Humalog U-200 Pen: May be approved for patients who require > 100 units/day AND using an

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) ^{CL} repaglinide/metformin (generic for Prandimet) ^{CL}	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS. METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) CL.QL INVOKAMET (canagliflozin/ metformin) CL.QL INVOKANA (canagliflozin) CL JARDIANCE (empagliflozin) CL.QL SYNJARDY (empagliflozin/metformin) AL,CL,QL XIGDUO XR (dapagliflozin/metformin) CL.QL	dapagliflozin/CL.NR.QL (generic Farxiga) dapagliflozin/metforminCL.NR.QL (generic Xigduo) INPEFA (sotagliflozin)NR,QL TAB INVOKAMET XR (canagliflozin/metformin)QL SEGLUROMET (ertugliflozin/metformin)QL STEGLATRO (ertugliflozin)QL SYNJARDY XR (empagliflozin/metformin)AL,QL	Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, OR A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga/ dapagliflozin: May be approved for a diagnosis of diabetes May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIZAOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)		approved for patients who have failed a trial of THE preferred agent
TZD COME	BINATIONS	within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OFEV (nintedanib esylate) ^{CL} pirfenidone (generic Esbriet) ^{QL}	ESBRIET (pirfenidone) ^{QL}	 Non-preferred agent requires trial of preferred agent within this drug class FDA approved indication required – ICD-10 diagnosis code

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

IMMUNOMODULATORS, ASTHMA CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) ^{AL} PEN XOLAIR (omalizumab) SYR ^{AL,QL}	NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR TEZSPIRE (tezepelumab-ekko) ^{AL} PEN	Immunomodulators Self-Injectable PA Form All agents require prior authorization AND an FDA-approved diagnosis for approval Non-preferred agents require a trial of a preferred agent within this drug class with the same indication For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist Agents listed may have other FDA approved indications, and will be subject to prior authorization Drug Specific Criteria: Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis therapeutic class) For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid / long acting beta agonist combo

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

IMMUNOMODULATORS, ATOPIC DERMATITIS AL

ADBRY (tralokinumab-ldrm) AL-CL-QL SUB-Q DVPIXEMT (dupilumab) AL-CL-QL CREAM***C.QL pimecrolimus (generic for Elidel) PROTOPIC (tacrolimus) EUCRISA (crisaborole) CL-QL tacrolimus (generic for Elidel) PROTOPIC (tacrolimus) ZORYVE (roflumilast) AL-MR FOAM* **DAM**C.QL PROTOPIC** **DAM**C.QL PROTOPIC** **DAM**C.QL PROTOPIC** **DAM**C.QL PROTOPIC** **DAM**C.QL PROTOPIC** **Non-preferred agents require: Trial of a topical steroid AND Tail of one preferred product within this frug class Drug-specific criteria: **ADBRY: May be approved after a trial or failure of a topical calcineur in inhibitor • Dupixent: **1. Atopic Permatitis: May be approved after a trial or failure of a topical calcineur in inhibitor • Dupixent: **1. Atopic Permatitis: May be approved after a trial or failure of a topical calcineur in inhibitor • Dupixent: **1. Atopic Permatitis: May be approved after a trial or failure of a topical calcineur in inhibitor • Dupixent: **1. Atopic Permatitis: May be approved after a trial or failure of a topical corticosteroid or land the separation in inhibitor • Dupixent: **1. Atopic Permatitis: May be approved after a trial or failure of a topical corticosteroid or failure of a topical corticosteroid or failure of a topical corticosteroid or failure of a proton pump inhibitor. Prescribed by, or in consultation with an allergist pulmonogist. **Documentation of treatment failure or contraindication within the previous year to an intransal corticosteroid of R systemic corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonogist, or otolaryngologist [ENT]. **Purrigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider altestation of > 20 nodular legist, or monogist, or otolaryngologist [ENT]. **Purrigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider altestation of > 20 nodular legist. pulmonomodulation with an allergist, demandogis
Opzelura: May be approved for a diagnosis of Atopic Dermatitis and after a trial/failure of a topical steroid and trial of a

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) ^{AL} GEL imiquimod (generic Zyclara) podofilox (generic Condylox) GEL ^{NR} , SOLN VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPS, TAB RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB tacrolimus sirolimus (generic Rapamune) SOLN, TAB	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP mycophenolic acid MYFORTIC (mycophenolate sodium) PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil)AL,QL TAB SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan)QL CAPS ZORTRESS (everolimus) AL	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue Drug Specific Criteria Tavneos (avacopan) No trial of a preferred agent required with appropriate FDA indications with concurrent use of standard therapy, including glucocorticoids

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

INTRANASAL RHINITIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHO	LINERGICS	Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL}	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of
CORTICO	STEROIDS	nasal polyps in ≥ 18 years only
fluticasone Rx (generic Flonase)	BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) fluticasone OTC (generic Flonase OTC) mometasone (generic for Nasonex) OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) XHANCE (fluticasone) ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast (generic for Singulair) TAB ^{QL} /CHEWABLE ^{AL}	montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPS clindamycin palmitate SOLN linezolid TAB	CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	Non-preferred agents will be
cholestyramine (generic Questran) colestipol TAB (generic Colestid)	colesevelam (generic Welchol) TAB, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin,
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	sulfonylurea, or insulin has been
	JUXTAPID (lomitapide) ^{CL}	inadequate
	KYNAMRO (mipomersen) ^{CL}	Juxtapid®/ Kynamro®:
FIRRIC ACID	DEDIVATIVES	 Approved for diagnosis of homozygous familial
fenofibrate (generic Tricor)	DERIVATIVES fenofibric acid (generic Fibricor/Trilipix)	hypercholesterolemia (HoFH)
fenofibrate (generic Lofibra)	fenofibrate (generic Antara/Fenoglide/	OR
gemfibrozil (generic Lopid)	Lipofen/Triglide)	 Treatment failure/maximized dosing/contraindication to ALL
- (generic Lopid)	Liperers mgmae)	the following: statins,
NIA	CIN	ezetimibe, niacin, fibric acid
niacin ER (generic Niaspan)	NIACOR (niacin IR)	derivatives, omega-3 agents, bile acid sequestrants
		 Require faxed copy of REMS
		PA form
OMEGA-3 F	ATTY ACIDS	
omega-3 fatty acids (generic Lovaza)	icosapent (generic Vascepa) ^{CL}	
VASCEPA (icosapent)	omega-3 OTC	
CHOLESTEROL ABS	ORPTION INHIBITORS	
ezetimibe (generic Zetia)	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

LIPOTROPICS, OTHER (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTAS	SE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS	Praluent®: Approved for diagnoses of:
PRALUENT (alorocumab) ^{CL}	REPATHA (evolocumab) ^{CL}	 atherosclerotic cardiovascula disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies Trial and failure or intolerance to a statin for 8 continuous weeks Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: May be approved for: adult diagnoses of atherosclerotic cardiovascula disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) in adults and pediatric patient aged 10 years and older homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patient aged 10 years and older AND Maximized high-intensity stat WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Concurrent use of maximally-tolerated statin must continue except for statin-induced rhabdomyolysis or a contraindication to a statin

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor)	ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{NR,QL} SUSP	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within
pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ^{AL,QL} pitavastatin (generic Livalo) ^{AL,NR,QL}	the last 12 months Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require
STATIN COM	ZYPITAMAG (pitavastatin) MBINATIONS atorvastatin/amlodipine (generic	clinical reason why individual ingredients cannot be used fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR
	Caduet) simvastatin/ezetimibe (generic Vytorin)	 cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACRO	OLIDES	Non-preferred agents require
azithromycin (generic Zithromax) clarithromycin TAB, SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. TAB (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TAB , CAPS	clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q	Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication
	REDITREX (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN	Drug-specific criteria: ■ Xatmep TM :Indicated for pediatric patients only

MOVEMENT DISORDERS

FPreferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{CL} AUSTEDO XR (deutetrabenazine) ^{CL} AUSTEDO XR Titration Pack (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	All drugs require an FDA approved indication – ICD-10 diagnosis code required. Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. Drug-specific criteria: • Austedo/Austedo XR/Ingrezza: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease • tetrabenazine: Diagnosis of chorea with Huntington's Disease

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

MULTIPLE SCLEROSIS DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya) ^{QL} KESIMPTA (Ofatumumab) ^{CL,QL} teriflunomide (generic Aubagio) ^{QL}	AUBAGIO (teriflunomide) ^{QL} BAFIERTAM (monomethyl fumarate) ^{QL} dalfampridine (generic Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a) ^{QL} TASCENSO ODT (fingolimod) TAB ^{AL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class Drug-specific criteria: Ampyra®: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
itrofurantoin macrocrystals CAPSULE (generic Macrodantin) itrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid)	nitrofurantoin SUSPENSION (genericFuradantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium (generic Voltaren) ibuprofen OTC, Rx (generic Advil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS indomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Mobic) TAB nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril)	diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) ^{CL} indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Meclomen) mefenamic acid (generic Ponstel) meloxicam (generic Vivlodex) ^{CL, QL} CAP meloxicam (generic Naprelan) naproxen CR (generic Naprelan) naproxen (generic Naprosyn) SUSP naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Tolectin) ketorolac (generic Sprix Nasal) QL NASAL	 Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: meclofenamate: Approvable without trial of preferred agents for menorrhagia Sprix/ketoralac Nasal: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECT	COX-I SELECTIVE (continued)	
	ALL BRAND NAME NSAIDs including: DUEXIS (ibuprofen/famotidine)CL NALFON (fenoprofen) RELAFEN DS (nabumetone)	clinical reason why individual agents can't be used separately
NSAID/GI PROTECTA	NSAID/GI PROTECTANT COMBINATIONS	
	diclofenac/misoprostol (generic Arthrotec)	
COX-II SE	ELECTIVE	
celecoxib (generic Celebrex)		

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only) PENNSAID PUMP (diclofenac)	diclofenac PUMP (generic Pennsaid) ^{CL} diclofenac SOLN (generic Pennsaid) FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL}	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 I	NHIBITOR IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue
capecitabine (generic Xeloda) cyclophosphamide	XELODA (capecitabine)	therapy Drug-specific critera
HORMONE	BLOCKADE	 anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer) Fareston/toremifene: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply
anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	ORSERDU (elacestrant) SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL}	
ОТ	HER	greater than 12 – NOT approved for short term use
	NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) QL TUKYSA(tucatinib) QL TRUQAP (capivasertib) NR	Soltamox: May be approved with documented swallowing difficulty

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved
	DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{QL}	 indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue
	RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} VANFLYTA (quizartinib) XOSPATA (gilteritinib) ^{QL}	therapy Drug-specific critera - • Hydrea®: Requires clinical reason
LEUKERAN (chlorambucil)	COPIKTRA (duvelisib) QL IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	why generic cannot be used ■ Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder ■ Tabloid: Prior authorization not required for age <19
	CML	 Xpovio: Indicated for relapsed or
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) MYLERAN (busulfan)	BOSULIF (bosutinib) TAB GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib) ^{CL}	refractory multiple myeloma. Requires concomitant therapy with dexamethasone
	MPN	
	JAKAFI (ruxolitinib)	-
MY	ELOMA	-
melphalan (generic Alkeran) REVLIMID ^{QL} (lenalidomide)	lenalidomide ^{QL} (generic Revlimid) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	
	THER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL}	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) ^{NR} VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AL	ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue
ALK / ROS	S1 / NTRK	therapy
	AUGTYRO (repotrectinib) ^{NR} ROZLYTREK (entrectinib) ^{QL} CAPS, PELLETS ^{NR} XALKORI (crizotinib) CAPS, PELLETS ^{NR}	
EG	FR	
erlotinib (generic for Tarceva)	EXKIVITY (mobocertinib) ^{QL} gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
ОТН		
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FRUZAQLA (fruquintinib) ^{NR} CAPS HEXALEN (altretamine) IWILFIN (eflornithine) ^{NR} JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) OGSIVEO (nirogacestat) ^{NR} TAB PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} TRUSELTIQ (infigratinib) CAPS VITRAKVI (larotrectinib) CAPS, SOLN ZEJULA (niraparib) CAPS, TABS	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL}	AKEEGA (niraparib/abiraterone) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SUTENT (sunitinib) VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus (generic Afinitor) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) PAZOPANIB (generic Votrient) ^{NR} TAB sorafenib (generic Nexavar) sunitinib malate (generic Sutent) WELIREG (belzutifan) ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ERIVEDGE (vismodegib)	CELL ODOMZO (sonidegib) ^{CL}	•	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
MEKINIST (trametinib) TAFINLAR (dabrafenib)	BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib)	•	Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine OTC (Pataday once daily) olopatadine OTC (Pataday twice daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) OTC loteprednol ^{NR} 0.2% (generic Alrex) olopatadine DROPS (generic Pataday) olopatadine 0.1% (generic Patanol) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		Non-preferred agents will be
ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection
MACRO	DLIDES	
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGLY	YCOSIDES	
tobramycin (generic Tobrex drops)		
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSP, OINT (tobramycin and dexamethasone) tobramycin/dexamethasone SUSP (generic TobraDex) all other manufacturers only	BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSP, OINT (prednisolone/gentamicin) tobramycin/dexamethasone SUSP (generic TobraDex) Falcon manufacturer TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOSTEROIDS		ALL sub-classes unless listed
fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class
NSAID		
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) BROMSITE (bromfenac) bromfenac 0.07% (generic Prolensa) ^{NR} bromfenac 0.09% (generic Bromday) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) QL cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate)QL MIEBO (perfluorohexyloctane) TYRVAYA (varenicline tartrate)QL VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine)NR	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	TICS	Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO	**	_Drug-specific criteria:
ALPHAGAN P (brimonidine 0.15%)	ALPHAGAN P (brimonidine 0.1%)	Rhopressa and Rocklatan: Electronically approved for patients
brimonidine 0.2% (generic for Alphagan)	apraclonidine (generic lopidine)	who have a trial of ONE generic agent,
	brimonidine P 0.15% (generic Alphagan P 0.15%)	within ophthalmics - glaucoma within 60 days
	brimonidine 0.1% (generic Alphagan P 0.1%)	
BETA BLO	OCKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol)	
	carteolol (generic Ocupress)	
	timolol (generic Istalol)	
	timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE	
	TIMOPTIC XE (timolol gel forming solution)	
CARBONIC ANHYD	RASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	
	brinzolamide (generic Azopt)	
PROSTAGLANI	OIN ANALOGS	-
latanoprost (generic for Xalatan)	bimatoprost (generic Lumigan)	
TRAVATAN Z (travoprost)	IYUZEH (latanoprost)	
	tafluprost (generic Zioptan)	
	travoprost (generic Travatan Z)	
	VYZULTA (latanoprostene)	
	XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	, ,	
COMBIGAN (brimonidine/timolol)	brimonidine/timolol (generic	
dorzolamide/timolol (generic Cosopt)	Combigan)	
	COSOPT (dorzolamide/timolol)	
	dorzolamide/timolol PF (generic Cosopt PF)	
	SIMBRINZA (brinzolamide/brimonidine)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OPHTHALMICS, GLAUCOMA (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ОТН	IER	
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/naloxone)	buprenorphine/naloxone FILM LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. Drug-specific criteria: Lucemyra: Approved for FDA approved indication and dosing per label. Trial of preferred product
		not required.

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone NASAL(Rx), SYR, VIAL naltrexone TAB	KLOXXADO (naloxone) NASAL naloxone (generic Narcan) OTC NASAL NARCAN (naloxone) NASAL NARCAN (naloxone) NASAL OTC OPVEE (nalmefene) ^{AL} NASAL ZIMHI (naloxone) SYR	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) ciprofloxacin/dexamethasone (generic CIPRODEX) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) ^{CL} SUSP, TAB ^{QL} tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB LETAIRIS (ambrisentan) LIQREV (sildenafil) ^{NR} SUSP OPSUMIT (macitentan) ORENITRAM ER (treprostinil) sildenafil (generic Revatio) ^{CL} SUSP , TAB TADLIQ (tadalafil) SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO DPI (treprostinil) INHALATION POWDER UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca®/Revatio®: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®:

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) OTC CHEW CHILDREN'S MVI-IRON OTC CHEW	DEKAs PLUS ^{AL} FLORIVA (ped mvi no.85/fluoride) CHEW	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
(ped mvi no. 91/iron fum)	FLORIVA PLUS (ped mvi no.161/fluoride) OTC DROP	Drug specific criteria: DEKAs Plus: Approved for
CHILDREN'S CHEWABLES OTC (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf)	MULTI-VIT-FLOR (ped mvi no.205/fluoride) CHEW	diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent
CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron)	PEDI MVI NO.242/FLUORIDE CHEW ^{NF} OTC	₹
LUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/ fluoride)	POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no. 205/fluoride) CHEW	
MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) DROPS	POLY-VI-FLOR (ped mvi no.213 w/fluoride) DROPS	
MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron)	POLY-VI-FLOR W/ IRON (ped mvi no. 205/fluoride/iron) CHEW POLY-VI-FLOR W/ IRON (ped mvi no. 214/fluoride/iron) DROP	
PED MVI NO. 16 w/ FLUORIDE CHEW PED MVI NO.17 W/ FLUORIDE CHEW	QUFLORA (ped mvi no.84/fluoride, ped	
POLY-VITAMIN (ped mvi no. 212) DROPS OTC	QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) CHEW	
POLY-VITAMIN W/ IRON (ped mvi no. 207 w/ferrous sulf) DROPS OTC	QUFLORA (ped mvi no.157/ fluoride) OTC	
RI-VI-SOL (vit A palmitate/vit C/vit D3)	TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) DROPS	
RI-VITAMIN W/ FLUORIDE (ped mvi A,C, D3 no. 21/fluoride)	110.00/11doffde) DROP3	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TAB CALPHRON OTC (calcium acetate) RENVELA (sevelamer carbonate) PWD PACK, TAB	AURYXIA (ferric citrate) calcium acetate CAPS lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) RENVELA (sevelamer carbonate) PWD PACK sevelamer HCI (generic Renagel) sevelamer carbonate (generic Renvela) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) ^{NR} TAB	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
EXPECTA PRENATAL OTC FE C/FA FE C/VIT C/VIT B12/FA OTC MARNATAL-F O-CAL FA PNV2/IRON B-G SUC-P/FA/OMEGA-3 PNV 11-IRON FUM-FOLIC ACID-OM3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA,NO.72/IRON/FA PNV#16/IRON FUM & PS/FA/OM-3 PNV2/IRON B-G SUC-P/FA/OMEGA-3 PRENATAL VIT #76/IRON,CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC PUREFE OB PLUS STUART ONE OTC TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL ULTRA	CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB OTC ENBRACE HR MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) ^{NR} NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PETITE OB COMPLETE PREMIER OB COMPLETE WITH DHA PNV COMBO#47/IRON/FA #1/DHA PNV WITH CA NO.68/IRON/FA NO.1/DHA PNV WITH CA,NO.72/IRON/FA PNV WITH CA,NO.74/IRON/FA OTC PNV119/IRON FUMARATE/FA/DSS PRENATAL + DHA OTC PRENATE AM PRENATE CHEW TAB PRENATE CHEW TAB PRENATE ENHANCE PRENATE ENHANCE PRENATE ESSENTIAL PRENATE ESSENTIAL PRENATE RESTORE PRENATE ATAR PRIMACARE SELECT-OB + DHA SELECT-OB CHEW TAB TINDERA-OB OTC TRICARE TRINATAL RX 1 TRISTART DHA VITAFOL -OB VITAFOL -OB VITAFOL -ONE WESTGEL DHA	Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

PROTON PUMP INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DEXILANT (dexlansoprazole) omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) ^{QL} PROTONIX SUSP (pantoprazole)	dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) RX ^{QL} esomeprazole magnesium (generic Nexium) OTC ^{QL} esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) ^{NR} SUSP lansoprazole (generic Prevacid) ^{QL} NEXIUM SUSP (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES ^{QL} rabeprazole (generic Aciphex)	 Non-preferred agents will be approved for patients who have failed an 8-week trial of preferred Dexilant (dexlansoprazole), omeprazole Rx, AND pantoprazole OR Protonix SUSP. Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg or omeprazole 20mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years of age- Only approve non-preferred for Gl diagnosis if:

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODIA	AZEPINES	Benzodiazepines Criteria
temazepam 15 mg, 30 mg (generic for Restoril)	estazolam (generic for ProSom) temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion)	 Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used Others Criteria
ОТН	ERS	Non-preferred agents require a trial of TWO preferred agents in the
zaleplon (generic for Sonata) zolpidem (generic for Ambien)	BELSOMRA (suvorexant) AL,QL DAYVIGO (lemborexant) AL,QL doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) eszopiclone (generic for Lunesta) HETLIOZ (tasimelteon) ^{CL} HETLIOZ LQ (tasimelteon) SUSP AL,QL QUVIVIQ (daridorexant) ^{QL} ramelteon (generic for Rozerem) tasimelteon (generic for Hetlioz) CL zolpidem CAP zolpidem ER (generic for Ambien CR)	OTHERS sub-category Silenor/doxepin Tablet: Must meet ONE of the following: Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10 mg Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criterion is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem
	zolpidem SL (generic for Intermezzo)	5 mg; zolpidem ER 6.25 mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL}	OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLN, TAB (ivabradine)	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Robaxin) tizanidine TAB (generic Zanaflex)	baclofen (generic Fleqsuvy) ^{NR,QL} SUSP baclofen (generic Ozobax) ^{QL} SOLN baclofen (generic Ozobax DS) ^{NR} SOLN carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250 mg: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	Low Potency Non-preferred agents
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT	alclometasone dipropionate (generic for Aclovate) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone)	will be approved for patients who have failed a trial of ONE preferred agent within this drug class
fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	potency betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH P	OTENCY	High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide emollient halcinonide CREAM (generic for Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) triamcinolone SPRAY (generic for Kenalog spray) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	H POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM, OINT, SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) AL,QL IMPEKLO (clobetasol) LOTIONAL LEXETTE(halobetasol propionate) AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STIMULANTS AND RELATED AGENTS AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIM	MULANTS	Non-preferred agents will be
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR DYANAVEL XR (amphetamine) ^{QL} VYVANSE (lisdexamfetamine) ^{QL} CAPS, CHEWABLE	ADZENYS XR (amphetamine) amphetamine ER (generic Adzenys ER) SUSP amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination ER (generic Mydayis)AL, NR CAP amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine ER (generic for Procentra) dextroamphetamine ER (generic for Dexedrine ER) EVEKEO ODT (amphetamine sulfate) lisdexamfetamine (generic Vyvanse Chew)AL,QL CHEW lisdexamfetamine (generic Vyvanse)AL,QL CAP methamphetamine (generic for Desoxyn) MYDAYIS (amphetamine salt combo)QL XELSTRYM (detroamphetamine) ZENZEDI (dextroamphetamine)	failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CONCERTA (methylphenidate ER) ^{QL} 18 mg, 27 mg, 36 mg, 54 mg DAYTRANA PATCH (methylphenidate) ^{QL} dexmethylphenidate (generic for Focalin IR) dexmethylphenidate (generic Focalin XR) METHYLIN SOLN (methylphenidate) methylphenidate (generic Ritalin) methylphenidate SOLN (generic Methylin) QUILLICHEW ER CHEWTAB (methylphenidate) QUILLIVANT XR (methylphenidate)SUSP	ADHANSIA XR (methylphenidate) QL APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) COTEMPLA XR-ODT (methylphenidate) QL FOCALIN IR (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate) JORNAY PM (methylphenidate) Methylphenidate ER (45 mg and 63 mg) QL Methylphenidate 50/50 (generic Ritalin LA) Methylphenidate 30/70 (generic Metadate CD) Methylphenidate ER 18 mg, 27 mg, 36 mg, 54 mg (generic Concerta) QL Methylphenidate ER CAP (generic Aptensio XR) QL Methylphenidate ER (generic Metadate ER) Methylphenidate ER (generic Ritalin SR) Methylphenidate ER (generic Ritalin SR) Methylphenidate ER (generic Ritalin SR) Methylphenidate TD24 AL PATCH (generic Daytrana) RELEXXII ER (methylphenidate 45mg and 63mg) AL, QL TAB RITALIN (methylphenidate)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Maximum accumulated dose of 108mg per day for ages < 18 Maximum accumulated dose of 72mg per day for ages > 19 Drug-specific criteria: Daytrana/methylphenidate patch: May be approved in history of substance use disorder by parent, caregiver, or patient. May be approved with documentation of difficulty swallowing QuilliChew ER: May be approved for children ≤ 12 years of age OR with documentation of difficulty swallowing

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atomoxetine (generic Strattera) ^{QL} guanfacine ER (generic Intuniv) ^{QL} QELBREE (viloxazine) ^{QL}	Non-Preferred Agents ANEOUS clonidine ER (generic Kapvay) ^{QL} STRATTERA (atomoxetine) EPTICS armodafinil (generic Nuvigil) ^{CL} modafanil (generic Provigil) ^{CL}	Note: generic guanfacine IR and clonidine IR are available without prior authorization Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil
	SUNOSI (solriamfetol) CL,QL WAKIX (pitolisant)CL,QL	 armodafinil and modafinil: approved only for: Sleep Apnea with documentation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG, 100MG CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI CAPS (generic Dynacin/ Minocin/Myrac)	demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCl TAB (generic Dynacin/Myrac) minocycline HCl ER (generic Solodyn) NUZYRA (omadacycline) tetracycline VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) ^{QL}	 Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TAB	DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TAB (generic Synthroid) liothyronine TAB (generic Cytomel) thyroid, pork TAB UNITHROID (levothyroxine)	ADTHYZA (thyroid, pork) ^{NR} ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPS (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORAL		Non-preferred agents will be
APRISO (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) LIALDA (mesalamine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol/Lialda) PENTASA (mesalamine)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®/ Pentasa®: Requires clinical reason why preferred mesalamine products cannot be used
RECTAL		
Sulfite-Free ROWASA (mesalamine) mesalamine SUPPOSITORY (generic Canasa)	CANASA (mesalamine) mesalamine ENEMA (generic Rowasa) ROWASA (mesalamine) UCERIS (budesonide)	

February PDL Highlighted in Red indicates changes that become effective February 1, 2024

https://nebraska.fhsc.com/Downloads/neclaimlimitations.pdf

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}		Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BIDIL (isosorbide dinitrate/hydralazine) ^{CL} isosorbide dinitrate TAB isosorbide dinitrate ER, SA TAB (generic Dilatrate-SR/Isordil) isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TAB	GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) isosorbide dinitrate/hydralazine (Bidil) ^{CL} NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat) ^{AL,CL,QL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%