

DEPT. OF HEALTH AND HUMAN SERVICES



Jim Pillen, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

November 2024 PDL

Noted in Red Font are changes that Become Effective November 1, 2024

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at <u>https://ne.primetherapeutics.com/drug-lookup</u>.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription
 drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid
 beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment,
 hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is
 required to document good faith effort, including reasons why unable to conduct the check and may
 be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a].
- **Opioids** The maximum opioid dose covered is 90 Morphine Milligram Equivalents (MME) per day.

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Immunomodulators Self-Injectable PA Form
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| adapalene (generic Differin) GEL (OTC/Rx), GEL PUMP adapalene/BPO (generic Epiduo) benzoyl peroxide (BPO) WASH, LOTION benzoyl peroxide GEL OTC clindamycin/BPO (generic BenzaClin) GEL, PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin SOLN erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL | adapalene (generic Differin) CREAM adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePro) benzoyl peroxide GEL Rx benzoyl peroxide GEL Clindamycin FOAM , LOTION clindamycin GEL clindamycin phosphate (generic for Clindagel) GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO PUMP (generic Onexton) ^{AL} clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) erythromycin PLEDGET EVOCLIN (clindamycin) | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|--|
| | FABIOR (tazarotene) FOAM NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur sulfacetamide/sulfur sulfacetamide/sulfur CLEANSER SUMADAN (sulfacetamide/sulfur) tazarotene (generic Tazorac) CREAM tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin (generic Avita, Retin-A) ^{AL} CREAM, GEL tretinoin microspheres (generic Retin- A Micro) ^{AL} GEL, GEL PUMP WINLEVI (clascoterone) ^{AL} | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class |

NR - Product was not reviewed - New Drug criteria will apply

AL- Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ALZHEIMER'S AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| CHOLINESTERASE INHIBITORS | | Non-preferred agents will be approved for patients who have |
| donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch) | ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN , TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon) | failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR |
| NMDA RECEPTOR ANTAGONIST | | • Donepezil 23: Requires donepezil 10mg/day for at least 3 months |
| | memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil) | AND clinical reason as to why 5m or 10mg tablets can't be used (to deliver 20mg or 25mg) |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID LONG-ACTING

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL} XTAMPZA (oxycodone) ER | BELBUCA (buprenorphine) ^{QL} BUCCAL buprenorphine BUCCAL (generic for Belbuca) ^{AL,QL} buprenorphine PATCH (generic Butrans)^{QL} EMBEDA (morphine sulfate/ naltrexone DURAGESIC MATRIX (fentanyl)^{QL} fentanyl 37.5/62.5/87.5 mcg PATCH ^{QL} hydrocodone ER (generic Hysingla ER)^{QL} hydrocodone bitartrate ER (generic Zohydro ER) hydromorphone ER (generic Exalgo)^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET ^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic Avinza, Kadian) CAPS NUCYNTA ER (tapentadol)^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic ConZip) ^{CL} | does not recommend long acting opioids when beginning opioid treatment. Preferred agents require previous use of a long acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end of life care |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| OR acetaminophen/codeine ELIXIR, TAB codeine TAB hydrocodone/APAP SOLN, TAB hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone/APAP Tramadol 50 TAB ^{AL} (generic Ultram) | AL APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz. ^{CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine dihydrocodeine/APAP/caffeine hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} oxycodone CAPS oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone PROLATE (oxycodone/APAP) SOLN, TAB ROXICODONE (oxycodone) SEGLENTIS (celecoxib/tramadol) ^{AL} tramadol 100mg (generic Ultram) ^{AL} tramadol 100mg (generic Ultram) ^{AL} tramadol (generic Qdolo) ^{AL,QL} SOLN | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Opiate limits for opiate naïve patients will consist of: -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive Drug-specific criteria: Apadaz/ / benzhydrocodone- APAP: Approval for 14 days or less Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|---|--|
| NA | SAL | |
| | butorphanol SPRAY QL LAZANDA (fentanyl citrate) | - |
| BUCCAL/TRANSMUCOSAL ^{CL} | | Drug-specific criteria: Abstral[®]/Actiq[®]/Fentora[®]/ |
| | ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL} | fentaryl transmucosal/Onsolis: Approved only for diagnosis of cancer AND current use of long- acting opiate |

ANDROGENIC AGENTS (TOPICAL) CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| ANDROGEL (testosterone) PUMP ^{CL} testosterone PUMP (generic Androgel) ^{CL} TESTIM (testosterone) TRANSDERMAL | ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim) | Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired) |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace) | IBITORS captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Cunivasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN trandolapril (generic Mavik) | Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned/enalapril oral solution/Qbrelis oral solution: Clinical reason why oral tablet is not appropriate |
| ANGIOTENSIN REC | EPTOR BLOCKERS | |
| irbesartan (generic Avapro) Iosartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan) | candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria | |
|--|--|--|--|
| ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS | | Non-preferred agents will be | |
| irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT) | candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT) | approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization | |
| | N MODULATOR/ LOCKER COMBINATIONS | | |
| amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) amlodipine/valsartan/HCTZ (generic Exforge HCT) | amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka) | | |
| DIRECT RENIN INHIBITORS | | _ | |
| | aliskiren (generic Tekturna) ^{qL} | _ | |
| DIRECT RENIN INHIE | BITOR COMBINATIONS | Direct Renin Inhibitors/Direct | |
| | TEKTURNA/HCT (aliskiren/HCTZ) | Renin Inhibitor Combinations: May be approved witha history of | |
| NEPRILYSIN INHIB | ITOR COMBINATION | TWO preferred ACE Inhibitors o Angiotensin Receptor Blockers | |
| ENTRESTO (sacubitril/valsartan) ^{CL,QL} | ENTRESTO (sacubitril/valsartan) ^{NR} SPRINKLE CAP | within the last 12 months | |
| ANGIOTENSIN RECEPTOR BLOCK | ER/BETA-BLOCKER COMBINATIONS | Drug Specific Criteria | |
| | BYVALSON (nevibolol/valsartan) | Entresto: May be approved in patients ages >1 years old and with a diagnosis of heart failure | |
| NTHELMINTICS | | | |
| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria | |
| albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol) | EMVERM (mebendazole) ^{CL} praziquantel (generic Biltricide) STROMECTOL (ivermectin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within | |

Drug-specific criteria:

the last 6 months

• Emverm: Approval will be considered for indications not covered by preferred agents

agent within this drug class within

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTI-ALLERGENS, ORAL

Preferred Agents

| Non-Prefer | red Agents |
|------------|------------|
| | reu Agenta |

GRASTEK (timothy grass pollen

ORALAIR (sweet vernal/orchard/rye/

timothy/kentucky blue grass mixed

PALFORZIA (peanut allergen powder-

and Dermatophagoides

pollen allergen extract)^{CL}

RAGWITEK (weed pollen-short

pteronyssinus)AL,QL

allergen) AL,QL

dnfp) AL,CL

ragweed)AL,QL

Prior Authorization/Class Criteria

All agents require initial dose to be given in a healthcare setting

ODACTRA (Dermatophagoides farinae Drug-specific criteria:

GRASTEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens.

• For use in persons 5 through 65 years of age.

ODACTRA

• Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite

• For use in persons 12 through 65 years of age

ORALAIR

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.

• For use in patients 5 through 65 years of age.

PALFORZIA

• Confirmed diagnosis of peanut allergy by allergist

• For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days

• Initial dose and increase titration doses should be given in a healthcare setting

• Should not be used in patients with uncontrolled asthma or concurrently on a NSAID

RAGWITEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen.

• For use in patients 5 through 65 years of age.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, GASTROINTESTINAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| FIRVANQ (vancomycin) ^{QL} SOLN metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL} | AEMCOLO (rifamycin) TAB DIFICID (fidaxomicin) ^{CL} TAB , SUSP metronidazole ^{CL} CAPS nitazoxanide (generic Alinia) TAB ^{AL, CL, QL} paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) ^{CL} vancomycin (generic Firvanq) ^{QL} VOWST (fecal microbiota spores) ^{AL,QL} XIFAXAN (rifaximin) ^{CL} | Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia /nitazoxanide tablet: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl®/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regular release cannot be used tinidazole: |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

zation / Class Criteria apply QL – Quantity/Duration Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, INHALED CL

| Preferred Agents ^{CL} | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) ^{QL} | ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) ^{QL} tobramycin (generic Bethkis) | Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 |
| | | Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation why nebulized tobramycin cannot be used |

ANTIBIOTICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| bacitracin OINT bacitracin OINT OTC bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine | CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL} | Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, VAGINAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) metronidazole, vaginal NUVESSA (metronidazole) | CLEOCIN CREAM (clindamycin) CLINDESSE (clindamycin) metronidazole (generic Nuvessa) ^{NR} VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) GEL ^{AL} | Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months |

ANTICOAGULANTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| dabigatran etexilate (generic Pradaxa) CAPS ELIQUIS (apixaban) enoxaparin (generic Lovenox) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban) | fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) CAPS , PELLETS SAVAYSA (edoxaban) ^{CL,QL} XARELTO (rivaroxaban) ^{CL} SUSP | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin[®]: Clinical reason generic warfarin cannot be used Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used. |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIEMETICS/ANTIVERTIGO AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| CANNAI | BINOIDS | Non-preferred agents will be |
| dronabinol (generic Marinol) ^{AL} | CESAMET (nabilone) | approved for patients who have failed ONE preferred agent within this drug class within the same |
| 5HT3 RECEPTO | DR BLOCKERS | group |
| ondansetron (generic Zofran/Zofran ODT) ^{qL} | ANZEMET (dolasetron) granisetron (generic Kytril) ondansetron 16mg ODT (generic Zofran ODT) ^{NR} SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron) | Drug-specific criteria: Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist <u>Regimens include</u>: AC combination |
| NK-1 RECEPTO | | (Doxorubicin or Epirubicin with Cyclophosphamide), Aldesleukin, |
| aprepitant (generic Emend) CAPS ^{QL} | AKYNZEO (netupitant/palonosetron) ^{CL} aprepitant (generic Emend) PACK EMEND (aprepitant) CAPS, PACK, POWDER ^{QL} VARUBI (rolapitant) TAB ^{CL} | Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, |
| TRADITIONAL | ANTIEMETICS | Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, |
| DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose (generic Emetrol) SOLN prochlorperazine(generic Compazine) promethazine (generic Phenergan) SYRUP, TAB promethazine 12.5mg, 25mg SUPPOSITORY scopolamine TRANSDERMAL | BONJESTA (doxylamine/pyridoxine). ^{CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg TRANSDERM-SCOP (scopolamine) trimethobenzamide TAB (generic Tigan) | Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis/doxylamine-pyridoxine)/ Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv (metoclopramide) ODT[®]: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso[®]/Zuplenz[®]: Documentation of oral dosage form intolerance |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, ORAL

Prior Authorization/Class Criteria Preferred Agents BREXAFEMME (ibrexafungerp)^{QL} Non-preferred agents will be approved clotrimazole (mucous membrane, for patients who have failed a trial of troche) CRESEMBA (isavuconazonium)CL TWO diagnosis-appropriate preferred fluconazole SUSP, TAB (generic flucytosine (generic Ancobon)CL agents within this drug class Diflucan) griseofulvin ultramicrosize (generic Drug-specific criteria: griseofulvin SUSP GRIS-PEG) Cresemba[®]: Approved for diagnosis of griseofulvin microsized TAB itraconazole (generic Sporanox)CL invasive aspergillosis or invasive mucormycosis nystatin SUSP, TAB ketoconazole (generic Nizoral) Flucytosine: Approved for diagnosis terbinafine (generic Lamisil) NOXAFIL (posaconazole) AL SUSP, of: Candida: Septicemia, endocarditis, TAB UTIs Cryptococcus: Meningitis, pulmonary infections NOXAFIL (posaconazole) AL,CL Noxafil/ posaconazole DR tablets, POWDERMIX oral suspension, PowderMix® for nystatin **POWDER** delayed oral suspension:: No trial for posaconazole (generic Noxafil)^{AL,CL} diagnosis of Neutropenia Myelodysplastic Syndrome (MDS), TOLSURA (itraconazole)CL Neutropenic Acute Myeloid Leukemia VIVJOA (oteseconazole) CAPS (AML), Neutropenic hematologic malignancies, Graft vs. Host voriconazole (generic VFEND)^{CL} disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Powdermix: pediatric patients 2 years of age and older who weigh 40 kg or less Noxafil/ posaconazole Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Sporanox[®]/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafineresistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox[®] Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole Vfend/voriconazole :: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL- Age Limit

QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis

refractory to fluconazole

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, TOPICAL

| ANTIFUNGAL - Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within this drug class within the isdrug class wit |
|---|
| VOTRIZA-AL (clotrimazole) LOTION OTC |

ANTIFUNGAL/STEROID COMBINATIONS

clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT

clotrimazole/betamethasone LOTION (generic Lotrisone)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIHISTAMINES, MINIMALLY SEDATING

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) loratadine TAB , SOLN (generic Claritin) levocetirizine TAB (generic Xyzal) | cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (Rx) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs) | Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered |

ANTIHYPERTENSIVES, SYMPATHOLYTICS

| | Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|--------|--|--------------------------------|---|---|
| c Q | clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa | methyldopa/hydrochlorothiazide | • | Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class |
| | | | | |

ANTIHYPERURICEMICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| allopurinol (generic Zyloprim) colchicine TAB (generic Colcrys) probenecid probenecid/colchicine (generic Col- Probenecid) | allopurinol 200mg colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} MITIGARE (colchicine) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Gloperba: Approved for documented swallowing disorder Uloric/febuxostat: Clinical reason why allopurinol cannot be used |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents

Non-Preferred Agents

| AIMOVIG (erenumab-aooe) ^{CL,QL} AJOVY (fremanezumab-vfrm) ^{CL, QL} PEN, Autoinjector AJOVY (fremanezumab-vfrm) | diclofenac (generic Cambia) P OWDER dihydroergotamine mesylate NASAL ELYXYB (celecoxib) ^{AL,QL} SOLN | All non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication |
|---|---|--|
| Autoinjector 3-pack ^{CL,QĹ} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE NURTEC ODT (rimegepant) ^{AL,CL,QL} | EMGALITY 100 mg (galcanezumab- gnlm) ^{CL,QL} SYR MIGERGOT (ergotamine/caffeine) RECTAL | • For Acute Treatment: agents will be approved for patients who have a failed trial or a contraindication to a triptan. |
| QULIPTA (atogepant) ^{AL,CL,QL} UBRELVY (ubrogepant) ^{AL,CL,QL} | MIGRANAL (dihydroergotamine) NASAL REYVOW (lasmiditan) ^{AL, CL,QL} TAB TRUDHESA (dihydroergotamine | For Prophylactic Treatment: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in |
| | mesylate) ^{AL,QL} NASAL ZAVZPRET (zavegepant) ^{AL,QL} NASAL | the 2012 American Academy of Neurology/American Headache Society guidelines (examples include: antidepressants (amitriptyline, |

Drug-specific criteria:

ACE (lisinopril)

 Emgaility 100mg will only be approved for treatment of Episodic Cluster Headache

venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (valproate, topiramate),

Prior Authorization/Class Criteria

- Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or a contraindication to a triptan. For use in preventative treatment, will be approved for patients who have a failed trial of ONE preferred injectable CGRP.
- Qulipta: May be approved for patients who have a failed trial of ONE preferred injectable CGRP

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, TRIPTANS QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| OF rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan | AL almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig) | Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents |
| NA IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal) | SAL ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan) | - |
| INJEC | INJECTABLE | |
| sumatriptan KIT, SYRINGE, VIAL | IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) | |

ANTIPARASITICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200) | CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM , LOTION ivermectin (generic Sklice) LOTION lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPARKINSON'S AGENTS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| ANTICHOL benztropine (generic Cogentin) trihexyphenidyl (generic Artane) COMT INH | | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class |
| ropinirole (generic Requip) | entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) AGONISTS bromocriptine (generic Parlodel) ropinirole ER (generic Requip ER) ^{CL} NEUPRO (rotigotine) ^{CL} pramipexole ER (generic Mirapex ER) ^{CL} ropinirole ER (generic Requip XL) ^{CL} | Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with |
| MAO-B INI selegiline CAPS, TABLET (generic Eldepryl) | HIBITORS rasagiline (generic Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL} | |
| amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo) | APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn) SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) CREXONT (carbidopa and levodopa ER.) ^{NR,QL} CAPS DHIVY (carbidopa/levodopa) ^{QL} DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) ^{CL,QL} INHALER KYNMOBI (apomorphine) ^{QL} KIT, SUBLINGUAL NOURIANZ (istradefylline) ^{CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone) VYALEV (foscarbidopa and foslevodopa) SUB-Q ^{NR} | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPSORIATICS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------|---|---|
| acitretin (generic Soriatane) | methoxsalen (generic Oxsoralen- Ultra) | Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy |

ANTIPSORIATICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|---|--|
| calcipotriene CREAM, OINT, SOLN | calcitriol (generic Vectical) ^{AL} OINT calcipotriene/betamethasone OINT (generic Taclonex) calcipotriene/betamethasone SUSP (generic Taclonex Scalp) CALCITRENE (calcipotriene) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) VTAMA (tapinarof) ^{AL} CREAM ZORYVE (roflumilast) ^{AL} CREAM | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIVIRALS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| ANTI-HERP acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex) | ETIC DRUGS acyclovir (generic for Zovirax) ^{CL} SUSP SITAVIG (acyclovir buccal) ^{CL} | Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group |
| ANTI-INFLUE oseltamivir (generic Tamiflu) ^{QL} CAPS, SUSP | rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS, SUSP XOFLUZA (baloxavir marboxil) ^{AL,CL,QL} | Drug-specific criteria: Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used |

ANTIVIRALS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| acyclovir OINT docosanol OTC | acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) penciclovir (generic Denavir) XERESE (acyclovir/hydrocortisone) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent |

ANXIOLYTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLN (generic for | alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} | Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class |
| Valium) | lorazepam ORAL SYRINGE | Drug-specific criteria: |
| lorazepam INTENSOL, TABLET (generic for Ativan) | LOREEV XR (lorazepam) ^{AL} meprobamate oxazepam | Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

lorazepam Intensol®

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BETA BLOCKERS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| BETA BL atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) ^{AL} SOLN metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) nebivolol (generic Bystolic) propranolol (generic Inderal) propranolol ER (generic Inderal LA) | acebutolol (generic Sectral) betaxolol (generic Kerlone) INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER) | Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Coreg CR/carvedilol: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used |
| | | |

| BETA- AND ALPHA-BLOCKERS | | |
|---|--|--|
| carvedilol (generic Coreg) carvedilol ER ^{CL} (generic Coreg CR) | | |
| labetalol (generic Trandate) | | |
| | | |
| ANTIARRHYTHMIC | | |

sotalol (generic Betapace)

SOTYLIZE (sotalol)

BILE SALTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE) | BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) IQIRVO (elafibranor) ^{NR,QL} TAB LIVDELZI (seladelpar) ^{NR} CAP LIVMARLI (maralixibat) SOLN ^{AL} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

lass Criteria apply QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BLADDER RELAXANT PREPARATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| fesoterodine (generic Toviaz) MYRBETRIQ (mirabegron) ^{AL} TAB oxybutynin IR, ER (generic Ditropan/Ditropan XL) | darifenacin ER (generic Enablex) flavoxate HCL GELNIQUE (oxybutynin) GEMTESA (vibegron)^{AL,QL} mirabegron ER TAB (generic Myrbetriq)^{NR} MYRBETRIQ (mirabegron) SUSP^{AL,CL,QL} oxybutynin 2.5mg OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) TOVIAZ (fesoterodine ER) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) ^{AL} | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO) |
| | | |

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

| PHONATES alendronate SOLN (generic Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL} risedronate (generic Actonel) ^{QL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covered as individual agents without prior |
|---|--|
| Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL} | failed a trial of ONE preferred agent within the same group Drug-specific criteria: • Actonel [®] Combinations: Covered |
| (0) | as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason clondropate connet be |
| | reason alendronate cannot be taken on an empty stomach |
| PRESSION AND RELATED DRUGS EVISTA (raloxifene) teriparatide (generic Forteo) ^{CL,QL} TYMLOS (abaloparatide) | Binosto[®]: Requires clinical reason why alendronate tablets OR Fosamax[®] solution cannot be used Etidronate disodium: Trial not required for diagnosis of hetertrophic ossification Forteo/ teriparatide: Covered for high risk of fracture BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site Cheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site |
| | More than 2 units of alcohol per day Current smoker |
| | teriparatide (generic Forteo) ^{CL,QL} TYMLOS (abaloparatide) |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| ALPHA B | ALPHA BLOCKERS | |
| alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin) | CARDURA XL (doxazosin) silodosin (generic Rapaflo) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: |
| 5-ALPHA-REDUCTAS | SE (5AR) INHIBITORS | Alfuzosin/dutasteride/finasteride |
| dutasteride (generic Avodart) finasteride (generic Proscar) | dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil) | Covered for males only Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax/ tamsulosin: Females covered for a 7 day supply with diagnosis of acute kidney stones Jalyn/ dutasteride-tamsulosin: Requires clinical reason why individual agents cannot be used |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BRONCHODILATORS, BETA AGONIST

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| INHALE albuterol HFA (generic Proventil HFA) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA) | RS – Short Acting albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: |
| INHALE | ERS – Long Acting | Xopenex/levalbuterol solution: Covered for |
| SEREVENT (salmeterol) | STRIVERDI RESPIMAT (olodaterol) | cardiac diagnoses or side effect of tachycardia with albuterol product |
| INHAL | ATION SOLUTION | |
| albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol 100 mg/20 mL albuterol low dose (0.63mg/3ml & 1.25mg/3ml) | arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol) | |
| ORAL | | _ |
| albuterol SYRUP | albuterol TAB albuterol ER (generic for Vospire ER) metaproterenol (formerly generic for Alupent) terbutaline (generic for Brethine) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CALCIUM CHANNEL BLOCKERS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| SHORT-ACTING | | Non-preferred agents will be |
| Dihydrop | pyridines | approved for patients who have failed a trial of ONE preferred |
| | isradipine (generic Dynacirc) nicardipine (generic Cardene) | agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of |
| verapamil (generic Calan/Isoptin) | | approved with documented |
| LONG-ACTING Dihydropyridines | | swallowing difficulty |
| amlodipine (generic Norvasc) | felodipine ER (generic Plendil) | |
| nifedipine ER (generic Procardia XL/ Adalat CC) | KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,CL,QL} SOLN | |
| Non-dihydropyridines | | - |
| diltiazem ER (generic Cardizem CD) verapamil ER TAB | CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) | |

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| BETA LACTAM/BETA-LACTAM | ASE INHIBITOR COMBINATIONS | Non-preferred agents will be |
| amoxicillin/clavulanate TAB, SUSP | amoxicillin/clavulanate CHEWABLE | approved for patients who have failed a 3-day trial of ONE |
| | amoxicillin/clavulanate ER (generic Augmentin XR) | preferred agent within the same group |
| | AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB | Drug Specific Criteria |
| | | Cefixime- May be approved |
| CEPHALOSPORIN | S – First Generation | for a diagnosis of gonorrhea, with |
| cefadroxil CAPS, SUSP (generic Duricef) | cefadroxil TAB (generic Duricef) cephalexin TAB | an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent |
| cephalexin CAPS, SUSP | | Cefpodoxime- May be |
| (generic Keflex) | | approved for a diagnosis of pyelonephritis, with an appropriate |
| CEPHALOSPORINS - | Second Generation | ICD-10 diagnosis code without a |
| cefprozil (generic Cefzil) | cefaclor (generic Ceclor) | 3-day trial of a preferred agent |
| cefuroxime TAB (generic Ceftin) | CEFTIN (cefuroxime) TAB, SUSP | |
| CEPHALOSPORINS | - Third Generation | |
| cefdinir (generic Omnicef) | cefixime (generic Suprax) CAPS, SUSP | |
| | cefpodoxime (generic Vantin) | |
| | SUPRAX (cefixime) CAPS, CHEWABLE TAB, SUSP, TAB | |

COLONY STIMULATING FACTORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL | FULPHILA (pegfilgrastim-jmdb) SUB-Q GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR,VIAL STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim- bmez) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CONTRACEPTIVES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class |
|---|---|---------------------------|
| All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent | EMZAHH (norethindrone) ^{NR} FEMLYV ODT (norethindrone acetate and ethinyl estradiol) ^{NR} | |
| Specific agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/drug</u> <u>lookupweb/?client=nestate</u> | | |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol) | BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) SPIRIVA RESPIMAT (tiotropium) tiotropium (generic Spiriva) TUDORZA PRESSAIR (aclidinium br) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp/roflumilast: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one |
| INHALATIO | N SOLUTION | exacerbation in last year upon initial review |
| | LONHALA (glycopyrrolate inhalation soln) OHTUVAYRE (ensifentrine) ^{NR} inhalation suspension YUPELRI (revefenacin) | |
| ORAL | AGENT | |
| roflumilast (generic Daliresp) ^{CL,QL} | DALIRESP (roflumilast) ^{CL, QL} | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COUGH AND COLD, OPIATE COMBINATION

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|--|
| | guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP | Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age |

CYSTIC FIBROSIS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---|--|
| | BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TAB (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA(elexacaftor, tezacaftor, ivacaftor) ^{AL, CL} PACKET ^{CL} , TAB | Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| COSENTYX (secukinumab) ^{AL} PEN, SYRINGE ENBREL (etanercept) KIT, MINI CART, PEN, SYRINGE, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) TAB ^{CL,QL} | ABRILADA KIT (adalimumab- afzb) ^{AL,NR} (CF) ABRILADA PEN KIT (adalimumab- afzb) ^{AL,NR} (CF) ACTEMRA (tocilizumab) SUB-Q ADALIMUMAB-AACF (CF) ^{AL,NR} PEN KIT , SYR KIT ADALIMUMAB-AATY (CF) ^{AL,NR} PEN KIT ADALIMUMAB-ADAZ(CF)(biosim for Hyrimoz) ^{AL} PEN,SYRINGE ADALIMUMAB-ADBM(CF) PEN CROHNS ^{AL,NR} ADALIMUMAB-ADBM(CF) KIT , PEN PS-UV ADALIMUMAB-ADBM(CF) KIT , PEN PS-UV ADALIMUMAB-FKJP (biosim for Hulio) ^{AL} PEN, SYRINGE ADALIMUMAB-RYVK ^{AL,NR} (biosim for Simlandi) KIT ADALIMUMAB-RYVK ^{AL,NR} (biosim for Simlandi) PEN KIT AMJEVITA (adalimumab-atto) ^{AL} AUTOINJ, SYR AMJEVITA (adalimumab-atto) ^{AL,NR} KIT AMJEVITA (adalimumab-atto) ^{AL,NR} KIT AMJEVITA (adalimumab-atto) ^{AL,NR} FEN KIT ARCALYST (nilonacept) BIMZELX (bimekizumab-bkzx) ^{AL,NR} PEN, SYR CIBINQO (abrocitinib) ^{AL,QL} CYLTEZO (adalimumab-adbm) ^{AL} PEN SYRINGE CYLTEZO (adalimumab-adbm) ^{AL} PEN SYRINGE ENSPRYNG (satralizumab-mwge) SUB-Q ENTYVIO (vedolizumab) ^{AL,NR} PEN | Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. Otezla: Requires a trial of Humira |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---|---|
| Preferred Agents | HADLIMA (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYRINGE HADLIMA (CF) (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYRINGE HULIO (adalimumab-fkjp) ^{AL} PEN, SYRINGE HYRIMOZ(CF) (adalimumab-adaz) ^{AL} PEN, SYRINGE IDACIO (adalimumab-aacf) ^{AL} PEN, SYRINGE ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYRINGE KINERET (anakinra) LITFULO (ritlecitinib) ^{AL,NR} CAPS OLUMIANT (baricitinib) TAB ^{CL,QL} OMVOH (mirikizumab-mrkz) ^{AL,NR} PEN SYRINGE ^{NR} ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib) ^{CL,QL} RINVOQ (upadacitinib) ^{AL,NR,QL} LQ | Prior Authorization/Class Criteria Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approved for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. Otezla: Requires a trial of Humira |
| | | o . |
| | ORENCIA (abatacept) SUB-Q RINVOQ ER (upadacitinib) ^{CL,QL} | Enbrel OR Humira with the same FDA- |
| | | Otezla: Requires a trial of Humira |
| | | |
| | ryvk) ^{AL,NR} KIT | |
| | , | |
| | | |
| | | |
| | (risankizamab-rzaa)ª⊏ SKYRIZI PEN (risankizamab-rzaa) ^{QL} | |
| | SOTYKTU (deucravacitinib) TAB | |
| | SPEVIGO (spesolimab-sbzo) ^{AL,NR} SYR | |
| | STELARA (ustekinumab) SUB-Q | |
| | TALTZ (ixekizumab) ^{AL} | |
| | TREMFYA (guselkumab) ^{NR,QL} AUTOINJ, PEN^{NR} SYR | |
| | TYENNE (tocilizumab-aazg) ^{AL,NR} AUTOINJ | |
| | TYENNE (tocilizumab-aazg) ^{AL,NR} SYR | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

| VELSIPITY (etrasimod)^{MR.QL} TAB XELJANZ (tofacitinib) TAB, SOLN^{CL,QL} XELJANZ XR (tofacitinib) TABCL,QL YUFLYMA 100mg/mL (CF) (adalimumab- aaty)^{AL} KT, PEN KIT YUFLYMA 80mg/mL (CF) (adalimumab- aaty)^{AL,MR} AUTOINJ, PEN, KIT YUSIMRY (CF) (adalimumab- aqvh)^{AL} PEN KIT ZYMFENTRA PEN, SYR (infliximab-dyyb)^{NR} JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA- approved indications and age limits. | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|------------------|--|---|
| | | XELJANZ (tofacitinib) TAB , SOLN ^{CL,QL} XELJANZ XR (tofacitinib) TAB ^{CL,QL} YUFLYMA 100mg/mL (CF) (adalimumab- aaty) ^{AL} KIT,PEN KIT YUFLYMA 80mg/mL (CF) (adalimumab- aaty) ^{AL,NR} AUTOINJ, PEN, KIT YUSIMRY (CF) (adalimumab- aqvh) ^{AL} PEN KIT ZYMFENTRA PEN, SYR | with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA- approved indications and age limits. |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DIURETICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| SINGLE-AGEN amiloride TAB bumetanide TAB chlorthalidone TAB (generic Diuril) furosemide SOLN, TAB (generic Lasix) hydrochlorothiazide CAPS, TAB (generic Microzide) indapamide TAB metolazone TAB spironolactone TAB (generic Aldactone) torsemide TAB | IT PRODUCTS CAROSPIR (spironolactone) SUSP eplerenone TAB (generic Inspra) ^{CL} ethacrynic acid CAPS (generic Edecrin) KERENDIA (finerenone) TAB ^{CL,QL} spironolactone (generic Carospir) SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required. spironolactone suspension: May be approved without trial of a |
| COMBINATION PRODUCTS | | preferred agent if there is a clinical |
| amiloride/HCTZ TAB spironolactone/HCTZ TAB (generic Aldactazide) triamterene/HCTZ CAPS, TAB (generic Dyazide, Maxzide) | | reason why preferred spironolactone solid dosage form cannot be used. |

ENZYME REPLACEMENT, GAUCHER'S DISEASE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|--|---|
| ZAVESCA (miglustat) ^{CL} | CERDELGA (eliglustat) miglustat (generic Zavesca) | Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca/miglustat: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option |
| | | disease for whom enzyme replacement therapy is not a |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

EPINEPHRINE, SELF-ADMINISTERED QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ | AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic for Adrenaclick) epinephrine (generic for Epipen/ Epipen Jr.) AUTOINJ SYMJEPI (epinephrine) PFS | Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate |

ERYTHROPOIESIS STIMULATING PROTEINS

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|--|---|---|---|
| ARANESP (darbopoetine alfa) DISP SYR, VIAL EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer</i> <i>manufacturer only</i> | JESDUVROQ (daprodustat) ^{NR} TAB PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Vifor</i> <i>manufacturer only</i> VAFSEO (vadadustat) ^{NR} TAB | • | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

FLUOROQUINOLONES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| ciprofloxacin TAB (generic Cipro) levofloxacin TAB (generic Levaquin) | BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin | Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea) |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GI MOTILITY, CHRONIC

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| LINZESS (linaclotide) ^{AL,QL} MOVANTIK (naloxegol oxalate) ^{QL} RELISTOR (methylnaltrexone) SYR TRULANCE (plecanatide) ^{AL,QL} | alosetron (generic Lotronex) IBSRELA (tenapanor) ^{AL,QL} lubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) ^{QL} TAB, VIAL SYMPROIC (naldemedine) VIBERZI (eluxodoline) | Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication Drug-specific criteria: Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Lotronex/ alosetron: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor® TAB: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Viberzi®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate |

GLUCAGON AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJ PROGLYCEM (diazoxide) SUSP ZEGALOGUE (dasiglucagon) ^{AL, QL} AUTO-INJ | diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT , PEN , SYR , VIAL ZEGALOGUE (dasiglucagon) ^{AL, QL} SYR | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, INHALED

| GLUCOCORTICOIDS • Non-preferred agents within the Glucocorticoid/and sand Glucocortecorticol/Glucocorticoid/and sand Glucocortecorticoid | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|--|
| GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS Iast 6 months. ADVAIR DISKUS (fluticasone/ salmeterol)QL AIRDUO DIGIHALER (fluticasone/salmeterol)AL,QL fluticasone HFA: Covered without PA for age ≤ 8 years ADVAIR HFA (fluticasone/salmeterol)QL AIRSUPRA HFA (albuterol and budesonide)AL budesonide/formoterol DULERA (mometasone/formoterol) BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate)QL BREZTRI (budesonide/formoterol/ glycopyrrolate)QL TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) BREZTRI (budesonide/formoterol (generic for Symbicort) budesonide/formoterol (generic for Advair Diskus)QL fluticasone/salmeterol (generic for Advair HFA)QL fluticasone/salmeterol (generic for Advair HFA)QL fluticasone/salmeterol (generic for Advair HFA)QL fluticasone/vilanterol (generic for Advair HFA)QL fluticasone/vilanterol (generic for Advair HFA)QL fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) WIXELA INHUB (generic for Advair | ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) ^{QL,AL} ASMANEX HFA (mometasone) ^{QL} FLOVENT HFA (fluticasone) PULMICORT FLEXHALER | ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} FLOVENT DISKUS (fluticasone) fluticasone (generic Flovent Diskus) ^{NR} fluticasone HFA (generic Flovent HFA) ^{CL} | Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents |
| ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} AIRDUO DIGIHALER (fluticasone/salmeterol) ^{AL,QL} • fluticasone HFA: Covered without PA for age ≤ 8 years ADVAIR HFA (fluticasone/salmeterol) ^{QL} AIRSUPRA HFA (albuterol and budesonide) ^{AL} • fluticasone HFA: Covered without PA for age ≤ 8 years DULERA (mometasone/formoterol) BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate) ^{QL} BREZTRI (budesonide/formoterol/ glycopyrrolate) ^{QL} • fluticasone/salmeterol TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol) fluticasone/salmeterol (generic for Advair Diskus) ^{QL} budesonide/formoterol (generic for Advair Diskus) ^{QL} fluticasone/salmeterol (generic for Advair HFA) ^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) WIXELA INHUB (generic for Advair | GLUCOCORTICOID/BRONCH | ODILATOR COMBINATIONS | |
| | salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol) TRELEGY ELLIPTA (fluticasone/ | (fluticasone/salmeterol)^{AL,QL} AIRSUPRA HFA (albuterol and budesonide)^{AL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate)^{QL} budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)^{QL} fluticasone/salmeterol (generic for Advair HFA)^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) WIXELA INHUB (generic for Advair | |

INHALATION SOLUTION

budesonide **RESPULES** (generic for Pulmicort)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, ORAL

| | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------|--|---|---|
| | onide EC CAPS (generic ort EC) | ALKINDI (hydrocortisone) GRANULES ^{AL} | Non-preferred agents will be approved for patients who have |
| | ethasone ELIXIR, SOLN | CORTEF (hydrocortisone) | failed a trial of ONE preferred agent within this drug class within |
| dexam | ethasone TAB | cortisone TAB | the last 6 months |
| hydrod | cortisone TAB | dexamethasone INTENSOL | |
| methyl | prednisolone tablet (generic | ENTOCORT EC (budesonide) | Drug-specific criteria: |
| Medro | ol) | EOHILIA (budesonide) ^{AL,NR,QL} SUSP | Intensol Products: Patient |
| prednis | solone SOLN | HEMADY (dexamethasone) | specific documentation of why the less concentrated solution is not |
| prednis | solone sodium phosphate | methylprednisolone 8mg, 16mg, 32mg | appropriate for the patient |
| prednis | sone DOSE PAK | ORTIKOS ER (budesonide) ^{AL,QL} | Tarpeyo: Indicated for the |
| prednis | sone TAB | prednisolone sodium phosphate (generic Millipred/Veripred) | treatment of primary immunoglobulin A nephropathy (IgAN) |
| | | prednisolone sodium phosphate ODT | (IgAN) |
| | | prednisone SOLN | |
| | | prednisone INTENSOL | |
| | | RAYOS DR (prednisone) TAB | |
| | | TARPEYO (budesonide) CAPS | |

GROWTH HORMONES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------|--|------------------------------------|
| GENOTROPIN (somatropin) | HUMATROPE (somatropin) | Growth Hormone PA Form |
| NORDITROPIN (somatropin) | NGENLA (somatrogon-ghla) ^{AL} | Growth Hormone Criteria |
| | NUTROPIN AQ (somatropin) | |
| | OMNITROPE (somatropin) | |
| | SAIZEN (somatropin) | |
| | SEROSTIM (somatropin) | |
| | SKYTROFA (lonapegsomatropin-tcgd) | |
| | SOGROYA (somapacitan-beco) | |
| | ZOMACTON (somatropin) | |
| | ZORBTIVE (somatropin) | |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

H. PYLORI TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| PYLERA (bismuth, metronidazole, tetracycline) ^{qL} | lansoprazole/amoxicillin/clarithromycin (generic Prevpac)^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin)^{QL} bismuth,metronidazole,tetracycline (generic Pylera)^{QL} TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA (vonoprazan)^{QL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

HAE TREATMENTS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|------------------------------------|
| BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human)^{AL,CL} SUB-Q icatibant acetate (generic for FIRAZYR)^{AL} SUB-Q | CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SYRINGE | Non-preferred agents will be |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEMOPHILIA TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| FACTOR VIII | | Non-preferred agents will be |
| ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE | ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE | approved for patients who have failed a trial of ONE preferred agent within this drug class |
| FACT | OR IX | |
| ALPROLIX BENEFIX | ALPHANINE SD IDELVION IXINITY MONONINE PROFILNINE SD REBINYN RIXUBIS | |
| FACTOR VIIa AND PROTHROME | IN COMPLEX-PLASMA DERIVED | - |
| NOVOSEVEN RT | FEIBA NF SEVENFACT ^{AL} | |
| | XIII PRODUCTS | |
| COAGADEX CORIFACT | TRETTEN | |
| VON WILLEBRA | AND PRODUCTS | |
| WILATE | VONVENDI | |
| BISPECIFIC | C FACTORS | |
| HEMLIBRA | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS B TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------|--|--|
| entecavir TAB | adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB EPIVIR HBV (lamivudine) TAB, SOLN lamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS C TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| DIRECT ACTING ANTI-VIRAL | | Hepatitis C Treatments PA Form |
| sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TAB^{CL}, PELLET^{AL,CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL} | HARVONI 200/45MG, TAB (ledipasvir/sofosbuvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET ledipasvir/sofosbuvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TAB (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL} | Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni/ledipasvir-sofosbuvir: |
| | VIRIN | _ o Post liver transplant for genotype 1 or 4 |
| ribavirin 200mg CAPSULE, TAB | | Vosevi: Requires documentation of non-response after previous |
| INTERFERON | | treatment course of Direct Acting Anti-viral agent (DAA) for genotype |
| PEGASYS (pegylated interferon alfa- 2a) ^{CL} | | 1-6 without cirrhosis or with compensated cirrhosis |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HISTAMINE II RECEPTOR BLOCKERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| famotidine TAB (generic for Pepcid) famotidine SUSP | cimetidine TAB, SOLN^{CL} (generic Tagamet) famotidine ^{NR} CHEW-TAB nizatidine CAPS (generic for Axid) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| CAPSID I | NHIBITOR | All agents require: |
| | SUNLENCA (lenacapavir) ^{QL} | Diagnosis of HIV/AIDS required, OR |
| CCR5 ANT | AGONISTS | Diagnosis of Pre and Post |
| SELZENTRY SOLN, TAB (maraviroc) | maraviroc (generic Selzentry) | Exposure Prophylaxis Non-preferred agents will be approved for patients who have a |
| | NHIBITORS | diagnosis of HIV/AIDS and patient |
| FUZEON SUB-Q (enfuvirtide) ^{QL} | | specific documentation of why the preferred products within this drug |
| HIV-1 ATTACH | MENT INHIBITOR | class are not appropriate for patient, including, but not limited |
| | RUKOBIA ER (fostemsavir) ^{AL,QL} | to, drug resistance or concomitant conditions not recommended with preferred agents |
| INTEGRASE STRAND TRAI | NSFER INHIBITORS (INSTIS) | Patients undergoing treatment at |
| ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir) | TIVICAY PD (dolutegravir) | the time of any preferred status change will be allowed to continue therapy |
| NON-NUCLEOSIDE REVERSE TRA | NSCRIPTASE INHIBITORS (NNRTIS) | |
| EDURANT (rilpivirine) efavirenz CAPS, TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL} PIFELTRO (doravirine) ^{QL} | etravirine (generic Intelence) ^{QL} nevirapine IR, ER (generic Viramune/Viramune XR) basglaSUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP | |
| NUCLEOSIDE REVERSE TRANS | SCRIPTASE INHIBITORS (NRTIS) | |
| abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir) | didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) ZIAGEN (abacavir) | |
| NUCLEOTIDE REVERSE TRAN | SCRIPTASE INHIBITORS (NRTIS) | |
| tenofovir TABLET (generic Viread) | VIREAD (tenofovir) POWDER | |
| PHARMACOKIN | ETIC ENHANCER | |
| | TYBOST (cobicistat) ^{QL} | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| PROTEAS | E INHIBITORS | All agents require: |
| atazanavir CAPS (generic Reyataz) NORVIR (ritonavir) TAB PREZISTA (darunavir) TAB ritonavir TAB (generic Norvir) | APTIVUS CAPS , SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATE ^{AL} TAB darunavir ethanolate (generic Prezista) ^{AL} TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER , SOLN (ritonavir) PREZISTA (darunavir) SUSP REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir) | Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| PHARMACOKI EVOTAZ (atazanavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN, TAB | E INHIBITORS (PIs) or PIs plus NETIC ENHANCER KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL} | All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the |
| | | preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| COMBINATION NUCLEOS(T)IDE RE | EVERSE TRANSCRIPTASE INHIBITORS | |
| abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} | abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) | |
| DESCOVY (emtricitabine/tenofovir) ^{QL} emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic | EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Combivir)

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| COMBINATION PRODUC | TS – MULTIPLE CLASSES | All agents require: |
| tenofovir) ^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) ^{QL} | ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP | Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|--|--|
| acarbose (generic for Precose) | miglitol (generic for Glyset) GLYSET (miglitol) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| GLUCAGON-LIKE PEPTIDE-1 RE | CEPTOR AGONIST (GLP-1 RA) ^{CL} | GLP-1 RA Criteria |
| OZEMPIC (semaglutide) ^{QL} TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous | ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} BYETTA (exenatide) subcutaneous liraglutide (generic Victoza) ^{NR} MOUNJARO (tirzepatide) PEN RYBELSUS (semaglutide) | Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND |
| INSULIN/GLP-1 R | A COMBINATIONS | Diagnosis of diabetes with HbA1C |
| | SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide) | ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin |
| AMYLIN | ANALOG | Amylin Analog Criteria |
| | SYMLIN (pramlintide) subcutaneous | ALL criteria must be met Concurrent use of short-acting mealtime insulin |
| DIPEPTIDYL PEPTIDASE | -4 (DPP-4) INHIBITOR ^{AL,QL} | No diagnosis of gastroparesis |
| JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin) | alogliptin (generic Nesina) alogliptin/metformin (generic Kazano) alogliptin/pioglitazone (generic Oseni) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin) saxagliptin (generic Onglyza) saxagliptin/metformin ER (generic Kombiglyze ER) sitagliptin (generic Zituvio) ^{NR} sitagliptin/ metformin (Zituvimet) ^{NR} STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIMET (sitagliptin and metformin) TABLET ^{NR, QL} | ourion anorapy compliance |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------|--|------------------------------------|
| DIPEPTIDYL PEPTIDASE | E-4 (DPP-4) INHIBITOR ^{AL,QL} | |
| | ZITUVIMET XR (sitagliptin and metformin) TABLET NR, QL | |
| | ZITUVIO (sitagliptin) | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|------------------------------------|
| APIDRA (insulin glulisine) SOLOSTAR, VIAL HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 70/30 VIAL HUMULIN TO/30 OTC PEN HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) CARTRIDGE, PEN, VIAL insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin glargine PEN, VIAL insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL NOVOLOG MIX FLEXPEN (insulin aspart/aspart protamine) | , in the second s | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, MEGLITINIDES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|---|--|
| repaglinide (generic for Prandin) | nateglinide (generic for Starlix) ^{CL} | Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control |

HYPOGLYCEMICS, METFORMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| metformin IR & ER (generic Glucophage/Glucophage XR) | metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL} | Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Metformin solution: Prior authorization not required for age <7 years |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SGLT2

Non-Preferred Agents

FARXIGA (dapagliflozin) ^{CL.QL} INVOKAMET (canagliflozin/ metformin) ^{CL.QL} INVOKANA (canagliflozin)^{CL} JARDIANCE (empagliflozin) ^{CL.QL} SYNJARDY (empagliflozin/metformin)^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin)^{CL.QL}

Preferred Agents

 BRENZAVVY (bexagliflozin)^{NR} dapagliflozin^{CL.NR,QL} (generic Farxiga) dapagliflozin/metformin^{CL.QL} (generic Xigduo)
 INPEFA (sotagliflozin)^{QL} TAB
 INVOKAMET XR (canagliflozin/metformin)^{QL}
 SEGLUROMET (ertugliflozin/metformin)^{QL}
 STEGLATRO (ertugliflozin)^{QL}
 SYNJARDY XR (empagliflozin/ metformin)^{AL,QL}

Prior Authorization/Class Criteria

Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, **OR**

A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required)

 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Drug Specific Criteria:

- **Farxiga/ dapagliflozin:** May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes
 - May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes
- Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SULFONYLUREAS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase) | chlorpropamide tolazamide tolbutamide | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| SULFONYLURE | A COMBINATIONS | |
| glipizide/metformin glyburide/metformin (generic | | |

Glucovance)

HYPOGLYCEMICS, TZD

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------|---|---|
| THIAZOLIDINEDIONES (TZDs) | | Non-preferred agents will be |
| pioglitazone (generic for Actos) | | approved for patients who have failed a trial of THE preferred agent |
| TZD COMBINATIONS | | within this drug class |
| | pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met) | Combination products: Require clinical reason why individual ingredients cannot be used |

IDIOPATHIC PULMONARY FIBROSIS

| | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|-------------------------------------|--|--|
| OFEV (nintedanib esylate) ^{c∟} pirfenidone (generic Esbriet) ^{Q∟} | ESBRIET (pirfenidone) ^{QL} | Non-preferred agent requires trial of preferred agent within this drug class | |
| | | | FDA approved indication required – ICD-10 diagnosis code |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ASTHMA^{CL}

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| ADBRY (tralokinumab-ldrm) AL,CL,QL SUB-Q | ADBRY 300mg/2mL (tralokinumab-ldrm) AL,NR AUTOINJ | Immunomodulators Self-Injectable |
| DUPIXENT (dupilumab) ^{AL,CL} PEN,SYR | EBGLYSS (lebrikizumab-lbkz) ^{NR,QL} PEN | (For Adbry and Dupixent only) |
| ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL} | OPZELURA (ruxolitinib phosphate) | Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred |
| pimecrolimus (generic for Elidel) | CREAM ^{AL,CL,QL} | product within this drug class |
| tacrolimus (generic for Protopic) | PROTOPIC (tacrolimus) | Drug-specific criteria: |
| | ZORYVE (roflumilast) ^{AL,NR} CREAM ZORYVE (roflumilast) ^{AL,NR} FOAM | ADBRY: May be approved after a trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Dupixent: Atopic Dermatitis: May be approved after a maximum of a 90-day trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Eosinophilic Esophagitis: Trial, failure, or technique difficulty to a swallowed topical corticosteroid or treatment failure of a proton pump inhibitor. Prescribed by, or in consultation with an allergist, gastroenterologist, or immunologist. Documentation that the Patient has a confirmed diagnosis of eosinophilic esophagitis with ≥ 15 eosinophilic esophagitis with ≥ 15 eosinophils/high-power field. Nasal Polyps: May be approved with documentation of treatment failure or contraindication within the previous year to an intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT]. Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, you motive attestation with an allergist, you motive attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, pulse approved with an allergist. |
| | | dermatologist, or immunologist. Eucrisa: May be approved after a 30 day trial failure of a preferred topical corticosteroid |
| | | (TCS) or topical calcineurin inhibitor (TCI) within the past 180 days; Maximum of 300 grams per year |
| | | • Opzelura : May be approved for a diagnosis of Atopic Dermatitis and after a trial/failure of a topical steroid and trial of a preferred agent |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|--|--|
| imiquimod (generic for Aldara) | HYFTOR (sirolimus) ^{AL} GEL imiquimod (generic Zyclara) podofilox (generic Condylox) GEL ^{NR} , SOLN VEREGEN (sinecatechins) ZYCLARA (imiquimod) | Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used |

IMMUNOSUPPRESSIVES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified (generic Neoral) CAPS everolimus (generic for Zortress) ^{AL} mycophenolate (generic Cellcept) CAPS, TAB RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB sirolimus (generic Rapamune) SOLN, TAB tacrolimus | ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP mycophenolic acid MYFORTIC (mycophenolate sodium) MYHIBBIN (mycophenolate sodium) MYHIBBIN (mycophenolate) ^{AL,NR} SUSP PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan) ^{QL} CAPS ZORTRESS (everolimus) ^{AL} | Patients established on existing therapy will be allowed to continue Drug Specific Criteria Tavneos (avacopan) No trial of a preferred agent required with appropriate FDA |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

INTRANASAL RHINITIS DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| ANTICHOLINERGICS | | Non-preferred agents will be |
| ipratropium (generic for Atrovent) | | approved for patients who have failed a 30-day trial of ONE preferred |
| ANTIHIS | TAMINES | agent within this drug class |
| azelastine 0.1% (generic for Astelin) | azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL} | Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of |
| CORTICO | STEROIDS | |
| fluticasone Rx (generic Flonase) | BECONASE AQ (beclomethasone) budesonide Rx (generic for Rhinocort) flunisolide (generic for Nasalide) fluticasone OTC (generic Flonase OTC) mometasone (generic for Nasonex) RX, OTC ^{NR} OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) XHANCE (fluticasone) ZETONNA (ciclesonide) | |

LEUKOTRIENE MODIFIERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| montelukast (generic for Singulair) TAB ^{QL} /CHEWABLE ^{AL} | montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton) | Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| clindamycin CAPS clindamycin palmitate SOLN linezolid TAB | CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

LIPOTROPICS, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| BILE ACID SEQUESTRANTS | | Non-preferred agents will be |
| cholestyramine (generic Questran) colestipol TAB (generic Colestid) | colesevelam (generic Welchol) TAB , PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and |
| TREATMENT OF HOMOZYGOUS FA | MILIAL HYPERCHOLESTEROLEMIA | monotherapy with metformin, sulfonylurea, or insulin has been |
| | JUXTAPID (Iomitapide) ^{CL} | inadequate |
| | KYNAMRO (mipomersen) ^{CL} | Juxtapid [®] / Kynamro [®] : |
| | DERIVATIVES | Approved for diagnosis of homozygous familial |
| | | hypercholesterolemia (HoFH) |
| fenofibrate (generic Tricor) | fenofibric acid (generic Fibricor/Trilipix) | OR |
| fenofibrate (generic Lofibra) | fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide) | Treatment failure/maximized dosing/contraindication to ALL |
| gemfibrozil (generic Lopid) | | the following: statins, |
| NIA | CIN | ezetimibe, niacin, fibric acid |
| niacin ER (generic Niaspan) | NIACOR (niacin IR) | derivatives, omega-3 agents, bile acid sequestrants Require faxed copy of REMS PA form |
| OMEGA-3 F | ATTY ACIDS | _ |
| omega-3 fatty acids (generic Lovaza) | icosapent (generic Vascepa) ^{CL} omega-3 OTC | |
| CHOLESTEROL ABSO | DRPTION INHIBITORS | |
| ezetimibe (generic Zetia) | NEXLETOL (bempedoic acid) NEXLIZET (bempedoic acid/ ezetimibe) ^{QL} | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

ia apply QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, OTHER (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|----------------------|---|
| PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS | | Praluent[®]: Approved for diagnoses of: |
| | | diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies AND Trial and failure or intolerance to a statin for 8 continuous weeks Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha®: May be approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) in adults and pediatric patients aged 10 years and older homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, STATINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| STATINS | | Non-preferred agents will be opproved for patients who have |
| atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor) | ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{QL} SUSP EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ^{AL,QL} pitavastatin (generic Livalo) ^{AL,NR,QL} ZYPITAMAG (pitavastatin) | approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual ingredients cannot be used |
| STATIN CON | IBINATIONS | • fluvastatin ER: Requires trial of |
| | atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin) | TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin |

MACROLIDES AND KETOLIDES, ORAL

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|---|--|---|--|
| MACR | OLIDES | • | Non-preferred agents require |
| azithromycin (generic Zithromax) clarithromycin TAB, SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate) | clarithromycin ER (generic Biaxin XL) E.E.S. TAB (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TAB, CAPS | | clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

METHOTREXATE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| methotrexate PF VIAL, TABLET, VIAL | JYLAMVO (methotrexate) ^{NR} SOLN OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q REDITREX (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN | Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: Xatmep[™]:Indicated for pediatric patients only |

MOVEMENT DISORDERS

| FPreferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| AUSTEDO (deutetrabenazine) ^{CL} AUSTEDO XR (deutetrabenazine) ^{CL} AUSTEDO XR Titration Pack | INGREZZA (valbenazine) ^{AL,CL} INITIATION PACK, SPRINKLES ^{NR,QL} XENAZINE (tetrabenazine) ^{CL} | All drugs require an FDA approved indication – ICD-10 diagnosis code required. |
| (deutetrabenazine) ^{CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS | | Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this |
| tetrabenazine (generic for Xenazine) ^{CL} | | class cannot be used. Drug-specific criteria: |
| | | Austedo/Austedo XR/Ingrezza: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease |
| | | tetrabenazine: Diagnosis of chorea with Huntington's Disease |

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

MULTIPLE SCLEROSIS DRUGS

| Non-Preferred Agents | |
|----------------------|--|
| | |

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| AVONEX (interferon beta-1a) ^{QL} BETASERON (interferon beta-1b) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya) ^{QL} KESIMPTA (Ofatumumab) ^{CL,QL} teriflunomide (generic Aubagio) ^{QL} | AUBAGIO (teriflunomide) ^{QL} BAFIERTAM (monomethyl fumarate) ^{QL} dalfampridine (generic Ampyra) ^{QL} EXTAVIA (interferon beta-1b) ^{QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a) ^{QL} TASCENSO ODT (fingolimod) TAB ^{AL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,CL,QL} | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class Drug-specific criteria: Ampyra/ dalfampridine: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7 Plegridy: Approved for diagnosis of relapsing MS Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment |

NITROFURAN DERIVATIVES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid) | nitrofurantoin SUSPENSION (genericFuradantin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL- Age Limit

QL – Quantity/Duration Limit NR - Product was not reviewed - New Drug criteria will apply

failure of Humira.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|---|
| ibuprofen OTC, Rx (generic Advil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS indomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Mobic) TAB nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril) | ECTIVE diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) ^{CL} indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Ponstel) meloxicam (generic Vivlodex) ^{CL, QL} CAP meloxicam (generic Naprolan) naproxen CR (generic Naprelan) naproxen sodium (generic Anaprox) naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Tolectin) ketorolac (generic Sprix Nasal) ^{QL} NASAL | Non-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: meclofenamate: Approvable without trial of preferred agents for menorrhagia Sprix/ketoralac Nasal: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------|---|--|
| COX-I SELECTI | COX-I SELECTIVE (continued) | |
| | ALL BRAND NAME NSAIDs including: | clinical reason why individual agents can't be used separately |
| | DOLOBID (diflunisal) 250 MG TABLET AL,NR | |
| | DUEXIS (ibuprofen/famotidine) ^{CL} | |
| | NALFON (fenoprofen) | |
| NSAID/GI PROTECTA | ANT COMBINATIONS | |
| | diclofenac/misoprostol (generic Arthrotec) | |
| COX-II SE | LECTIVE | |
| celecoxib (generic Celebrex) | | |

NSAIDs, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| diclofenac sodium GEL (OTC only) PENNSAID PUMP (diclofenac) | diclofenac PUMP (generic Pennsaid) ^{CL} diclofenac SOLN (generic Pennsaid) FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET (diclofenac) ^{CL} VOLTAREN GEL (diclofenac) ^{CL} | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form. |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria | |
|---|---|--|--|
| CDK 4/6 INHIBITOR | | Non-preferred agents DO NOT | |
| | IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib) | require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status | but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines |
| CHEMOT | HERAPY | change will be allowed to continue | |
| capecitabine (generic Xeloda) cyclophosphamide | XELODA (capecitabine) | therapy Drug-specific critera | |
| HORMONE | HORMONE BLOCKADE | | |
| anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex) | ORSERDU (elacestrant) SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL} | malignant neoplasm of male breast (male breast cancer) Fareston/toremifene: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply | |
| OT | HER | greater than 12 – NOT approved | |
| | NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) ^{QL} TUKYSA (tucatinib) ^{QL} TRUQAP (capivasertib) ^{NR} | Soltamox: May be approved with documented swallowing difficulty | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

AL- Age Limit

| rred Agents Non-Preferred Agents Prior Authorization/Class Criteria |
|--|
| ALL • Non-preferred agents DO NOT |
| PURIXAN (mercaptopurine) ^{AL} require a trial of a preferred agent, but DO require an FDA-approved |
| AML indication OR documentation submitted supporting off-label use |
| DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} VANFLYTA (quizartinib) XOSPATA (gilteritinib) ^{QL} Drug-specific critera |
| CLL • Hydrea®: Requires clinical reaso |
| orambucil) COPIKTRA (duvelisib) ^{QL} IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib) Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder ■ Tabloid: Prior authorization not |
| CML required for age <19 • Xpovio: Indicated for relapsed or |
| neric for Hydrea) for Gleevec) ulfan) BOSULIF (bosutinib) dasatinib (generic Sprycel) ^{NR} GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib) ^{CL} |
| MPN |
| JAKAFI (ruxolitinib) |
| MYELOMA |
| eric Alkeran) halidomide) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL} |
| OTHER |
| pcarbazine) BRUKINSA (zanubrutinib ^{QL} Janine) CALQUENCE (acalabrutinib) ^{QL} inrebic for Vesanoid) ^{AL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) ^{NR} VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat) |
| |

NR – Product was not reviewed - New Drug criteria will apply Page 67 of 94

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|--|---|
| AL | K ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue |
| ALK / ROS | S1 / NTRK | - therapy |
| | AUGTYRO (repotrectinib) ^{NR} ROZLYTREK (entrectinib) ^{QL} CAPS, PELLETS ^{NR} XALKORI (crizotinib) CAPS, PELLETS ^{NR} | |
| EG | FR | |
| erlotinib (generic for Tarceva) | EXKIVITY (mobocertinib) ^{QL} gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) LAZCLUZE (lazertinib) ^{NR} TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL} | |
| OTH | | |
| | GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL} | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|--|---|
| temozolomide (generic Temodar) | AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FRUZAQLA (fruquintinib) ^{NR} CAPS HEXALEN (altretamine) IWILFIN (eflornithine) ^{NR} JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) OGSIVEO (nirogacestat) ^{NR} TAB PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPS VITRAKVI (larotrectinib) CAPS , SOLN VORANIGO (vorasidenib) ^{AL,NR} TABS | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

ONCOLOGY AGENTS, ORAL, PROSTATE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex) flutamide XTANDI (enzalutamide) ^{AL,QL} | AKEEGA (niraparib/abiraterone) EMCYT (estramustine) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| SUTENT (sunitinib) VOTRIENT (pazopanib) | AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus (generic Afinitor) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) PAZOPANIB (generic Votrient) ^{NR} TAB sorafenib (generic Nexavar) sunitinib malate (generic Sutent) TORPENZ (generic everolimus) ^{NR} TAB WELIREG (belzutifan) ^{QL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

ONCOLOGY AGENTS, ORAL, SKIN

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|---|--|---|---|
| BASAL ERIVEDGE (vismodegib) | - CELL ODOMZO (sonidegib) ^{CL} | • | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| BRAF MU MEKINIST (trametinib) TAFINLAR (dabrafenib) | JTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) OJEMDA (tovorafenib) ^{NR} SUSP ^{AL} , TAB TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib) | - | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|--|--|---|--|
| ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine OTC (Pataday once daily) olopatadine OTC (Pataday twice daily) | ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) LASTACAFT (alcaftadine) OTC loteprednol ^{NR} 0.2% (generic Alrex) olopatadine DROPS (generic Pataday) olopatadine 0.1% (generic Patanol) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL} | • | Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| | | | |

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| FLUOROQUINOLONES | | Non-preferred agents will be |
| ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox) | BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) levofloxacin MOXEZA (moxifloxacin) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin) | approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection |
| MACROLIDES | | _ |
| erythromycin | AZASITE (azithromycin) ^{CL} | |
| | YCOSIDES | _ |
| gentamicin SOLN tobramycin (generic Tobrex drops) | TOBREX OINT (tobramycin) | |
| OTHER OPHTH | ALMIC AGENTS | |
| bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim) | bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin NEOSPORIN (neomycin/polymyxin B/gramcidin) sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX SUSP, OINT (tobramycin and dexamethasone) tobramycin/dexamethasone SUSP (generic TobraDex) <i>all other</i> <i>manufacturers only</i> | BLEPHAMIDE (prednisolone and sulfacetamide) BLEPHAMIDE S.O.P. neomycin/polymyxin/HC neomycin/bacitracin/poly/HC PRED-G SUSP, OINT (prednisolone/gentamicin) tobramycin/dexamethasone SUSP (generic TobraDex) Falcon manufacturer TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORIES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| CORTICO | STEROIDS | ALL sub-classes unless listed |
| fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%) | dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) FML S.O.P. (fluorometholone 0.1%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1% | ALL sub-classes unless listed below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class |
| NS | AID | |
| diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular) | ACUVAIL (ketorolac 0.45%) bromfenac 0.09% (generic Bromday) bromfenac (generic Bromsite) ^{NR} bromfenac 0.07% (generic Prolensa) ^{NR} BROMSITE (bromfenac) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast) | CEQUA (cyclosporine) ^{QL} cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate) ^{QL} MIEBO (perfluorohexyloctane) TYRVAYA (varenicline tartrate) ^{QL} VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine) ^{NR} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA

| MIOTICS - Non-preteral agents will be approved for patients who have failed a true of ONE preferred agent will be approved for patients who have failed a true of ONE preferred agent within this drug class. VUITY (pilocarpine) ALPHAGAN P (brimonidine 0.15%) ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine 0.1%) (generic Alphagan D 0.15%) - Rhopressa and Rocktam: Electronically approved for patients who have a true of ONE preferred agent, within ophthalmics - glaucoma within 60 days BETA BLOCKERS - BetropFIC S (betaxolol) (generic Calphagan P 0.15%) - Rhopressa and Rocktam: Electronically approved for patients who have a true of ONE preferred agent, within ophthalmics - glaucoma within 60 days BETA BLOCKERS - BetropFIC S (betaxolol) (generic Caupress) timolol (generic Timoptic) BETIMPIC S (betaxolol) (carteolol (generic Caupress) timolol (generic Timoptic Occudose) TIMOPTIC CCUDOSE TIMOPTIC XE (timolol gel forming solution) - Ropressa and Rocktam: Flore State | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|------------------------------------|--------------------------------------|--|
| piloCarpine PHOSPHOLINE IOUDE (ecloninophate iodide) failed a trial of ONE preferred agent within this drug class ALPHAGAN P (brimonidine 0.15%) ALPHAGAN P (brimonidine 0.15%) apraclonidine (generic lopidine) brimonidine 0.2% (generic for Alphagan) ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine 0.2% (generic for Alphagan) D.15% (generic Alphagan P 0.15%) Electronically approved for patients within ophthalmics - glaucoma within 60 days BETA BLOCKERS Evobunolol (generic for Betagan) betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Cupress) timolol (generic Istalol) BETIMOL (timolol gel forming solution) aZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS Dimatoprost (generic Travatan Z) VYZULTA (tatanoprost) ZIOPTAN (tafluprost) bimatoprost (generic Travatan Z) VYZULTA (tatanoprost) ZIOPTAN (tafluprost) COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) bimonidine/timolol) brimonidine/timolol) dorzolamide/timolol (generic Cosopt PF) | MIO | TICS | |
| SYMPATHOMIMETICS Propress and Rockitatan: ALPHAGAN P (brimonidine 0.15%) ALPHAGAN P (brimonidine 0.1%) apracionidine 0.15%) Baptasian brimonidine 0.2% (generic for Alphagan) ALPHAGAN P (0.15%) Berta BLOCKERS Electronically approved for patients brimonidine 0.1%) brimonidine 0.15%) brimonidine 0.1%) Betta BLOCKERS levobunolol (generic for Betagan) betaxolol (generic Betoptic) BETOPTIC S (betaxolol) caractolic (generic Coupress) timolol (generic for Timoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) caractolic (generic Coupress) timolol (generic for Timoptic) BETIMOPTIC XE (timolol gel forming solution) Solution) Solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide) Idanoprost (generic for Xalatan) bimatoprost (generic Tavatan Z) YVZULTA (tatanoprostne) YVZULTA (tatanoprost) ZIOPTAN (tafuprost) ZOPT (brinzolamide/timolol) dorzolamide/timolol (generic Couptan) trafuprost) COMBINATION DRUES COMBINATION DRUES COMBINATION DRUES COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) brimo | pilocarpine | iodide) | failed a trial of ONE preferred agent within this drug class |
| ALPHAGAN P (brimonidine 0.15%) ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine 0.2% (generic for Alphagan) apraclonidine (generic lopidine) brimonidine P 0.15% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.1%) brimonidine 0.1% (generic Alphagan P 0.1%) BETA BLOCKERS betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) caretolol (generic coupress) timolol (generic Istalol) timolol (generic for Timoptic) BETIMOPTIC XE (timolol gel forming solution) timolol (generic Azopt) CARBONIC ANHYDRASE INHIBITORS AZOPT (brinzolamide) binazolamide (generic Zaopt) PROSTAGLANDIN ANALOGS bimatoprost (generic Tavatan Z) VYZULTA (latanoprost) TRAVATAN Z (travoprost) tafluprost (generic Tavatan Z) VYZULTA (latanoprost) ZOPTAN (tafuoprost) birmonidine/timolol (generic Cooptan) travoprost (generic Tavatan Z) COMBINATION DRUGS birmonidine/timolol (generic Cooptan) birmonidine/timolol (generic Cooptan) COMBINATION PRUSS birmonidine/timolol (generic Cooptan) conbigan) COMBINATION PRUSS birmonidine/timolol (generic Cooptan) birmonidine/timolol (generic Coopte) COMBINATION PRUSS | SYMPATHO | | . |
| brimonidine 0.2% (generic for Alphagan) apractonidine (generic topidine) brimonidine 0.15% (generic Alphagan P 0.15%) who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days BETA BLOCKERS Ievobunolol (generic for Betagan) betaxolol (generic Betoptic) BETOPTIC S (betaxolol) carteolol (generic for Timoptic) BETOPTIC S (betaxolol) BETOPTIC S (betaxolol) carteolol (generic Timoptic) BETOPTIC S (betaxolol) carteolol (generic Timoptic Ocudose) TIMOPTIC CCUDOSE TIMOPTIC C VE (timolol) gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS Iatanoprost (generic Travatan Z) VYZULTA (latanoprosti) tafluprost (generic Travatan Z) VYZULTA (latanoprosti) ZIOPTAN (altuprost) COMBINATION DRUGS ZIOPTAN (afluprost) COMBINATION DRUGS COMBINATION DRUGS COMBINATION DRUGS COMDEINATION ADUCOS (Deneric Cosopt) Derivative (construction of the deneric Cosopt) COMBINATION DRUGS COMDEINATION DRUGS Corrolamide/timolol (generic Cosopt) Dirivatione/timolol | | | |
| brimonidine P 0.15% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.1%) BETA BLOCKERS levobunolol (generic for Betagan) betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Coupress) timolol (generic Istalol) timolol (generic Istalol) timolol (generic Istalol) timolol (generic Istalol) timolol (generic Coupress) timolol (generic Coupress) timolol (generic Istalol) timolol (generic Coupress) timolol (generic Alphagan POTIC CCUDOSE TIMOPTIC CCUDOSE TIMOPTIC CCUDOSE dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) TRAVATAN Z (travoprost) TIAOPTIC H (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) V/ZULTA (latanoprost) ZOPTAN (tafluprost) ZOPTAN (tafluprost) dorzolamide/timolol (generic Cosopt) Dimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol (generic Cosopt) Divisional definication (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic | | | |
| P 0.1%) BETA BLOCKERS levobunolol (generic for Betagan) betaxolol (generic Betoptic) BETIMDL (timolol) BETOPTIC S (betaxolol) carteolol (generic Coupress) timolol (generic Istalol) timolol (generic Coupress) timolol (generic Imoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Coupress) timolol (generic Imoptic Ocudose) TIMOPTIC XE (timolol gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS Iatanoprost (generic for Xalatan) tafluprost (generic Zioptan) travoprost (generic Iravatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBINATION DRUGS COMBINATION OR COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt) | | brimonidine P 0.15% (generic | |
| levobunolol (generic for Betagan) betaxolol (generic Betoptic) timolol (generic for Timoptic) BETIMUL (timolol) BETOPTIC S (betaxolol) carteolol (generic Coupress) timolol (generic Istalol) timolol (generic Istalol) timolol (generic COUDOSE TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) solution) dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic for Xalatan) bimatoprost (generic Zioptan) travoprost) Italuprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprost) ZOMBINATION DRUGS brimonidine/timolol (generic Combigan) COMBINATION DRUGS brimonidine/timolol (generic Combigan) COMBINATION DRUGS brimonidine/timolol (generic Combigan) COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Combigan) dorzolamide/timolol (generic Cosopt) brimonidine/timolol (generic Combigan) | | | |
| timolol (generic for Timoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Istalol) timolol (generic Imoptic Ocudose) TIMOPTIC XE (timolol gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) TRAVATAN Z (travoprost) bimatoprost (generic Zioptan) travoprost (generic Zio | BETA BLC | CKERS | |
| BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) solution) brinzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) IYUZEH (latanoprost) tafluprost (generic Travatan Z) VYZULTA (latanoprost) tafluprost (generic Travatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) | | betaxolol (generic Betoptic) | |
| carteolol (generic Ocupress) timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) carteolol (generic Trusopt) AZOPT (brinzolamide) brinzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic for Xalatan) bimatoprost (generic for Xalatan) Italanoprost (generic for Xalatan) VYUZEH (latanoprost) tafluprost (generic Travatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) | timolol (generic for Timoptic) | BETIMOL (timolol) | |
| timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Travatan Z) VYZULTA (latanoprostne) XALATAN (latanoprost) ZIOPTAN (tafluprost) ZOPTAN (tafluprost) Drimonidine/timolol (generic Combigan) COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) brimonidine/timolol PF (generic Cosopt PF) | | BETOPTIC S (betaxolol) | |
| timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Zioptan) travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) brimonidine/timolol (generic Cosopt) | | | |
| TIMOPTIC OCUDOSE TIMOPTIC XE (timolol gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) 1YUZEH (latanoprost) tafluprost (generic Zioptan) travoprost) tafluprost (generic Travatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) Drimonidine/timolol) brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) | | | |
| TIMOPTIC XE (timolol gel forming solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS Iatanoprost (generic for Xalatan) bimatoprost (generic Lumigan) TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Consopt) brimonidine/timolol) dorzolamide/timolol PF (generic Cosopt PF) | | | |
| solution) CARBONIC ANHYDRASE INHIBITORS dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprost) ZIOPTAN (tafluprost) COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) brimonidine/timolol | | | |
| dorzolamide (generic for Trusopt) AZOPT (brinzolamide) brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBINATION DRUGS brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) | | · · · | |
| brinzolamide (generic Azopt) PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprost) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBINATION DRUGS brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) brimonidine/timolol PF (generic Cosopt PF) | CARBONIC ANHYDR | ASE INHIBITORS | |
| PROSTAGLANDIN ANALOGS latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Cosopt) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) Cosopt PF) | dorzolamide (generic for Trusopt) | AZOPT (brinzolamide) | - |
| latanoprost (generic for Xalatan) bimatoprost (generic Lumigan) TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) tafluprost (generic Travatan Z) VYZULTA (latanoprost) VYZULTA (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Cosopt) dorzolamide/timolol (generic Cosopt) Drimonidine/timolol (generic Cosopt PF) | | brinzolamide (generic Azopt) | |
| TRAVATAN Z (travoprost) IYUZEH (latanoprost) tafluprost (generic Zioptan) tafluprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) ZIOPTAN (tafluprost) COMBINATION DRUGS brimonidine/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) brimonidine/timolol) dorzolamide/timolol PF (generic Cosopt PF) Cosopt PF) | PROSTAGLAND | IN ANALOGS | |
| tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) | latanoprost (generic for Xalatan) | bimatoprost (generic Lumigan) | |
| travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) | TRAVATAN Z (travoprost) | IYUZEH (latanoprost) | |
| VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Combigan) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) Cosopt PF) | | tafluprost (generic Zioptan) | |
| XALATAN (latanoprost) ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) | | | |
| ZIOPTAN (tafluprost) COMBINATION DRUGS COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) dorzolamide/timolol PF (generic | | | |
| COMBINATION DRUGS COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Cosopt) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) Cosopt PF) | | | |
| COMBIGAN (brimonidine/timolol) brimonidine/timolol (generic Cosopt) dorzolamide/timolol (generic Cosopt) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) Cosopt PF) | | · · / | - |
| dorzolamide/timolol (generic Cosopt) Combigan) COSOPT (dorzolamide/timolol) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) Cosopt PF) | | | |
| COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) | | | |
| dorzolamide/timolol PF (generic Cosopt PF) | dorzołaniackimolor (genene obsopi) | e , | |
| Cosopt PF) | | | |
| SIMBRINZA (brinzolamide/brimonidine) | | | |
| | | SIMBRINZA (brinzolamide/brimonidine) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|----------------------|--|
| OTH | IER | |
| RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL} | | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmics - glaucoma within 60 days |

OPIOID DEPENDENCE TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/ naloxone) | buprenorphine/naloxone FILM lofexidine (generic Lucemyra) ^{CL,NR,QL} LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone) | Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent |
| | | Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. |
| | | Drug-specific criteria: Lucemyra/ lofexidine: Approved for FDA approved indication and dosing per label. Trial of preferred product not required. |

OPIOID-REVERSAL TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| naloxone NASAL(Rx), SYR, VIAL naltrexone TAB | KLOXXADO (naloxone) NASAL naloxone (generic Narcan) OTC NASAL NARCAN (naloxone) NASAL NARCAN (naloxone) NASAL OTC OPVEE (nalmefene) ^{AL} NASAL REXTOVY (naloxone) ^{NR} NASAL ZIMHI (naloxone) SYR | Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OTIC ANTI-INFECTIVES & ANESTHETICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|--|--|
| acetic acid (generic for Vosol) | acetic acid/hydrocortisone (generic for Vosol HC) | Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class |

OTIC ANTIBIOTICS

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|---|--|---|---|
| CIPRO HC (ciprofloxacin/ hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) ciprofloxacin/dexamethasone (generic CIPRODEX) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin) | ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone) | - | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| ambrisentan (generic Letairis) REVATIO (sildenafil) ^{QL} TAB sildenafil (generic Revatio) ^{CL} SUSP tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION | ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB LETAIRIS (ambrisentan) LIQREV (sildenafil) SUSP OPSUMIT (macitentan) OPSYNVI (macitentan and tadalafil) ^{NR} TAB ORENITRAM ER (treprostinil) REVATIO (sildenafil) ^{CL} SUSP sildenafil (generic Revatio) ^{CL} TAB TADLIQ (tadalafil) SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO DPI (treprostinil) INHALATION POWDER UPTRAVI (selexipag) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca/Liqrev/ Revatio/sildenafil tablets and suspension/tadalafil: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy Liqrev/ Revatio suspension: Requires clinical reason why preferred sildenafil suspension |

PANCREATIC ENZYMES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|--|---|
| CREON ZENPEP (pancrelipase) | PERTZYE (pancrelipase) VIOKACE (pancrelipase) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

cannot be used

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) OTC CHEW | DEKAs PLUS ^{AL} DAVIMET W/ FLUORIDE (ped mvi no.247/ fluoride) ^{NR} CHEW OTC | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| CHILDREN'S MVI-IRON OTC CHEW (ped mvi no. 91/iron fum) CHILDREN'S CHEWABLES OTC | FLORAFOL(mvi and fluoride) ^{NR} CHEW OTC | Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and does not require a trial of a |
| (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf) | FLORIVA (ped mvi no.85/fluoride) CHEW FLORIVA PLUS (ped mvi | preferred agent |
| CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron) | MULTI-VIT-FLOR (ped mvi | |
| FLUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/ fluoride) | no.205/fluoride) CHEW PEDI MVI NO.242/FLUORIDE CHEW | |
| MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) DROPS | POLY-VI-FLOR (ped mvi | |
| MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron) | no.217/fluoride, ped mvi no. 205/fluoride) CHEW POLY-VI-FLOR (ped mvi no.213 | |
| PED MVI NO.17 W/ FLUORIDE CHEW | w/fluoride) DROPS POLY-VI-FLOR W/ IRON (ped mvi no. 205/fluoride/iron) CHEW | |
| POLY-VITAMIN (ped mvi no. 212) DROPS OTC POLY-VITAMIN W/ IRON (ped mvi no. | , POLY-VI-FLOR W/ IRON (ped mvi no. 214/fluoride/iron) DROP | |
| 207 w/ferrous sulf) DROPS OTC | QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no. 83/fluoride) | |
| (ped mvi A,C, D3 no. 21/fluoride) | QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) CHEW | |
| | QUFLORA (ped mvi no.157/ fluoride) OTC | |
| | SOLUVITA A,C,D WITH FLUORIDE DROPS ^{NR} OTC | |
| | TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) DROPS | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PENICILLINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|----------------------|--|
| amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK | | Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class |

PHOSPHATE BINDERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| calcium acetate TAB CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela) PWD PACK, TAB | AURYXIA (ferric citrate) calcium acetate CAPS lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) RENVELA (sevelamer carbonate) PWD PACK, TAB sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) TAB | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months |

PLATELET AGGREGATION INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|---|
| aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient) | aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

PRENATAL VITAMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| FE C/FA PNV 11-IRON FUM-FOLIC ACID-OM3 PNV 2/IRON B-G SUC-P/FA/OMEGA-3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUMARATE/FA CHEW TAB PNV WITH CA,NO.72/IRON/FA PNV WITH CA,NO.72/IRON/FA PNV WITH CA,NO.74/IRON/FA OTC PNV#16/IRON FUMARATE/FA/DSS PRENATAL MULTI OTC PRENATAL VIT #76/IRON, CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC SELECT-OB + DHA STUART ONE OTC TENDERA-OB OTC TRICARE TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL FE+ VITAFOL ULTRA VITAFOL-OB VITAFOL-OB VITAFOL-OB+DHA VITAFOL-ONE | CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB ENBRACE HR MARNATAL-F MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PETITE OB COMPLETE PETITE OB COMPLETE PREMIER OB COMPLETE WITH DHA OTC PNV COMBO#47/IRON/FA #1/DHA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PRENATAL + DHA OTC PRENATE AM PRENATE CHEW TAB PRENATE ELITE PRENATE ELITE PRENATE ENHANCE PRENATE PIXIE PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB CHEW TAB TRISTART DHA VITAFOL NANO WESTGEL DHA | Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PROTON PUMP INHIBITORS

Preferred Agents

Non-Preferred Agents

Prior Authorization/Class Criteria

esomeprazole magnesium (generic Nexium) **RX**^{QL} omeprazole (generic Prilosec) **RX** pantoprazole (generic Protonix)^{QL} PROTONIX **SUSP** (pantoprazole) rabeprazole (generic Aciphex) DEXILANT (dexlansoprazole)
 dexlansoprazole (generic Dexilant)
 esomeprazole magnesium (generic Nexium) OTC^{QL}
 esomeprazole strontium
 KONVOMEP (omeprazole/sodium bicarb) SUSP
 lansoprazole (generic Prevacid)^{QL}
 NEXIUM SUSP (esomeprazole)
 omeprazole/sodium bicarbonate (generic Zegerid RX)

pantoprazole GRANULES QL

Non-preferred agents will be approved for patients who have failed an 8-week trial of THREE preferred agents.

Pediatric Patients:

.

Patients \leq 4 years of age – No PA required for Prevacid 30mg/ lansoprazole 30mg capsules (used to compound suspensions).

Drug-specific criteria:

- Prilosec[®]OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg
- Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension.
 Patients ≥ 5 years of age- Only approve pop-preferred for GI

approve non-preferred for GI diagnosis if:

- Child can not swallow whole generic omeprazole capsules OR,
- Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SEDATIVE HYPNOTICS

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SICKLE CELL ANEMIA TREATMENT AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|---|
| DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL} | GLUTAMINE POWD PACK (generic Endari) ^{NR} OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea) | Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia |

SINUS NODE INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|--|---|
| | CORLANOR SOLN, TAB (ivabradine) ivabradine (generic Corlanor) ^{NR} TAB | Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SKELETAL MUSCLE RELAXANTS

Preferred Agents

| New Destaural | |
|---------------|--------|
| Non-Preferred | Agents |

Prior Authorization/Class Criteria

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Zonaflex) izanidine TAB (generic Zanaflex) | baclofen (generic Fleqsuvy) ^{QL} SUSP baclofen (generic Ozobax) ^{QL} SOLN baclofen (generic Ozobax DS) SUSP carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) TANLOR (methocarbamol) ^{NR} TAB tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB | Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex[®] Capsules: Requires clinical reason used |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| LOW POTENCY | | Low Potency Non-preferred agents |
| DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM , LOTION, OINT (Rx only) hydrocortisone/aloe OINT | alclometasone dipropionate (generic for Aclovate) DESONATE (desonide) GEL desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone) | will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| MEDIUM | POTENCY | Medium Potency Non-preferred |
| fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon) | betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop) | agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| HIGH POTENCY | | High Potency Non-preferred |
| triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION | amcinonide CREAM, LOTION, OINTMENT betamethasone dipropionate betamethasone / propylene glycol | agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| | betamethasone valerate desoximetasone | |
| | diflorasone diacetate fluocinonide SOLN | |
| | fluocinonide CREAM, GEL, OINT fluocinonide emollient | |
| | halcinonide CREAM, SOLN ^{NR} (generic Halog) | |
| | HALOG (halcinonide) CREAM, OINT, SOLN | |
| | KENALOG AEROSOL (triamcinolone) SERNIVO (betamethasone dipropionate) | |
| | triamcinolone SPRAY (generic Kenalog spray) | |
| | VANOS (fluocinonide) | |
| VERY HIG | H POTENCY | Very High Potency Non-preferred |
| clobetasol emollient (generic | APEXICON-E (diflorasone) | agents will be approved for patients who have failed a trial of |
| Temovate-E) | BRYHALI (halobetasol prop) LOTION | TWO preferred agents within this |
| clobetasol propionate CREAM, OINT, SOLN | clobetasol SHAMPOO, LOTION | drug class |
| halobetasol propionate (generic | clobetasol propionate GEL, FOAM, SPRAY | |
| Ultravate) | halobetasol propionate FOAM (generic for Lexette) ^{AL,QL} | |
| | IMPEKLO (clobetasol) LOTIONAL | |
| | LEXETTE(halobetasol propionate) AL,QL OLUX-E /OLUX/OLUX-E CP (clobetasol) | |
| | | |
| | | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED AGENTS AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|--|
| CNS STIMULANTS | | Non-preferred agents will be opproved for patients who have |
| Amphetar | mine type | approved for patients who have failed a trial of ONE preferred |
| ADDERALL XR (amphetamine salt combo) amphetamine salt combination IR DYANAVEL XR (amphetamine) ^{QL} VYVANSE (lisdexamfetamine) ^{QL} CAPS, CHEWABLE | ADZENYS XR (amphetamine) amphetamine ER (generic Adzenys ER) SUSP amphetamine salt combination ER (generic for Adderall XR) amphetamine salt combination ER (generic Mydayis) ^{AL, NR} CAP amphetamine sulfate (generic for Evekeo) dextroamphetamine (generic for Dexedrine) dextroamphetamine ER (generic for Dexedrine ER) EVEKEO ODT (amphetamine sulfate) lisdexamfetamine (generic Vyvanse Chew) ^{AL,QL} CHEW lisdexamfetamine (generic Vyvanse) ^{AL,QL} CAP methamphetamine (generic for Desoxyn) MYDAYIS (amphetamine salt combo) ^{QL} XELSTRYM (detroamphetamine) | agent within this drug class Drug-specific criteria: Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

| Methylphenidate typeADHANSIA XR (methylphenidate) ^{QL} APTENSIO XR (methylphenidate) ^{QL} APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate) dexmethylphenidate (generic for Focalin IR)ADHANSIA XR (methylphenidate) AZSTARYS (serdexmethylphenidate) AZSTARYS (serdexmethylphenidate) ^{QL} AZSTARYS (serdexmethylphenidate) COTEMPLA XR-ODT (methylphenidate (generic Ritalin) methylphenidate (generic Ritalin) methylphenidate (generic Ritalin) methylphenidate SOLN (generic Methylphenidate) QUILLICHEW ER CHEWTAB (methylphenidate)SUSPADHANSIA XR (methylphenidate) AZSTARYS (serdexmethylphenidate) COTEMPLA XR-ODT (methylphenidate) DORALIN IR (dexmethylphenidate) DORALIN XR (dexmethylphenidate) DORALY PM (methylphenidate) DORALY PM (methylphenidate) DORALY PM (methylphenidate) DORALY PM (methylphenidate) DORALY PM (methylphenidate) COLLIN XR (dexmethylphenidate) DORALY PM (methylphenidate) COLLIN XR (dexmethylphenidate) DORALY PM (methylphenidate) DORALY PM (methylphenidate) COLLIN TR (dexmethylphenidate) DORALY PM (methylphenidate) DORALY PM (methylphenidate) COLLIN TR (dexmethylphenidate) DORALY PM (methylphenidate) COLLIN TR (dexmethylphenidate S0/50 (generic Ritalin LA) methylphenidate ER CAP (generic Aptensio XR) ^{QL} methylphenidate ER CAP (generic Aptensio XR) ^{QL} methylphenidate ER CAP (generic Ritalin SR) methylphenidate ER 72 mg (generic Ritalin SR) methylphenidate ER 72 mg (generic Ritalin SR) methylphenidate TD24 ^{AL} PATCH (generic Daytrana) RELEXXII ER (methylphenidate)Patch Patch Patch PatchNon-prefered agents will be approved in the thylphenidate Patch Patch Patch Patch Patch Patch PatchPatch Patch Patch Patch Patch Patch PatchPatch Patch Patch Patch Patch P |
|---|
| |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| MISCELLANEOUS | | Note: generic guanfacine IR and |
| atomoxetine (generic Strattera) ^{QL} guanfacine ER (generic Intuniv) ^{QL} QELBREE (viloxazine) ^{QL} | clonidine ER (generic Kapvay) ^{QL} Onyda XR (clonidine suspension, extended release) ^{NR,QL} STRATTERA (atomoxetine) | Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class |
| | EPTICS armodafinil (generic Nuvigil) ^{CL} modafanil (generic Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL} | Drug-specific criteria: armodafinil and Sunosi: Require trial of modafinil armodafinil and modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation via sleep study and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation via sleep study and documentation of diagnosis via sleep study Sleep Apnea with documentation of diagnosis via sleep study and documentation via sleep study and documentation of diagnosis via sleep study Marcolepsy with documentation of diagnosis via sleep study |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

TETRACYCLINES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|--|---|
| doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG , 100MG CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI CAPS (generic Dynacin/ Minocin/Myrac) tetracycline | demeclocycline (generic Declomycin)^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCI TAB (generic Dynacin/Myrac) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER)^{QL} | Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty |

THROMBOPOIESIS STIMULATING PROTEINS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|--|---|
| PROMACTA (eltrombopag) TAB | ALVAIZ (eltrombopag choline) ^{AL,NR} DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib) | All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

THYROID HORMONES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|--|--|
| levothyroxine TAB (generic Synthroid) liothyronine TAB (generic Cytomel) thyroid, pork TAB UNITHROID (levothyroxine) | ADTHYZA (thyroid, pork) ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) THYQUIDITY (levothyroxine) SOLN TIROSINT CAPS (levothyroxine) TIROSINT-SOL LIQUID (levothyroxine) ^{CL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Tirosint-Sol: May be approved with documented swallowing difficulty |

ULCERATIVE COLITIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|---|--|
| OR | AL | Non-preferred agents will be |
| APRISO (mesalamine) LIALDA (mesalamine) PENTASA (mesalamine) Sulfasalazine IR, DR (generic Azulfidine) | balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol/Lialda) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]: Requires clinical reason why preferred mesalamine products cannot be used |
| REC | TAL | |
| mesalamine SUPPOSITORY (generic Canasa) Sulfite-Free ROWASA (mesalamine) | CANASA (mesalamine) mesalamine ENEMA (generic Rowasa) ROWASA (mesalamine) UCERIS (budesonide) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

November PDL Highlighted in Red indicates changes that become effective November 1, 2024

https://nebraska.fhsc.com/PDL/PDLlistings.asp

UTERINE DISORDER TREATMENT

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--|----------------------|---|
| MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL} | | Drug-specific criteria: Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months |

VASODILATORS, CORONARY

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---|---|--|
| isosorbide dinitrate TAB isosorbide dinitrate/hydralazine (Bidil) ^{CL} isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TAB | BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat)^{AL,CL,QL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil/ isosorbide dinitrate- hydralazine: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45% |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit