

DEPT. OF HEALTH AND HUMAN SERVICES



Jim Pillen, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

January 2025 PDL

Noted in Red Font are November 2024 P&T changes that become effective January 17, 2025

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at <u>https://ne.primetherapeutics.com/drug-lookup</u>.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription
 drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid
 beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment,
 hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is
 required to document good faith effort, including reasons why unable to conduct the check and may
 be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a].
- **Opioids** The maximum opioid dose covered is 90 Morphine Milligram Equivalents (MME) per day.

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: <u>https://nebraska.fhsc.com/priorauth/paforms.asp</u>

- Immunomodulators Self-Injectable PA Form
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
adapalene (generic Differin) GEL (OTC/Rx), GEL PUMP adapalene/BPO (generic Epiduo) benzoyl peroxide (BPO) WASH, LOTION benzoyl peroxide GEL OTC clindamycin/BPO (generic BenzaClin) GEL, PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin SOLN erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic Differin) CREAM adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePro) benzoyl peroxide GEL Rx benzoyl peroxide GEL Rx benzoyl peroxide TOWELETTE OTC CABTREO (clindamycin phosphate/BPO/adapalene) ^{AL} GEL clindamycin FOAM , LOTION clindamycin GEL clindamycin/BPO (generic for Clindagel) GEL clindamycin/BPO PUMP(generic Onexton) ^{AL} clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) erythromycin PLEDGET EVOCLIN (clindamycin)	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	 FABIOR (tazarotene) FOAM NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur sulfacetamide/sulfur cLEANSER SUMADAN (sulfacetamide/sulfur) tazarotene (generic Tazorac) CREAM tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin (generic Avita, Retin-A) ^{AL} CREAM, GEL tretinoin microspheres (generic Retin- A Micro) ^{AL}GEL, GEL PUMP WINLEVI (clascoterone)^{AL} 	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

AL- Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		Non-preferred agents will be
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch)	ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN, TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon)	 approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days
	DR ANTAGONIST	• Donepezil 23: Requires donepezil 10mg/day for at least 3 months
	memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) NAMENDA (memantine) NAMZARIC (memantine/donepezil)	 AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL} XTAMPZA (oxycodone) ER	 BELBUCA (buprenorphine) ^{QL} BUCCAL buprenorphine BUCCAL (generic for Belbuca) ^{AL,QL} buprenorphine PATCH (generic Butrans)^{QL} EMBEDA (morphine sulfate/ naltrexone DURAGESIC MATRIX (fentanyl)^{QL} fentanyl 37.5/62.5/87.5 mcg PATCH ^{QL} hydrocodone ER (generic Hysingla ER)^{QL} hydrocodone bitartrate ER (generic Zohydro ER) hydromorphone ER (generic Exalgo)^{CL} HYSINGLA ER (hydrocodone ER) KADIAN (morphine ER) methadone TABLET ^{CL} MORPHABOND ER (morphine sulfate) morphine ER (generic Avinza, Kadian) CAPS NUCYNTA ER (tapentadol)^{CL} oxycodone ER (generic Oxycontin) oxymorphone ER (generic ConZip) ^{CL} 	 does not recommend long-acting opioids when beginning opioid treatment. Preferred agents require previous use of a long-acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end-of-life care

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Acetaminophen/codeine ELIXIR, TAB codeine TAB hydrocodone/APAP SOLN, TAB hydrocodone/ibuprofen hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone/APAP tramadol 50 TAB ^{AL} (generic Ultram)	AL APADAZ (benzhydrocodone/APAP) ^{CL} benzhydrocodone/APAP (generic Apadaz ^{-CL} butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) NUCYNTA (tapentadol) ^{CL} oxycodone CAPS oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone PROLATE (oxycodone/APAP) SOLN, TAB ROXICODONE (oxycodone) ROXYBOND (oxycodone) SEGLENTIS (celecoxib/tramadol) ^{AL} tramadol 25mg tramadol 75mg ^{NR} tramadol 100mg (generic Ultram) ^{AL} tramadol (generic Qdolo) ^{AL,QL} SOLN tramadol/APAP (generic Ultracet)	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Opiate limits for opiate naïve patients will consist of: prescriptions limited to a 7 day supply, AND initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive Drug-specific criteria: Apadaz/ / benzhydrocodone-APAP: Approval for 14 days or less Nucynta®: Approved only for diagnosis of acute pain, for 30 days or less

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol SPRAY ^{QL} LAZANDA (fentanyl citrate)	-
BUCCAL/TRANSMUCOSAL ^{CL}		Drug-specific criteria: Abstral[®]/Actiq[®]/Fentora[®]/
	ABSTRAL (fentanyl) ^{CL} fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	fentanyl transmucosal/Onsolis: Approved only for diagnosis of cancer AND current use of long- acting opiate

ANDROGENIC AGENTS (TOPICAL) CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP ^{CL} testosterone PUMP (generic Androgel) ^{CL} TESTIM (testosterone) TRANSDERMAL	ANDRODERM (testosterone) ^{CL} NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androderm®/Androgel®: Approved for Males only Natesto®: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)	IBITORS captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Cunivasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN trandolapril (generic Mavik)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned/enalapril oral solution/Qbrelis oral solution: Clinical reason why oral tablet is not appropriate
ANGIOTENSIN REC	EPTOR BLOCKERS	
irbesartan (generic Avapro) Iosartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		 Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis-	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination
valsartaliin le 12 (genene Diovannier)	HCT)	products may be covered as individual prescriptions without
	I MODULATOR/ OCKER COMBINATIONS	prior authorization
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor)	amlodipine/olmesartan/HCTZ (generic Tribenzor)	
amlodipine/valsartan (generic Exforge) amlodipine/valsartan/HCTZ (generic	amlodipine/telmisartan (generic Twynsta) PRESTALIA (perindopril/amlodipine)	
Exforge HCT)	trandolapril/verapamil (generic Tarka)	
DIRECT RENIN INHIBITORS		
	aliskiren (generic Tekturna) ^{QL}	
DIRECT RENIN INHIB	ITOR COMBINATIONS	
	TEKTURNA/HCT (aliskiren/HCTZ)	Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
NEPRILYSIN INHIBITOR COMBINATION		 May be approved witha history of TWO preferred ACE Inhibitors or
ENTRESTO (sacubitril/valsartan) ^{CL,QL}	ENTRESTO (sacubitril/valsartan) ^{CL,NR,QL} SPRINKLE CAP	Angiotensin Receptor Blockers within the last 12 months
	sacubitril/valsartan (generic Entresto) ^{CL,NR,QL}	Drug Specific Criteria • Entresto/ sacubitril-valsartan:
ANGIOTENSIN RECEPTOR BLOCKE	ER/BETA-BLOCKER COMBINATIONS	May be approved in patients
	BYVALSON (nevibolol/valsartan)	ages >1 years old and with a diagnosis of heart failure

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol)	EMVERM (mebendazole) ^{CL} praziquantel (generic Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTI-ALLERGENS, ORAL

Preferred Agents

Non-Preferred Agents

GRASTEK (timothy grass pollen

ORALAIR (sweet vernal/orchard/rye/

timothy/kentucky blue grass mixed

PALFORZIA (peanut allergen powder-

and Dermatophagoides

pollen allergen extract)^{CL}

RAGWITEK (weed pollen-short

pteronyssinus)AL,QL

allergen) AL,QL

dnfp) AL,CL

ragweed)AL,QL

Prior Authorization/Class Criteria

All agents require initial dose to be given in a healthcare setting

ODACTRA (Dermatophagoides farinae Drug-specific criteria:

GRASTEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens.

• For use in persons 5 through 65 years of age.

ODACTRA

• Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite

• For use in persons 12 through 65 years of age

ORALAIR

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.

• For use in patients 5 through 65 years of age.

PALFORZIA

• Confirmed diagnosis of peanut allergy by allergist

• For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days

• Initial dose and increase titration doses should be given in a healthcare setting

• Should not be used in patients with uncontrolled asthma or concurrently on a NSAID

RAGWITEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen.

• For use in patients 5 through 65 years of age.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) ^{QL} SOLN metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL}	AEMCOLO (rifamycin) TAB DIFICID (fidaxomicin) ^{CL} TAB , SUSP metronidazole ^{CL} CAPS nitazoxanide (generic Alinia) TAB ^{AL, CL, QL} paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) ^{CL} vancomycin (generic Firvanq) ^{QL} VOWST (fecal microbiota spores) ^{AL,QL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia /nitazoxanide tablet: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl®/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regular release cannot be used tinidazole:

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, INHALED CL

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) ^{QL}	ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) ^{QL} tobramycin (generic Bethkis)	 Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09
		 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or documentation of why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINT bacitracin OINT OTC bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN CREAM (clindamycin) CLINDESSE (clindamycin) metronidazole (generic Nuvessa) ^{NR} VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) GEL ^{AL}	•	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dabigatran etexilate (generic Pradaxa) CAPS ELIQUIS (apixaban) enoxaparin (generic Lovenox) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) CAPS , PELLETS SAVAYSA (edoxaban) ^{CL,QL} XARELTO (rivaroxaban) ^{CL} SUSP	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin[®]: Clinical reason generic warfarin cannot be used Savaysa[®]: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNA	BINOIDS	Non-preferred agents will be
dronabinol (generic Marinol) ^{AL}	CESAMET (nabilone)	approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPT(DR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) ondansetron 16mg ODT (generic Zofran ODT) ^{NR} SANCUSO (granisetron) ^{CL} ZUPLENZ (ondansetron)	 Drug-specific criteria: Akynzeo®/Varubi®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist <u>Regimens include</u>: AC combination (Doxorubicin or Epirubicin with
NK-1 RECEPTO		Cyclophosphamide), Aldesleukin,
aprepitant (generic Emend) CAPS ^{QL}	AKYNZEO (netupitant/palonosetron) ^{CL} aprepitant (generic Emend) PACK EMEND (aprepitant) CAPS, PACK, POWDER ^{QL} VARUBI (rolapitant) TAB ^{CL}	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide,
TRADITIONAL	ANTIEMETICS	Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose (generic Emetrol) SOLN prochlorperazine(generic Compazine) promethazine (generic Phenergan) SYRUP , TAB promethazine 12.5mg, 25mg SUPPOSITORY scopolamine TRANSDERMAL	BONJESTA (doxylamine/pyridoxine) ^{.CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} metoclopramide ODT (generic Metozolv ODT) prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg TRANSDERM-SCOP (scopolamine) trimethobenzamide TAB (generic Tigan)	 Inostantide, infattino, interferon d, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis/doxylamine-pyridoxine)/ Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Metozolv (metoclopramide) ODT[®]: Documentation of inability to swallow or Clinical reason oral liquid cannot be used Sancuso[®]/Zuplenz[®]: Documentation of oral dosage form intolerance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSP, TAB (generic Diflucan) griseofulvin SUSP griseofulvin microsized TAB nystatin SUSP, TAB terbinafine (generic Lamisil)	BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Nizoral) NOXAFIL (posaconazole) ^{AL} SUSP , TAB NOXAFIL (posaconazole) ^{AL,CL} POWDERMIX nystatin POWDER posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} VIVJOA (oteseconazole) CAPS voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of: <u>Candida</u>: Septicemia, endocarditis, UTIs <u>Cryptococcus</u>: Meningitis, pulmonary infections Noxafil/ posaconazole DR tablets, oral suspension, PowderMix® for delayed oral suspension:: No trial for diagnosis of Neutropenia (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil/ posaconazole Suspension:: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox® Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole Vfend/voriconazole:: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal candidiasis refractory to fraconazole

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, TOPICAL

ANTIFUNGAL	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM , SHAMPOO (generic Nizoral) miconazole CREAM , POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate AERO-POWDER OTC , CREAM-OTC , SOLN-OTC	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM , GEL , SUSP (generic Ciclodan, Loprox) ciclopirox NAIL LACQUER ^{CL} (generic Penlac) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLN RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) EXELDERM (sulconazole) FUNGOID (miconazole) OTC JUBLIA (efinaconazole) ^{CL} ketoconazole FOAM ^{CL} (generic Extina, Ketodan) LOPROX (ciclopirox) SUSP , SHAMPOO , CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) MENTAX (butenafine) miconazole OTC OINT , SPRAY , SOLN miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM , GEL (generic Naftin) oxiconazole (generic Oxistat) salicylic acid (generic Bensal HP) tavaborole SOLN ^{CL} (generic Kerydin) tolnaftate POWDER OTC TRIPENICOL (undecylenic acid) ^{NR} CREAM OTC	 approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina/ Ketodan/ ketoconazole foam: Requires trial and failure or contraindication to other ketoconazole forms Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to <i>T.rubrum OR T.</i> <i>Mentagrophytes</i> ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR

ANTIFUNGAL/STEROID COMBINATIONS

clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT

clotrimazole/betamethasone LOTION (generic Lotrisone)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) levocetirizine TAB (generic Xyzal) loratadine TAB , SOLN (generic Claritin)	cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (Rx) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa	clonidine ER (generic Nexiclon) methyldopa/hydrochlorothiazide NEXICLON XR (clonidine ER) TAB	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class Drug Specific Criteria Nexiclon/ clonidine ER: Clinical reason why the preferred clonidine tablet or transdermal cannot be used

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) colchicine TAB (generic Colcrys) probenecid	allopurinol 200mg colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} MITIGARE (colchicine) probenecid/colchicine (generic Col- Probenecid)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Gloperba: Approved for documented swallowing disorder Uloric/febuxostat: Clinical reason why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents

Non-Preferred Agents

Prior Authorization/Class Criteria

venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (valproate, topiramate),

Emgaility 100mg will only be approved for treatment of Episodic

Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or a contraindication to a triptan. For use in preventative treatment, will be approved for patients who have a failed trial of ONE preferred

Qulipta: May be approved for patients who have a failed trial of ONE preferred injectable CGRP

ACE (lisinopril)

Drug-specific criteria:

Cluster Headache

injectable CGRP.

i reieneu i genito	iter i referieur genite	-	nor rationzation, elabo enteria
AIMOVIG (erenumab-aooe) ^{CL,QL} AJOVY (fremanezumab-vfrm) ^{CL, QL} PEN, Autoinjector AJOVY (fremanezumab-vfrm)	diclofenac (generic Cambia) POWDER dihydroergotamine mesylate NASAL ELYXYB (celecoxib) ^{AL,QL} SOLN	rec coi	non-preferred agents will quire a failed trial or ntraindication of a preferred ent of the same indication
Autoinjector 3-pack ^{CL,QL} EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE	EMGALITY 100 mg (galcanezumab- gnlm) ^{CL,QL} SYR MIGERGOT (ergotamine/caffeine)	be	r Acute Treatment : agents will approved for patients who have ailed trial or a contraindication to
NURTEC ODT (rimegepant) ^{AL,CL,QL} QULIPTA (atogepant) ^{AL,CL,QL} UBRELVY (ubrogepant) ^{AL,CL,QL} TAB	RECTAL MIGRANAL (dihydroergotamine) NASAL	• Fo	riptan. r Prophylactic Treatment : Require migraines per month for ≥ 3
	REYVOW (lasmiditan) ^{AL, CL,QL} TAB TRUDHESA (dihydroergotamine mesylate) ^{AL,QL} NASAL	mo mo	initial and has tried and failed a ≥ 1 inth trial of two medications listed in a 2012 American Academy of
	ZAVZPRET (zavegepant) ^{AL,QL} NASAL	So	urology/American Headache ciety guidelines (examples include: idepressants (amitriptyline,

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OF rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	AL almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig)	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Sumavel[®] Dosepro: Requires clinical reason sumatriptan injection cannot be used Onzetra, Zembrace: approved for patients who have failed ALL preferred agents
NA IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal)	SAL ONZETRA XSAIL (sumatriptan) TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	-
INJEC	TABLE	_
sumatriptan KIT, SYRINGE, VIAL	IMITREX (sumatriptan) INJECTION SUMAVEL DOSEPRO (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM , LOTION ivermectin (generic Sklice) LOTION lindane malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic Cogentin) trihexyphenidyl (generic Artane)	INERGICS	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class
COMT IN	HIBITORS	-
DOPAMINE pramipexole (generic Mirapex) ropinirole (generic Requip)	entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) AGONISTS bromocriptine (generic Parlodel) NEUPRO (rotigotine) ^{CL}	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or
	pramipexole ER (generic Mirapex ER) ^{CL} ropinirole ER (generic Requip XL) ^{CL}	 is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent
MAO-B IN	HIBITORS	_• Neupro [®] :
selegiline CAPS, TABLET (generic Eldepryl)	rasagiline (generic Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires
OTHER ANTIPARI	KINSON'S DRUGS	
amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo)	APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn) SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) CREXONT (carbidopa and levodopa ER.) ^{QL} CAPS DHIVY (carbidopa/levodopa) ^{QL} DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) ^{CL,QL} INHALER NOURIANZ (istradefylline) ^{CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) STALEVO (ledopa/carbidopa/entacapone) VYALEV (foscarbidopa and foslevodopa) SUB-Q ^{NR}	 trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar[®]: Approved for documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINT, SOLN	calcitriol (generic Vectical) ^{AL} OINT calcipotriene FOAM (generic Sorilux) calcipotriene/betamethasone OINT (generic Taclonex) calcipotriene/betamethasone SUSP (generic Taclonex Scalp) DOVONEX CREAM (calcipotriene) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) VTAMA (tapinarof) ^{AL} CREAM ZORYVE 0.3% (roflumilast) ^{AL} CREAM	 Non-preferred agents will be approved for patients who have failed a trial with a preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPI acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	ETIC DRUGS acyclovir (generic for Zovirax) ^{CL} SUSP SITAVIG (acyclovir buccal) ^{CL}	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE oseltamivir (generic Tamiflu) ^{QL} CAPS, SUSP	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS, SUSP XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Drug-specific criteria: Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Sitavig[®]: Approved for recurrent herpes labialis (cold sores) in immunocompetent adults Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINT docosanol OTC	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) ^{AL} penciclovir (generic Denavir) ^{AL} XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLN (generic for	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class
Valium)	lorazepam ORAL SYRINGE	Drug-specific criteria:
lorazepam INTENSOL, TABLET (generic for Ativan)	LOREEV XR (lorazepam) ^{AL} meprobamate	Diazepam Intensol [®] : Requires clinical reason why diazepam
	oxazepam	 solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

lorazepam Intensol®

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	Acebutolol (generic Sectral) betaxolol (generic Kerlone) INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) nadolol/bendroflumethiazide pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Coreg CR/carvedilol: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used

BETA- AND ALPHA-BLOCKERS		
carvedilol (generic Coreg) carvedilol ER ^{CL} (generic Coreg CR)		
labetalol (generic Trandate)		
sotalol (generic Betapace) SOTYLIZE (sotalol)		

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) IQIRVO (elafibranor) ^{QL} TAB LIVDELZI (seladelpar) CAP LIVMARLI (maralixibat) SOLN ^{AL} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
fesoterodine (generic Toviaz) MYRBETRIQ (mirabegron) ^{AL} TAB oxybutynin IR, ER (generic Ditropan/Ditropan XL)	 darifenacin ER (generic Enablex) flavoxate HCL GELNIQUE (oxybutynin) GEMTESA (vibegron)^{AL,QL} mirabegron ER TAB (generic Myrbetriq)^{NR} MYRBETRIQ (mirabegron) SUSP^{AL,CL,QL} oxybutynin 2.5mg OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) TOVIAZ (fesoterodine ER) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) ^{AL} 	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		Non-preferred agents will be
alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL}	alendronate SOLN (generic Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) etidronate disodium (generic Didronel) FOSAMAX PLUS D ^{QL} risedronate (generic Actonel) ^{QL}	 Actonel[®] Combinations: Covered agents with be failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covered as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto[®]: Requires clinical reason why alendronate tablets OR Fosamax[®] solution cannot be used Etidronate disodium: Trial not
FORTEO (teriparatide) ^{CL,QL} raloxifene (generic Evista)	teriparatide (generic Forteo) ^{CL,QL} TYMLOS (abaloparatide)	 required for diagnosis of hetertrophic ossification Forteo/ teriparatide: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 a any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of calcitonin-salmon not required Maximum of 24 months treatment per lifetime

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	ALPHA BLOCKERS	
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo)	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Alfuzosin/dutasteride/finasteride
dutasteride (generic Avodart) finasteride (generic Proscar)	dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil)	 Covered for males only Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax/ tamsulosin: Females covered for a 7-day supply with diagnosis of acute kidney stones Jalyn/ dutasteride-tamsulosin: Requires clinical reason why individual agents cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albuterol HFA (generic Proventil HFA) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA)	RS – Short Acting albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex/levalbuterol
INHALE SEREVENT (salmeterol)	ERS – Long Acting STRIVERDI RESPIMAT (olodaterol)	solution: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
INHAL	ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	ORAL	
albuterol SYRUP	albuterol TAB albuterol ER (generic for Vospire ER) terbutaline (generic for Brethine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT-ACTING Dihydropyridines		 Non-preferred agents will be approved for patients who have
	isradipine (generic Dynacirc) nicardipine (generic Cardene)	 failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subcrashpacid
Non-dihyd	ropyridines	for diagnosis of subarachnoid hemorrhage
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)		Katerzia/ Norliqva: May be approved with documented swallowing difficulty
LONG-	ACTING	
Dihydror	oyridines	
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,CL,QL} SOLN	
Non-dihyd	ropyridines	
diltiazem ER (generic Cardizem CD) verapamil ER TAB	CALAN SR (verapamil) diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) verapamil SR (generic Verelan) ^{NR} CAPS	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		Non-preferred agents will be
amoxicillin/clavulanate TAB, SUSP	amoxicillin/clavulanate CHEWABLE	approved for patients who have failed a 3-day trial of ONE
	amoxicillin/clavulanate ER (generic Augmentin XR)	preferred agent within the same group
	AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB	Drug Specific Criteria
		Cefixime- May be approved
CEPHALOSPORINS – First Generation		for a diagnosis of gonorrhea, with
cefadroxil CAPS, SUSP (generic Duricef)	cefadroxil TAB (generic Duricef) cephalexin TAB	an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent
cephalexin CAPS, SUSP		Cefpodoxime- May be
(generic Keflex)		approved for a diagnosis of pyelonephritis, with an appropriate
CEPHALOSPORINS -	Second Generation	ICD-10 diagnosis code without a
cefprozil (generic Cefzil)	cefaclor (generic Ceclor)	3-day trial of a preferred agent
cefuroxime TAB (generic Ceftin)	CEFTIN (cefuroxime) TAB, SUSP	
CEPHALOSPORINS – Third Generation		
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS, SUSP	
	cefpodoxime (generic Vantin)	
	SUPRAX (cefixime) CAPS, CHEWABLE TAB, SUSP, TAB	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FULPHILA (pegfilgrastim-jmdb) SUB-Q FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR ROLVEDON (eflapegrastim-xnst) SYR STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim- bmez)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time <i>Only those products for review are</i> <i>listed.</i> Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent	EMZAHH (norethindrone) ^{NR} FEMLYV ODT (norethindrone acetate and ethinyl estradiol) ^{NR} MINZOYA (levonorgestrel and ethinyl estradiol tablets, and ferrous bisglycinate) ^{NR}	
Specific agents can be looked up using the Drug Look-up Tool at: <u>https://druglookup.fhsc.com/drug</u> <u>lookupweb/?client=nestate</u>		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) SPIRIVA (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	LERS BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) tiotropium (generic Spiriva) TUDORZA PRESSAIR (aclidinium br)	 Damespronumast. Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
INHALATIO	N SOLUTION	 exacerbation in last year upon initial review
ipratropium SOLN (generic Atrovent)	OHTUVAYRE (ensifentrine) inhalation suspension YUPELRI (revefenacin)	
ORAL	AGENT	
roflumilast (generic Daliresp) ^{CL,QL}	DALIRESP (roflumilast) ^{CL, QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	 BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TAB (ivacaftor)^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor)^{QL, AL} TRIKAFTA(elexacaftor, tezacaftor, ivacaftor)^{AL, CL} PACKET^{CL}, TAB 	 Drug-specific criteria: Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene or a mutation that is responsive to Trikafta based on clinical and/or in vitro data

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADALIMUMAB-ADBM(CF) ^{AL} 50mg/mL KIT, PEN-KIT ADALIMUMAB-ADBM(CF) ^{AL} 100mg/mL KIT, PEN-KIT COSENTYX (secukinumab) ^{AL,QL} PEN, SYR CYLTEZO (adalimumab-adbm) ^{AL} 50mg/mL KIT, PEN-KIT CYLTEZO (adalimumab-adbm) ^{AL} 100mg/mL KIT, PEN-KIT ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) TAB ^{QL}	ABRILADA (adalimumab-afzb) ^{AL} (CF) KIT, PEN-KIT ACTEMRA (tocilizumab) SUB-Q ADALIMUMAB-AACF (CF) ^{AL} PEN* KIT, SYR-KIT ADALIMUMAB-AATY (CF) ^{AL} PEN KIT ADALIMUMAB-ADAZ(CF)(biosim for Hyrimoz) ^{AL} KIT ^{NR} , PEN,SYR ADALIMUMAB-ADBM(CF) ^{AL} 50mg/mL KIT, PEN-KIT (Quallent) ADALIMUMAB-ADBM(CF) ^{AL} 100mg/mL KIT, PEN-KIT (Quallent) ADALIMUMAB-FKJP (biosim for Hulio) ^{AL} PEN, SYR ADALIMUMAB-RYVK ^{AL} (biosim for Simlandi) KIT, PEN-KIT AMJEVITA (adalimumab-atto) ^{AL} AUTOINJ, SYR AMJEVITA(adalimumab-atto) ^{AL} KIT, PEN-KIT ARCALYST (nilonacept) BIMZELX (bimekizumab-bkzx) ^{AL} PEN, SYR CIBINQO (abrocitinib) ^{AL,QL} CIMZIA (certolizumab pegol) ^{QL} ENSPRYNG (satralizumab-mwge) SUB-Q ENTYVIO (vedolizumab) ^{AL} PEN	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA- approved indications and age limits.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	HADLIMA (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYR HADLIMA (CF) (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYR HULIO (adalimumab-fkjp) ^{AL} PEN, SYR HYRIMOZ(CF) (adalimumab-adaz) ^{AL} PEN, SYR IDACIO (adalimumab-aacf) ^{AL} PEN, SYR ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYR KINERET (anakinra) LITFULO (ritlecitinib) ^{AL} CAPS OLUMIANT (baricitinib) TAB ^{CL,QL} OMVOH (mirikizumab-mrkz) ^{AL} PEN SYR	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

 VELSIPITY (etrasimod)^{QL} TAB XELJANZ (tofacitinib) TAB, SOLN^{CL,QL} XELJANZ XR (tofacitinib) TAB^{CL,QL} YUFLYMA 100mg/mL (CF) (adalimumab-aaty)^{AL} KIT,PEN-KIT YUFLYMA 80mg/mL (CF) (adalimumab-aaty)^{AL} AUTOINJ, PEN, KIT YUSIMRY (CF) (adalimumab-aqvh)^{AL} YUSIMRY (CF) (adalimumab-aqvh)^{AL} PEN KIT ZYMFENTRA PEN, SYR (infliximab-dyyb) JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. 	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrei OR Humira with the same FDA- approved indications and age limits.		VELSIPITY (etrasimod) ^{QL} TAB XELJANZ (tofacitinib) TAB , SOLN^{CL,QL} XELJANZ XR (tofacitinib) TAB ^{CL,QL} YUFLYMA 100mg/mL (CF) (adalimumab-aaty) ^{AL} KIT,PEN-KIT YUFLYMA 80mg/mL (CF) (adalimumab- aaty) ^{AL} AUTOINJ , PEN, KIT YUSIMRY (CF) (adalimumab-aqvh) ^{AL} PEN KIT ZYMFENTRA PEN, SYR	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TAB bumetanide TAB chlorthalidone TAB (generic Diuril) furosemide SOLN, TAB (generic Lasix) hydrochlorothiazide CAPS, TAB (generic Microzide) indapamide TAB metolazone TAB spironolactone TAB (generic Aldactone) torsemide TAB	IT PRODUCTS CAROSPIR (spironolactone) SUSP eplerenone TAB (generic Inspra) ^{CL} ethacrynic acid CAPS (generic Edecrin) KERENDIA (finerenone) TAB ^{CL,QL} spironolactone (generic Carospir) SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required. spironolactone suspension: May be approved without trial of a
COMBINATIO	N PRODUCTS	preferred agent if there is a clinical
amiloride/HCTZ TAB spironolactone/HCTZ TAB (generic Aldactazide) triamterene/HCTZ CAPS, TAB (generic Dyazide, Maxzide)		 reason why preferred spironolactone solid dosage form cannot be used.

ENZYME REPLACEMENT, GAUCHER'S DISEASE

on/Class Criteria
ents require ation why the within this drug priate at: Approved for type 1 Gaucher enzyme apy is not a

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

EPINEPHRINE, SELF-ADMINISTERED QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ	AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic Adrenaclick) epinephrine (generic Epipen/ Epipen Jr.) AUTOINJ SYMJEPI (epinephrine) PFS	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ARANESP (darbopoetine alfa) DISP SYR, VIAL EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer</i> <i>manufacturer only</i>	PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Vifor</i> manufacturer only VAFSEO (vadadustat) TAB	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TAB (generic Cipro) levofloxacin TAB (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{AL,QL} MOVANTIK (naloxegol oxalate) ^{QL} RELISTOR (methylnaltrexone) SYR TRULANCE (plecanatide) ^{AL,QL}	alosetron (generic Lotronex) IBSRELA (tenapanor) ^{AL,QL} Iubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) RELISTOR (methylnaltrexone) ^{QL} TAB , VIAL SYMPROIC (naldemedine) VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication Drug-specific criteria: Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Lotronex/ alosetron: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor® TAB: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Viberzi®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJ PROGLYCEM (diazoxide) SUSP ZEGALOGUE (dasiglucagon) ^{AL, QL} AUTO-INJ	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT , PEN , SYR , VIAL ZEGALOGUE (dasiglucagon) ^{AL,QL} SYR	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) ^{QL,AL} ASMANEX HFA (mometasone) ^{QL} FLOVENT HFA (fluticasone) fluticasone HFA (generic Flovent HFA) PULMICORT FLEXHALER (budesonide)	ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} FLOVENT DISKUS (fluticasone) fluticasone (generic Flovent Diskus)	 Non-preferred agents within the Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years,
GLUCOCORTICOID/BRONCH ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)	DOILATOR COMBINATIONS AIRDUO DIGIHALER (fluticasone/salmeterol) ^{AL,QL} AIRSUPRA HFA (albuterol and budesonide) ^{AL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate) ^{QL} budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus) ^{QL} fluticasone/salmeterol (generic for Advair HFA) ^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) WIXELA INHUB (generic for Advair Diskus) ^{QL}	by GI biopsy or upper endoscopy. For other indications, must have failed a trial of two preferred agents within this drug class, within the last 6 months.
INHALATION		
	budesonide RESPULES (generic for Pulmicort)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPS (generic Entocort EC) dexamethasone ELIXIR, SOLN dexamethasone TAB hydrocortisone TAB methylprednisolone tablet (generic Medrol) prednisolone SOLN prednisolone sodium phosphate prednisone DOSE PAK prednisone TAB	ALKINDI (hydrocortisone) GRANULES ^{AL} CORTEF (hydrocortisone) cortisone TAB dexamethasone INTENSOL EOHILIA (budesonide) ^{AL,QL} SUSP HEMADY (dexamethasone) methylprednisolone 8mg, 16mg, 32mg prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLN prednisone INTENSOL RAYOS DR (prednisone) TAB TARPEYO (budesonide) CAPS	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN)

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) NGENLA (somatrogon-ghla) ^{AL}	<u>Growth Hormone PA Form</u> Growth Hormone Criteria
	NUTROPIN AQ (somatropin)	
	OMNITROPE (somatropin)	
	SAIZEN (somatropin)	
	SEROSTIM (somatropin)	
	SKYTROFA (lonapegsomatropin-tcgd)	
	SOGROYA (somapacitan-beco)	
	ZOMACTON (somatropin)	
	ZORBTIVE (somatropin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	 lansoprazole/amoxicillin/clarithromycin (generic Prevpac)^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin)^{QL} bismuth,metronidazole,tetracycline (generic Pylera)^{QL} TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA (vonoprazan)^{QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human)^{AL,CL} SUB-Q icatibant acetate (generic for FIRAZYR)^{AL} SUB-Q 	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SYRINGE	Non-preferred agents will be

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FACT		 Non-preferred agents will be
ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE	approved for patients who have failed a trial of ONE preferred agent within this drug class
FACT	OR IX	-
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROME	SIN COMPLEX-PLASMA DERIVED	-
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL}	-
COAGADEX CORIFACT	TRETTEN	
VON WILLEBRA	AND PRODUCTS	
WILATE	VONVENDI	
BISPECIFIC	FACTORS	
HEMLIBRA	HYMPAVZI ^{AL,NR}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TAB	adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB EPIVIR HBV (lamivudine) TAB, SOLN lamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	DIRECT ACTING ANTI-VIRAL	
sofosbuvir/velpatasvir (generic Epclusa) ^{CL} MAVYRET (glecaprevir/pibrentasvir) TAB^{CL}, PELLET^{AL,CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TAB (ledipasvir/sofosbuvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET ledipasvir/sofosbuvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI (sofosbuvir) ^{CL} VIEKIRA PAK (ombitasvir/ paritaprevir/ritonavir/dasabuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni/ ledipasvir-sofosbuvir: Pact liver trapplant for
RIBA	VIRIN	 Post liver transplant for genotype 1 or 4
ribavirin 200mg CAPSULE, TAB		Vosevi: Requires documentation of non-response after previous
INTERFERON		treatment course of Direct Acting Anti-viral agent (DAA) for genotype
PEGASYS (pegylated interferon alfa- 2a) ^{CL}		1-6 without cirrhosis or with compensated cirrhosis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TAB (generic for Pepcid) famotidine SUSP	cimetidine TAB, SOLN^{CL} (generic Tagamet) famotidine CHEW-TAB nizatidine CAPS (generic for Axid)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID	NHIBITOR	 All agents require:
	SUNLENCA (lenacapavir) ^{QL}	 Diagnosis of HIV/AIDS required, OR
CCR5 AN1	AGONISTS	 Diagnosis of Pre and Post
SELZENTRY SOLN, TAB (maraviroc)	maraviroc (generic Selzentry)	 Exposure Prophylaxis Non-preferred agents will be approved for patients who have a
FUSION I	NHIBITORS	diagnosis of HIV/AIDS and patient
FUZEON SUB-Q (enfuvirtide) ^{QL}		specific documentation of why the preferred products within this drug
HIV-1 ATTACH	MENT INHIBITOR	class are not appropriate for patient, including, but not limited
	RUKOBIA ER (fostemsavir)AL,QL	to, drug resistance or concomitant conditions not recommended with
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	 preferred agents Patients undergoing treatment at
ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	the time of any preferred status change will be allowed to continue therapy
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIS)	
EDURANT (rilpivirine) efavirenz CAPS, TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL} PIFELTRO (doravirine) ^{QL}	etravirine (generic Intelence) ^{QL} nevirapine IR, ER (generic Viramune/Viramune XR) basglaSUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir)	didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	
PHARMACOKIN	ETIC ENHANCER	
	TYBOST (cobicistat) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEAS	E INHIBITORS	 All agents require:
atazanavir CAPS (generic Reyataz) NORVIR (ritonavir) TAB PREZISTA (darunavir) TAB ritonavir TAB (generic Norvir)	APTIVUS CAPS , SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATE ^{AL} TAB darunavir ethanolate (generic Prezista) ^{AL} TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER , SOLN (ritonavir) PREZISTA (darunavir) SUSP REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL}	 All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue
COMBINATION NUCLEOS(T)IDE REVERSE TRANSCRIPTASE INHIBITORS		therapy
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL} emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CTS – MULTIPLE CLASSES ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir	 Prior Authorization/Class Criteria All agents require: Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
emtricitabine/tenofovir)QL		

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aca	rbose (generic for Precose)	miglitol (generic for Glyset) GLYSET (miglitol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RE	CEPTOR AGONIST (GLP-1 RA) ^{CL}	GLP-1 RA Criteria
OZEMPIC (semaglutide) ^{QL} TRULICITY (dulaglutide) VICTOZA (liraglutide) subcutaneous	ADLYXIN (lixisenatide) BYDUREON BCISE PEN (exenatide) ^{QL} BYETTA (exenatide) subcutaneous exenatide (generic Byetta) ^{NR} liraglutide (generic Victoza) ^{NR} MOUNJARO (tirzepatide) PEN RYBELSUS (semaglutide)	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND
INSULIN/GLP-1 R	A COMBINATIONS	Diagnosis of diabetes with HbA1C
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	 ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance
	-4 (DPP-4) INHIBITOR ^{AL,QL}	5 5 1
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic Nesina) alogliptin/metformin (generic Kazano) alogliptin/pioglitazone (generic Oseni) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin) saxagliptin (generic Onglyza) saxagliptin/metformin ER (generic Kombiglyze ER) sitagliptin (generic Zituvio) ^{NR} sitagliptin (generic Zituvio) ^{NR} STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIMET (sitagliptin and metformin) TABLET ^{NR, QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR ^{AL,QL}	
	ZITUVIMET XR (sitagliptin and metformin) TABLET ^{NR, QL} ZITUVIO (sitagliptin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents APIDRA (insulin glulisine) SOLOSTAR, VIAL HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 70/30 VIAL HUMULIN 500 U/M PEN ^{CL} HUMULIN 500 U/M PEN ^{CL} HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) CARTRIDGE, PEN, VIAL insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin glargine PEN, VIAL insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL NOVOLOG MIX FLEXPEN (insulin aspart/aspart protamine)	Non-Preferred AgentsADMELOG (insulin lispro) PEN, VIALAFREZZA (regular insulin)INHALATIONBASAGLAR (insulin glargine, rec)PEN, TEMPO PENFIASP (insulin aspart) CARTRIDGE,PEN, VIALHUMALOG U-100 TEMPO PENHUMALOG (insulin lispro) ^{CL} U-200KWIKPENinsulin degludec (generic Tresiba)100U/mL PEN, VIALinsulin degludec (generic Tresiba)200U/mL PENinsulin glargine (Toujeo)insulin glargine max (Toujeo Max)insulin glargine-YFGN PEN, VIAL(generic for Semglee-YFGN)insulin lispro/lispro protamineKWIKPEN (Humalog Mix Kwikpen)LYUMJEV KWIKPEN, VIAL(insulin)NOVOLIN (insulin)NOVOLIN 70/30 VIAL(insulin)NOVOLIN 70/30 VIAL(insulin)NOVOLOG MIX (insulin aspart/aspartprotamine) VIALREZVOGLAR (insulin glargine-aglr)KWIKPENSEMGLEE (insulin glargine) PEN,VIALSEMGLEE YFGN (insulin glargine)PEN, VIALTOUJEO SOLOSTAR (insulinglargine)TRESIBA (insulin degludec)	 Prior Authorization/Class Criteria Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen: Mat be approved for patients who require >200 units/day Humalog U-200 Pen: May be approved for patients who require > 100 units/day AND using an insulin pump

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) ^{CL}	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Metformin solution: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SGLT2

Non-Preferred Agents

FARXIGA (dapagliflozin) ^{CL.QL} INVOKAMET (canagliflozin/ metformin) ^{CL.QL} INVOKANA (canagliflozin)^{CL} JARDIANCE (empagliflozin) ^{CL.QL} SYNJARDY (empagliflozin/metformin)^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin)^{CL.QL}

Preferred Agents

BRENZAVVY (bexagliflozin)^{NR}
 dapagliflozin^{CL.NR,QL} (generic Farxiga)
 dapagliflozin/metformin^{CL.QL} (generic Xigduo)
 INPEFA (sotagliflozin)^{QL} TAB
 INVOKAMET XR
 (canagliflozin/metformin)^{QL}
 SEGLUROMET
 (ertugliflozin/metformin)^{QL}
 STEGLATRO (ertugliflozin)^{QL}
 SYNJARDY XR (empagliflozin/metformin)^{AL,QL}

Prior Authorization/Class Criteria

Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, **OR**

A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required)

 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Drug Specific Criteria:

- **Farxiga/ dapagliflozin:** May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes
 - May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes
- Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLURE	A COMBINATIONS	
glipizide/metformin glyburide/metformin (generic		_

Glucovance)

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIAZOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic for Actos)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
pirfenidone (generic Esbriet) ^{QL}	ESBRIET (pirfenidone) ^{QL} OFEV (nintedanib esylate) ^{CL}	 Non-preferred agent requires trial of preferred agent within this drug class with the same indication FDA approved indication required – ICD-10 diagnosis code

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ASTHMA^{CL}

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}

 ADBRY (tralokinumab-idm)^{ALGLAL} SUB-0 ADBRY 300mg/2mL (tralokinumab-idm)^{ALGLAL} AUTONU DUPIXENT (dupilumab)^{ALGLP} AUTONU DUPIXENT (dupilumab)^{ALGLP} AUTONU EUCRISA (crisaborole)^{CLAL} pimecrolimus (generic Tor Elidel) certainus (generic for Protopic) EUGEL (since the for Protopic) EUGE	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ADBRY (tralokinumab-ldrm) ^{AL,CL,QL} SUB-Q ADBRY 300mg/2mL (tralokinumab-ldrm) ^{AL,CL,QL} AUTOINJ DUPIXENT (dupilumab) ^{AL,CL} PEN,SYR ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL} pimecrolimus (generic for Elidel)	EBGLYSS (lebrikizumab-lbkz) ^{AL,NR,QL} PEN, SYRINGE OPZELURA (ruxolitinib phosphate) CREAM ^{AL,CL,QL} pimecrolimus (generic Elidel)	 Immunomodulators Self-Injectable PA Form Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication. Drug-specific criteria: ADBRY: May be approved after a trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Dupixent: Atopic Dermatitis: May be approved after a maximum of a 90-day trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Eosinophilic Esophagitis: Trial, failure, or technique difficulty to a swallowed topical corticosteroid or treatment failure of a proton pump inhibitor. Prescribed by, or in consultation with an allergist, gastroenterologist, or immunologist. Documentation that the Patient has a confirmed diagnosis of eosinophilic esophagitis with ≥ 15 eosinophilic/ esophagitis with ≥ 15 eosinophilic/ esophagitis with ≥ 15 eosinophils/high-power field. Nasal Polyps: May be approved with documentation of treatment failure or contraindication within the previous year to an intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT]. Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist. Eucrisa: May be approved after a 30 day trial failure of a preferred topical corticosteroid (TCS) or topical calcineurin inhibitor (TCI) within the past 180 days; Maximum of 300 grams per year Opzelura: May be approved for a diagnosis of Atopic Dermatitis and after a trial/failure of a topical steroid and trial of a

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ZORYVE 0.15% (roflumilast) ^{AL} CREAM ZORYVE 0.3% (roflumilast) ^{AL,CL} FOAM	 Immunomodulators Self-Injectable PA Form Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication. Drug Specific Criteria Zoryve Foam- Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication AND Trial of a topical antifungal.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) ^{AL} GEL imiquimod (generic Zyclara) podofilox (generic Condylox) GEL , SOLN VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified (generic Neoral) CAPS everolimus (generic for Zortress) ^{AL} mycophenolate (generic Cellcept) CAPS, TAB RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB sirolimus (generic Rapamune) SOLN, TAB tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP mycophenolic acid MYFORTIC (mycophenolate sodium) MYHIBBIN (mycophenolate sodium) MYHIBBIN (mycophenolate) ^{AL,NR} SUSP PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan) ^{QL} CAPS ZORTRESS (everolimus) ^{AL}	 Patients established on existing therapy will be allowed to continue Drug Specific Criteria Tavneos (avacopan) No trial of a preferred agent required with appropriate FDA

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

INTRANASAL RHINITIS AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL}	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of
CORTICO	STEROIDS	nasal polyps in \geq 18 years only
fluticasone Rx (generic Flonase)	BECONASE AQ (beclomethasone) budesonide (Rhinocort) OTC flunisolide (generic Nasalide) fluticasone (generic Flonase) OTC mometasone (generic Nasonex) OTC, RX NASONEX (mometasone) OTC OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) triamcinolone (generic Nasacort) OTC XHANCE (fluticasone) ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast (generic for Singulair) TAB ^{QL} /CHEWABLE ^{AL}	montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPS clindamycin palmitate SOLN linezolid TAB	CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SEQUESTRANTS		 Non-preferred agents will be
cholestyramine (generic Questran) colestipol TAB (generic Colestid)	colesevelam (generic Welchol) TAB , PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin,
TREATMENT OF HOMOZYGOUS FA		sulfonylurea, or insulin has been
	JUXTAPID (Iomitapide) ^{CL}	inadequate
	KYNAMRO (mipomersen) ^{CL}	 Juxtapid[®]/ Kynamro[®]:
		 Approved for diagnosis of homozygous familial
FIBRIC ACID		hypercholesterolemia (HoFH)
fenofibrate (generic Tricor)	fenofibric acid (generic Fibricor/Trilipix)	OR
fenofibrate (generic Lofibra)	fenofibrate (generic Antara/Fenoglide/	 Treatment failure/maximized
gemfibrozil (generic Lopid)	Lipofen/Triglide)	dosing/contraindication to ALL the following: statins,
NIA	CIN	ezetimibe, niacin, fibric acid
niacin ER (generic Niaspan)	NIACOR (niacin IR)	 derivatives, omega-3 agents, bile acid sequestrants Require faxed copy of REMS
		PA form
OMEGA-3 F	ATTY ACIDS	_
omega-3 fatty acids (generic Lovaza)	icosapent (generic Vascepa) ^{CL}	
	omega-3 OTC	
CHOLESTEROL ABSORPTION INHIBITORS		
ezetimibe (generic Zetia)	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, OTHER (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS		 Praluent[®]: Approved for diagnoses of:
PRALUENT (alorocumab) ^{CL}	REPATHA (evolocumab) ^{cL}	 atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies AND Trial and failure or intolerance to a statin for 8 continuous weeks Failure to reach target LDL-C levels: ASCVD - <70 mg/dL, HeFH - <100 mg/dL Repatha®: May be approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) in adults and pediatric patients aged 10 years and older homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - <70 mg/dL, HeFH - <100 mg/dL Concurrent use of maximally- tolerated statin must continue, except for statin-induced rhabdomyolysis or a contraindication to a statin

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STATINS		 Non-preferred agents will be
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{QL} SUSP EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ^{AL,QL} pitavastatin (generic Livalo) ^{AL,NR,QL} ZYPITAMAG (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual ingredients cannot be used
STATIN COM	IBINATIONS	• fluvastatin ER: Requires trial of
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
MACR	OLIDES	•	Non-preferred agents require
azithromycin (generic Zithromax) clarithromycin TAB, SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. TAB (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TAB, CAPS		clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	JYLAMVO (methotrexate) SOLN OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN	Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: • Xatmep [™] :Indicated for pediatric patients only

MOVEMENT DISORDERS

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

AUBAGIO (teriflunomide)QL

MULTIPLE SCLEROSIS DRUGS

Preferred Agents

Non-Preferred Agents
Non received Agenta

AVONEX (interferon beta-1a)^{QL} BETASERON (interferon beta-1b)^{QL} COPAXONE 20mg (glatiramer)^{QL} dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya)^{QL} KESIMPTA (Ofatumumab)^{CL,QL} teriflunomide (generic Aubagio)^{QL}

BAFIERTAM (monomethyl fumarate)^{QL} dalfampridine (generic Ampyra)^{QL} EXTAVIA (interferon beta-1b)^{QL} GILENYA (fingolimod)^{QL} glatiramer (generic Copaxone)^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod)^{QL} PLEGRIDY (peginterferon beta-1a)^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a)^{QL} TASCENSO ODT (fingolimod) **TAB**^{AL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel)^{QL} ZEPOSIA (ozanimod)^{AL,CL,QL} Prior Authorization/Class Criteria

Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class

Drug-specific criteria:

- Ampyra/ dalfampridine: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7
- **Plegridy:** Approved for diagnosis of relapsing MS
- Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class
- Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid)	nitrofurantoin SUSPENSION (genericFuradantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTIVE (continued)		All combination agents require a
NSAID/GI PROTECTA	ALL BRAND NAME NSAIDs including: DOLOBID (diflunisal) 250 MG TABLET ^{AL,NR} DUEXIS (ibuprofen/famotidine) ^{CL} NALFON (fenoprofen) ANT COMBINATIONS diclofenac/misoprostol (generic Arthrotec)	 clinical reason why individual agents can't be used separately Drug Specific Criteria Celecoxib: The non-preferred celecoxib authorized generics require a clinical reason why the preferred (non-authorized generics) can't be used
COX-II SELECTIVE		
celecoxib (generic Celebrex)	celecoxib (generic Celebrex) Actavis, Greenstone, Lupin, Mylan, PD-Rx Mfrs only	

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only) PENNSAID PUMP (diclofenac)	diclofenac PUMP (generic Pennsaid) ^{CL} • diclofenac SOLN (generic Pennsaid) FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET (diclofenac) ^{CL}	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 INHIBITOR		Non-preferred agents DO NOT
	IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	 require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at
СНЕМОТ	THERAPY	- the time of any preferred status change will be allowed to continue
capecitabine (generic Xeloda) cyclophosphamide	XELODA (capecitabine)	therapy Drug-specific critera
HORMONE	BLOCKADE	 anastrozole: May be approved for malignant neoplasm of male breast
anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	ORSERDU (elacestrant) SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL}	 (male breast cancer) Fareston/toremifene: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply
OTI	HER	greater than 12 – NOT approved for short term use
	ITOVEBI (inavolisib) ^{NR} NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) ^{QL} TUKYSA (tucatinib) ^{QL} TRUQAP (capivasertib)	 Soltamox: May be approved with documented swallowing difficulty

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A mercaptopurine	LL PURIXAN (mercaptopurine) ^{AL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved
	ML DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} VANFLYTA (quizartinib) XOSPATA (gilteritinib) ^{QL} LL COPIKTRA (duvelisib) ^{QL} IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	 but DO require an PDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not
CI hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec)	ML BOSULIF (bosutinib) DANZITEN (nilotinib) ^{NR} dasatinib (generic Sprycel) ^{NR} GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) IMKELDI (imatinib) ^{NR} SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib) ^{CL}	 required for age <19 Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MPN		
	JAKAFI (ruxolitinib)	-
MYELOMA		-
REVLIMID ^{QL} (lenalidomide)	Ienalidomide ^{QL} (generic Revlimid) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	-
OTHER		
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL}	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat)	

NR - Product was not reviewed - New Drug criteria will apply

AL- Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AL	K ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
ALK / ROS1 / NTRK		- therapy
	AUGTYRO (repotrectinib) CAPS ROZLYTREK (entrectinib) ^{QL} CAPS, PELLETS XALKORI (crizotinib) CAPS, PELLETS	
EGF	FR	
erlotinib (generic for Tarceva)	gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) LAZCLUZE (lazertinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	_
		_
	ER GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FRUZAQLA (fruquintinib) CAPS IWILFIN (eflornithine) JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) OGSIVEO (nirogacestat) TAB PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPS, SOLN VORANIGO (vorasidenib) ^{AL} TABS ZEJULA (niraparib) TABS	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex)	AKEEGA (niraparib/abiraterone) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} XTANDI (enzalutamide) ^{AL,QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
everolimus (generic Afinitor) TAB sunitinib malate (generic Sutent) CAPS VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) pazopanib (generic Votrient) TAB sorafenib (generic Nexavar) SUTENT (sunitinib) CAPS TORPENZ (generic everolimus) TAB WELIREG (belzutifan) ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class	Criteria
BASAL	CELL ERIVEDGE (vismodegib) ODOMZO (sonidegib) ^{CL}	 Non-preferred agents DC require a trial of a preferre but DO require an FDA-ap indication OR documentat submitted supporting off-la from current treatment gui 	d agent, oproved ion abel use
BRAF MU MEKINIST (trametinib) TAFINLAR (dabrafenib)	JTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) OJEMDA (tovorafenib) SUSP ^{AL} , TAB TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib)	 Patients undergoing treat the time of any preferred change will be allowed to therapy 	status

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine OTC (Pataday once daily) olopatadine OTC (Pataday twice daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) OTC loteprednol 0.2% (generic Alrex) olopatadine DROPS (generic Pataday) olopatadine 0.1% (generic Patanol) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) ^{AL}	-	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be
ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn[®]: Approved for documented fungal infection
MACRO	DLIDES	_
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGL	YCOSIDES	_
gentamicin SOLN tobramycin (generic Tobrex drops)	TOBREX OINT (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX OINT (tobramycin and dexamethasone) tobramycin/dexamethasone SUSP (generic TobraDex) <i>all other</i> <i>manufacturers only</i>	neomycin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSP (generic TobraDex) <i>Falcon</i> <i>manufacturer</i> TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICOS	STEROIDS	 ALL sub-classes unless listed
fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class
NSA	AID	
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) bromfenac 0.09% (generic Bromday) bromfenac (generic Bromsite) bromfenac 0.07% (generic Prolensa) BROMSITE (bromfenac) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) ^{QL} cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate) ^{QL} MIEBO (perfluorohexyloctane) TYRVAYA (varenicline tartrate) ^{QL} VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	rics	Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine)	approved for patients who have failed a trial of ONE preferred agent within this drug class
SYMPATHO		Drug-specific criteria: Rhopressa and Rocklatan:
ALPHAGAN P (brimonidine 0.15%)	ALPHAGAN P (brimonidine 0.1%)	Electronically approved for patients
brimonidine 0.2% (generic for Alphagan)	apraclonidine (generic lopidine)	who have a trial of ONE generic agent,
	brimonidine P 0.15% (generic Alphagan P 0.15%)	within ophthalmic - glaucoma within 180 days
	brimonidine 0.1% (generic Alphagan P 0.1%)	
BETA BLC	OCKERS	
levobunolol (generic for Betagan)	betaxolol (generic Betoptic)	
timolol (generic for Timoptic)	BETIMOL (timolol)	
	BETOPTIC S (betaxolol)	
	carteolol (generic Ocupress)	
	timolol (generic Betimol) ^{NR}	
	timolol (generic Istalol)	
	timolol (generic Timoptic Ocudose)	
	TIMOPTIC OCUDOSE	
CARBONIC ANHYDR		-
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide)	-
dorzołaniac (generio for Trasopt)	brinzolamide (generic Azopt)	
		_
PROSTAGLAND	IN ANALOGS	_
latanoprost (generic for Xalatan)	bimatoprost (generic Lumigan)	
TRAVATAN Z (travoprost)	IYUZEH (latanoprost)	
	tafluprost (generic Zioptan)	
	travoprost (generic Travatan Z)	
	VYZULTA (latanoprostene) XALATAN (latanoprost)	
	ZIOPTAN (tafluprost)	
COMBINATIO		-
COMBIGAN (brimonidine/timolol)	brimonidine/timolol (generic	-
dorzolamide/timolol (generic Cosopt)	Combigan)	
	COSOPT (dorzolamide/timolol)	
	dorzolamide/timolol PF (generic	
	Cosopt PF)	
	SIMBRINZA (brinzolamide/brimonidine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OTH	IER	
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within the ophthalmic - glaucoma class within 180 days

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/ naloxone)	buprenorphine/naloxone FILM lofexidine (generic Lucemyra) ^{CL,NR,QL} LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent
		 Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient.
		 Drug-specific criteria: Lucemyra/ lofexidine: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone NASAL(Rx), SYR, VIAL naltrexone TAB	KLOXXADO (naloxone) NASAL naloxone (generic Narcan) OTC NASAL NARCAN (naloxone) NASAL NARCAN (naloxone) NASAL OTC OPVEE (nalmefene) ^{AL} NASAL REXTOVY (naloxone) ^{NR} NASAL ZIMHI (naloxone) SYR	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin/dexamethasone (generic Ciprodex) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) ^{QL} TAB sildenafil (generic Revatio) ^{CL} SUSP tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB LETAIRIS (ambrisentan) LIQREV (sildenafil) SUSP OPSUMIT (macitentan) OPSYNVI (macitentan and tadalafil) ^{NR} TAB ORENITRAM ER (treprostinil) REVATIO (sildenafil) ^{CL} SUSP sildenafil (generic Revatio) ^{CL} TAB TADLIQ (tadalafil) SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO DPI (treprostinil) INHALATION POWDER UPTRAVI (selexipag)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca/Liqrev/ Revatio/sildenafil tablets and suspension/tadalafil: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy Liqrev/ Revatio suspension: Requires clinical reason why preferred sildenafil suspension

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

cannot be used

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) OTC CHEW CHILDREN'S MVI-IRON OTC CHEW	DEKAs PLUS ^{AL} DAVIMET W/ FLUORIDE (ped mvi no.247/ fluoride) ^{NR} CHEW OTC	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
(ped mvi no. 91/iron fum)	FLORAFOL(mvi and fluoride) ^{NR} CHEW OTC	 DEKAs Plus: Approved for
CHILDREN'S CHEWABLES OTC (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf)	FLORAFOL FE PEDIATRIC ^{NR} DROPS OTC	diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent
CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron)	FLORIVA (ped mvi no.85/fluoride) CHEW	
FLUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/	FLORIVA PLUS (ped mvi no.161/fluoride) OTC DROP	
fluoride)	MULTI-VIT-FLOR (ped mvi no.205/fluoride) CHEW	
MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) DROPS	PEDI MVI NO.242/FLUORIDE CHEW OTC	
MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron)	POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no. 205/fluoride) CHEW	
PED MVI NO.17 W/ FLUORIDE CHEW	POLY-VI-FLOR (ped mvi no.213 w/fluoride) DROPS	
POLY-VITAMIN (ped mvi no. 212) DROPS OTC	POLY-VI-FLOR W/ IRON (ped mvi no.	
POLY-VITAMIN W/ IRON (ped mvi no. 207 w/ferrous sulf) DROPS OTC	205/fluoride/iron) CHEW POLY-VI-FLOR W/ IRON (ped mvi no. 214/fluoride/iron) DROPS	
TRI-VITAMIN W/ FLUORIDE (ped mvi A,C, D3 no. 21/fluoride)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no. 83/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
	QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) CHEW	 Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and
	QUFLORA (ped mvi no.157/ fluoride) OTC	does not require a trial of a preferred agent
	SOLUVITA A,C,D WITH FLUORIDE DROPS ^{NR} OTC	
	TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) DROPS	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TAB CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela) PWD PACK, TAB	AURYXIA (ferric citrate) calcium acetate CAPS lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) RENVELA (sevelamer carbonate) PWD PACK, TAB sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) YOSPRALA (aspirin/omeprazole)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://druglookup.fhsc.com/druglookupweb/?client=nestate

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FE C/FA PNV 11-IRON FUM-FOLIC ACID-OM3 PNV 2/IRON B-G SUC-P/FA/OMEGA-3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV WITH CA, NO.72/IRON/FA OTC PNV#16/IRON FUM & PS/FA/OM-3 PNV119/IRON FUMARATE/FA/DSS PRENATAL MULTI OTC PRENATAL VIT #76/IRON, CARB/FA PRENATAL VIT#76/IRON, CARB/FA PRENATAL VIT#76/IRON, CARB/FA PRENATAL VIT#76/IRON, CARB/FA OTC SELECT-OB + DHA STUART ONE OTC TRICARE TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL CHEW TAB VITAFOL ULTRA VITAFOL-OB VITAFOL-OB+DHA VITAFOL-OB+DHA VITAFOL-ONE	CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB ENBRACE HR MARNATAL-F MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) NEO-VITAL RX TAB OTC ^{NR} NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE WITH DHA OTC PNV COMBO#47/IRON/FA #1/DHA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PRENATAL + DHA OTC PRENATE CHEW TAB PRENATE CHEW TAB PRENATE ELITE PRENATE ESSENTIAL PRENATE FIXIE PRENATE RESTORE PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB CHEW TAB TRISTART DHA VITAFOL NANO WESTGEL DHA	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DEXILANT (dexlansoprazole)

PROTON PUMP INHIBITORS

Preferred Agents

Non-Preferred Agents

Prior Authorization/Class Criteria

esomeprazole magnesium (generic Nexium) **RX**^{QL} omeprazole (generic Prilosec) **RX** pantoprazole (generic Protonix)^{QL} PROTONIX **SUSP** (pantoprazole) rabeprazole (generic Aciphex)

dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) **OTC**^{QL} esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) **SUSP** lansoprazole (generic Prevacid)^{QL} NEXIUM **SUSP** (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX)

pantoprazole GRANULES QL

Non-preferred agents will be approved for patients who have failed an 8-week trial of THREE preferred agents.

Pediatric Patients:

.

Patients \leq 4 years of age – No PA required for Prevacid 30mg/ lansoprazole 30mg capsules (used to compound suspensions).

Drug-specific criteria:

- Prilosec[®]OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg
- Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension.
 Patients <u>></u> 5 years of age- Only approve non-preferred for GI
 - diagnosis if:
 Child can not swallow whole generic omeprazole capsules OR,
 - Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temazepam 15 mg, 30 mg (generic for Restoril)	AZEPINES estazolam (generic for ProSom) quazepam (generic Doral) temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion)	 Benzodiazepines Criteria Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used Others Criteria Non-preferred agents require a trial
eszopiclone (generic for Lunesta) zaleplon (generic for Sonata) zolpidem (generic for Ambien)	BELSOMRA (suvorexant) ^{AL,QL} DAYVIGO (lemborexant) ^{AL,QL} doxepin (generic for Silenor) EDLUAR (zolpidem sublingual) HETLIOZ (tasimelteon) ^{CL} HETLIOZ LQ (tasimelteon) SUSP ^{AL,QL} QUVIVIQ (daridorexant) ^{QL} ramelteon (generic for Rozerem) tasimelteon (generic for Hetlioz) ^{CL} zolpidem ^{QL} CAP zolpidem ER (generic for Ambien CR) zolpidem SL (generic for Intermezzo)	 of TWO preferred agents in the OTHERS sub-category Silenor/doxepin Tablet: Must meet ONE of the following: Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10 mg Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criterion is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL}	GLUTAMINE POWD PACK (generic Endari) OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea)	 Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLN, TAB (ivabradine) ivabradine (generic Corlanor) ^{NR} TAB	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SKELETAL MUSCLE RELAXANTS

Preferred Agents

Non-Preferred Age	nte
Non-Preferred Age	ints

Prior Authorization/Class Criteria

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Robaxin) tizanidine TAB (generic Zanaflex)	baclofen (generic Fleqsuvy) ^{QL} SUSP baclofen (generic Ozobax) ^{QL} SOLN baclofen (generic Ozobax DS) SUSP carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) TANLOR (methocarbamol) ^{NR} TAB tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why chlorzoxazone cannot be used Soma[®] 250 mg: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex[®] Capsules: Requires clinical reason generic cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	Low Potency Non-preferred
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT	alclometasone dipropionate (generic for Aclovate) desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT hydrocortisone SOLN (generic Texacort) ^{NR} HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone)	agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	POTENCY betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	 Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		 High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide CREAM, GEL, OINT fluocinonide CREAM, SOLN ^{NR} (generic Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) triamcinolone SPRAY (generic Kenalog spray) VANOS (fluocinonide)	 Align Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIGH	H POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM , OINT , SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) ^{AL,QL}	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be opproved for patients who have
Ampheta	mine type	approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt	ADZENYS XR (amphetamine) ODT	agent within this drug class
combo)	amphetamine salt combination ER (AG)	Drug-specific criteria:
amphetamine salt combination ER (generic Adderall XR)	(generic Adderall XR) AHP, Amerigen, Global Pharm, Prasco, Sandoz, Teva Mfrs	 Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing
(31 ,	amphetamine salt combination ER	disorder
amphetamine salt combination IR	(generic Mydayis) CAP amphetamine sulfate (generic Evekeo)	 Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used
DYANAVEL XR (amphetamine)QL	dextroamphetamine (generic Dexedrine) TAB	cannot be used
lisdexamfetamine (generic Vyvanse Chew) ^{QL} CHEW	dextroamphetamine (generic Procentra) SOLN	
lisdexamfetamine (generic Vyvanse) ^{QL} CAP	dextroamphetamine ER (generic Dexedrine ER Spansule) CAPS EVEKEO ODT (amphetamine sulfate) methamphetamine (generic Desoxyn)	
VYVANSE (lisdexamfetamine) ^{QL} CAPS, CHEWABLE	MYDAYIS (amphetamine salt combo) ^{QL} XELSTRYM (detroamphetamine) ^{QL}	
	PATCH	
	ZENZEDI (dextroamphetamine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	 Non-preferred agents will be
CONCERTA (methylphenidate ER) ^{QL} 18 mg, 27 mg, 36 mg, 54 mg	APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) ^{QL}	 approved for patients who have failed a trial of TWO preferred agents within this drug class
DAYTRANA PATCH (methylphenidate) ^{QL}	COTEMPLA XR-ODT (methylphenidate) ^{QL} FOCALIN IR (dexmethylphenidate)	 Maximum accumulated dose of 108mg per day for ages < 18
dexmethylphenidate (generic for Focalin IR)	FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate CHEW	 Maximum accumulated dose of 72mg per day for ages > 19
dexmethylphenidate ER (generic Focalin XR)	methylphenidate ER (45 mg and 63 mg) ^{QL}	 Drug-specific criteria: Daytrana/methylphenidate patch: May be approved in
METHYLIN SOLN (methylphenidate)	methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic	history of substance use disorder by parent, caregiver, or patient. May
methylphenidate (generic Ritalin)	Metadate CD) methylphenidate ER 18 mg, 27 mg,	be approved with documentation of difficulty swallowing
methylphenidate SOLN (generic Methylin)	36 mg, 54 mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic Aptensio XR) ^{QL}	QuilliChew ER: May be approved for children < 12 years of age OR with
QUILLICHEW ER CHEWTAB (methylphenidate)	methylphenidate ER (generic Metadate ER) methylphenidate ER 72 mg (generic	documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate) SUSP	RELEXXII) ^{QL} methylphenidate ER (generic Ritalin LA)	
	methylphenidate TD24 ^{AL} PATCH (generic Daytrana)	
	RELEXXII ER (methylphenidate 45mg and 63mg) ^{AL,QL} TAB	
	RITALIN (methylphenidate)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and
atomoxetine (generic Strattera) ^{QL} guanfacine ER (generic Intuniv) ^{QL} QELBREE (viloxazine) ^{QL} ANAL	clonidine ER (generic Kapvay) ^{QL} INTUNIV (guanfacine) Onyda XR (clonidine suspension, extended release) ^{QL} STRATTERA (atomoxetine) EPTICS armodafinil (generic Nuvigil) ^{CL} modafanil (generic Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	 clonidine IR are available without prior authorization Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class Drug-specific criteria: Wakix and Sunosi: Require trial of armodafinil or modafinil armodafinil and modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation via sleep study and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation via sleep study and documentation via sleep study and documentation via sleep study and documentation of diagnosis via sleep study Marcolepsy with documentation via sleep study and documentation via sleep study and documentation of diagnosis via sleep study

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

TETRACYCLINES

Preferred Agents

Prior Authorization/Class Criteria

doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG , 100MG CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI CAPS (generic Dynacin/ Minocin/Myrac) tetracycline	 demeclocycline (generic Declomycin)^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCI TAB (generic Dynacin/Myrac) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER)^{QL} 	 Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty
---	--	---

THROMBOPOIESIS STIMULATING PROTEINS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TAB	ALVAIZ (eltrombopag choline) ^{AL} DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TAB (generic Synthroid) liothyronine TAB (generic Cytomel) thyroid, pork TAB UNITHROID (levothyroxine)	ADTHYZA (thyroid, pork) ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) THYQUIDITY (levothyroxine) SOLN	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR	AL	 Non-preferred agents will be
APRISO (mesalamine) LIALDA (mesalamine) PENTASA (mesalamine) Sulfasalazine IR, DR (generic Azulfidine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol/Lialda)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]: Requires clinical reason why preferred mesalamine products cannot be used
REC	TAL	-
mesalamine SUPPOSITORY (generic Canasa) Sulfite-Free ROWASA (mesalamine)	CANASA (mesalamine) mesalamine ENEMA (generic Rowasa) ROWASA (mesalamine) UCERIS (budesonide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

January PDL with Nov 2024 P&T changes in Red indicates changes that become effective January 17, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}		 Drug-specific criteria: Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TAB isosorbide dinitrate/hydralazine (Bidil) ^{CL} isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TAB	 BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat)^{AL,CL,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil/ isosorbide dinitrate-hydralazine: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit