



**DEPT. OF HEALTH AND HUMAN SERVICES** 

# Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

May 2025 PDL

Noted in Red Font that Become Effective May 1, 2025

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at <a href="https://ne.primetherapeutics.com/drug-lookup">https://ne.primetherapeutics.com/drug-lookup</a>.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment, hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is required to document good faith effort, including reasons why unable to conduct the check and may be required to submit documentation to the State upon request.
  - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a].
- Opioids The maximum opioid dose covered is 90 Morphine Milligram Equivalents (MME) per day.

#### **Non-Preferred Drug Coverage**

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- Immunomodulators Self-Injectable PA Form
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: Documentation of Medical Necessity PA Form

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
adapalene (generic Differin) GEL (OTC/Rx), GEL PUMP adapalene/BPO (generic Epiduo) benzoyl peroxide (BPO) WASH, LOTION benzoyl peroxide GEL OTC clindamycin/BPO (generic BenzaClin) GEL, PUMP clindamycin/BPO (generic Duac) clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin SOLN erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) <sup>AL</sup> CREAM, GEL	adapalene (generic Differin) CREAM adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) <sup>AL</sup> AMZEEQ (minocycline) ARAZLO (tazarotene) <sup>AL</sup> ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER, CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePro) benzoyl peroxide TOWELETTE OTC CABTREO (clindamycin phosphate/BPO/adapalene) <sup>AL</sup> GEL clindamycin GEL clindamycin GEL clindamycin phosphate (generic for Clindagel) GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO PUMP (generic Onexton) <sup>AL</sup> clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) erythromycin PLEDGET EVOCLIN (clindamycin) FOAM	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **ACNE AGENTS, TOPICAL (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	FABIOR (tazarotene) FOAM NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur sulfacetamide/sulfur cLEANSER SUMADAN (sulfacetamide/sulfur) tazarotene (generic Tazorac) CREAM tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin (generic Avita, Retin-A) CREAM, GEL tretinoin microspheres (generic Retin-A Micro) AL GEL, GEL PUMP WINLEVI (clascoterone) AL	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ALZHEIMER'S AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch)	ASE INHIBITORS  ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) <sup>CL</sup> EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN, TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon) ZUNVEYL DR (benzgalantamine) <sup>NR</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR</li> <li>Current, stabilized therapy of the non-preferred agent within the previous 45 days</li> <li>Drug-specific criteria:</li> <li>Donepezil 23: Requires donepezil 10mg/day for at least 3 months</li> </ul>
NMDA RECEPTO	, ,	AND clinical reason as to why 5mg or 10mg tablets can't be used (to deliver 20mg or 25mg)
	memantine ER (generic Namenda XR) memantine <b>SOLN</b> (generic Namenda) memantine/donepezil (generic Namzaric) <sup>NR</sup> NAMENDA (memantine) NAMZARIC (memantine/donepezil)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANALGESICS, OPIOID LONG-ACTING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
fentanyl 25, 50, 75, 100 mcg <b>PATCH</b> QL morphine ER <b>TABLET</b> (generic MS Contin, Oramorph SR) OXYCONTIN CL (oxycodone ER) tramadol ER (generic Ultram ER)CL	BELBUCA (buprenorphine) QL BUCCAL buprenorphine PATCH (generic Butrans)QL fentanyl 37.5/62.5/87.5 mcg PATCH QL hydrocodone ER (generic Hysingla ER)QL hydrocodone bitartrate ER (generic Zohydro ER) hydromorphone ER (generic Exalgo)CL HYSINGLA ER (hydrocodone ER) methadone TABLET CL methadone ORAL SYR CL methadone SOL TABLET morphine ER (generic Avinza, Kadian) CAPS  Oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic ConZip) CL	The Center for Disease Control (CDC) does not recommend long-acting opioids when beginning opioid treatment.  • Preferred agents require previous use of a long-acting opioid or documentation of a trial on a short acting agent within 90 days  • Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class  Drug-specific criteria:  • Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end-of-life care  • Oxycontin®: Pain contract required for maximum quantity authorization

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### ANALGESICS, OPIOID SHORT-ACTING QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
		Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months  Note: for short acting opiate tablet and capsules there is a maximum quantity limit of #150 per 30 days.  Opiate limits for opiate naïve patients will consist of: -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limite to maximum of 50 Morphine Milligram Equivalents (MME) per day  These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia or prescriber attestation that patient is not recently opiate naive

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol SPRAYQL	
BUCCAL/TRANSMUCOSAL <sup>CL</sup>		Drug-specific criteria:  Actiq®/Fentora®/ fentanyl
	fentanyl <b>TRANSMUCOSAL</b> (generic Actiq) <sup>CL</sup> FENTORA (fentanyl) <sup>CL</sup>	transmucosal/Onsolis: Approved only for diagnosis of cancer AND current use of long-acting opiate

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
estosterone PUMP (generic Androgel) <sup>CL</sup> ESTIM (testosterone) TRANSDERMAL	NATESTO (testosterone) <sup>CL</sup> testosterone PACKET (generic Androgel) <sup>CL</sup> testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim)	<ul> <li>Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause</li> <li>In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months</li> <li>Drug-specific criteria:</li> <li>Androgel®: Approved for Males on with diagnosis of: Primary hypogonadism (congenit or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANGIOTENSIN MODULATORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) quinapril (generic Accupril) ramipril (generic Altace)  ACE INHIBITOR/DIUR benazepril/HCTZ (generic Lotensin HCT)	captopril (generic Capoten) EPANED (enalapril) <sup>CL</sup> ORAL SOLN enalapril (generic for Epaned) <sup>CL</sup> ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) <sup>CL</sup> ORAL SOLN trandolapril (generic Mavik)  ETIC COMBINATIONS  captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Uniretic)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> <li>Drug-specific criteria:         <ul> <li>Epaned/enalapril oral solution: Clinical reason why oral tablet is not appropriate</li> </ul> </li> </ul>
ANGIOTENSIN REC	EPTOR BLOCKERS	_
olmesartan (generic Benicar)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **ANGIOTENSIN MODULATORS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		Non-preferred agents will be
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)  ANGIOTENSIN	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	<ul> <li>approved for patients who have failed TWO preferred agents within this drug class within the last 12 months</li> <li>Non-preferred combination products may be covered as individual prescriptions without prior authorization</li> </ul>
	OCKER COMBINATIONS	_
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) amlodipine/valsartan/HCTZ (generic Exforge HCT)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	
DIRECT REN	IN INHIBITORS	
	aliskiren (generic Tekturna) <sup>QL</sup>	
DIRECT RENIN INHIBITOR COMBINATIONS		
	TEKTURNA/HCTZ (aliskiren/HCTZ)	Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
NEPRILYSIN INHIB	ITOR COMBINATION	May be approved witha history of TWO preferred ACE Inhibitors or
ENTRESTO (sacubitril/valsartan) <sup>CL,QL</sup>	ENTRESTO (sacubitril/valsartan) <sup>CL,NR,QL</sup> SPRINKLE CAP sacubitril/valsartan (generic Entresto) <sup>CL,NR,QL</sup>	Angiotensin Receptor Blockers within the last 12 months  Drug Specific Criteria  • Entresto/ sacubitril-valsartan:
ANGIOTENSIN RECEPTOR BLOCKER/BETA-BLOCKER COMBINATIONS		May be approved in patients
		ages >1 years old and with a diagnosis of heart failure

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTHELMINTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol)	EMVERM (mebendazole) <sup>CL</sup> praziquantel (generic Biltricide) STROMECTOL (ivermectin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:</li> <li>Emverm: Approval will be considered for indications not covered by preferred agents</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTI-ALLERGENS, ORAL		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	GRASTEK (timothy grass pollen allergen) AL,QL ODACTRA (Dermatophagoides farinae and Dermatophagoides pteronyssinus) AL,QL ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract) CL PALFORZIA (peanut allergen powderdnfp) AL,QL RAGWITEK (weed pollen-short ragweed) AL,QL	All agents require initial dose to be given in a healthcare setting  Drug-specific criteria:  GRASTEK  Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens. For use in persons 5 through 65 years of age.  ODACTRA  Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite For use in persons 5 through 65 years of age  ORALAIR  Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 5 through 65 years of age.  PALFORZIA  Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or concurrently on a NSAID  RAGWITEK Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen. For use in patients 5 through 65 years of age.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIBIOTICS, GASTROINTESTINAL**

AEMCOLO (rifamycin) TAB DIFICID (fidaxomicin) CLTAB, SUSP tinidazole (generic Tindamax) CL  Metronidazole (generic Tindamax) (generic Alinia) TABAL, CL, oL paromomycin SOLOSEC (secnidazole) vancomycin (Generic Firvanq) CL VOWST (fecal microbiota spores) AL-CL XIFAXAN (rifaximin) CL  XIFAXAN (r	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	metronidazole <b>TABLET</b> neomycin	DIFICID (fidaxomicin) <sup>CL</sup> TAB, SUSP LIKMEZ (metronidazole) SUSP metronidazole <sup>CL</sup> CAPS metronidazole 125mg <sup>NR</sup> TAB nitazoxanide   (generic Alinia) TAB <sup>AL, CL, QL</sup> paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic   Vancocin) <sup>CL</sup> vancomycin (generic Firvanq) <sup>QL</sup> VOWST (fecal microbiota spores) <sup>AL,QL</sup>	and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization  Drug-specific criteria:  • Alinia /nitazoxanide tablet: Trial and failure with metronidazole is required for a diagnosis of giardiasis  • Dificid®: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required.  For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage.  • Flagyl®/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regular release cannot be used  • tinidazole:  Approvable diagnoses include:  Giardia  Amebiasis intestinal or liver abscess  Bacterial vaginosis or trichomoniasis  • vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient  • Xifaxan®: Approvable diagnoses include:  Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin  Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### ANTIBIOTICS, INHALED CL

Preferred Agents <sup>CL</sup>	Non-Preferred Agents	Prior Authorization/Class Criteria
BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) <sup>QL</sup>	ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) tobramycin (generic Bethkis)	<ul> <li>Diagnosis of Cystic Fibrosis is required for all agents         ICD10 Group = E84, ICD9 =         277.00, 277.01, 277.02, 277.03,         277.09</li> <li>Drug-specific criteria:         <ul> <li>Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy</li> </ul> </li> <li>Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required</li> <li>Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation of why nebulized tobramycin cannot be used</li> </ul>

### **ANTIBIOTICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINT bacitracin OINT OTC bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months</li> <li>Drug-specific criteria:</li> <li>Mupirocin® Cream: Clinical reason the ointment cannot be used</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIBIOTICS, VAGINAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN <b>OVULES</b> (clindamycin) clindamycin <b>CREAM</b> (generic Cleocin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN <b>CREAM</b> (clindamycin) CLINDESSE (clindamycin) metronidazole (generic Nuvessa) <sup>NR</sup> VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) <sup>AL</sup> <b>GEL</b>	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

#### **ANTICOAGULANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dabigatran etexilate (generic Pradaxa)	fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) CAPS, PELLETS rivaroxaban (generic Xarelto) <sup>NR</sup> SAVAYSA (edoxaban) <sup>CL,QL</sup> XARELTO (rivaroxaban) <sup>CL,SUSP</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months</li> <li>Coumadin®: Clinical reason generic warfarin cannot be used</li> <li>Savaysa®: Approved diagnoses include:         <ul> <li>Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR</li></ul></li></ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **ANTIEMETICS/ANTIVERTIGO AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAE dronabinol (generic Marinol) <sup>AL</sup>	BINOIDS	<ul> <li>Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same</li> </ul>
5HT3 RECEPTO	OR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) <sup>QL</sup>	ANZEMET (dolasetron) granisetron (generic Kytril) ondansetron 16mg ODT (generic Zofran ODT) <sup>NR</sup> SANCUSO (granisetron) <sup>CL</sup>	Drug-specific criteria:  • Akynzeo®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist  • Regimens include: AC combination (Doxorubicin or Epirubicin with
NK-1 RECEPTO	R ANTAGONIST	Cyclophosphamide), Aldesleukin,
aprepitant (generic Emend) CAPS QL	AKYNZEO (netupitant/palonosetron) <sup>CL</sup> aprepitant (generic Emend) <b>PACK</b> EMEND (aprepitant) <b>CAPS, PACK, POWDER</b> <sup>QL</sup>	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide  Diclegis/doxylamine-pyridoxine)/ Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy  Sancuso®: Documentation of oral dosage form intolerance
TRADITIONAL	ANTIEMETICS	
DICLEGIS (doxylamine/pyridoxine)CL,QL dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose   (generic Emetrol) SOLN prochlorperazine(generic Compazine) promethazine (generic Phenergan) SYRUP, TAB promethazine 12.5mg, 25mg SUPPOSITORY scopolamine TRANSDERMAL	BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg TRANSDERM-SCOP (scopolamine) trimethobenzamide TAB (generic Tigan)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIFUNGALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
otrimazole (mucous membrane, oche) uconazole SUSP, TAB (generic Diflucan) riseofulvin SUSP riseofulvin microsized TAB ystatin SUSP, TAB erbinafine (generic Lamisil)	BREXAFEMME (ibrexafungerp) <sup>QL</sup> CRESEMBA (isavuconazonium) <sup>CL</sup> flucytosine (generic Ancobon) <sup>CL</sup> griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) <sup>CL</sup> ketoconazole (generic Nizoral) ORAVIG (miconazole) <sup>QL</sup> BUCCAL NOXAFIL (posaconazole) AL SUSP, TAB NOXAFIL (posaconazole) AL,CL POWDERMIX posaconazole (generic Noxafil)AL,CL TOLSURA (itraconazole) <sup>CL</sup> VIVJOA (oteseconazole) CAPS voriconazole (generic VFEND) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis</li> <li>Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections</li> <li>Noxafil/ posaconazole DR tablets, oral suspension, PowderMix® for delayed or suspension:: For prophylaxis of invasive Aspergillus and Candida infections, no preferred agent trial is required in severely immunocompromised patients (i.e., Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukem (AML), Neutropenic hematologic malignanc Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant</li> <li>Noxafil® Powdermix: pediatric patients 2 years of age and older who weigh 40 kg or less</li> <li>Noxafil/ posaconazole Suspension:         <ul> <li>Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole and;</li> <li>Prophylaxis of invasive Aspergillus and Candida infections</li> <li>Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole</li> <li>Sporanox® Liquid: Clinical reason solid oracannot be used</li> <li>Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failu of generic itraconazole</li> <li>Vfend/voriconazole:: No trial for diagnosis Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML Graft vs. Host disease (GVHD), Candidiasis, Blastomycosis, S. apiospermum and Fusar spp., Oropharyngeal/esophageal candidiasis</li> </ul> </li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIFUNGALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Clotrimazole CREAM (generic Lotrimin) RX, OTC clotrimazole SOLN OTC ketoconazole CREAM, SHAMPOO (generic Nizoral) miconazole CREAM, POWDER OTC nystatin terbinafine OTC (generic Lamisil AT) tolnaftate AERO-POWDER OTC, CREAM-OTC, SOLN-OTC (generic Tinactin)  ANTIFUNGAL/STEE clotrimazole/betamethasone CREAM	ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSP (generic Ciclodan, Loprox) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLN RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) FUNGOID (miconazole) OTC JUBLIA (efinaconazole) <sup>CL</sup> ketoconazole FOAM <sup>CL</sup> (generic Extina, Ketodan) LOPROX (ciclopirox) SUSP, SHAMPOO, CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) miconazole OTC OINT, SPRAY, SOLN miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Oxistat) tavaborole SOLN <sup>CL</sup> (generic Kerydin) tolnaftate POWDER OTC TRIPENICOL (undecylenic acid) <sup>NR</sup> CREAM OTC VOTRIZA-AL (clotrimazole) LOTION OTC	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months  Drug-specific criteria:  Extina/ Ketodan/ ketoconazole foam: Requires trial and failure or contraindication to other ketoconazole forms  Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to T.rubrum OR T. Mentagrophytes  ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine
clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT	clotrimazole/betamethasone <b>LOTION</b> (generic Lotrisone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIHISTAMINES, MINIMALLY SEDATING**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) levocetirizine TAB (generic Xyzal) loratadine TAB, SOLN (generic Claritin)	cetirizine <b>CHEWABLE</b> (generic Zyrtec) cetirizine <b>SOLN</b> ( <b>Rx</b> ) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) <sup>QL</sup> levocetirizine (generic Xyzal) <b>SOLN</b> loratadine <b>CAPS</b> , <b>CHEWABLE</b> , <b>ODT</b> (generic Claritin Reditabs)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class</li> <li>Combination products not covered – individual products may be covered</li> </ul>

### **ANTIHYPERTENSIVES, SYMPATHOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clonidine TAB (generic Catapres) clonidine <b>TRANSDERMAL</b> guanfacine (generic Tenex) methyldopa	clonidine ER (generic Nexiclon) methyldopa/hydrochlorothiazide NEXICLON XR (clonidine ER) <b>TAB</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class</li> <li>Drug Specific Criteria</li> <li>Nexiclon/ clonidine ER: Clinical reason why the preferred clonidine tablet or transdermal cannot be used</li> </ul>

#### **ANTIHYPERURICEMICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) colchicine <b>TAB</b> (generic Colcrys) probenecid	allopurinol 200mg colchicine <b>CAPS</b> (generic Mitigare) febuxostat (generic Uloric) <sup>CL</sup> GLOPERBA <b>SOLN</b> (colchicine) <sup>CL,QL</sup> MITIGARE (colchicine) probenecid/colchicine (generic Col- Probenecid)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Gloperba: Approved for documented swallowing disorder</li> <li>Uloric/febuxostat: Clinical reason why allopurinol cannot be used</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIMIGRAINE AGENTS, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NIMOVIG (erenumab-aooe) CL,QL JOVY (fremanezumab-vfrm) CL, QL PEN, Autoinjector  JOVY (fremanezumab-vfrm) Autoinjector 3-pack <sup>CL,QL</sup> EMGALITY 120 mg/mL (galcanezumab-gnlm) CL, QL PEN, SYRINGE  JURTEC ODT (rimegepant) AL,CL,QL  JULIPTA (atogepant) AL,CL,QL  JULIPTA (ubrogepant) AL,CL,QL  JULIPTA (ubrogepant) AL,CL,QL  JULIPTA (atogepant) AL,CL  JULIPTA (atogepant) AL	diclofenac (generic Cambia) POWDER  dihydroergotamine mesylate NASAL ELYXYB (celecoxib)AL,QL SOLN  EMGALITY 100 mg (galcanezumabgnlm) CL,QL SYR  MIGERGOT (ergotamine/caffeine) RECTAL  MIGRANAL (dihydroergotamine) NASAL  REYVOW (lasmiditan)AL, CL,QL TAB SYMBRAVO (rizatriptan benzoate/meloxicam)AL,NR TAB ZAVZPRET (zavegepant)AL,QL NASAL	<ul> <li>All non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication</li> <li>For Acute Treatment: agents wi be approved for patients who have a failed trial or a contraindication two triptans.</li> <li>For Prophylactic Treatment: Request 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications listed in the 2012 American Academy of Neurology/American Headache Society guidelines (examples include antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (valproate, topiramate) ACE (lisinopril)</li> <li>Drug-specific criteria:         <ul> <li>Emgaility 100mg will only be approved for treatment of Episodic Cluster Headache</li> <li>Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or contraindication to two triptans. Fuse in preventative treatment, will be approved for patients who have a failed trial of ONE preferred injectable CGRP.</li> <li>Qulipta: May be approved for patients who have a failed trial of ONE preferred injectable CGRP.</li> </ul> </li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) <sup>QL</sup> sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig)	<ul> <li>Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Zembrace: approved for patients who have failed ALL preferred agents</li> </ul>
NA	SAL	
IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal)	TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	
INJECTABLE		
sumatriptan KIT, SYRINGE, VIAL	ZEMBRACE SYMTOUCH (sumatriptan)	

### **ANTIPARASITICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIPARKINSON'S AGENTS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL	INERGICS	Non-preferred agents will be
benztropine (generic Cogentin) trihexyphenidyl (generic Artane)		approved for patients who have failed ONE preferred agent within
COMT IN	HIBITORS	this drug class
•	entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar)  AGONISTS	<ul> <li>Drug-specific criteria:</li> <li>Carbidopa/Levodopa ODT: Approved for documented swallowing disorder</li> <li>COMT Inhibitors: Approved if using as add-on therapy with levodopacontaining drug</li> </ul>
pramipexole (generic Mirapex) ropinirole (generic Requip)	bromocriptine (generic Parlodel) NEUPRO (rotigotine) <sup>CL</sup> pramipexole ER (generic Mirapex ER) <sup>CL</sup> ropinirole ER (generic Requip XL) <sup>CL</sup>	<ul> <li>Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug</li> <li>Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa</li> </ul>
MAO-B IN	HIBITORS	agent _● Neupro®:
selegiline CAPS, TABLET (generic Eldepryl)	rasagiline (generic Azilect) QL XADAGO (safinamide) ZELAPAR (selegiline)CL	For Parkinsons: Clinical reason required why preferred agent cannot be used
OTHER ANTIPAR	KINSON'S DRUGS	
amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo)	APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn)SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) CREXONT (carbidopa and levodopa ER.) <sup>QL</sup> CAPS DHIVY (carbidopa/levodopa) GOCOVRI (amantadine) <sup>QL</sup> INBRIJA (levodopa) CL,QL INHALER NOURIANZ (istradefylline)CL,QL OSMOLEX ER (amantadine)QL RYTARY (carbidopa/levodopa) VYALEV (foscarbidopa and foslevodopa) SUB-Q NR	For Restless Leg (RLS): Requires trial OR Contraindication to ropinirole AND pramipexole  Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent  Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR  Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial  Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial  Zelapar®: Approved for documented swallowing disorder

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIPSORIATICS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class</li> <li>Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy</li> </ul>

### **ANTIPSORIATICS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINT, SOLN	calcitriol (generic Vectical) <sup>AL</sup> OINT calcipotriene FOAM (generic Sorilux) calcipotriene/betamethasone OINT	Non-preferred agents will be approved for patients who have failed a trial with a preferred agent within this drug class

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **ANTIVIRALS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		Non-preferred agents will be
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) <sup>CL</sup> <b>SUSP</b>	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUENZA DRUGS		Drug-specific criteria:
oseltamivir (generic Tamiflu) <sup>QL</sup> <b>CAPS</b> , <b>SUSP</b>	rimantadine (generic Flumadine) RELENZA (zanamivir) <sup>QL</sup> TAMIFLU (oseltamivir) <sup>QL</sup> <b>CAPS</b> , <b>SUSP</b> XOFLUZA (baloxavir marboxil) <sup>AL,CL,QL</sup>	<ul> <li>Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old</li> <li>Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used</li> </ul>

### **ANTIVIRALS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINT docosanol OTC	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) <sup>AL</sup> penciclovir (generic Denavir) <sup>AL</sup> XERESE (acyclovir/hydrocortisone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent</li> </ul>

#### **ANXIOLYTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Alprazolam <b>TABLET</b> (generic for Xanax) Duspirone (generic for Buspar) Chlordiazepoxide diazepam <b>TABLET</b> , <b>SOLN</b> (generic for Valium) Drazepam <b>INTENSOL</b> , <b>TABLET</b> (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL <sup>CL</sup> clorazepate (generic for Tranxene-T) diazepam INTENSOL <sup>CL</sup> LOREEV XR (lorazepam) <sup>AL</sup> meprobamate oxazepam	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used</li> <li>Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol®</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **BETA BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) <sup>AL</sup> SOLN metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) nebivolol (generic Bystolic) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	acebutolol (generic Sectral) betaxolol (generic Kerlone) INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	<ul> <li>Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class</li> <li>Drug-specific criteria:</li> <li>Coreg CR/carvedilol: Requires clinical reason generic IR product cannot be used</li> <li>Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma</li> <li>Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used</li> </ul>
BETA- AND ALF	PHA-BLOCKERS	
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER <sup>CL</sup> (generic Coreg CR)	
ANTIARR	HYTHMIC	
sotalol (generic Betapace)	SOTYLIZE (sotalol)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **BILE SALTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol <b>CAPSULE</b> 300 mg (generic Actigall) ursodiol 250 mg <b>TABLET</b> (generic URSO) ursodiol 500 mg <b>TABLET</b> (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) CTEXLI (chenodiol) <sup>NR</sup> TAB IQIRVO (elafibranor) <sup>QL</sup> TAB LIVDELZI (seladelpar) CAP LIVMARLI (maralixibat) SOLN <sup>AL</sup> OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

#### **BLADDER RELAXANT PREPARATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
fesoterodine (generic Toviaz) MYRBETRIQ (mirabegron) <sup>AL</sup> <b>TAB</b> oxybutynin IR, ER (generic Ditropan/Ditropan XL)	darifenacin ER (generic Enablex) flavoxate HCL GEMTESA (vibegron)AL,QL mirabegron ER TAB (generic Myrbetriq)NR MYRBETRIQ (mirabegron) SUSPAL,CL,QL oxybutynin 2.5mg OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) TOVIAZ (fesoterodine ER) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin) AL	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **BONE RESORPTION SUPPRESSION AND RELATED DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSI alendronate (generic Fosamax) TAB ibandronate (generic Boniva) <sup>QL</sup>	PHONATES  alendronate SOLN (generic Fosamax) <sup>QL</sup> ATELVIA DR (risedronate)  BINOSTO (alendronate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria:</li> <li>Actonel® Combinations: Covered</li> </ul>
	FOSAMAX PLUS D <sup>QL</sup> risedronate (generic Actonel) <sup>QL</sup>	<ul> <li>as individual agents without prior authorization</li> <li>Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach</li> <li>Binosto®: Requires clinical reason</li> </ul>
OTHER BONE RESORPTION SUP	PRESSION AND RELATED DRUGS	
calcitonin-salmon <b>NASAL</b> FORTEO (teriparatide) <sup>CL,QL</sup> raloxifene (generic Evista)	EVISTA (raloxifene) teriparatide (generic Forteo) CL,QL TYMLOS (abaloparatide)	<ul> <li>why alendronate tablets OR Fosamax® solution cannot be us</li> <li>Forteo/ teriparatide: Covered for high risk of fracture:         <ul> <li>High risk of fracture:</li> <li>BMD -3 or worse</li> <li>Postmenopausal women with history of non-traumatic fractures</li> <li>Postmenopausal women with or more clinical risk factors</li> <li>Family history of non-traumatic fractures</li> <li>DXA BMD T-score ≤ -2.5 any site</li> <li>Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent</li> <li>Rheumatoid Arthritis</li> </ul> </li> <li>Postmenopausal women with BMD T-score ≤ -2.5 at any si with any clinical risk factors</li> <li>More than 2 units of alcohol per day</li> <ul> <li>Current smoker</li> </ul> <li>Men with primary or hypogonadal osteoporosis</li> <li>Osteoporosis associated with sustained systemic glucocorticoid therapy</li> </ul>
		<ul> <li>Trial of calcitonin-salmon not required</li> <li>Maximum of 24 months treatment per lifetime</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo) TEZRULY (terazosin) <sup>CL,NR</sup> <b>SOLN</b>	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Alfuzosin/dutasteride/finasteride
dutasteride (generic Avodart) finasteride (generic Proscar)	dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil) finasteride/tadalafil (generic Entadfi) <sup>NR</sup>	<ul> <li>Covered for males only</li> <li>Cardura XL®: Requires clinical reason generic IR form cannot be used</li> <li>Flomax/ tamsulosin: Females covered for a 7-day supply with diagnosis of acute kidney stones</li> <li>Jalyn/ dutasteride-tamsulosin: Requires clinical reason why individual agents cannot be used</li> <li>Tezruly: Clinical reason why oral tablet is not appropriate</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **BRONCHODILATORS, BETA AGONIST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albuterol HFA (generic Proventil HFA) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA)	RS – Short Acting  albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:      Xopenex/levalbuterol
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	solution: Covered for cardiac diagnoses or side effect of tachycardia with albuterol product
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
albuterol SYRUP	ORAL albuterol TAB albuterol ER (generic Vospire ER)	
	terbutaline (generic Brethine)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **CALCIUM CHANNEL BLOCKERS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT	SHORT-ACTING	
Dihydro	pyridines	approved for patients who have failed a trial of ONE preferred
	isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) nimodipine (generic Nymalize) <sup>NR</sup> <b>SOLN</b> NYMALIZE (nimodipine) <b>SOLN</b>	agent within this drug class  Drug-specific criteria:  Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH)  Nimodipine: Covered without trial for diagnosis of subarachnoid
	ropyridines	hemorrhage
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)		Katerzia/ Norliqva: May be approved with documented swallowing difficulty
LONG-	ACTING	chaneming announcy
Dihydro	pyridines	
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) <sup>QL</sup> <b>SUSP</b> levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) <sup>AL,CL,QL</sup> <b>SOLN</b>	
Non-dihyd	ropyridines	
diltiazem ER (generic Cardizem CD) verapamil ER <b>TAB</b>	diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) verapamil SR (generic Verelan) <sup>NR</sup> CAPS	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAM	ASE INHIBITOR COMBINATIONS	Non-preferred agents will be
amoxicillin/clavulanate TAB, SUSP	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB	approved for patients who have failed a 3-day trial of ONE preferred agent within the same group  Drug Specific Criteria  Cefixime- May be approved
CEPHALOSPORIN	S – First Generation	for a diagnosis of gonorrhea, with
cefadroxil CAPS, SUSP (generic Duricef) cephalexin CAPS, SUSP (generic Keflex)	cefadroxil <b>TAB</b> (generic Duricef) cephalexin <b>TAB</b>	<ul> <li>an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent</li> <li>Cefpodoxime- May be approved for a diagnosis of</li> </ul>
CEPHALOSPORINS -	Second Generation	pyelonephritis, with an appropriate ICD-10 diagnosis code without a
cefprozil (generic Cefzil) cefuroxime <b>TAB</b> (generic Ceftin)	cefaclor (generic Ceclor)	3-day trial of a preferred agent
CEPHALOSPORINS	– Third Generation	
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS, SUSP cefpodoxime (generic Vantin)	

#### **COLONY STIMULATING FACTORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FULPHILA (pegfilgrastim-jmdb) SUB-Q FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR ROLVEDON (eflapegrastim-xnst) SYR STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez)	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit

NR - Product was not reviewed - New Drug criteria will apply

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **CONTRACEPTIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time  Only those products for review are listed.  Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent  Specific agents can be looked up using the Drug Look-up Tool at:  https://ne.primetherapeutics.com/drug-lookup	EMZAHH (norethindrone) <sup>NR</sup> FEIRZA (norethindrone acetate/ ethinyl estradiol/ferrous fumarate) <sup>NR</sup> FEMLYV ODT (norethindrone acetate and ethinyl estradiol) <sup>NR</sup> MINZOYA (levonorgestrel and ethinyl estradiol tablets, and ferrous bisglycinate) <sup>NR</sup> VALTYA (ethynodiol diacetate and ethinyl estradiol) <sup>NR</sup> XARAH FE (norethindrone acetate and ethinyl estradiol and ferrous fumarate) <sup>NR</sup> XELRIA FE (norethindrone and ethinyl estradiol and ferrous fumarate) <sup>NR</sup>	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA  (umeclidinium/vilanterol)  ATROVENT HFA (ipratropium)  COMBIVENT RESPIMAT (albuterol/ ipratropium)  SPIRIVA (tiotropium)  SPIRIVA RESPIMAT (tiotropium)  STIOLTO RESPIMAT	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) tiotropium (generic Spiriva) TUDORZA PRESSAIR (aclidinium br) umeclidinium/vilanterol (generic Anoro	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device.  Drug-specific criteria:  Daliresp/roflumilast:  Covered for diagnosis of severe
(tiotropium/olodaterol)	Ellipta) <sup>NR</sup>	COPD associated with chroni bronchitis Requires trial of a bronchodilate Requires documentation of one exacerbation in last year upor
	N SOLUTION OUT IVA VPE (application) inhalation	initial review
Ibuterol/ipratropium (generic Duoneb) pratropium <b>SOLN</b> (generic Atrovent)	OHTUVAYRE (ensifentrine) inhalation suspension YUPELRI (revefenacin)	Dupixent (For other indications, see Immunomodulators, Atopic Dermatitis and Asthma therapeut classes):  • For COPD and an Eosinophilic Phenotype:
OPAL	AGENT	Requires documentation of
roflumilast (generic Daliresp) <sup>CL,QL</sup>	DALIRESP (roflumilast) <sup>CL, QL</sup>	inadequately controlled COP with eosinophils ≥ 300 cells/microliter AND two exacerbations OR one exacerbation that led to hospitalization while on and adherent to a ≥ 90-day trial of triple therapy (LABA + LAMA ICS). Prescribed by, or in consultation with a pulmonologist, immunologist or an allergist.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **COUGH AND COLD, OPIATE COMBINATION**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product</li> <li>All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age</li> </ul>

#### **CYSTIC FIBROSIS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALYFTREK (vanzacaftor; tezacaftor; deutivacaftor)AL,CL,NR TAB BRONCHITOL (mannitol)AL,CL,QL KALYDECO PACKET, TAB (ivacaftor)QL, AL ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB QL, AL SYMDEKO (tezacaftor/ivacaftor)QL, AL TRIKAFTA(elexacaftor, tezacaftor, ivacaftor)AL, CL PACKETCL, TAB	<ul> <li>Alyfrek: Diagnosis of CF and documentation of at least one F508del mutation or another responsive mutation in the CFTR gene.</li> <li>Bronchitol: Approved for diagnosis of CF and documentation that the patient hapassed the BRONCHITOL Tolerance Test</li> <li>Kalydeco®: Diagnosis of CF and documentation of the drug-specif FDA-approved mutation of CFTR gene</li> <li>Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene</li> <li>Symdeko: Diagnosis of CF and documentation of the drug specif FDA approved mutation of CFTR gene.</li> <li>Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene or a mutation that is responsive to Trikafta based on clinical and/or in vitro data</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **CYTOKINE & CAM ANTAGONISTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
KIT, PEN-KIT ADALIMUMAB-ADBM(CF)AL100mg/mL KIT, PEN-KIT COSENTYX (secukinumab)AL,QL PEN, SYR CYLTEZO (adalimumab-adbm)AL 50mg/mLKIT, PEN-KIT CYLTEZO (adalimumab-adbm)AL 100mg/mL KIT, PEN-KIT ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIALQL HUMIRA (adalimumab)QL OTEZLA (apremilast) TABQL	ABRILADA (adalimumab-afzb) <sup>AL</sup> (CF)  KIT, PEN-KIT  ACTEMRA (tocilizumab) SUB-Q  ADALIMUMAB-AACF (CF) <sup>AL</sup> PEN*  KIT, SYR-KIT  ADALIMUMAB-AADAZ(CF)(biosim for Hyrimoz) <sup>AL</sup> KIT <sup>NR</sup> , PEN, SYR  ADALIMUMAB-ADBM(CF) <sup>AL</sup> 50mg/mL KIT, PEN-KIT (Quallent)  ADALIMUMAB-ADBM(CF) <sup>AL</sup> 100mg/mL KIT, PEN-KIT (Quallent)  ADALIMUMAB-ADBM(CF) <sup>AL</sup> 100mg/mL KIT, PEN-KIT (Quallent)  ADALIMUMAB-FKJP (biosim for Hulio) <sup>AL</sup> PEN, SYR  ADALIMUMAB-RYVK <sup>AL</sup> (biosim for Simlandi) KIT, PEN-KIT  AMJEVITA (adalimumab-atto) <sup>AL</sup> AUTOINJ, SYR  AMJEVITA(adalimumab-atto) <sup>AL</sup> KIT, PEN-KIT  ARCALYST (nilonacept)  BIMZELX (bimekizumab-bkzx) <sup>AL</sup> PEN, SYR  CIBINQO (abrocitinib) <sup>AL,QL</sup> CIMZIA (certolizumab pegol) <sup>QL</sup> ENSPRYNG (satralizumab-mwge)  SUB-Q  ENTYVIO (vedolizumab) <sup>AL</sup> PEN	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required.</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis.</li> <li>JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required.</li> <li>Drug-specific criteria:</li> <li>Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits.</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **CYTOKINE & CAM ANTAGONISTS, continued**

PUSHTOUCH, SYR HADLIMA (CF) (adalimumab- bwwd) <sup>AL</sup> PUSHTOUCH, SYR HULIO (adalimumab-fkip) <sup>AL</sup> PEN, SYR HYRIMOZ(CF) (adalimumab-adaz) <sup>AL</sup> PEN, SYR IDACIO (adalimumab-adaz) <sup>AL</sup> PEN, SYR ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) SUB-Q LITTPULO (ritilectiinib) <sup>AL</sup> CAPS OLUMIANT (baricitinib) TABCL-aL OMVOH (mirikizumab-mrkz) <sup>AL</sup> 100mg, 200mg PEN <sup>NR</sup> , SYR <sup>NR</sup> ORENCIA (abatacept) SUB-Q OTULFI (ustekinumab-aauz biosimilars for Stelara) <sup>AL, NR</sup> SYR RINVOQ ER (upadacitinib) <sup>AL</sup> CAPS biosimilars for Stelara) <sup>AL, NR</sup> SYR RINVOQ ER (upadacitinib) <sup>AL</sup> CA SOLN SELARSDI (biosimilar- Stelara) <sup>AL, NR</sup> SYR SILIQ (brodalumab) SIMLANDI (CF) (adalimumab-ryvk) <sup>AL</sup> KIT SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SYR SKYRIZI ON-BODY (risankizamab-rzaa) <sup>CL</sup> SCYYKTU (deucravacitinib) <sup>AL</sup> SUB-Q STEQEYMA (ustekinumab-stba) <sup>AL, NR</sup> SYR	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
		HADLIMA (adalimumab- bwwd) <sup>AL</sup> PUSHTOUCH, SYR  HADLIMA (CF) (adalimumab- bwwd) <sup>AL</sup> PUSHTOUCH, SYR  HULIO (adalimumab-fkjp) <sup>AL</sup> PEN, SYR  HYRIMOZ(CF) (adalimumab-adaz) <sup>AL</sup> PEN, SYR  IDACIO (adalimumab-aacf) <sup>AL</sup> PEN, SYR  ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYR  KINERET (anakinra) LITFULO (ritlecitinib) <sup>AL</sup> CAPS  OLUMIANT (baricitinib) TAB <sup>CL,QL</sup> OMVOH (mirikizumab-mrkz) <sup>AL</sup> 100mg, 200mg,300mg PEN <sup>NR</sup> , SYR <sup>NR</sup> ORENCIA (abatacept) SUB-Q  OTULFI (ustekinumab-aauz biosimilars for Stelara) <sup>AL,NR</sup> SYR  PYZCHIVA (ustekinumab-ttwe, biosimilars for Stelara) <sup>AL,NR</sup> SYR  RINVOQ ER (upadacitinib) <sup>CL,QL</sup> RINVOQ (upadacitinib) <sup>AL,QL</sup> LQ SOLN  SELARSDI (biosimilar- Stelara) <sup>AL,NR</sup> SYR  SILIQ (brodalumab)  SIMLANDI (CF) (adalimumab-ryvk) <sup>AL</sup> KIT  SIMPONI (golimumab)  SKYRIZI (risankizamab-rzaa) SYR  SKYRIZI ON-BODY (risankizamab-rzaa) <sup>QL</sup> SKYRIZI PEN (risankizamab-rzaa) <sup>QL</sup> SOTYKTU (deucravacitinib) TAB  SPEVIGO (spesolimab-sbzo) <sup>AL</sup> SYR  STELARA (ustekinumab) <sup>AL</sup> SUB-Q  STEQEYMA (ustekinumab-stba) <sup>AL,NR</sup>	with FDA-approved indication — ICD-10 diagnosis code is required.  Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis.  JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required.  Drug-specific criteria:  Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	TALTZ (ixekizumab) <sup>AL</sup> TREMFYA (guselkumab) <sup>NR,QL</sup> AUTOINJ, PEN <sup>NR</sup> SYR  TYENNE (tocilizumab-aazg) <sup>AL</sup> AUTOINJ, SYR  USTEKINUMAB <sup>AL,NR</sup> SYR USTEKINUMAB-TTWE <sup>AL,NR</sup> SYR VELSIPITY (etrasimod) <sup>QL</sup> TAB XELJANZ (tofacitinib) TAB, SOLN <sup>CL,QL</sup> XELJANZ XR (tofacitinib) TAB <sup>CL,QL</sup> YESINTEK (ustejinumab-kfce) <sup>AL,NR</sup> SYR YUFLYMA 100mg/mL (CF) (adalimumab-aaty) <sup>AL</sup> KIT,PEN-KIT YUFLYMA 80mg/mL (CF) (adalimumab- aaty) <sup>AL</sup> AUTOINJ, PEN, KIT YUSIMRY (CF) (adalimumab-aqvh) <sup>AL</sup> PEN KIT ZYMFENTRA (infliximab-dyyb) PEN, SYR	<ul> <li>Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required</li> <li>Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication for preferred agent has FDA approval for diagnosis.</li> <li>JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required.</li> <li>Drug-specific criteria:</li> <li>Cosentyx: Requires treatment failure Enbrel OR Humira with the same FDA approved indications and age limits.</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **DIURETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amiloride TAB bumetanide TAB chlorthalidone TAB (generic Diuril) furosemide SOLN, TAB (generic Lasix) hydrochlorothiazide CAPS, TAB	CAROSPIR (spironolactone) SUSP eplerenone TAB (generic Inspra)CL ethacrynic acid CAPS (generic Edecrin) INZIRQO (hydrochlorothiazide)NR.QL SUSP KERENDIA (finerenone) TAB CL.QL spironolactone (generic Carospir) SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> <li>Eplerenone: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required.</li> <li>Kerendia: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults, trial of a preferred agent not required.</li> <li>spironolactone suspension: May be approved without trial of a</li> </ul>
COMBINATIO	N PRODUCTS	preferred agent if there is a clinical
amiloride/HCTZ <b>TAB</b> spironolactone/HCTZ <b>TAB</b> (generic Aldactazide) triamterene/HCTZ <b>CAPS</b> , <b>TAB</b> (generic Dyazide, Maxzide)		reason why preferred spironolactone solid dosage form cannot be used.

## **ENZYME REPLACEMENT, GAUCHER'S DISEASE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) <sup>CL</sup>	CERDELGA (eliglustat) miglustat (generic Zavesca)	<ul> <li>Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate</li> <li>Drug-specific criteria:</li> <li>Zavesca/miglustat: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## EPINEPHRINE, SELF-ADMINISTERED QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ	AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic Adrenaclick) epinephrine (generic Epipen/ Epipen Jr.) AUTOINJ	Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate

### **ERYTHROPOIESIS STIMULATING PROTEINS**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ARANESP (darbopoetine alfa) <b>DISP SYR, VIAL</b> EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer manufacturer only</i>	JESDUVROQ (daprodustat) <sup>NR</sup> <b>TAB</b> PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Vifor</i> manufacturer only VAFSEO (vadadustat) <b>TAB</b>	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

## **FLUOROQUINOLONES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin <b>TAB</b> (generic Cipro) levofloxacin <b>TAB</b> (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin	<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim)</li> <li>Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders</li> <li>Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea)</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **GI MOTILITY, CHRONIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) <sup>AL, QL</sup> LINZESS (linaclotide) <sup>AL,QL</sup> MOVANTIK (naloxegol oxalate) <sup>QL</sup> RELISTOR (methylnaltrexone) <b>SYR</b> TRULANCE (plecanatide) <sup>AL,QL</sup>	alosetron (generic Lotronex) IBSRELA (tenapanor)AL,QL lubiprostone (generic Amitiza)AL,QL MOTEGRITY (prucalopride succinate) prucalopride (generic Motegrity)NR RELISTOR (methylnaltrexone) QL TAB, VIAL SYMPROIC (naldemedine) VIBERZI (eluxodoline)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication</li> <li>Drug-specific criteria:</li> <li>Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.)</li> <li>Lotronex/ alosetron: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> <li>Relistor® TAB: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik</li> <li>Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik</li> <li>Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate</li> </ul>

### **GLUCAGON AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) <sup>AL,QL</sup> <b>NASAL</b> GLUCAGON EMERGENCY (glucagon) <sup>QL</sup> <b>INJ KIT</b> (Lilly) glucagon <sup>QL</sup> <b>INJ</b> PROGLYCEM (diazoxide) <b>SUSP</b> ZEGALOGUE (dasiglucagon) <sup>AL, QL</sup> <b>AUTO-INJ</b>	diazoxide <b>SUSP</b> (generic Proglycem) GLUCAGON EMERGENCY (glucagon) <sup>QL</sup> <b>INJ KIT</b> (Fresenius) GVOKE (glucagon) <sup>AL,QL</sup> <b>KIT</b> , <b>PEN</b> , <b>SYR</b> , <b>VIAL</b> ZEGALOGUE (dasiglucagon) <sup>AL,QL</sup> <b>SYR</b>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **GLUCOCORTICOIDS, INHALED**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	RTICOIDS	Non-preferred agents within the
ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) <sup>QL,AL</sup> ASMANEX HFA (mometasone) <sup>QL</sup> fluticasone HFA (generic Flovent HFA) PULMICORT FLEXHALER	ALVESCO (ciclesonide) <sup>AL,CL</sup> ARMONAIR DIGIHALER (fluticasone) <sup>AL,QL</sup> fluticasone (generic Flovent Diskus) QVAR Redihaler (beclomethasone)	Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months
(budesonide)		<ul> <li>budesonide respules: Covered without PA for age ≤ 8 years</li> <li>OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy.</li> <li>For other indications, must have</li> </ul>
GLUCOCORTICOID/BRONCH	IODILATOR COMBINATIONS	failed a trial of two preferred agents
ADVAIR DISKUS (fluticasone/salmeterol) <sup>QL</sup> ADVAIR HFA (fluticasone/salmeterol) <sup>QL</sup> DULERA (mometasone/formoterol)  SYMBICORT (budesonide/ formoterol)  TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)	AIRDUO DIGIHALER (fluticasone/salmeterol)AL,QL  AIRSUPRA HFA (albuterol and budesonide)AL  BREO ELLIPTA (fluticasone/vilanterol)  BREZTRI (budesonide/formoterol/glycopyrrolate)QL  budesonide/formoterol (generic for Symbicort)  fluticasone/salmeterol (generic for Advair Diskus)QL  fluticasone/salmeterol (generic for Advair HFA)QL  fluticasone/salmeterol (generic for Airduo Respiclick)  fluticasone/vilanterol (Breo Ellipta)	within this drug class, within the last 6 months.
INHALATION	I SOLUTION	
INITALATION	budesonide <b>RESPULES</b> (generic for Pulmicort)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **GLUCOCORTICOIDS, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPS (generic Entocort EC) dexamethasone ELIXIR, SOLN dexamethasone TAB hydrocortisone TAB methylprednisolone tablet (generic Medrol) prednisolone SOLN prednisolone sodium phosphate prednisone DOSE PAK prednisone TAB	ALKINDI (hydrocortisone) GRANULES <sup>AL</sup> CORTEF (hydrocortisone) cortisone TAB dexamethasone INTENSOL EOHILIA (budesonide) <sup>AL,QL</sup> SUSP HEMADY (dexamethasone) methylprednisolone 8mg, 16mg, 32mg prednisolone sodium phosphate (generic Millipred/Veripred) prednisone sodium phosphate ODT prednisone SOLN prednisone INTENSOL RAYOS DR (prednisone) TAB TARPEYO (budesonide) CAPS	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient</li> <li>Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN)</li> </ul> </li> </ul>

### **GROWTH HORMONES**

GENOTROPIN (somatropin) HUMATROPE (somatropin) Growth Hormone PA Form	riteria
NORDITROPIN (somatropin)  NGENLA (somatrogon-ghla) <sup>AL</sup> NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SEROSTIM (somatropin) SKYTROFA (lonapegsomatropin-tcgd) SOGROYA (somapacitan-beco) ZOMACTON (somatropin)	<u>m</u>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) <sup>QL</sup>	bismuth,metronidazole,tetracycline (generic Pylera)QL lansoprazole/amoxicillin/clarithromycin (generic Prevpac)QL OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin)QL TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA (vonoprazan)QL	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

## HAE TREATMENTS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents  BERINERT (C1 esterase inhibitor, human) INTRAVENOUS  HAEGARDA (C1 esterase inhibitor, human) AL,CL SUB-Q icatibant acetate (generic for FIRAZYR) LSUB-Q	CINRYZE (C1 esterase inhibitor, human)AL,CL INTRAVENOUS FIRAZYR (icatibant acetate)ALSUB-Q ORLADEYO (berotralstat) CAPAL,QL RUCONEST (recombinant human C1 inhibitor)AL INTRAVENOUS TAKHZYRO (lanadelumab-flyo)AL,CL	HAE Treatments PA Form      All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme.  Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated
	VIAL TAKHZYRO (lanadelumab-flyo) <sup>AL,CL</sup> SYRINGE	<ul> <li>Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication.</li> </ul> Drug-Specific Criteria
		<ul> <li>Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **HEMOPHILIA TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPECIFIC FACTORS		<ul> <li>Non-preferred agents will be</li> </ul>
HEMLIBRA	HYMPAVZI <sup>AL,NR</sup> QFITLIA (fitusiran) <sup>AL,NR</sup> <b>PEN, VIAL</b>	<ul> <li>approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
FACT	OR VIII	
ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVIAL KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE	
FAC	TOR IX	
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIA AND PROTHROMI	BIN COMPLEX-PLASMA DERIVED	
NOVOSEVEN RT	FEIBA NF SEVENFACT <sup>AL</sup>	
FACTOR X ANI	XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
TISSUE FACTOR PAT	HWAY INHIBITOR (TFPI)	
	ALHEMO <sup>AL,NR</sup>	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **HEPATITIS B TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir <b>TAB</b>	adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB lamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug Specific Criteria</li> <li>tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection.</li> <li>See HIV/AIDS class for drug listing and placement</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **HEPATITIS C TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTING ANTI-VIRAL		Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir)  TAB <sup>CL</sup> , PELLET <sup>AL,CL</sup> sofosbuvir/velpatasvir (generic Epclusa) <sup>CL</sup> VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) <sup>CL</sup>	HARVONI 200/45MG, <b>TAB</b> (ledipasvir/sofosbuvir) <sup>CL</sup> HARVONI (ledipasvir/sofosbuvir) <sup>CL</sup> <b>PELLET</b> ledipasvir/sofosbuvir (generic Harvoni) <sup>CL</sup> SOVALDI (sofosbuvir) <sup>CL</sup> <b>PELLET</b> SOVALDI <b>TAB</b> (sofosbuvir) <sup>CL</sup> ZEPATIER (elbasvir/grazoprevir) <sup>CL</sup>	<ul> <li>Hepatitis C Criteria</li> <li>Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient</li> <li>Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor</li> <li>Drug-specific criteria:</li> <li>Trial with with a preferred agent not required in the following:         <ul> <li>Harvoni/ledipasvir-sofosbuvir:</li> </ul> </li> </ul>
RIBA	VIRIN	<ul> <li>Post liver transplant for genotype 1 or 4</li> </ul>
ribavirin 200mg CAPSULE, TAB		Vosevi: Requires documentation of non-response after previous
INTER	FERON	treatment course of Direct Acting Anti-viral agent (DAA) for genotype
PEGASYS (pegylated interferon alfa- 2a) <sup>CL</sup>		1-6 without cirrhosis or with compensated cirrhosis

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **HISTAMINE II RECEPTOR BLOCKERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine <b>TAB</b> (generic for Pepcid) famotidine <b>SUSP</b>	cimetidine <b>TAB</b> , <b>SOLN</b> <sup>CL</sup> (generic Tagamet) famotidine <b>CHEW-TAB</b> nizatidine <b>CAPS</b> (generic for Axid)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
		Drug-specific criteria:     Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## HIV / AIDS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID	INHIBITOR	All agents require:
	SUNLENCA (lenacapavir) <sup>QL</sup>	<ul> <li>Diagnosis of HIV/AIDS required, OR</li> </ul>
CCR5 AN	TAGONISTS	<ul> <li>Diagnosis of Pre and Post</li> </ul>
SELZENTRY <b>SOLN</b> , <b>TAB</b> (maraviroc)	maraviroc (generic Selzentry)	Exposure Prophylaxis Non-preferred agents will be
FUSION	INHIBITORS	approved for patients who have a diagnosis of HIV/AIDS and patient
FUZEON <b>SUB-Q</b> (enfuvirtide) <sup>QL</sup>		specific documentation of why the preferred products within this drug
HIV-1 ATTACH	IMENT INHIBITOR	class are not appropriate for patient, including, but not limited
	RUKOBIA ER (fostemsavir) <sup>AL,QL</sup>	to, drug resistance or concomitant conditions not recommended with preferred agents
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	<ul><li>Patients undergoing treatment at</li></ul>
ISENTRESS (raltegravir) <sup>QL</sup> ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	the time of any preferred status change will be allowed to continue therapy
NON-NUCLEOSIDE REVERSE TRA	ANSCRIPTASE INHIBITORS (NNRTIs)	
EDURANT (rilpivirine) efavirenz <b>CAPS, TABLET</b> (generic Sustiva) INTELENCE (etravirine) <sup>QL</sup> PIFELTRO (doravirine) <sup>QL</sup>	etravirine (generic Intelence) <sup>QL</sup> nevirapine IR, ER (generic Viramune/Viramune XR) basglaSUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIs)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir)	didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIs)	
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) <b>POWDER</b>	
PHARMACOKIN	NETIC ENHANCER	
	TYBOST (cobicistat) <sup>QL</sup>	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## HIV / AIDS CL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE INHIBITORS		All agents require:
atazanavir <b>CAPS</b> (generic Reyataz) NORVIR (ritonavir) <b>TAB</b> PREZISTA (darunavir) <b>TAB</b> ritonavir TAB (generic Norvir)	APTIVUS CAPS, SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATE <sup>AL</sup> TAB darunavir ethanolate (generic Prezista) <sup>AL</sup> TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER, SOLN (ritonavir) PREZISTA (darunavir) SUSP REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	<ul> <li>Diagnosis of HIV/AIDS required, OR</li> <li>Diagnosis of Pre and Post Exposure Prophylaxis</li> <li>Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
PHARMACOK EVOTAZ (atazanavir/cobicistat) <sup>QL</sup> lopinavir/ritonavir SOLN, TAB (generic Kaletra)	EVERSE TRANSCRIPTASE INHIBITORS	<ul> <li>All agents require:         <ul> <li>Diagnosis of HIV/AIDS required; OR</li> <li>Diagnosis of Pre and Post Exposure Prophylaxis</li> </ul> </li> <li>Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to drug resistance or concomitant conditions not recommended with preferred agents</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
abacavir/lamivudine (generic Epzicom)  CIMDUO (lamivudine/tenofovir) <sup>QL</sup> DESCOVY (emtricitabine/tenofovir) <sup>QL</sup> emtricitabine/tenofovir (generic Truvada)  lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## HIV / AIDS CL (Continued)

BIKTARVY (bictegravir/emtricitabine/ tenofovir) <sup>QL</sup> COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir) (generic for Symfi) <sup>QL</sup> TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP  Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred preferred proved for patients will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred agents vill be app
efavirenz/lamivudine/tenofovir (generic for Symfi) <sup>QL</sup> (generic for Symfi Lo) <sup>QL</sup> TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP  TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) tenofovir) and lamivudine) SUSP  TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) tenofovir (generic for Symfi Lo) <sup>QL</sup> TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) tenofovir (generic for Symfi Lo) <sup>QL</sup> TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) tenofovir (generic for Symfi Lo) <sup>QL</sup> TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) tenofovir (generic for Symfi Lo) <sup>QL</sup> TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) tenofovir (ge

## HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic Precose)	miglitol (generic Glyset)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RECI	GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST (GLP-1 RA)AL,CL,QL	
OZEMPIC (semaglutide) <sup>AL,QL</sup> TRULICITY (dulaglutide) AL,QL VICTOZA (liraglutide) <sup>AL,QL</sup> subcutaneous	BYDUREON BCISE <b>PEN</b> (exenatide)  AL,QL  BYETTA (exenatide) AL,QL subcutaneous exenatide (generic Byetta) AL,QL liraglutide (generic Victoza) AL,QL MOUNJARO (tirzepatide) AL,QL PEN RYBELSUS (semaglutide) AL,QL 1.5mgNR, 3mg, 4mgNR, 7mg, 9mgNR, 14mg <b>TAB</b>	Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin <b>OR</b> A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required)  Non-preferred agents will be approved for patients who have:  Failed a trial of TWO preferred agents within GLP-1 RA  AND
INSULIN/GLP-1 RA	A COMBINATIONS	Diagnosis of diabetes with HbA1C
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	<ul> <li>≥ 7 AND</li> <li>Trial of metformin, or contraindication or intolerance to metformin</li> </ul>
AMYLIN	ANALOG	Amylin Analog Criteria
DIPEPTIDYL PEPTIDASE  JANUMET (sitagliptin/metformin)  JANUMET XR (sitagliptin/metformin)  JANUVIA (sitagliptin)  JENTADUETO (linagliptin/metformin)  TRADJENTA (linagliptin)	alogliptin (generic Nesina) alogliptin/metformin (generic Kazano) alogliptin/pioglitazone (generic Oseni) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin) saxagliptin (generic Onglyza) saxagliptin/metformin ER (generic Kombiglyze ER) sitagliptin (generic Zituvio) <sup>NR</sup> sitagliptin (metformin (Zituvimet) <sup>NR</sup> STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIMET (sitagliptin and metformin) TABLET NR, QL	<ul> <li>ALL criteria must be met</li> <li>Concurrent use of short-acting mealtime insulin</li> <li>Current therapy compliance</li> <li>No diagnosis of gastroparesis</li> <li>HbA1C ≤ 9% within last 90 days</li> <li>Monitoring of glucose during initiation of therapy</li> <li>DPP-4 Inhibitor Criteria</li> <li>Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin.</li> <li>Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class</li> </ul>

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIPEPTIDYL PEPTIDAS	E-4 (DPP-4) INHIBITOR <sup>AL,QL</sup>	
	ZITUVIMET XR (sitagliptin and metformin) TABLET NR, QL	
	ZITUVIO (sitagliptin)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
APIDRA (insulin glulisine) SOLOSTAR, VIAL HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 500 U/M PENCL HUMULIN 500 U/M PENCL HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) CARTRIDGE, PEN, VIAL insulin aspart/insulin aspart protamine PEN, VIAL (generic for Novolog Mix) insulin glargine PEN, VIAL insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN LANTUS SOLOSTAR PEN (insulin glargine) LANTUS (insulin glargine) VIAL LEVEMIR (insulin detemir) PEN, VIAL NOVOLIN (insulin) PEN NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL NOVOLOG MIX FLEXPEN (insulin aspart/aspart protamine)	ADMELOG (insulin lispro) PEN, VIAL AFREZZA (regular insulin) INHALATION BASAGLAR (insulin glargine, rec) PEN, TEMPO PEN FIASP (insulin aspart) CARTRIDGE, PEN, VIAL HUMALOG U-100 TEMPO PEN HUMALOG (insulin lispro) <sup>CL</sup> U-200 KWIKPEN insulin degludec (generic Tresiba) 100U/mL PEN, VIAL insulin degludec (generic Tresiba) 200U/mL PEN insulin glargine (Toujeo) insulin glargine max (Toujeo Max) insulin glargine-YFGN PEN, VIAL (generic for Semglee-YFGN) insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) LYUMJEV KWIKPEN, VIAL(insulin lispro-aabc) LYUMJEV (insulin lispro-aabc) TEMPO PEN NOVOLIN (insulin) NOVOLOG MIX (insulin aspart/aspart protamine) VIAL REZVOGLAR (insulin glargine-aglr) KWIKPEN SEMGLEE (insulin glargine) PEN, VIAL TOUJEO SOLOSTAR (insulin glargine) TRESIBA (insulin degludec)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease</li> <li>Humulin® R U-500 Kwikpen: May be approved for patients who require &gt;200 units/day</li> <li>Humalog U-200 Pen: May be approved for patients who require &gt; 100 units/day</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **HYPOGLYCEMICS, MEGLITINIDES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic for Prandin)	nateglinide (generic for Starlix) <sup>CL</sup>	<ul> <li>Non-preferred agents will be approved for patients with:</li> <li>Failure of a trial of ONE preferred agent in another Hypoglycemic class OR</li> <li>T2DM and inadequate glycemic control</li> </ul>

## **HYPOGLYCEMICS, METFORMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin <sup>NR</sup> 750 mg metformin ER (generic Fortamet/Glumetza) metformin <b>SOLN</b> (generic Riomet) RIOMET ER (metformin ER) <sup>AL</sup>	<ul> <li>Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used</li> <li>Metformin solution: Prior authorization not required for age &lt;7 years</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **HYPOGLYCEMICS, SGLT2**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) CL.QL INVOKAMET (canagliflozin/ metformin) CL.QL INVOKANA (canagliflozin) CL JARDIANCE (empagliflozin) CL.QL SYNJARDY (empagliflozin/metformin) AL,CL,QL XIGDUO XR (dapagliflozin/metformin) CL.QL	BRENZAVVY (bexagliflozin) <sup>NR</sup> dapagliflozin <sup>CL,NR,QL</sup> (generic Farxiga) dapagliflozin/metformin <sup>CL,QL</sup> (generic Xigduo) INPEFA (sotagliflozin) <sup>QL</sup> <b>TAB</b> INVOKAMET XR (canagliflozin/metformin) <sup>QL</sup> SEGLUROMET (ertugliflozin/metformin) <sup>QL</sup> STEGLATRO (ertugliflozin) <sup>QL</sup> SYNJARDY XR (empagliflozin/ metformin) <sup>AL,QL</sup>	Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, OR  A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required)  Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class  Drug Specific Criteria:  Farxiga/ dapagliflozin: May be approved for a diagnosis of diabetes  May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes  Jardiance: May be approved for a diagnosis of diabetes  Jardiance: May be approved for a diagnosis of diabetes

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **HYPOGLYCEMICS, SULFONYLUREAS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

## **HYPOGLYCEMICS, TZD**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIAZOLIDINEDIONES (TZDs)		<ul> <li>Non-preferred agents will be</li> </ul>
pioglitazone (generic for Actos)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic for Duetact) pioglitazone/metformin (generic for Actoplus Met)	<ul> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>

### **IDIOPATHIC PULMONARY FIBROSIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
pirfenidone (generic Esbriet) <sup>QL</sup>	ESBRIET (pirfenidone) <sup>QL</sup> OFEV (nintedanib esylate) <sup>CL</sup>	<ul> <li>Non-preferred agent requires trial of preferred agent within this drug class with the same indication</li> <li>FDA approved indication required – ICD-10 diagnosis code</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## IMMUNOMODULATORS, ASTHMA CL

	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) <sup>AL</sup> <b>PEN</b> (OLAIR (omalizumab) <b>AUTO-INJ</b> <sup>AL,QL</sup> , <b>SYR</b> <sup>AL,QL</sup>	NUCALA (mepolizumab) <sup>AL</sup> AUTO-INJ, SYR TEZSPIRE (tezepelumab-ekko) <sup>AL</sup> PEN	Immunomodulators Self-Injectable PA Form  All agents require prior authorization AND an FDA-approved diagnosis for approval  Non-preferred agents require a trial of preferred agent within this drug class with the same indication  For asthma indications: All agents must be prescribed by or in consultation wit an allergist, immunologist, or pulmonologist  Agents listed may have other FDA approved indications, and will be subject to prior authorization  Drug Specific Criteria:  Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis and COPD therapeutic classes)  For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid / long-tolerated inhaled corticosteroid / lon

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## IMMUNOMODULATORS, ATOPIC DERMATITIS AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADBRY (tralokinumab-ldrm) AL,CL,QL SUB-Q ADBRY 300mg/2mL (tralokinumab-ldrm) AL,CL,QL AUTOINJ	EBGLYSS (lebrikizumab-lbkz)AL,NR,QL PEN, SYRINGE OPZELURA (ruxolitinib phosphate) CREAMAL,CL,QL pimecrolimus (generic Elidel) Oceanside Mfr only	Immunomodulators Self-Injectable PA Form  Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication.  Drug-specific criteria:  ADBRY: May be approved after a trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor  Dupixent: (For other indications, see Immunomodulators, Asthma and COPD therapeutic classes):  Atopic Dermatitis: May be approved after a maximum of a 90-day trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor  Eosinophilic Esophagitis: Trial, failure, technique difficulty to a swallowed topical corticosteroid or treatment failure of a protor pump inhibitor. Prescribed by, or in consultation with an allergist, gastroenterologist, or immunologist. Documentation that the Patient has a confirmed diagnosis of eosinophilic esophagitis with ≥ 15 eosinophils/high-powe field.  Nasal Polyps: May be approved with documentation of treatment failure or contraindication within the previous year to intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surger Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT].  Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist.  Eucrisa: May be approved after a 30 da trial failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist.  Documentation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist.  Decribed by the provider attention of a topical carticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## IMMUNOMODULATORS, ATOPIC DERMATITIS AL, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ZORYVE 0.15% (roflumilast) <sup>AL</sup> CREAM ZORYVE 0.3% (roflumilast) <sup>AL,CL</sup> FOAM	Immunomodulators Self-Injectable PA Form  Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication.  Drug Specific Criteria Zoryve Foam- Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication AND Trial of a topical antifungal.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **IMMUNOMODULATORS, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) <sup>AL</sup> <b>GEL</b> imiquimod (generic Zyclara) podofilox (generic Condylox) <b>GEL</b> , <b>SOLN</b> VEREGEN (sinecatechins) ZYCLARA (imiquimod)	Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

## **IMMUNOSUPPRESSIVES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) <sup>NR</sup> cyclosporine, modified (generic Neoral) CAPS everolimus (generic for Zortress) <sup>AL</sup> mycophenolate (generic Cellcept) CAPS, TAB RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB sirolimus (generic Rapamune) SOLN, TAB tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP mycophenolic acid MYFORTIC (mycophenolate sodium) MYHIBBIN (mycophenolate) PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) AL,QL TAB SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan) CAPS ZORTRESS (everolimus) AL	<ul> <li>Patients established on existing therapy will be allowed to continue</li> <li>Drug Specific Criteria</li> <li>Tavneos (avacopan)</li> <li>No trial of a preferred agent required with appropriate FDA</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **INTRANASAL RHINITIS AGENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
ipratropium (generic for Atrovent)		approved for patients who have failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) <sup>AL</sup>	<ul> <li>Drug-specific criteria:</li> <li>mometasone: Prior authorization NOT required for children ≤ 12 years</li> <li>budesonide: Approved for use in Pregnancy (Pregnancy Category B)</li> <li>Xhance: Indicated for treatment of</li> </ul>
CORTICO	STEROIDS	nasal polyps in <u>&gt;</u> 18 years only
fluticasone <b>Rx</b> (generic Flonase)	BECONASE AQ (beclomethasone) budesonide (Rhinocort) OTC flunisolide (generic Nasalide) fluticasone (generic Flonase) OTC mometasone (generic Nasonex) OTC, RX NASONEX (mometasone) OTC OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) triamcinolone (generic Nasacort) OTC XHANCE (fluticasone) ZETONNA (ciclesonide)	

### **LEUKOTRIENE MODIFIERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast (generic for Singulair)  TAB <sup>QL</sup> /CHEWABLE <sup>AL</sup>	montelukast <b>GRANULES</b> (generic Singulair) <sup>CL, AL</sup> zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	<ul> <li>Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>montelukast granules:         <ul> <li>PA not required for age &lt; 2 years</li> </ul> </li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPS clindamycin palmitate SOLN linezolid TAB	CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

## LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	<ul> <li>Non-preferred agents will be</li> </ul>
cholestyramine (generic Questran) colestipol TAB (generic Colestid)	colesevelam (generic Welchol) TAB, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	approved for patients who have failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Colesevelam: Trial not required for diabetes control and
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	monotherapy with metformin, sulfonylurea, or insulin has been
	JUXTAPID (lomitapide) <sup>CL</sup> KYNAMRO (mipomersen) <sup>CL</sup>	inadequate ■ Juxtapid®/ Kynamro®:  o Approved for diagnosis of
TREATMENT OF FAMILIAL CHYLO	OMICRONEMIA SYNDROME (FCS)	homozygous familial hypercholesterolemia (HoFH)
	TRYNGOLZA (olezarsen) <sup>AL,NR,QL</sup> INJ	ŎŔ Ŷ
FIBRIC ACID	DERIVATIVES	<ul> <li>Treatment failure/maximized dosing/contraindication to ALL</li> </ul>
fenofibrate (generic Tricor) fenofibrate (generic Lofibra) gemfibrozil (generic Lopid)	fenofibric acid (generic Fibricor/Trilipix) fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide)	the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants
NIA	CIN	<ul> <li>Require faxed copy of REMS</li> </ul>
niacin ER (generic Niaspan)	NIACOR (niacin IR)	- PA form
OMEGA-3 F	ATTY ACIDS	-
omega-3 fatty acids (generic Lovaza)	icosapent (generic Vascepa) <sup>CL</sup> omega-3 OTC	
CHOLESTEROL ABSO	ORPTION INHIBITORS	
ezetimibe (generic Zetia)	NEXLETOL (bempedoic acid) NEXLIZET (bempedoic acid/ ezetimibe) <sup>QL</sup>	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## LIPOTROPICS, OTHER (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS	
PRALUENT (alorocumab) <sup>CL</sup>	REPATHA (evolocumab) <sup>CL</sup>	<ul> <li>Praluent®: Approved for diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH)</li> <li>Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies AND;</li> <li>Trial and failure or intolerance to a statin for 8 continuous weeks</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Repatha®: May be approved for:         <ul> <li>adult diagnoses of atherosclerotic cardiovascular disease (ASCVD)</li> <li>heterozygous familial hypercholesterolemia (HeFH) in adults and pediatric patient aged 10 years and older</li> <li>homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patient aged 10 years and older AND</li> <li>Maximized high-intensity stati WITH ezetimibe for 3+continuous months</li> <li>Failure to reach target LDL-C levels: ASCVD - &lt; 70 mg/dL, HeFH - &lt; 100 mg/dL</li> <li>Concurrent use of maximallytolerated statin must continue except for statin-induced rhabdomyolysis or a contraindication to a statin</li> </ul> </li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atorvastatin (generic Lipitor) <sup>QL</sup> lovastatin (generic Mevacor) pravastatin (generic Pravachol)	ALTOPREV (lovastatin ER) <sup>CL</sup> ATORVALIQ (atorvastatin) <sup>QL</sup> <b>SUSP</b> EZALLOR SPRINKLE (rosuvastatin) <sup>QL</sup>	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months
rosuvastatin (generic Crestor) simvastatin (generic Zocor)	fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) <sup>AL,QL</sup> pitavastatin (generic Livalo) <sup>AL,NR.QL</sup> ZYPITAMAG (pitavastatin)	<ul> <li>Drug-specific criteria:</li> <li>Altoprev®: One of the TWO trials must be IR lovastatin</li> <li>Combination products: Require clinical reason why individual ingredients cannot be used</li> </ul>
STATIN COM	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	<ul> <li>fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used</li> <li>simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin</li> </ul>

## **MACROLIDES AND KETOLIDES, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACRO	OLIDES	rion profession agains ragains
azithromycin (generic Zithromax) clarithromycin <b>TAB</b> , <b>SUSP</b> (generic Biaxin) E.E.S. <b>SUSP</b> (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. <b>TAB</b> (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate <b>SUSP</b> ERYPED <b>SUSP</b> (erythromycin) ERYTHROCIN (erythromycin) erythromycin base <b>TAB</b> , <b>CAPS</b>	clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **METHOTREXATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	JYLAMVO (methotrexate) SOLN OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN	Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication  Drug-specific criteria:  Xatmep <sup>TM</sup> :Indicated for pediatric patients only

### **MOVEMENT DISORDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) <sup>AL,CL,QL</sup> AUSTEDO XR (deutetrabenazine) <sup>AL,CL,QL</sup> AUSTEDO XR Titration Pack	INGREZZA (valbenazine) <sup>AL,CL</sup> INITIATION PACK XENAZINE (tetrabenazine) <sup>CL</sup>	All drugs require an FDA approved indication – ICD-10 diagnosis code required.
(deutetrabenazine) <sup>AL,CL</sup> INGREZZA (valbenazine) <sup>AL,CLQL</sup> CAPS, SPRINKLES tetrabenazine (generic for Xenazine) <sup>CL</sup>		Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used.
		<ul> <li>Austedo/Austedo         XR/Ingrezza: Diagnosis of         Tardive Dyskinesia or chorea         associated with Huntington's         Disease; Requires a Step         through tetrabenazine with the         diagnosis of chorea associated         with Huntington's Disease</li> <li>tetrabenazine: Diagnosis of         chorea with Huntington's         Disease</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **MULTIPLE SCLEROSIS DRUGS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AVONEX (interferon beta-1a) <sup>QL</sup> BETASERON (interferon beta-1b) <sup>QL</sup> COPAXONE 20mg (glatiramer) <sup>QL</sup> dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya) <sup>QL</sup> KESIMPTA (Ofatumumab) <sup>CL,QL</sup> teriflunomide (generic Aubagio) <sup>QL</sup>	AUBAGIO (teriflunomide) <sup>QL</sup> BAFIERTAM (monomethyl fumarate) <sup>QL</sup> dalfampridine (generic Ampyra) <sup>QL</sup> EXTAVIA (interferon beta-1b) <sup>QL</sup> GILENYA (fingolimod) <sup>QL</sup> glatiramer (generic Copaxone) <sup>QL</sup> MAVENCLAD (cladribine) MAYZENT (siponimod) <sup>QL</sup> PLEGRIDY (peginterferon beta-1a) <sup>QL</sup> PONVORY (ponesimod) REBIF (interferon beta-1a) <sup>QL</sup> TASCENSO ODT (fingolimod) TAB <sup>AL</sup> TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) <sup>QL</sup> ZEPOSIA (ozanimod) <sup>AL,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Ampyra/ dalfampridine:         <ul> <li>Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7</li> </ul> </li> <li>Plegridy: Approved for diagnosis of relapsing MS</li> <li>Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class</li> <li>Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.</li> </ul>

#### **NITROFURAN DERIVATIVES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid)	nitrofurantoin <b>SUSPENSION</b> (genericFuradantin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **NSAIDs, ORAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium (generic Voltaren) ibuprofen OTC, Rx (generic Advil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS indomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Mobic) TAB nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril)	diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) <sup>CL</sup> indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Meclomen) mefenamic acid (generic Ponstel) meloxicam (generic Vivlodex) <sup>CL, QL</sup> CAP meloxicam (generic Naprelan) naproxen CR (generic Naprelan) naproxen (generic Naprosyn) SUSP naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Tolectin) ketorolac (generic Sprix Nasal) QL NASAL	<ul> <li>Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>meclofenamate: Approvable without trial of preferred agents for menorrhagia</li> <li>Sprix/ketoralac Nasal: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs</li> </ul> </li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **NSAIDs, ORAL (Continued)**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
COX-I SELECTI	VE (continued)	•	All combination agents require a
	ALL BRAND NAME NSAIDs including:  DOLOBID (diflunisal) 250 MG TABLET AL,NR  DUEXIS (ibuprofen/famotidine)CL NALFON (fenoprofen)		clinical reason why individual agents can't be used separately
NSAID/GI PROTECTANT COMBINATIONS			
	diclofenac/misoprostol (generic Arthrotec)		
COX-II SE	LECTIVE		
celecoxib (generic Celebrex)			

## **NSAIDs, TOPICAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium <b>GEL (OTC only)</b> PENNSAID <b>PUMP</b> (diclofenac)	diclofenac <b>PUMP</b> (generic Pennsaid) <sup>CL</sup> diclofenac <b>SOLN</b> (generic Pennsaid) FLECTOR <b>PATCH</b> (diclofenac) <sup>CL</sup> LICART <b>PATCH</b> (diclofenac) <sup>CL</sup> PENNSAID <b>PACKET</b> (diclofenac) <sup>CL</sup>	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, BREAST**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)  THERAPY XELODA (capecitabine)	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
	BLOCKADE  ORSERDIL (elegentront)	Drug-specific critera  anastrozole: May be approved for malignant neoplasm of male breast (male breast cancer)
exemestane (generic Arimidex) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	ORSERDU (elacestrant) SOLTAMOX <b>SOLN</b> (tamoxifen) <sup>CL</sup> toremifene (generic Fareston) <sup>CL</sup>	<ul> <li>Fareston/toremifene: Require clinical reason why tamoxifen cannot be used</li> <li>letrozole: Approved for diagnosis of breast cancer with day supply</li> </ul>
ОТ	HER	greater than 12 – NOT approved for short term use
	ITOVEBI (inavolisib) <sup>NR</sup> NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) <sup>QL</sup> TUKYSA (tucatinib) <sup>QL</sup> TRUQAP (capivasertib)	Soltamox: May be approved with documented swallowing difficulty

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
mercaptopurine	PURIXAN (mercaptopurine) <sup>AL</sup> mercaptopurine (generic Purixan) <sup>NR</sup> SUSP	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use</li> </ul>
A	DAURISMO (glasdegib maleate) <sup>QL</sup> IDHIFA (enasidenib) REZLIDHIA (olutasidenib) <sup>QL</sup> RYDAPT (midostaurin) TIBSOVO (ivosidenib) <sup>QL</sup> VANFLYTA (quizartinib) XOSPATA (gilteritinib) <sup>QL</sup>	from current treatment guidelines  Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy  Drug-specific critera  Hydrea®: Requires clinical reason why generic cannot be used
C	COPIKTRA (duvelisib) QL IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	<ul> <li>Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder</li> <li>Tabloid: Prior authorization not required for age &lt;19</li> <li>Xpovio: Indicated for relapsed or</li> </ul>
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec)	ML  BOSULIF (bosutinib)  DANZITEN (nilotinib) <sup>NR</sup> dasatinib (generic Sprycel) <sup>NR</sup> GLEEVEC (imatinib)  HYDREA (hydroxyurea)  ICLUSIG (ponatinib)  IMKELDI (imatinib) <sup>NR</sup> nilotinib (generic Tasigna) <sup>NR</sup> SCEMBLIX (asciminib)  SPRYCEL (dasatinib)  TASIGNA (nilotinib)	refractory multiple myeloma. Requires concomitant therapy with dexamethasone

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, HEMATOLOGIC, continued**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
M	PN	
	JAKAFI (ruxolitinib)	
MYELOMA		
REVLIMID <sup>QL</sup> (lenalidomide)	lenalidomide <sup>QL</sup> (generic Revlimid) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) <sup>CL</sup>	
ОТІ	HER	•
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) <sup>AL</sup>	BRUKINSA (zanubrutinib <sup>QL</sup> CALQUENCE (acalabrutinib) <sup>QL</sup> INREBIC (fedratinib dihydrochloride) <sup>QL</sup> INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) REVUFORJ (revumenib) <sup>NR</sup> <b>TAB</b> VONJO (pacritinib) <sup>QL</sup> ZOLINZA (vorinostat)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

## **ONCOLOGY AGENTS, ORAL, LUNG**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AL	ALECENSA (alectinib) ALUNBRIG (brigatinib) <sup>QL</sup> LORBRENA (lorlatinib) <sup>QL</sup> ZYKADIA (ceritinib) <b>CAPS, TAB</b>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>
ALK / ROS	S1 / NTRK	шегару
	AUGTYRO (repotrectinib) CAPS ROZLYTREK (entrectinib) CAPS, PELLETS XALKORI (crizotinib) CAPS, PELLETS	
EG	FR	_
erlotinib (generic for Tarceva)	gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) LAZCLUZE (lazertinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib)	
ОТН	IER	
	GAVRETO (pralsetinib) <sup>QL</sup> HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) <sup>QL</sup> RETEVMO (selpercatinib) <sup>AL</sup> TABRECTA (capmatinib) <sup>QL</sup> TEPMETKO (tepotinib) <sup>QL</sup>	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

## **ONCOLOGY AGENTS, ORAL, OTHER**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AYVAKIT (avapritinib) AL,QL BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FRUZAQLA (fruquintinib) CAPS GOMEKLI (mirdametinib) AL,NR CAPS, TABS FOR ORAL SUSP IWILFIN (eflornithine) JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) AL LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) OGSIVEO (nirogacestat) TAB PEMAZYRE (pemigatinib) QL QINLOCK (ripretinib) ROMVIMZA (vimseltinib) NR CAPS RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) AL TURALIO (pexidartinib) QL VITRAKVI (larotrectinib) CAPS, SOLN VORANIGO (vorasidenib) TABS ZEJULA (niraparib) TABS	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

### **ONCOLOGY AGENTS, ORAL, PROSTATE**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) <sup>AL,QL</sup> picalutamide (generic Casodex)	AKEEGA (niraparib/abiraterone) ERLEADA (apalutamide) <sup>QL</sup> nilutamide (generic Nilandron) NUBEQA (darolutamide) <sup>QL</sup> ORGOVYX (relugolix) <sup>AL</sup> XTANDI (enzalutamide) <sup>AL,QL</sup> YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) <sup>AL,QL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <a href="https://nebraska.fhsc.com/default.asp">https://nebraska.fhsc.com/default.asp</a> for coverage information and prior authorization status for products not listed.

### **ONCOLOGY AGENTS, ORAL, RENAL**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
everolimus (generic Afinitor) <b>TAB</b> sunitinib malate (generic Sutent) <b>CAPS</b> VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) <sup>CL</sup> CABOMETYX (cabozantinib) everolimus <b>SUSP</b> (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) pazopanib (generic Votrient) <b>TAB</b> sorafenib (generic Nexavar) SUTENT (sunitinib) <b>CAPS</b> TORPENZ (generic everolimus) <b>TAB</b> WELIREG (belzutifan) <sup>QL</sup>	<ul> <li>Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines</li> <li>Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy</li> </ul>

### **ONCOLOGY AGENTS, ORAL, SKIN**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
BAS	ERIVEDGE (vismodegib) ODOMZO (sonidegib) <sup>CL</sup>		Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
MEKINIST (trametinib) TAFINLAR (dabrafenib)	MUTATION  BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) OJEMDA (tovorafenib) SUSP <sup>AL</sup> , TAB TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib)	_	Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
NF1 W/SYN	IPTOMATIC PN		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **OPHTHALMICS, ALLERGIC CONJUNCTIVITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine OTC (Pataday once daily) olopatadine OTC (Pataday twice daily)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) OTC loteprednol 0.2% (generic Alrex) olopatadine DROPS (generic Pataday) olopatadine 0.1% (generic Patanol) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%) ZERVIATE (certirizine) <sup>AL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **OPHTHALMICS, ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		<ul> <li>Non-preferred agents will be</li> </ul>
ciprofloxacin <b>SOLN</b> (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	approved for patients who have failed a one-month trial of TWO preferred agent within this drug class  Azasite®: Approval only requires trial of erythromycin  Drug-specific criteria:  Natacyn®: Approved for documented fungal infection
MACR	OLIDES	<u>.</u>
erythromycin	AZASITE (azithromycin) <sup>CL</sup>	
AMINOGLYCOSIDES		_
gentamicin <b>SOLN</b> tobramycin (generic Tobrex drops)	TOBREX <b>OINT</b> (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin NATACYN (natamycin) <sup>CL</sup> neomycin/bacitracin/polymyxin B <b>OINT</b> neomycin/polymyxin B/gramicidin sulfacetamide <b>SOLN</b> (generic Bleph-10) sulfacetamide <b>OINT</b>	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX <b>OINT</b> (tobramycin and dexamethasone) tobramycin/dexamethasone <b>SUSP</b> (generic TobraDex) all other manufacturers only	neomycin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSP     (generic TobraDex) Falcon     manufacturer TOBRADEX S.T. (tobramycin and     dexamethasone) ZYLET (loteprednol, tobramycin)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **OPHTHALMICS, ANTI-INFLAMMATORIES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	ALL sub-classes unless listed
fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class  NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class
NS	AID	
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) bromfenac 0.09% (generic Bromday) bromfenac (generic Bromsite) bromfenac 0.07% (generic Prolensa) BROMSITE (bromfenac) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS**

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) QL cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate)QL MIEBO (perfluorohexyloctane) TYRVAYA (varenicline tartrate)QL VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine)	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **OPHTHALMICS, GLAUCOMA**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIO	TICS	<ul> <li>Non-preferred agents will be</li> </ul>
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide)  VUITY (pilocarpine)	approved for patients who have failed a trial of ONE preferred ager within this drug class
SYMPATHO		_Drug-specific criteria:
ALPHAGAN P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)  BETA BLC levobunolol (generic for Betagan) timolol (generic for Timoptic)	ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine P 0.15% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.1%)	Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within ophthalmic - glaucoma within 180 days
CARBONIC ANHYDI dorzolamide (generic for Trusopt)	RASE INHIBITORS  AZOPT (brinzolamide)	
	brinzolamide (generic Azopt)	
PROSTAGLAND	DIN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic Lumigan) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATION	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt)	brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### **OPHTHALMICS, GLAUCOMA (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ОТН	IER	
RHOPRESSA (netarsudil) <sup>CL</sup> ROCKLATAN (netarsudil and latanoprost) <sup>CL</sup>		<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>Rhopressa and Rocklatan:         <ul> <li>Electronically approved for patients who have a trial of ONE generic agent, within the ophthalmic - glaucoma class within 180 days</li> </ul> </li> </ul>

#### **OPIOID DEPENDENCE TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine SL buprenorphine/naloxone TAB (SL) SUBOXONE FILM (buprenorphine/ naloxone)	buprenorphine/naloxone <b>FILM</b> lofexidine (generic Lucemyra) <sup>CL,NR,QL</sup> LUCEMYRA (lofexidine) <sup>CL,QL</sup> ZUBSOLV (buprenorphine/naloxone)	Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent  Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient.  Drug-specific criteria: Lucemyra/ Iofexidine: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **OPIOID-REVERSAL TREATMENTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone NASAL(Rx), SYR, VIAL naltrexone TAB	KLOXXADO (naloxone) NASAL naloxone (generic Narcan) OTC NASAL NARCAN (naloxone) NASAL NARCAN (naloxone) NASAL OTC OPVEE (nalmefene) <sup>AL</sup> NASAL REXTOVY (naloxone) NR NASAL ZIMHI (naloxone) SYR	<ul> <li>Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient</li> </ul>

#### **OTIC ANTI-INFECTIVES & ANESTHETICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class</li> </ul>

#### **OTIC ANTIBIOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin/dexamethasone (generic Ciprodex) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) <sup>QL</sup> TAB sildenafil (generic Revatio) <sup>CL</sup> SUSP tadalafil (generic for Adcirca) <sup>CL</sup> TRACLEER (bosentan) TAB TYVASO (treprostinil) INHALATION VENTAVIS (iloprost) INHALATION	ADEMPAS (riociguat) <sup>CL</sup> ADCIRCA (tadalafil) <sup>CL</sup> bosentan (generic Tracleer) <b>TAB</b> LETAIRIS (ambrisentan) LIQREV (sildenafil) <b>SUSP</b> OPSUMIT (macitentan) OPSYNVI (macitentan and tadalafil) <sup>NR</sup> <b>TAB</b> ORENITRAM ER (treprostinil) REVATIO (sildenafil) <sup>CL</sup> <b>SUSP</b> sildenafil (generic Revatio) <sup>CL</sup> <b>TAB</b> TADLIQ (tadalafil) <b>SUSP</b> TRACLEER (bosentan) <b>TAB FOR SUSPENSION</b> TYVASO DPI (treprostinil) <b>INHALATION POWDER</b> UPTRAVI (selexipag)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> <li>Drug-specific criteria:         <ul> <li>Adcirca/Liqrev/Revatio/sildenafil tablets and suspension/tadalafil: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH)</li> </ul> </li> <li>Adempas®:         <ul> <li>PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH</li></ul></li></ul>

#### **PANCREATIC ENZYMES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### PEDIATRIC VITAMIN PREPARATIONS

DEKAs PLUS <sup>AL</sup>	
	<ul> <li>Non-preferred agents will be approved for patients who have</li> </ul>
DAVIMET W/ FLUORIDE (ped mvi no.247/ fluoride) <sup>NR</sup> <b>CHEW OTC</b>	failed a trial of TWO preferred agents within this drug class
FLORAFOL(mvi and fluoride) <sup>NR</sup> <b>CHEW OTC</b> , <b>DROPS-OTC</b> <sup>NR</sup>	<ul> <li>DEKAs Plus: Approved for</li> </ul>
FLORAFOL FE PEDIATRIC <sup>NR</sup> DROPS OTC	diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent
FLORIVA (ped mvi no.85/fluoride) CHEW	
FLORIVA PLUS (ped mvi no.161/fluoride) <b>OTC DROP</b>	
MULTI-VIT-FLOR (ped mvi no.205/fluoride) <b>CHEW</b>	
PEDI MVI NO.242/FLUORIDE CHEW OTC	
POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no. 205/fluoride) <b>CHEW</b>	
POLY-VI-FLOR (ped mvi no.213	
POLY-VI-FLOR W/ IRON (ped mvi no.	
205/fluoride/iron) <b>CHEW</b>	
214/fluoride/iron) <b>DROPS</b>	
	no.247/ fluoride) NR CHEW OTC  FLORAFOL (mvi and fluoride) NR CHEW OTC, DROPS-OTCNR  FLORAFOL FE PEDIATRICNR DROPS OTC  FLORIVA (ped mvi no.85/fluoride) CHEW  FLORIVA PLUS (ped mvi no.161/fluoride) OTC DROP  MULTI-VIT-FLOR (ped mvi no.205/fluoride) CHEW  PEDI MVI NO.242/FLUORIDE CHEW OTC  POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no.205/fluoride) CHEW  POLY-VI-FLOR (ped mvi no.213 w/fluoride) DROPS  POLY-VI-FLOR W/ IRON (ped mvi no.205/fluoride/iron) CHEW  POLY-VI-FLOR W/ IRON (ped mvi no.205/fluoride/iron) CHEW

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DIATRIC VITAMIN PREPAR		
Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no. 83/fluoride)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>
	QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) <b>CHEW</b>	Drug specific criteria:  DEKAs Plus: Approved for
	QUFLORA (ped mvi no.157/ fluoride) OTC	diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent
	SOLUVITA A,C,D WITH FLUORIDE DROPS <sup>NR</sup> OTC	
	TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) <b>DROPS</b>	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **PENICILLINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK		<ul> <li>Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class</li> </ul>

#### **PHOSPHATE BINDERS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate <b>TAB</b> CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela) PWD PACK, TAB	AURYXIA (ferric citrate) calcium acetate CAPS ferric citrate (generic Auryxia) <sup>NR</sup> lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) RENVELA (sevelamer carbonate) PWD PACK, TAB sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) TAB	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months</li> </ul>

#### **PLATELET AGGREGATION INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) ticagrelor (generic Brilinta) <sup>NR</sup> YOSPRALA (aspirin/omeprazole)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://ne.primetherapeutics.com/drug-lookup

#### **PRENATAL VITAMINS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FE C/FA PNV 11-IRON FUM-FOLIC ACID-OM3 PNV 2/IRON B-G SUC-P/FA/OMEGA-3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV WITH CA, NO.72/IRON/FA PNV WITH CA, NO.74/IRON/FA OTC PNV#16/IRON FUM & PS/FA/OM-3 PNV119/IRON FUMARATE/FA/DSS PRENATAL MULTI OTC PRENATAL VIT #76/IRON, CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC SELECT-OB + DHA STUART ONE OTC TENDERA-OB OTC TRICARE TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL ULTRA VITAFOL-OB VITAFOL-OB+DHA VITAFOL-ONE	CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB ENBRACE HR MARNATAL-F MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) NEO-VITAL RX TAB OTCNR NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PETITE OB COMPLETE PREMIER OB COMPLETE WITH DHA OTC PNV COMBO#47/IRON/FA #1/DHA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PRENATAL + DHA OTC PRENATE AM PRENATE CHEW TAB PRENATE ELITE PRENATE ESSENTIAL PRENATE ESSENTIAL PRENATE ESSENTIAL PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB CHEW TAB TRISTART DHA VITAFOL NANO WESTGEL DHA	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **PROTON PUMP INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
esomeprazole magnesium (generic Nexium) RX <sup>QL</sup> omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) <sup>QL</sup> PROTONIX SUSP (pantoprazole) rabeprazole (generic Aciphex)	DEXILANT (dexlansoprazole) dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) OTC <sup>QL</sup> esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) SUSP lansoprazole (generic Prevacid) <sup>QL</sup> NEXIUM SUSP (esomeprazole) omeprazole/sodium bicarbonate   (generic Zegerid RX) pantoprazole GRANULES QL	<ul> <li>Non-preferred agents will be approved for patients who have failed an 8-week trial of THREE preferred agents.</li> <li>Pediatric Patients:         <ul> <li>Patients ≤ 4 years of age – No PA required for Prevacid 30mg/ lansoprazole 30mg capsules (used to compound suspensions).</li> </ul> </li> <li>Drug-specific criteria:         <ul> <li>Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg</li> <li>Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension.</li> <li>Patients ≥ 5 years of age- Only approve non-preferred for Gl diagnosis if:</li></ul></li></ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **SEDATIVE HYPNOTICS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temazepam 15 mg, 30 mg (generic for Restoril)	AZEPINES	<ul> <li>Benzodiazepines Criteria</li> <li>Non-preferred agents require a trial of the preferred benzodiazepine agent</li> <li>temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used</li> <li>Others Criteria</li> <li>Non-preferred agents require a trial of TWO preferred agents in the OTHERS sub-category</li> <li>Silenor/doxepin Tablet: Must</li> </ul>
zolpidem (generic for Ambien) <sup>CL</sup>	doxepin (generic for Silenor) <sup>CL</sup> EDLUAR (zolpidem sublingual) HETLIOZ (tasimelteon) <sup>AL,CL</sup> HETLIOZ LQ (tasimelteon) SUSP AL,QL QUVIVIQ (daridorexant) <sup>QL</sup> ramelteon (generic Rozerem) <sup>AL</sup> tasimelteon (generic Hetlioz) AL,CL zolpidem ER (generic Ambien CR) <sup>CL</sup> zolpidem SL (generic Intermezzo) <sup>CL</sup>	meet ONE of the following:  Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category  Medical necessity for doxepin dose < 10 mg  Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criterion is met)  zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg  zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) <sup>CL</sup>	GLUTAMINE POWD PACK (generic Endari) OXBRYTA (voxelotor) <sup>CL</sup> SIKLOS (hydroxyurea) XROMI (hydroxyurea) <sup>NR</sup> <b>SOLN</b>	<ul> <li>Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage.</li> <li>Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy</li> <li>Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia</li> </ul>

#### **SINUS NODE INHIBITORS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR <b>SOLN</b> , <b>TAB</b> (ivabradine) ivabradine (generic Corlanor) <sup>NR</sup> <b>TAB</b>	<ul> <li>Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND</li> <li>Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND</li> <li>On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **SKELETAL MUSCLE RELAXANTS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) <sup>QL</sup> methocarbamol (generic Robaxin) tizanidine TAB (generic Zanaflex)	baclofen (generic Fleqsuvy) <sup>QL</sup> SUSP baclofen (generic Ozobax) <sup>QL</sup> SOLN baclofen (generic Ozobax DS) SUSP carisoprodol (generic Soma) <sup>CL,QL</sup> carisoprodol compound cyclobenzaprine ER (generic Amrix) <sup>CL</sup> dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) <sup>QL</sup> SUSP LORZONE (chlorzoxazone) <sup>CL</sup> LYVISPAH (baclofen) <sup>QL</sup> GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) TANLOR (methocarbamol) <sup>NR</sup> TAB tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB	<ul> <li>Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>cyclobenzaprine ER:</li> <li>Requires clinical reason why IR cannot be used</li> <li>Approved only for acute muscle spasms</li> <li>NOT approved for chronic use</li> </ul> </li> <li>carisoprodol:         <ul> <li>Approved for Acute, musculoskeletal pain - NOT for chronic pain</li> <li>Use is limited to no more than 30 days</li> <li>Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy</li> </ul> </li> <li>Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury</li> <li>Lorzone®: Requires clinical reason why chlorzoxazone cannot be used</li> <li>Soma® 250 mg: Requires clinical reason why 350 mg generic strength cannot be used</li> <li>Zanaflex® Capsules: Requires clinical reason generic cannot be used</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	Low Potency Non-preferred
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT	alclometasone dipropionate (generic for Aclovate) desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT hydrocortisone SOLN (generic Texacort) <sup>NR</sup> HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone)	agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	<ul> <li>Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **STEROIDS, TOPICAL (Continued)**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH POTENCY		High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide emollient halcinonide CREAM, SOLN <sup>NR</sup> (generic Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) triamcinolone SPRAY (generic Kenalog spray) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIG	H POTENCY	Very High Potency Non-preferred
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM, OINT, SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate (generic Impoyz) <sup>NR</sup> CREAM clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) AL,QL	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### STIMULANTS AND RELATED ADHD DRUGS AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		<ul> <li>Non-preferred agents will be</li> </ul>
Amphetar	mine type	approved for patients who have failed a trial of ONE preferred
Amphetar ADDERALL XR (amphetamine salt combo)  amphetamine salt combination ER (generic Adderall XR)  amphetamine salt combination IR  DYANAVEL XR (amphetamine)QL  lisdexamfetamine (generic Vyvanse Chew)QL CHEW  lisdexamfetamine (generic Vyvanse)QL CAP  VYVANSE (lisdexamfetamine)QL  CAPS, CHEWABLE	ADZENYS XR (amphetamine) ODT amphetamine salt combination ER (generic Mydayis) CAP amphetamine sulfate (generic Evekeo) dextroamphetamine (generic Dexedrine) TAB dextroamphetamine (generic Procentra) SOLN dextroamphetamine ER (generic Dexedrine ER Spansule) CAPS EVEKEO ODT (amphetamine sulfate) methamphetamine (generic Desoxyn) MYDAYIS (amphetamine salt combo) <sup>QL</sup> XELSTRYM (detroamphetamine) PATCH ZENZEDI (dextroamphetamine)	failed a trial of ONE preferred agent within this drug class  Drug-specific criteria:  Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing disorder  Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### STIMULANTS AND RELATED ADHD DRUGS (Continued)<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	Non-preferred agents will be
CONCERTA (methylphenidate ER) <sup>QL</sup> 18 mg, 27 mg, 36 mg, 54 mg	APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) <sup>QL</sup>	approved for patients who have failed a trial of TWO preferred agents within this drug class
DAYTRANA <b>PATCH</b> (methylphenidate) <sup>QL</sup>	COTEMPLA XR-ODT (methylphenidate)  FOCALIN IR (dexmethylphenidate)	<ul> <li>Maximum accumulated dose of 108mg per day for ages &lt; 18</li> </ul>
dexmethylphenidate (generic for Focalin IR)	FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate)  methylphenidate <b>CHEW</b>	<ul> <li>Maximum accumulated dose of 72mg per day for ages &gt; 19</li> </ul>
dexmethylphenidate ER (generic Focalin XR)	methylphenidate ER (45 mg and 63 mg) <sup>QL</sup>	Drug-specific criteria:  Daytrana/methylphenidate patch: May be approved in
METHYLIN <b>SOLN</b> (methylphenidate)	methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic	history of substance use disorder by parent, caregiver, or patient. May
methylphenidate (generic Ritalin)	Metadate CD) methylphenidate ER 18 mg, 27 mg,	be approved with documentation of difficulty swallowing
methylphenidate <b>SOLN</b> (generic Methylin)	36 mg, 54 mg (generic Concerta) <sup>QL</sup> methylphenidate ER <b>CAP</b> (generic Aptensio XR) <sup>QL</sup>	QuilliChew ER: May be approved for children < 12 years of age OR with
QUILLICHEW ER <b>CHEWTAB</b> (methylphenidate)	methylphenidate ER (generic Metadate ER) methylphenidate ER 72 mg (generic	documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate) <b>SUSP</b>	RELEXXII) <sup>QL</sup> methylphenidate ER (generic Ritalin LA)	
	methylphenidate TD24 <sup>AL</sup> <b>PATCH</b> (generic Daytrana)	
	RELEXXII ER (methylphenidate 45mg and 63mg) <sup>AL,QL</sup> <b>TAB</b> RITALIN (methylphenidate)	
	(···-··), <sub>[</sub> , ··-··-,	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

### STIMULANTS AND RELATED ADHD DRUGS (Continued)<sup>AL</sup>

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MISCELLANEOUS		Note: generic guanfacine IR and
atomoxetine (generic Strattera) QL guanfacine ER (generic Intuniv) QL QELBREE (viloxazine) QL ANA	clonidine ER (generic Kapvay) <sup>QL</sup> INTUNIV (guanfacine) Onyda XR (clonidine suspension, extended release) <sup>QL</sup> STRATTERA (atomoxetine)  LEPTICS  armodafinil (generic Nuvigil) <sup>CL</sup> modafanil (generic Provigil) <sup>CL</sup> SUNOSI (solriamfetol) <sup>CL,QL</sup> WAKIX (pitolisant) <sup>CL,QL</sup>	clonidine IR are available without prior authorization  Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class  Drug-specific criteria:  Wakix and Sunosi: Require trial of armodafinil or modafinil: approved only for:  Sleep Apnea with documentation via sleep study and documentation that C-PAP has been maxed  Narcolepsy with documentation of diagnosis via sleep study  Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift  Sunosi approved only for:  Sleep Apnea with documentation that C-PAP has been maxed  Narcolepsy with documentation via sleep study and documentation that C-PAP has been maxed  Narcolepsy with documentation of diagnosis via sleep study  Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **TETRACYCLINES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG, 100MG CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI CAPS (generic Dynacin/ Minocin/Myrac) tetracycline	demeclocycline (generic Declomycin) <sup>CL</sup> DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCl TAB (generic Dynacin/Myrac) minocycline HCl ER (generic Solodyn) NUZYRA (omadacycline) VIBRAMYCIN SUSP (doxycycline) XIMINO (minocycline ER) <sup>QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class</li> <li>Drug-specific criteria:         <ul> <li>Demeclocycline: Approved for diagnosis of SIADH</li> <li>doxycycline suspension: May be approved with documented swallowing difficulty</li> </ul> </li> </ul>

### THROMBOPOIESIS STIMULATING PROTEINS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ROMACTA (eltrombopag) <b>TAB</b>	ALVAIZ (eltrombopag choline) <sup>AL</sup> DOPTELET (avatrombopag) MULPLETA (lusutrombopag) PROMACTA (eltrombopag) <b>SUSP</b> TAVALISSE (fostamatinib)	<ul> <li>All agents will be approved with FDA-approved indication, ICD-10 code is required.</li> <li>Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication.</li> <li>Drug-Specific Criteria</li> <li>Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patient with chronic liver disease</li> </ul>

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **THYROID HORMONES**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine <b>TAB</b> (generic Synthroid) liothyronine <b>TAB</b> (generic Cytomel) thyroid, pork <b>TAB</b> UNITHROID (levothyroxine)	ADTHYZA (thyroid, pork) ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) THYQUIDITY (levothyroxine) SOLN	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>

#### **ULCERATIVE COLITIS**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
APRISO (mesalamine) LIALDA (mesalamine) PENTASA (mesalamine)	AL  balsalazide (generic Colazal)  budesonide DR (generic Uceris)  DIPENTUM (olsalazine)	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> </ul>
Sulfasalazine IR, DR (generic Azulfidine)	mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol/Lialda)	<ul> <li>Drug-specific criteria:</li> <li>Asacol HD®/Delzicol DR®:         <ul> <li>Requires clinical reason why preferred mesalamine products cannot be used</li> </ul> </li> </ul>
REC	TAL	
mesalamine <b>SUPPOSITORY</b> (generic Canasa) Sulfite-Free ROWASA (mesalamine)	CANASA (mesalamine) mesalamine <b>ENEMA</b> (generic Rowasa) ROWASA (mesalamine) UCERIS (budesonide)	

May PDL Highlighted in Red indicates changes that become effective May 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

#### **UTERINE DISORDER TREATMENT**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) <sup>AL, CL,QL</sup> ORIAHNN (elagolix/ estradiol/ norethindrone) <sup>AL,CL</sup> ORILISSA (elagolix sodium) <sup>QL,CL</sup>		Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive

### **VASODILATORS, CORONARY**

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TAB isosorbide dinitrate/hydralazine (Bidil) <sup>CL</sup> isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TAB	BIDIL (isosorbide dinitrate/hydralazine) <sup>CL</sup> GONITRO (nitroglycerin) isosorbide dinitrate <b>TAB</b> (Oceanside Pharm MFR only) NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin <b>TRANSLINGUAL</b> (generic Nitrolingual) VERQUVO (vericiguat) <sup>AL,CL,QL</sup>	<ul> <li>Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class</li> <li>Drug-specific criteria:</li> <li>BiDil/ isosorbide dinitrate-hydralazine: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients</li> <li>Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%</li> </ul>