

DEPT. OF HEALTH AND HUMAN SERVICES



Jim Pillen, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

July 2025 PDL

Noted in Red Font that Become Effective July 1, 2025

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at <u>https://ne.primetherapeutics.com/drug-lookup</u>.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription
 drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid
 beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment,
 hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is
 required to document good faith effort, including reasons why unable to conduct the check and may
 be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a].
- **Opioids** The maximum opioid dose covered is 90 Morphine Milligram Equivalents (MME) per day.

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Immunomodulators Self-Injectable PA Form
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
adapalene (generic Differin) GEL (OTC/Rx), GEL PUMP adapalene/BPO (generic Epiduo) benzoyl peroxide (BPO) WASH, LOTION benzoyl peroxide GEL OTC clindamycin/BPO (generic BenzaClin) GEL, PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic Differin) CREAM adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePro) benzoyl peroxide GEL Rx benzoyl peroxide GEL Rx benzoyl peroxide TOWELETTE OTC CABTREO (clindamycin phosphate/BPO/adapalene) ^{AL} GEL clindamycin FOAM , LOTION clindamycin phosphate (generic Clindagel) GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO PUMP (generic Onexton) ^{AL} clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) erythromycin PLEDGET EVOCLIN (clindamycin) FOAM	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
	 FABIOR (tazarotene) FOAM NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur sulfacetamide/sulfur cLEANSER SUMADAN (sulfacetamide/sulfur) tazarotene (generic Tazorac) CREAM tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin (generic Avita, Retin-A) ^{AL} CREAM, GEL tretinoin microspheres (generic Retin- A Micro) ^{AL}GEL, GEL PUMP WINLEVI (clascoterone)^{AL} 	•	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		 Non-preferred agents will be approved for patients who have
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch)	ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN , TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon) ZUNVEYL DR (benzgalantamine) ^{NR}	 failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg
	DR ANTAGONIST	or 10mg tablets can't be used (to deliver 20mg or 25mg)
	memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) memantine/donepezil (generic Namzaric) ^{NR} NAMENDA (memantine) NAMZARIC (memantine/donepezil)	-

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID LONG-ACTING

Preferred	Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (bupreno fentanyl 25, 50, 75, 4 morphine ER TABLI Contin, Oramorp OXYCONTIN ^{CL} (oxy tramadol ER (generic	rphine) ^{QL} PATCH 100 mcg PATCH ^{QL} ET (generic MS h SR) codone ER)	BELBUCA (buprenorphine) \ ^{AL,QL} BUCCAL buprenorphine PATCH (generic Butrans) ^{QL} fentanyl 37.5/62.5/87.5 mcg PATCH ^{QL} hydrocodone ER (generic Hysingla ER) ^{QL} hydrocodone bitartrate ER (generic Zohydro ER) hydromorphone ER (generic Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) methadone TABLET ^{CL} methadone ORAL SYR ^{CL} methadone SOL TABLET morphine ER (generic Avinza, Kadian) CAPS oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic ConZip) ^{CL}	 The Center for Disease Control (CDC) does not recommend long-acting opioids when beginning opioid treatment. Preferred agents require previous use of a long-acting opioid or documentation of a trial on a short acting agent within 90 days

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR/ acetaminophen/codeine ELIXIR, TAB codeine TAB hydrocodone/APAP SOLN, TAB hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone TAB, SOLN oxycodone/APAP tramadol 50 TAB ^{AL} (generic Ultram)	AL butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine hydrocodone/APAP SOLN (generic Zolvit) ^{NR} hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) oxycodone CAPS oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone ROXICODONE (oxycodone) ROXYBOND (oxycodone) SEGLENTIS (celecoxib/tramadol) ^{AL} tramadol 75mg ^{NR} tramadol 75mg ^{NR} tramadol 100mg (generic Ultram) ^{AL} tramadol (generic Qdolo) ^{AL,QL} SOLN tramadol/APAP (generic Ultracet)	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Opiate limits for opiate naïve patients will consist of: -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	SAL	
	butorphanol SPRAY QL	-
BUCCAL/TRA	NSMUCOSAL ^{CL}	Drug-specific criteria: _• Actiq [®] /Fentora [®] / fentanyl
	fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	transmucosal/Onsolis: Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (TOPICAL) CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP ^{CL} testosterone PUMP (generic Androgel) ^{CL} TESTIM (testosterone) TRANSDERMAL	NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Tortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androgel[®]: Approved for Males only Natesto[®]: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benazepril/HCTZ (generic Lotensin HCT)	IBITORS captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN trandolapril (generic Mavik) ETIC COMBINATIONS captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned/enalapril oral solution/Qbrelis oral solution: Clinical reason why oral tablet is not appropriate
ANGIOTENSIN REC	EPTOR BLOCKERS	
losartan (generic Cozaar) olmesartan (generic Benicar)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLO	CKER/DIURETIC COMBINATIONS	 Non-preferred agents will be approved for patients who have
irbesartan/HCTZ (generic Avalide) Iosartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without
	I MODULATOR/ OCKER COMBINATIONS	prior authorization
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) amlodipine/valsartan/HCTZ (generic Exforge HCT)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	
DIRECT RENI	N INHIBITORS	-
	aliskiren (generic Tekturna) ^{Q∟}	
DIRECT RENIN INHIB	ITOR COMBINATIONS	
	TEKTURNA/HCTZ (aliskiren/HCTZ)	 Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
NEPRILYSIN INHIBI	TOR COMBINATION	May be approved witha history of
ENTRESTO (sacubitril/valsartan) ^{CL,QL}	ENTRESTO (sacubitril/valsartan) ^{CL,NR,QL} SPRINKLE CAP sacubitril/valsartan (generic Entresto) ^{CL,NR,QL}	 TWO preferred ACE Inhibitors or Angiotensin Receptor Blockers within the last 12 months Drug Specific Criteria Entresto/ sacubitril-valsartan: May be approved in patients ages ≥1 years old and with a diagnosis of heart failure

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol)	EMVERM (mebendazole) ^{CL} praziquantel (generic Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months
		Drug-specific criteria:
		Emverm: Approval will be considered for indications not covered by preferred agents

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GRASTEK (timothy grass pollen

ORALAIR (sweet vernal/orchard/rye/

timothy/kentucky blue grass mixed

PALFORZIA (peanut allergen powder-

and Dermatophagoides

pollen allergen extract)^{CL}

RAGWITEK (weed pollen-short

pteronyssinus)AL,QL

allergen) AL,QL

dnfp) AL,CL

ragweed)AL,QL

ANTI-ALLERGENS, ORAL

Preferred Agents

Non Dusfamed Asian	4~
Non-Preferred Agen	เร

Prior Authorization/Class Criteria

All agents require initial dose to be given in a healthcare setting

ODACTRA (Dermatophagoides farinae Drug-specific criteria:

GRASTEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens.

• For use in persons 5 through 65 years of age.

ODACTRA

• Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite

• For use in persons 5 through 65 years of age

ORALAIR

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.

• For use in patients 5 through 65 years of age.

PALFORZIA

• Confirmed diagnosis of peanut allergy by allergist

• For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days

• Initial dose and increase titration doses should be given in a healthcare setting

• Should not be used in patients with uncontrolled asthma or concurrently on a NSAID

RAGWITEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen.

• For use in patients 5 through 65 years of age.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FIRVANQ (vancomycin) ^{QL} SOLN metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL}	AEMCOLO (rifamycin) TAB DIFICID (fidaxomicin) ^{CL} TAB, SUSP metronidazole ^{CL} CAPS metronidazole 125mg ^{NR} TAB nitazoxanide (generic Alinia) TAB ^{AL, CL, QL} paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) ^{CL} vancomycin (generic Firvanq) ^{QL} VOWST (fecal microbiota spores) ^{AL,QL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia /nitazoxanide tablet: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid[®]: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl[®]/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regular release cannot be used tinidazole: Approvable diagnoses include: Giardia Amebiasis intestinal or liver abscess Bacterial vaginosis or trichomoniasis vancomycin capsules: Requires patient specific documentation of why the Firvanq/vancomycin solution is not appropriate for patient Xifaxan[®]: Approvable diagnoses include: Travelers's diarrhea resistant to quinolones Hepatic encephalopathy with treatment failure of lactulose or neomycin Diarrhea-Predominant IBS (IBS-D) 550mg strength only with treatment failure of Lomotil[®] AND Imodium[®]

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, INHALED CL

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents ^{CL} BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) ^{QL}	Non-Preferred Agents ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) ^{QL} tobramycin (generic Bethkis)	 Prior Authorization/Class Criteria Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston[®]: Trial of tobramycin via nebulizer and demonstration of TOBI[®] compliance required Tobi Podhaler[®]: Requires trial of tobramycin via nebulizer or
		documentation of why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINT bacitracin OINT OTC bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
CLEOCIN OVULES (clindamycin) clindamycin CREAM (generic Cleocin) metronidazole, vaginal NUVESSA (metronidazole)	CLEOCIN CREAM (clindamycin) CLINDESSE (clindamycin) metronidazole (generic Nuvessa) ^{NR} VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) ^{AL} GEL	•	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dabigatran etexilate (generic Pradaxa) CAPS ELIQUIS (apixaban) enoxaparin (generic Lovenox) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) CAPS, PELLETS rivaroxaban (generic Xarelto) ^{NR} SAVAYSA (edoxaban) ^{CL,QL} XARELTO (rivaroxaban) ^{CL} SUSP	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAE dronabinol (generic Marinol) ^{AL}		 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	DR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{QL}	ANZEMET (dolasetron) granisetron (generic Kytril) ondansetron 16mg ODT (generic Zofran ODT) ^{NR} SANCUSO (granisetron) ^{CL}	 Drug-specific criteria: Akynzeo®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist <u>Regimens include</u>: AC combination (Doxorubicin or Epirubicin with
NK-1 RECEPTO	R ANTAGONIST	Cyclophosphamide), Aldesleukin,
aprepitant (generic Emend) CAPS ^{QL}	AKYNZEO (netupitant/palonosetron) ^{CL} aprepitant (generic Emend) PACK EMEND (aprepitant) CAPS, PACK, POWDER ^{QL}	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide,
TRADITIONAL ANTIEMETICS		Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose (generic Emetrol) SOLN prochlorperazine(generic Compazine) promethazine (generic Phenergan) SYRUP , TAB promethazine 12.5mg, 25mg SUPPOSITORY scopolamine TRANSDERMAL	BONJESTA (doxylamine/pyridoxine) ^{.CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg TRANSDERM-SCOP (scopolamine) trimethobenzamide TAB (generic Tigan)	 Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis/doxylamine-pyridoxine)/ Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Sancuso®: Documentation of oral dosage form intolerance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents clotrimazole (mucous membrane, troche) fluconazole SUSP, TAB (generic Diflucan) griseofulvin SUSP griseofulvin microsized TAB nystatin SUSP, TAB terbinafine (generic Lamisil)	Non-Preferred Agents BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) ORAVIG (miconazole) ^{QL} BUCCAL NOXAFIL (posaconazole) ^{AL} SUSP, TAB NOXAFIL (posaconazole) ^{AL,CL} POWDERMIX posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} VIVJOA (oteseconazole) CAPS voriconazole (generic VFEND) ^{CL}	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of: <u>Candida</u>: Septicemia, endocarditis, UTIs <u>Cryptococcus</u>: Meningitis, pulmonary infections Noxafil/ posaconazole DR tablets, oral suspension; PowderMix® for delayed oral suspension:: For prophylaxis of invasive Aspergillus and Candida infections, no preferred agent trial is required in severely immunocompromised patients (i.e., Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic Acute Myeloid to hematopoietic stem cell transplant Noxafil® Powdermix: pediatric patients 2 years of age and older who weigh 40 kg or less Noxafil/ posaconazole Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole and; Prophylaxis of invasive Aspergillus and Candida infections Sporanox®/traconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox® Liquid: Clinical reason solid oral cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole
		 Vfend/voriconazole:: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

refractory to fluconazole

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	UNGAL ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSP (generic Ciclodan, Loprox) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLN RX (generic Lotrimin) DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) FUNGOID (miconazole) OTC JUBLIA (efinaconazole) OTC GOROX (ciclopirox) SUSP, SHAMPOO, CREAM LOPROX (ciclopirox) SUSP, SHAMPOO, CREAM LOTRIMIN ULTRA (butenafine) luliconazole (generic Luzu) miconazole OTC OINT, SPRAY, SOLN miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Kerydin) oxiconazole (generic Oxistat) tavaborole SOLN ^{CL} (generic Kerydin) tolnaftate POWDER OTC TRIPENICOL	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina/ Ketodan/ ketoconazole foam: Requires trial and failure or contraindication to other ketoconazole forms Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine

ANTIFUNGAL/STEROID COMBINATIONS

clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT

clotrimazole/betamethasone LOTION (generic Lotrisone)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply QL – Quantity/Duration Limit

AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) levocetirizine TAB (generic Xyzal) loratadine TAB , SOLN (generic Claritin)	cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (Rx) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa	clonidine ER (generic Nexiclon) methyldopa/hydrochlorothiazide NEXICLON XR (clonidine ER) TAB	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class Drug Specific Criteria Nexiclon/ clonidine ER: Clinical reason why the preferred clonidine tablet or transdermal cannot be used

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) colchicine TAB (generic Colcrys) probenecid	allopurinol 200mg colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} MITIGARE (colchicine) probenecid/colchicine (generic Col- Probenecid)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Gloperba: Approved for documented swallowing disorder Uloric/febuxostat: Clinical reason why allopurinol cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents

Non-Preferred Agents

.	0		•
AIMOVIG (erenumab-aooe) ^{CL,QL} AJOVY (fremanezumab-vfrm) ^{CL, QL}	diclofenac (generic Cambia) POWDER	•	All non-preferred agents will require a failed trial or contraindication of a preferred
PEN, Autoinjector AJOVY (fremanezumab-vfrm)	dihydroergotamine mesylate NASAL ELYXYB (celecoxib) ^{AL,QL} SOLN		agent of the same indication
Autoinjector 3-pack ^{CL,QL}	EMGALITY 100 mg (galcanezumab-		For Acute Treatment: agents will
EMGALITY 120 mg/mL (galcanezumab- gnlm) ^{CL, QL} PEN, SYRINGE	gnlm) ^{CL,QL} SYR MIGERGOT (ergotamine/caffeine)		be approved for patients who have a failed trial or a contraindication to
NURTEC ODT (rimegepant) ^{AL,CL,QL}	RECTAL MIGRANAL (dihydroergotamine)		two triptans.
QULIPTA (atogepant) ^{AL,CL,QL} UBRELVY (ubrogepant) ^{AL,CL, QL} TAB	NASAL	•	For Prophylactic Treatment : Require > 4 migraines per month for > 3
	REYVOW (lasmiditan) ^{AL, CL,QL} TAB		months and has tried and failed a \geq 1 month trial of two medications:
	ZAVZPRET (zavegepant) ^{AL,QL} NASAL		antidepressants (amitriptyline,

Drug-specific criteria:

topiramate)

 Emgaility 100mg will only be approved for treatment of Episodic Cluster Headache

venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (divalproex, valproate,

Prior Authorization/Class Criteria

- Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or a contraindication to two triptans. For use in preventative treatment, will be approved for patients who have a failed trial of
- ONE preferred injectable CGRP.
- **Qulipta**: May be approved for patients who have a failed trial of ONE preferred injectable CGRP

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	AL almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Zembrace: approved for patients who have failed ALL preferred agents
NA	Treximet) SYMBRAVO (rizatriptan benzoate/meloxicam) ^{AL,NR} TAB zolmitriptan (generic Zomig) SAL	_
IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal)	TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	_
INJEC	TABLE	
sumatriptan KIT, SYRINGE, VIAL	ZEMBRACE SYMTOUCH (sumatriptan)	

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION malathion (generic Ovide) PRURADIK (cromtamiton) ^{NR} LOTION spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOL benztropine (generic Cogentin) trihexyphenidyl (generic Artane)	INERGICS	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug alassa
COMT INI	HIBITORS	this drug class
DOPAMINE pramipexole (generic Mirapex) ropinirole (generic Requip)	entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) AGONISTS bromocriptine (generic Parlodel) NEUPRO (rotigotine) ^{CL} pramipexole ER (generic Mirapex ER) ^{CL} ropinirole ER (generic Requip XL) ^{CL}	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa-containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent
MAO-B IN	HIBITORS	treatment with carbidopa/levodopa agent
selegiline CAPS, TABLET (generic Eldepryl)	HIBITORS rasagiline (generic Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL} KINSON'S DRUGS APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn)SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) CREXONT (carbidopa and levodopa ER.) ^{QL} CAPS DHIVY (carbidopa/levodopa) ^{QL} DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) ^{CL,QL} INHALER NOURIANZ (istradefylline) ^{CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) VYALEV (foscarbidopa and foslevodopa) SUB-Q ^{NR}	· · ·

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	calcitriol (generic Vectical) ^{AL} OINT calcipotriene FOAM (generic Sorilux) calcipotriene/betamethasone OINT (generic Taclonex) calcipotriene/betamethasone SUSP (generic Taclonex Scalp) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) VTAMA (tapinarof) ^{AL} CREAM ZORYVE 0.3% (roflumilast) ^{AL} CREAM	 Non-preferred agents will be approved for patients who have failed a trial with a preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPETIC DRUGS		 Non-preferred agents will be
acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	acyclovir (generic for Zovirax) ^{CL} SUSP	approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE	ANTI-INFLUENZA DRUGS	
oseltamivir (generic Tamiflu) ^{QL} CAPS, SUSP	rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS, SUSP XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 Acyclovir Susp: Prior authorization NOT required for children 2 years old Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINT docosanol OTC	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) ^{AL} penciclovir (generic Denavir) ^{AL} XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

ANXIOLYTICS

Preferred Age	nts	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (ge Xanax) buspirone (generic for B chlordiazepoxide diazepam TABLET, SO Valium) lorazepam INTENSOL , (generic for Ativan)	uspar) alp alp BL N (generic for Clo dia TABLET LC	prazolam ER (generic for Xanax XR) prazolam ODT prazolam INTENSOL ^{CL} JCAPSOL (buspirone hcl) ^{NR} CAP prazepate (generic for Tranxene-T) azepam INTENSOL ^{CL} DREEV XR (lorazepam) ^{AL} eprobamate azepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

lorazepam Intensol®

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA BL atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) ^{AL} SOLN metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) nebivolol (generic Bystolic) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	acebutolol (generic Sectral) betaxolol (generic Kerlone) INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Coreg CR/carvedilol: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
BETA- AND ALPHA-BLOCKERS		_
carvedilol (generic Coreg) labetalol (generic Trandate)	carvedilol ER ^{CL} (generic Coreg CR)	
ANTIARR	НҮТНМІС	

sotalol (generic Betapace)

SOTYLIZE (sotalol)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) CTEXLI (chenodiol) ^{NR} TAB IQIRVO (elafibranor) ^{QL} TAB LIVDELZI (seladelpar) CAP LIVMARLI (maralixibat) SOLN ^{AL} TABLET ^{NR} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
fesoterodine (generic Toviaz) MYRBETRIQ (mirabegron) ^{AL} TAB oxybutynin IR, ER (generic Ditropan/Ditropan XL)	darifenacin ER (generic Enablex) flavoxate HCL GEMTESA (vibegron) ^{AL,QL} mirabegron ER TAB (generic Myrbetriq) ^{NR} MYRBETRIQ (mirabegron) SUSP ^{AL,CL,QL} oxybutynin 2.5mg OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) TOVIAZ (fesoterodine ER) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		 Non-preferred agents will be
alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL}	alendronate SOLN (generic Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) FOSAMAX PLUS D ^{QL} risedronate (generic Actonel) ^{QL}	 approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covered as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto[®]: Requires clinical reasor why alendronate tablets OR
	PRESSION AND RELATED DRUGS	Fosamax [®] solution cannot be used
calcitonin-salmon NASAL FORTEO (teriparatide) ^{CL,QL} raloxifene (generic Evista)	BONSITY (teriparatide) ^{QL,NR} EVISTA (raloxifene) teriparatide (generic Forteo) ^{CL,QL} TYMLOS (abaloparatide)	 Forteo/ teriparatide: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with 2 or more clinical risk factors Family history of non- traumatic fractures DXA BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of calcitonin-salmon not required Maximum of 24 months treatment per lifetime

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA BLOCKERS		 Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin) 5-ALPHA-REDUCTAS	CARDURA XL (doxazosin) silodosin (generic Rapaflo) TEZRULY (terazosin) ^{CL,NR} SOLN SE (5AR) INHIBITORS	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Alfuzosin/dutasteride/finasteride
dutasteride (generic Avodart) finasteride (generic Proscar)	dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil) finasteride/tadalafil (generic Entadfi) ^{NR}	 Covered for males only Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax/ tamsulosin: Covered for males and may be covered for females for a 7-day supply with diagnosis of acute kidney stones Jalyn/ dutasteride-tamsulosin: Requires clinical reason why individual agents cannot be used Tezruly: Clinical reason why oral tablet is not appropriate

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALE albuterol HFA (generic Proventil HFA) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA)	RS – Short Acting albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
INHALE	RS – Long Acting	Xopenex/levalbuterol solution: Covered for
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	cardiac diagnoses or side effect of tachycardia with albuterol product
INHAL	ATION SOLUTION	_
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
ORAL		_
albuterol SYRUP	albuterol TAB albuterol ER (generic Vospire ER) terbutaline (generic Brethine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SHORT- Dihydro	byridines isradipine (generic Dynacirc) nicardipine (generic Cardene)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH)
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)	ropyridines	 Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage Katerzia/ Norliqva: May be approved with documented swallowing difficulty
	ACTING byridines	-
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,CL,QL} SOLN	
Non-dihyd	ropyridines	
diltiazem ER (generic Cardizem CD) verapamil ER TAB	diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) verapamil SR (generic Verelan) ^{NR} CAPS	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		 Non-preferred agents will be
amoxicillin/clavulanate TAB, SUSP	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB	 approved for patients who have failed a 3-day trial of ONE preferred agent within the same group Drug Specific Criteria Cefixime- May be approved
CEPHALOSPORIN	S – First Generation	for a diagnosis of gonorrhea, with
cefadroxil CAPS, SUSP (generic Duricef) cephalexin CAPS, SUSP (generic Keflex)	cefadroxil TAB (generic Duricef) cephalexin TAB	 an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent Cefpodoxime- May be approved for a diagnosis of pyelonephritis, with an appropriate
CEPHALOSPORINS -	Second Generation	ICD-10 diagnosis code without a
cefprozil (generic Cefzil) cefuroxime TAB (generic Ceftin)	cefaclor (generic Ceclor)	3-day trial of a preferred agent
CEPHALOSPORINS – Third Generation		
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS , SUSP cefpodoxime (generic Vantin)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FULPHILA (pegfilgrastim-jmdb) SUB-Q FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR ROLVEDON (eflapegrastim-xnst) SYR STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim- bmez)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time Only those products for review are listed. Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent Specific agents can be looked up using the Drug Look-up Tool at: <u>https://ne.primetherapeutics.com/</u> <u>drug-lookup</u>	EMZAHH (norethindrone) ^{NR} FEIRZA (norethindrone acetate/ ethinyl estradiol/ferrous fumarate) ^{NR} FEMLYV ODT (norethindrone acetate and ethinyl estradiol) ^{NR} GALBRIELA (norethindrone/ethinyl estradiol/ferrous fumarate) ^{NR} CHEW MINZOYA (levonorgestrel and ethinyl estradiol tablets, and ferrous bisglycinate) ^{NR} MELEYA (norethindrone) ^{NR} ROSYRAH (levonorgestrel/ ethinyl estradiol/ ethinyl estradiol kit) ^{NR} VALTYA (ethynodiol diacetate and ethinyl estradiol) ^{NR} XARAH FE (norethindrone acetate and ethinyl estradiol and ferrous fumarate) ^{NR} XELRIA FE (norethindrone and ethinyl estradiol and ferrous fumarate) ^{NR}	

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) tiotropium (generic Spiriva)	Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
INHALATION	N SOLUTION	 exacerbation in last year upon initial review
ipratropium SOLN (generic Atrovent)	OHTUVAYRE (ensifentrine) inhalation suspension YUPELRI (revefenacin)	 Dupixent (For other indications, see Immunomodulators, Atopic Dermatitis and Asthma therapeutic classes): For COPD and an Eosinophilic Phenotype:
ORAL	AGENT	Requires documentation of
roflumilast (generic Daliresp) ^{CL,QL}	DALIRESP (roflumilast) ^{CL, QL}	 inadequately controlled COPD with eosinophils ≥ 300 cells/microliter AND two exacerbations OR one exacerbation that led to hospitalization while on and adherent to a ≥ 90-day trial of triple therapy (LABA + LAMA + ICS). Prescribed by, or in consultation with a pulmonologist, immunologist, or an allergist.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALYFTREK (vanzacaftor; tezacaftor; deutivacaftor) ^{AL,CL,NR} TAB BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TAB (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA(elexacaftor, tezacaftor, ivacaftor) ^{AL, CL} PACKET ^{CL} , TAB	 Drug-specific criteria: Alyfrek: Diagnosis of CF and documentation of at least one F508del mutation or another responsive mutation in the CFTR gene. Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi[®]: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene or a mutation that is responsive to Trikafta based on clinical and/or in vitro data

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADALIMUMAB-ADBM(CF) ^{AL} 50mg/mL KIT, PEN-KIT ADALIMUMAB-ADBM(CF) ^{AL} 100mg/mL KIT, PEN-KIT COSENTYX (secukinumab) ^{AL,QL} PEN, SYR CYLTEZO (adalimumab-adbm) ^{AL} 50mg/mL KIT, PEN-KIT CYLTEZO (adalimumab-adbm) ^{AL} 100mg/mL KIT, PEN-KIT ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) TAB ^{QL}	ABRILADA (adalimumab-afzb) ^{AL} (CF) KIT, PEN-KIT ACTEMRA (tocilizumab) SUB-Q ADALIMUMAB-AACF (CF) ^{AL} PEN* KIT, SYR-KIT ADALIMUMAB-AATY (CF) ^{AL} PEN KIT ADALIMUMAB-ADAZ(CF)(biosim for Hyrimoz) ^{AL} KIT ^{NR} , PEN,SYR ADALIMUMAB-ADBM(CF) ^{AL} 50mg/mL KIT, PEN-KIT (Quallent) ADALIMUMAB-ADBM(CF) ^{AL} 100mg/mL KIT, PEN-KIT (Quallent) ADALIMUMAB-FKJP (biosim for Hulio) ^{AL} PEN, SYR ADALIMUMAB-RYVK ^{AL} (biosim for Simlandi) KIT, PEN-KIT AMJEVITA (adalimumab-atto) ^{AL} AUTOINJ, SYR AMJEVITA(adalimumab-atto) ^{AL} KIT, PEN-KIT ARCALYST (nilonacept) BIMZELX (bimekizumab-bkzx) ^{AL} PEN, SYR CIBINQO (abrocitinib) ^{AL,QL} CIMZIA (certolizumab pegol) ^{QL} ENSPRYNG (satralizumab-mwge) SUB-Q ENTYVIO (vedolizumab) ^{AL} PEN	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA- approved indications and age limits.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	HADLIMA (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYR HADLIMA (CF) (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYR HULIO (adalimumab-fkjp) ^{AL} PEN, SYR HYRIMOZ(CF) (adalimumab-adaz) ^{AL} PEN, SYR IDACIO (adalimumab-aacf) ^{AL} PEN, SYR ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYR KINERET (anakinra) LITFULO (ritlecitinib) ^{AL} CAPS LEQSELVI (deuruxolitinib) ^{NR} TAB OLUMIANT (baricitinib) TAB ^{CL,QL} OMVOH (mirikizumab-mrkz) ^{AL} 100mg, 200mg,300mg PEN ^{NR} , SYR ^{NR}	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	 TALTZ (ixekizumab)^{AL} TREMFYA (guselkumab)^{NR,QL}AUTOINJ, PEN^{NR} SYR TYENNE (tocilizumab-aazg)^{AL} AUTOINJ, SYR USTEKINUMAB^{AL,NR} SYR USTEKINUMAB-AEKN (biosimilar to Stelara)^{AL,NR} SYR USTEKINUMAB-TTWE^{AL,NR} SYR USTEKINUMAB-TTWE^{AL,NR} SYR VELSIPITY (etrasimod)^{QL} TAB XELJANZ (tofacitinib) TAB, SOLN^{CL,QL} XELJANZ XR (tofacitinib) TAB, SOLN^{CL,QL} XELJANZ XR (tofacitinib) TAB^{CL,QL} YESINTEK (ustejinumab-kfce)^{AL,NR} SYR YUFLYMA 100mg/mL (CF) (adalimumab-aaty)^{AL} KIT,PEN-KIT YUFLYMA 80mg/mL (CF) (adalimumab- aaty)^{AL} AUTOINJ, PEN, KIT YUSIMRY (CF) (adalimumab-aqvh)^{AL} PEN KIT ZYMFENTRA (infliximab-dyyb) PEN, SYR 	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA- approved indications and age limits.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Cri	teria
SINGLE-AGEN amiloride TAB bumetanide TAB chlorthalidone (generic Diuril) TAB furosemide (generic Lasix) SOLN, TAB hydrochlorothiazide (generic Microzide) CAPS, TAB indapamide TAB metolazone TAB spironolactone (generic Aldactone) ^{AL} TAB torsemide TAB	IT PRODUCTS CAROSPIR (spironolactone) ^{AL} SUSP eplerenone (generic Inspra) ^{CL} TAB ethacrynic acid (generic Edecrin) CAPS HEMICLOR (chlorthalidone) ^{NR} TAB INZIRQO (hydrochlorothiazide) ^{NR.QL} SUSP KERENDIA (finerenone) TAB ^{CL,QL} spironolactone (generic Carospir) ^{AL} SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium)	 Non-preferred agents will be approved for patients who had failed a trial of TWO preferred agents within this drug class Eplerenone: Will be approved a failed trial or intolerance to spironolactone, a trial with the preferred agents is not required Kerendia: For diagnosis of a kidney disease associated we Type-II diabetes in adults, tripreferred agent not required spironolactone suspension be approved without trial of a spironolactone suspension be ap	ave d wo red. chronic chronic al of a n: May
COMBINATIO	N PRODUCTS	preferred agent if there is a	clinical
amiloride/HCTZ TAB spironolactone/HCTZ TAB (generic Aldactazide) triamterene/HCTZ CAPS, TAB (generic Dyazide, Maxzide)		 reason why preferred spironolactone solid dosage cannot be used. 	form

ENZYME REPLACEMENT, GAUCHER'S DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate Drug-specific criteria: Zavesca/miglustat: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

EPINEPHRINE, SELF-ADMINISTERED QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ	AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic Adrenaclick) epinephrine (generic Epipen/ Epipen Jr.) AUTOINJ	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ARANESP (darbopoetine alfa) DISP SYR, VIAL EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer</i> <i>manufacturer only</i>	JESDUVROQ (daprodustat) ^{NR} TAB PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Vifor</i> <i>manufacturer only</i> VAFSEO (vadadustat) TAB	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TAB (generic Cipro) levofloxacin TAB (generic Levaquin)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN moxifloxacin (generic Avelox) ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AMITIZA (lubiprostone) ^{AL, QL} LINZESS (linaclotide) ^{AL,QL} MOVANTIK (naloxegol oxalate) ^{QL} RELISTOR (methylnaltrexone) SYR TRULANCE (plecanatide) ^{AL,QL}	alosetron (generic Lotronex) IBSRELA (tenapanor) ^{AL,QL} Iubiprostone (generic Amitiza) ^{AL,QL} MOTEGRITY (prucalopride succinate) prucalopride (generic Motegrity) ^{NR} RELISTOR (methylnaltrexone) ^{QL} TAB , VIAL SYMPROIC (naldemedine) VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication Drug-specific criteria: Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Lotronex/ alosetron: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor® TAB: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Viberzi®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJ PROGLYCEM (diazoxide) SUSP ZEGALOGUE (dasiglucagon) ^{AL, QL} AUTO-INJ	diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GVOKE (glucagon) ^{AL,QL} KIT , PEN , SYR , VIAL ZEGALOGUE (dasiglucagon) ^{AL, QL} SYR	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORTICOIDS	 Non-preferred agents within the Glucocorticoids and
ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) ^{QL,AL} ASMANEX HFA (mometasone) ^{QL} fluticasone HFA (generic Flovent HFA) PULMICORT FLEXHALER	ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} fluticasone (generic Flovent Diskus) QVAR Redihaler (beclomethasone)	Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months
(budesonide)		 Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	failed a trial of two preferred agents
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)	 AIRDUO DIGIHALER (fluticasone/salmeterol)^{AL,QL} AIRSUPRA HFA (albuterol and budesonide)^{AL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate)^{QL} budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)^{QL} fluticasone/salmeterol (generic for Advair HFA)^{QL} fluticasone/salmeterol (generic for Advair HFA)^{QL} fluticasone/salmeterol (generic for Advair HFA)^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) 	within this drug class, within the last 6 months.
INHALATIO	N SOLUTION	
	budesonide RESPULES (generic for Pulmicort)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPS (generic Entocort EC)	ALKINDI (hydrocortisone) GRANULES ^{AL}	 Non-preferred agents will be approved for patients who have
dexamethasone ELIXIR, SOLN	CORTEF (hydrocortisone)	failed a trial of ONE preferred agent within this drug class within
dexamethasone TAB	cortisone TAB	the last 6 months
hydrocortisone TAB	dexamethasone INTENSOL	
methylprednisolone tablet (generic	EOHILIA (budesonide) ^{AL,QL} SUSP	Drug-specific criteria:
Medrol)	HEMADY (dexamethasone)	 Intensol Products: Patient
prednisolone SOLN	KHINDIVI (hydrocortisone) ^{AL,NR} SOLN	specific documentation of why the less concentrated solution is not
prednisolone sodium phosphate	methylprednisolone 8mg, 16mg, 32mg	appropriate for the patient
prednisone DOSE PAK	prednisolone sodium phosphate	 Tarpeyo: Indicated for the
prednisone TAB	(generic Millipred/Veripred)	treatment of primary immunoglobulin A nephropathy
	prednisolone sodium phosphate ODT	(IgAN)
	prednisone SOLN	
	prednisone INTENSOL	
	RAYOS DR (prednisone) TAB	
	TARPEYO (budesonide) CAPS	

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NORDITROPIN (somatropin)	NGENLA (somatrogon-ghla) ^{AL}	Growth Hormone Criteria
	NUTROPIN AQ (somatropin)	
	OMNITROPE (somatropin)	
	SEROSTIM (somatropin)	
	SKYTROFA (Ionapegsomatropin-tcgd)	
	SOGROYA (somapacitan-beco)	
	ZOMACTON (somatropin)	
	· · · /	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	 bismuth,metronidazole,tetracycline (generic Pylera)^{QL} lansoprazole/amoxicillin/clarithromycin (generic Prevpac)^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin)^{QL} TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA (vonoprazan)^{QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

HAE TREATMENTS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
 BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human)^{AL,CL} SUB-Q icatibant acetate (generic for FIRAZYR)^{AL} SUB-Q 	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SYRINGE	Non-preferred agents will be

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPECIFIC FACTORS		 Non-preferred agents will be
HEMLIBRA	HYMPAVZI ^{AL,NR}	approved for patients who have failed a trial of ONE preferred agent
	QFITLIA (fitusiran) ^{AL,NR} PEN, VIAL	within this drug class
FACT		
ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE	
FAC	TOR IX	
ALPROLIX	ALPHANINE SD	
BENEFIX	IDELVION IXINITY PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHROM	BIN COMPLEX-PLASMA DERIVED FEIBA NF	
NOVOSEVEN RI	SEVENFACTAL	
FACTOR X ANI	XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
TISSUE FACTOR PAT	HWAY INHIBITOR (TFPI)	
	ALHEMO ^{AL,NR}	
VON WILLEBR	AND PRODUCTS	
WILATE	VONVENDI	
		-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply

AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TAB	adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB lamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	DIRECT ACTING ANTI-VIRAL	
MAVYRET (glecaprevir/pibrentasvir) TAB^{CL}, PELLET^{AL,CL} sofosbuvir/velpatasvir (generic Epclusa) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TAB (ledipasvir/sofosbuvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET ledipasvir/sofosbuvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI (sofosbuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 <u>Hepatitis C Criteria</u> Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni/ ledipasvir-sofosbuvir: Post liver transplant for
RIBA	VIRIN	 Post liver transplant for genotype 1 or 4
ribavirin 200mg CAPSULE, TAB		 Vosevi: Requires documentation of non-response after previous
INTER	FERON	 treatment course of Direct Acting Anti-viral agent (DAA) for genotype
PEGASYS (pegylated interferon alfa- 2a) ^{CL}		1-6 without cirrhosis or with compensated cirrhosis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TAB (generic for Pepcid) famotidine SUSP	cimetidine TAB, SOLN^{CL} (generic Tagamet) famotidine CHEW-TAB nizatidine CAPS (generic for Axid)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
		 Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID	INHIBITOR	 All agents require:
	SUNLENCA (lenacapavir) ^{QL}	 Diagnosis of HIV/AIDS required, OR
CCR5 AN	FAGONISTS	 Diagnosis of Pre and Post
SELZENTRY SOLN, TAB (maraviroc)	maraviroc (generic Selzentry)	Exposure ProphylaxisNon-preferred agents will be
FUSION	INHIBITORS	 approved for patients who have a diagnosis of HIV/AIDS and patient
FUZEON SUB-Q (enfuvirtide) ^{QL}		specific documentation of why the preferred products within this drug
HIV-1 ATTACH	MENT INHIBITOR	class are not appropriate for patient, including, but not limited
	RUKOBIA ER (fostemsavir)AL,QL	 to, drug resistance or concomitant conditions not recommended with preferred agente
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	 preferred agents Patients undergoing treatment at
ISENTRESS (raltegravir) ^{QL}	TIVICAY PD (dolutegravir)	the time of any preferred status
ISENTRESS HD (raltegravir)		change will be allowed to continue therapy
TIVICAY (dolutegravir)		licitapy
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIS)	-
EDURANT (rilpivirine)	etravirine (generic Intelence) ^{QL}	-
efavirenz CAPS, TABLET (generic	nevirapine IR, ER (generic	
Sustiva)	Viramune/Viramune XR)	
INTELENCE (etravirine) ^{QL}	SUSTIVA CAPS, TABLET (efavirenz)	
PIFELTRO (doravirine) ^{QL}	VIRAMUNE (nevirapine) SUSP	
		_
NUCLEOSIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
abacavir SOLN, TABLET (generic	didanosine DR (generic Videx EC)	
	emtricitabine CAPS (generic for	
EMTRIVA CAPS, SOLN (emtricitabine)		
lamivudine SOLN, TABLET (generic	EPIVIR (lamivudine)	
Epivir) zidovudine CAPS, SYRUP, TABLET	RETROVIR (zidovudine) stavudine CAPS (generic Zerit)	
(generic Retrovir)	ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	ISCRIPTASE INHIBITORS (NRTIS)	-
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	
PHARMACOKIN	ETIC ENHANCER	

TYBOST (cobicistat)^{QL}

QL – Quantity/Duration Limit

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEASE INHIBITORS		 All agents require:
atazanavir CAPS (generic Reyataz) NORVIR (ritonavir) TAB PREZISTA (darunavir) TAB ritonavir TAB (generic Norvir)	APTIVUS CAPS , SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATE ^{AL} TAB darunavir ethanolate (generic Prezista) ^{AL} TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER , SOLN (ritonavir) PREZISTA (darunavir) SUSP REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
PHARMACOKI EVOTAZ (atazanavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN, TAB	E INHIBITORS (PIs) or PIs plus NETIC ENHANCER KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL}	 All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue
COMBINATION NUCLEOS(T)IDE REVERSE TRANSCRIPTASE INHIBITORS		therapy
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL} emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COMBINATION PRODU	CTS – MULTIPLE CLASSES	All agents require:
 BIKTARVY (bictegravir/emtricitabine/ tenofovir)^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir)^{QL} DOVATO (dolutegravir/lamivudine)^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla)^{CL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir)^{QL, AL} JULUCA (dolutegravir/rilpivirine)^{QL} ODEFSEY (emtricitabine/rilpivirine)^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir)^{QL} SYMFI (efavirenz/lamivudine/ tenofovir)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir)^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir)^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine) 	efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} rilpivirine/emtricitabine/tenofovir (Complera) ^{NR} TRIUMEQ PD (abacavir/dolutegravir/lamivudine) SUSP	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acarbose (generic Precose)	miglitol (generic Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 REC	EPTOR AGONIST (GLP-1 RA) ^{AL,CL,QL}	GLP-1 RA Criteria
OZEMPIC (semaglutide) ^{AL,QL} TRULICITY (dulaglutide) ^{AL,QL} VICTOZA (liraglutide) ^{AL,QL} subcutaneous	BYDUREON BCISE PEN (exenatide) AL,QL BYETTA (exenatide) AL,QL subcutaneous exenatide (generic Byetta) AL,QL liraglutide (generic Victoza) AL,QL MOUNJARO (tirzepatide) AL,QL RYBELSUS (semaglutide) AL,QL 1.5mg ^{NR} , 3mg, 4mg ^{NR} , 7mg, 9mg ^{NR} , 14mg TAB	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND
INSULIN/GLP-1 RA	A COMBINATIONS	 Diagnosis of diabetes with HbA1C ≥ 7 AND
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	 Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance
	-4 (DPP-4) INHIBITOR ^{AL,QL}	 No diagnosis of gastroparesis HbA1C < 9% within last 90 days
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic Nesina) alogliptin/metformin (generic Kazano) alogliptin/pioglitazone (generic Oseni) BRYNOVIN (sitagliptin) ^{NR,QL} SOLN GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin)	 HbA1C ≤ 9% within last 90 days Monitoring of glucose during initiation of therapy <u>DPP-4 Inhibitor Criteria</u> Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIPEPTIDYL PEPTIDASE	-4 (DPP-4) INHIBITOR ^{AL,QL}	
	saxagliptin (generic Onglyza) saxagliptin/metformin ER (generic Kombiglyze ER) sitagliptin (generic Zituvio) ^{NR} sitagliptin/ metformin (Zituvimet) ^{NR} sitagliptin/ metformin ER (Zituvimet XR) ^{NR} STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIMET (sitagliptin/metformin) TAB ^{NR, QL} ZITUVIMET XR (sitagliptin/ metformin ER) TAB ^{NR, QL} ZITUVIO (sitagliptin)	

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
APIDRA (insulin glulisine) SOLOSTAR, VIAL HUMALOG (insulin lispro) U-100 CARTRIDGE, PEN, VIAL HUMALOG JR. (insulin lispro) U-100 KWIKPEN HUMALOG MIX VIAL (insulin lispro/lispro protamine) HUMALOG MIX KWIKPEN (insulin lispro/lispro protamine) HUMULIN (insulin) VIAL HUMULIN (insulin) VIAL HUMULIN 70/30 VIAL HUMULIN 0TC PEN HUMULIN 500 U/M PEN ^{CL} HUMULIN 70/30 OTC PEN insulin aspart (generic for Novolog) CARTRIDGE, PEN, VIAL insulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) insulin glargine PEN, VIAL insulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN	Non-Preferred AgentsADMELOG (insulin lispro) PEN, VIALAFREZZA (regular insulin)INHALATIONBASAGLAR (insulin glargine, rec)PEN, TEMPO PENFIASP (insulin aspart) CARTRIDGE, PEN, VIALHUMALOG U-100 TEMPO PENHUMALOG (insulin lispro) ^{CL} U-200 KWIKPENinsulin degludec (generic Tresiba) 100U/mL PEN, VIALinsulin degludec (generic Tresiba) 200U/mL PENinsulin glargine (Toujeo)insulin glargine max (Toujeo Max)insulin glargine-YFGN PEN, VIAL (generic for Semglee-YFGN)insulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen)LYUMJEV KWIKPEN, VIAL(insulin lispro-aabc)LYUMJEV (insulin lispro-aabc)LYUMJEV (insulin lispro-aabc)	
NOVOLOG (insulin aspart) CARTRIDGE, FLEXPEN, VIAL NOVOLOG MIX FLEXPEN (insulin aspart/aspart protamine)	NOVOLIN (insulin) NOVOLIN 70/30 VIAL(insulin) NOVOLOG MIX (insulin aspart/aspart protamine) VIAL REZVOGLAR (insulin glargine-aglr) KWIKPEN SEMGLEE (insulin glargine) PEN, VIAL SEMGLEE YFGN (insulin glargine) PEN, VIAL TOUJEO SOLOSTAR (insulin glargine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic Prandin)	nateglinide (generic Starlix) ^{CL}	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin 750 mg ^{CL,NR} metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet[®])/Glumetza[®]/metformin 750 mg: Requires clinical reason why generic Glucophage XR[®] cannot be used Metformin solution: Prior authorization not required for age <7 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SGLT2

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FARXIGA (dapagliflozin) ^{CL.QL} INVOKAMET (canagliflozin/ metformin) ^{CL.QL} INVOKANA (canagliflozin) ^{CL} JARDIANCE (empagliflozin) ^{CL.QL} SYNJARDY (empagliflozin/metformin) ^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin) ^{CL.QL}	 BRENZAVVY (bexagliflozin)^{NR} dapagliflozin^{CL.NR,QL} (generic Farxiga) dapagliflozin/metformin^{CL.QL} (generic Xigduo) INPEFA (sotagliflozin)^{QL} TAB INVOKAMET XR (canagliflozin/metformin)^{QL} SEGLUROMET (ertugliflozin/metformin)^{QL} STEGLATRO (ertugliflozin)^{QL} SYNJARDY XR (empagliflozin/ metformin)^{AL,QL} 	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, OR A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class
		Drug Specific Criteria:
		Farxiga/ dapagliflozin: May be approved for a diagnosis of Heart

- Failure without a diagnosis of diabetes
 May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes
- Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA COMBINATIONS		
glipizide/metformin glyburide/metformin (generic		

Glucovance)

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIAZOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic Actos)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic Duetact) pioglitazone/metformin (generic Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
pirfenidone (generic Esbriet) ^{QL}	ESBRIET (pirfenidone) ^{QL} OFEV (nintedanib esylate) ^{CL}	 Non-preferred agent requires trial of preferred agent within this drug class with the same indication FDA approved indication required – ICD-10 diagnosis code

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ASTHMA^{CL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
XOLAIR (omalizumab)	CALA (mepolizumab) ^{AL} AUTO-INJ, SYR SPIRE (tezepelumab-ekko) ^{AL} PEN	 Immunomodulators Self-Injectable PA Form All agents require prior authorization AND an FDA-approved diagnosis for approval Non-preferred agents require a trial of a preferred agent within this drug class with the same indication For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist Agents listed may have other FDA approved indications, and will be subject to prior authorization Drug Specific Criteria: Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis and COPD therapeutic classes) For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid + controller OR max- tolerated inhaled corticosteroid / long- acting beta agonist combo

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADBRY (tralokinumab-ldrm) AL,CL,QL SUB-Q	EBGLYSS (lebrikizumab-lbkz) ^{AL,NR,QL} PEN, SYRINGE	Immunomodulators Self-Injectable PA Form
ADBRY 300mg/2mL (tralokinumab-ldrm) AL,CL,QL AUTOINJ	OPZELURA (ruxolitinib phosphate) CREAM ^{AL,CL,QL}	 Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred
DUPIXENT (dupilumab) ^{AL,CL} PEN,SYR	pimecrolimus (generic Elidel)	product within this drug class with same indication.
ELIDEL (pimecrolimus)	Oceanside Mfr only	Drug-specific criteria:
EUCRISA (crisaborole) ^{CL,QL}		ADBRY: May be approved after a trial or failure of a topical corticosteroid AND a
pimecrolimus (generic Elidel) tacrolimus (generic Protopic)		topical calcineurin inhibitor
tacioninus (generic i Totopic)		Dupixent: (For other indications, see Immunomodulators, Asthma and COPD
		therapeutic classes):
		1. Atopic Dermatitis : May be approved after a maximum of a 90-day trial or failure of a
		topical corticosteroid AND a topical
		calcineurin inhibitor 2. Eosinophilic Esophagitis : Trial, failure, or
		technique difficulty to a swallowed topical
		corticosteroid or treatment failure of a proton
		pump inhibitor. Prescribed by, or in consultation with an allergist,
		gastroenterologist, or immunologist.
		Documentation that the Patient has a confirmed diagnosis of eosinophilic
		esophagitis with \geq 15 eosinophils/high-power
		field. 3. Nasal Polyps : May be approved with
		documentation of treatment failure or
		contraindication within the previous year to an
		intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surgery.
		Prescribed by, or in consultation with an
		allergist, pulmonologist, or otolaryngologist [ENT].
		4. Prurigo Nodularis: Patient must have a
		diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and
		failure of a topical corticosteroid. Prescribed
		by, or in consultation with an allergist,
		 dermatologist, or immunologist. Eucrisa: May be approved after a 30 day
		trial failure of a preferred topical corticosteroid
		(TCS) or topical calcineurin inhibitor (TCI) within the past 180 days; Maximum of 300
		grams per year
		 Opzelura: May be approved for a
		diagnosis of Atopic Dermatitis and after a
		trial/failure of a topical steroid and trial of a preferred agent
		preferred agent

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ZORYVE 0.15% (roflumilast) ^{AL} CREAM ZORYVE 0.3% (roflumilast) ^{AL,CL} FOAM	 Immunomodulators Self-Injectable PA Form Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication. Drug Specific Criteria Zoryve Foam- Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication AND Trial of a topical antifungal.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) ^{AL} GEL imiquimod (generic Zyclara) podofilox (generic Condylox) GEL , SOLN VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified (generic Neoral) CAPS everolimus (generic for Zortress) ^{AL} mycophenolate (generic Cellcept) CAPS, TAB RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB sirolimus (generic Rapamune) SOLN, TAB tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP mycophenolic acid MYFORTIC (mycophenolate sodium) MYHIBBIN (mycophenolate sodium) MYHIBBIN (mycophenolate) ^{AL,NR} SUSP PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan) ^{QL} CAPS ZORTRESS (everolimus) ^{AL}	 Patients established on existing therapy will be allowed to continue Drug Specific Criteria Tavneos (avacopan) No trial of a preferred agent required with appropriate FDA

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

INTRANASAL RHINITIS AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be
ipratropium (generic for Atrovent)		 approved for patients who have failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro)	 Drug-specific criteria: mometasone: Prior authorization
	azelastine/fluticasone (generic for Dymista)	NOT required for children ≤ 12 years
	olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL}	 budesonide: Approved for use in Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of
CORTICO	STEROIDS	nasal polyps in \geq 18 years only
fluticasone Rx (generic Flonase)	BECONASE AQ (beclomethasone)	_
	budesonide (Rhinocort) OTC	
	flunisolide (generic Nasalide)	
	fluticasone (generic Flonase) OTC	
	mometasone (generic Nasonex) OTC , RX	
	NASONEX (mometasone) OTC	
	OMNARIS (ciclesonide)	
	QNASL 40 & 80 (beclomethasone)	
	triamcinolone (generic Nasacort) OTC	
	XHANCE (fluticasone)	
	ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast (generic for Singulair) TAB ^{QL} /CHEWABLE ^{AL}	montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria:
		 montelukast granules: PA not required for age < 2 years

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPS clindamycin palmitate SOLN linezolid TAB	CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	 Non-preferred agents will be
cholestyramine (generic Questran) colestipol TAB (generic Colestid)	colesevelam (generic Welchol) TAB , PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin,
TREATMENT OF HOMOZYGOUS FA		sulfonylurea, or insulin has been
	JUXTAPID (Iomitapide) ^{CL}	inadequate
	KYNAMRO (mipomersen) ^{CL}	 Juxtapid/ Kynamro:
		 Approved for diagnosis of homozygous familial
TREATMENT OF FAMILIAL CHYLO		hypercholesterolemia (HoFH)
	TRYNGOLZA (olezarsen) ^{AL,NR,QL} INJ	0Ř
FIBRIC ACID	DERIVATIVES	 Treatment failure/maximized
fenofibrate (generic Tricor)	fenofibric acid (generic Fibricor/Trilipix)	 dosing/contraindication to ALL the following: statins,
fenofibrate (generic Lofibra)	fenofibrate (generic Antara/Fenoglide/	ezetimibe, niacin, fibric acid
gemfibrozil (generic Lopid)	Lipofen/Triglide)	derivatives, omega-3 agents, bile acid sequestrants
NIACIN		 Require faxed copy of REMS
niacin ER (generic Niaspan)	NIACOR (niacin IR)	- PA form
		Tryngolza: Approved for diagnosis
		of familial chylomicronemia
OMEGA-3 F	ATTY ACIDS	syndrome and fasting triglycerides equal to or greater
omega-3 fatty acids (generic Lovaza)	icosapent (generic Vascepa) ^{CL}	than 880 mg/dL within the past
VASCEPA (icosapent)	omega-3 OTC	90 days and used in
		combination with a low-fat diet of 20 gm or less of fat per day
CHOLESTEROL ABSO	DRPTION INHIBITORS	
ezetimibe (generic Zetia)	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, OTHER (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SUB		Drug-Specific Criteria
	ITORS REPATHA (evolocumab) ^{CL}	 Praluent[®]: Approved for diagnoses of: atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) Homozygous familial hypercholesterolemia (HoFH) as an adjunct to other LDL-C lowering therapies AND; Trial and failure or intolerance to a statin for 8 continuous weeks Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL Repatha[®]: May be approved for: adult diagnoses of atherosclerotic cardiovascular disease (ASCVD) heterozygous familial hypercholesterolemia (HeFH) in adults and pediatric patients aged 10 years and older homozygous familial hypercholesterolemia (HoFH) in adults and pediatric patients aged 10 years and older AND; Maximized high-intensity statin WITH ezetimibe for 3+ continuous months Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL, HeFH - < 100 mg/dL

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
STA	TINS	 Non-preferred agents will be opproved for patients who have
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{QL} SUSP EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ^{AL,QL} pitavastatin (generic Livalo) ^{AL,NR,QL} ZYPITAMAG (pitavastatin)	 approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual ingredients cannot be used
STATIN CON	IBINATIONS	• fluvastatin ER: Requires trial of
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Crit	eria
MACR	OLIDES	 Non-preferred agents require 	
azithromycin (generic Zithromax) clarithromycin TAB, SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. TAB (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TAB, CAPS	Clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day on a preferred product	s

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	JYLAMVO (methotrexate) SOLN OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN	 Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: Xatmep[™]:Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{AL,CL,QL} AUSTEDO XR (deutetrabenazine) ^{AL,CL,QL} AUSTEDO XR Titration Pack (deutetrabenazine) ^{AL,CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS, SPRINKLES tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{AL,CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	 All drugs require an FDA approved indication – ICD-10 diagnosis code required. Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. Drug-specific criteria: Austedo/Austedo XR/Ingrezza: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease tetrabenazine: Diagnosis of chorea associated with Huntington's Disease

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

AUBAGIO (teriflunomide)QL

MULTIPLE SCLEROSIS DRUGS

Preferred Agents

AVONEX (interferon beta-1a)^{QL} BETASERON (interferon beta-1b)^{QL} COPAXONE 20mg (glatiramer)^{QL} dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya)^{QL} KESIMPTA (Ofatumumab)^{CL,QL} teriflunomide (generic Aubagio)^{QL}

BAFIERTAM (monomethyl fumarate)^{QL} dalfampridine (generic Ampyra)^{QL} EXTAVIA (interferon beta-1b)^{QL} GILENYA (fingolimod)^{QL} glatiramer (generic Copaxone)^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod)^{QL} PLEGRIDY (peginterferon beta-1a)^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a)^{QL} TASCENSO ODT (fingolimod) **TAB**^{AL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel)^{QL} ZEPOSIA (ozanimod)^{AL,CL,QL} **Prior Authorization/Class Criteria**

Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class

Drug-specific criteria:

- Ampyra/ dalfampridine: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7
- Plegridy: Approved for diagnosis of relapsing MS
- Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class
- Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid)	nitrofurantoin SUSPENSION (genericFuradantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL

COX-I SELECTIVENon-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Catafa) ibuprofen CTC (generic Nadvil, Motrin) CAPSNon-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug classindomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Relafen) naproxen Rx, OTC (generic Naprosyn) sulindac (generic Clinoril)CAPSDrug-specific criteria: meloxicam (generic Orudis) meloxicam (generic Vivlodex) ^{CL, QL} CAP meloxicam (generic Vivlodex) ^{CL, QL} CAP meloxicam (generic Naprosyn) suproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril)Sprix/ketoralac Nasal: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs
TABibuprofen OTC (generic Advil, Motrin) CAPSindomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Mobic) TAB naproxen Rx, OTC (generic Naprosyn)indomethacin (generic Clinoril)diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nasid) ibuprofen (generic Ansaid) ibuprofen (generic Indocin) ketoprofen & ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Corudis) meloxicam (generic Clinoril)naproxen Rx, OTC (generic Naprosyn) sulindac (generic Clinoril)meloxicam (generic Nobic) SUSP naproxen cR (generic Naprosyn) Raproxen sodium (generic Naprosyn)naproxen enteric coated sulindac (generic Clinoril)meloxicam (generic Naprosyn) naproxen cR (generic Naprosyn)maproxen enteric Clinoril)meloxicam (generic Naprosyn) meloxicam (generic Naprosyn)maproxen CR (generic Naprosyn) naproxen sodium (generic Anaprox) naproxen enteric Viwov)maproxen (generic Naprosyn)maproxen (generic Naprosyn)maproxe
oxaprozin (generic Daypro) piroxicam (generic Feldene) tolmetin (generic Tolectin) ketorolac (generic Sprix Nasal) ^{QL} NASAL

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTI	VE (continued)	All combination agents require a
	ALL BRAND NAME NSAIDs including: DOLOBID (diflunisal) 250 MG TABLET AL,NR DUEXIS (ibuprofen/famotidine) ^{CL}	clinical reason why individual agents can't be used separately
	NALFON (fenoprofen)	
NSAID/GI PROTECTA	ANT COMBINATIONS	
	diclofenac/misoprostol (generic Arthrotec)	
COX-II SE	LECTIVE	
celecoxib (generic Celebrex)		

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only) PENNSAID PUMP (diclofenac)	diclofenac PUMP (generic Pennsaid) ^{CL} - diclofenac SOLN (generic Pennsaid) FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET (diclofenac) ^{CL}	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 I	NHIBITOR IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib) THERAPY XELODA (capecitabine)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
cyclophosphamide	BLOCKADE	Drug-specific critera anastrozole: May be approved for
anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	ORSERDU (elacestrant) SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL}	 malignant neoplasm of male breast (male breast cancer) Fareston/toremifene: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply
OTHER		greater than 12 – NOT approved for short term use
	ITOVEBI (inavolisib) ^{NR} NERLYNX (neratinib) PIQRAY (alpelisib) Iapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) ^{QL} TUKYSA (tucatinib) ^{QL} TRUQAP (capivasertib)	 Soltamox: May be approved with documented swallowing difficulty

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
A mercaptopurine	LL PURIXAN (mercaptopurine) ^{AL} mercaptopurine (generic Purixan) ^{NR} SUSP	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not required for age <19 Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with dexamethasone
A	ML DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} VANFLYTA (quizartinib) XOSPATA (gilteritinib) ^{QL}	
C	LL COPIKTRA (duvelisib) ^{QL} IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	
CI hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec)	ML BOSULIF (bosutinib) DANZITEN (nilotinib) ^{NR} dasatinib (generic Sprycel) ^{NR} GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) IMKELDI (imatinib) ^{NR} nilotinib HCL (generic Tasigna) ^{NR} nilotinib TARTRATE (generic Dansiten) ^{NR} SCEMBLIX (asciminib) SPRYCEL (dasatinib)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
N	IPN	
	JAKAFI (ruxolitinib)	
MYELOMA		
REVLIMID ^{QL} (lenalidomide)	lenalidomide ^{QL} (generic Revlimid) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	
ОТ	HER	
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL}	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) REVUFORJ (revumenib) ^{NR} TAB VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat)	-

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AI	K ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue
ALK / ROS1 / NTRK		- therapy
	AUGTYRO (repotrectinib) CAPS ROZLYTREK (entrectinib) ^{QL} CAPS, PELLETS XALKORI (crizotinib) CAPS, PELLETS	
EGFR		-
erlotinib (generic for Tarceva)	gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) LAZCLUZE (lazertinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	
OTH	IER	
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AVMAPKI (avutometinib) ^{NR} AVMAPKI-FAKZYNJA (avutometinib/ defactinib) ^{NR} Combo-Pack AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FAKZYNJA (defactinib) ^{NR} FRUZAQLA (fruquintinib) CAPS GOMEKLI (mirdametinib) ^{AL,NR} CAPS , TABS FOR ORAL SUSP IWILFIN (eflornithine) JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) OGSIVEO (nirogacestat) TAB PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) ROMVIMZA (vimseltinib) ^{NR} CAPS RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPS, SOLN VORANIGO (vorasidenib) ^{AL} TABS	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex)	AKEEGA (niraparib/abiraterone) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} XTANDI (enzalutamide) ^{AL,QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
everolimus (generic Afinitor) TAB sunitinib malate (generic Sutent) CAPS VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) pazopanib (generic Votrient) TAB sorafenib (generic Nexavar) SUTENT (sunitinib) CAPS TORPENZ (generic everolimus) TAB WELIREG (belzutifan) ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents	_	Prior Authorization/Class Criteria
BASA	L CELL ERIVEDGE (vismodegib) ODOMZO (sonidegib) ^{CL}	•	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF M MEKINIST (trametinib) TAFINLAR (dabrafenib)	UTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) OJEMDA (tovorafenib) SUSP ^{AL} , TAB TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib)	-	Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
NF1 W/SYMF	TOMATIC PN		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

QL – Quantity/Duration Limit

CL – Prior Authorization / Class Criteria apply AL– Age Limit

NR – Product was not reviewed - New Drug criteria will apply

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%) cromolyn (generic Opticrom) ketotifen OTC (generic Zaditor) olopatadine OTC (Pataday once daily) olopatadine OTC (Pataday twice	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) azelastine (generic Optivar) BEPREVE (bepotastine besilate) bepotastine besilate (generic	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
daily)	Bepreve) epinastine (generic Elestat) LASTACAFT (alcaftadine) OTC loteprednol 0.2% (generic Alrex) olopatadine DROPS (generic Pataday) olopatadine 0.1% (generic Patanol) PATADAY XS (olopatadine 0.7%) PATADAY OTC (olopatadine 0.2%)	
	ZERVIATE (certirizine) ^{AL}	

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQU	JINOLONES	 Non-preferred agents will be opproved for patients who have
ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn[®]: Approved for documented fungal infection
MACRO	DLIDES	<u>[</u>
erythromycin	AZASITE (azithromycin) ^{CL}	
AMINOGL	YCOSIDES	
gentamicin SOLN tobramycin (generic Tobrex drops)	TOBREX OINT (tobramycin)	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT	

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX OINT (tobramycin and dexamethasone) tobramycin/dexamethasone SUSP (generic TobraDex) <i>all other</i> <i>manufacturers only</i>	neomycin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSP (generic TobraDex) <i>Falcon</i> <i>manufacturer</i> TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO	STEROIDS	ALL sub-classes unless listed
fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class
NS	AID	
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) bromfenac 0.09% (generic Bromday) bromfenac (generic Bromsite) bromfenac 0.07% (generic Prolensa) BROMSITE (bromfenac) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) ^{QL} cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate) ^{QL} MIEBO (perfluorohexyloctane) TYRVAYA (varenicline tartrate) ^{QL} VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOT	FICS	Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine) pilocarpine (generic VUITY) ^{NR}	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan:
SYMPATHO	MIMETICS	Electronically approved for patients
ALPHAGAN P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine P 0.15% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.1%)	who have a trial of ONE generic agent, within ophthalmic - glaucoma within 180 days
BETA BLC	CKERS	
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Betimol) ^{NR} timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE	
CARBONIC ANHYDR	RASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic Azopt)	-
PROSTAGLAND	IN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic Lumigan) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt)	brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OTH	IER	
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within the ophthalmic - glaucoma class within 180 days

OPIOID DEPENDENCE TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
buprenorphine ^{AL,QL} SL buprenorphine/naloxone ^{AL,QL} TAB (SL) naltrexone TAB SUBOXONE (buprenorphine/naloxone) ^{AL,QL}	buprenorphine/naloxone ^{AL,QL} FILM lofexidine (generic Lucemyra) ^{CL,NR,QL} LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone) ^{AL,QL}	Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent
FILM		 Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient.
		 Drug-specific criteria: Lucemyra/ lofexidine: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone NASAL(Rx), SYR, VIAL	KLOXXADO (naloxone) NASAL naloxone (generic Narcan) OTC NASAL NARCAN (naloxone) NASAL NARCAN (naloxone) NASAL OTC OPVEE (nalmefene) ^{AL} NASAL REXTOVY (naloxone) ^{NR} NASAL	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient
	ZIMHI (naloxone) SYR	

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin/dexamethasone (generic Ciprodex) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) ^{QL} TAB	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL}	•	Non-preferred agents will be approved for patients who have
sildenafil (generic Revatio) ^{CL} SUSP tadalafil (generic for Adcirca) ^{CL}	bosentan (generic Tracleer) TAB , TAB for SUSP ^{NR}		failed a trial of ONE preferred agent within this drug class within the last 6 months
TRACLEER (bosentan) TAB	LETAIRIS (ambrisentan)		
TYVASO (treprostinil) INHALATION	LIQREV (sildenafil) SUSP	Dru	ug-specific criteria:
VENTAVIS (iloprost) INHALATION	OPSUMIT (macitentan)	•	Adcirca/Liqrev/ Revatio/sildenafil tablets and
	OPSYNVI (macitentan and tadalafil) ^{NR} TAB		suspension/tadalafil: Approved for diagnosis of Pulmonary Arterial
	ORENITRAM ER (treprostinil)		Hypertension (PAH)
	REVATIO (sildenafil) ^{CL} SUSP	•	Adempas [®] :
	sildenafil (generic Revatio) ^{CL} TAB		PAH: Requires clinical reason preferred agent cannot be used
	TADLIQ (tadalafil) SUSP		CTEPH: Approved for
	TRACLEER (bosentan) TAB FOR SUSPENSION		persistent/recurrent diagnosis after surgical treatment or inoperable
	TYVASO DPI (treprostinil) INHALATION POWDER		CTEPH NOT for use in Pregnancy
	UPTRAVI (selexipag)	•	Liqrev/ Revatio suspension: Requires clinical reason why
	YUTREPIA (treprostinil) ^{NR} INHAL CAP		preferred sildenafil suspension cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) OTC CHEW	DEKAs PLUS ^{AL, CL} DAVIMET W/ FLUORIDE (ped mvi no.247/ fluoride) ^{NR} CHEW OTC	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
CHILDREN'S MVI-IRON OTC CHEW (ped mvi no. 91/iron fum)	FLORAFOL(mvi and fluoride) ^{NR} CHEW OTC, DROPS-OTC ^{NR}	Drug specific criteria: DEKAS Plus: Approved for
CHILDREN'S CHEWABLES OTC (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf)	FLORAFOL FE PEDIATRIC ^{NR} DROPS OTC	diagnosis of Cystic Fibrosis and
CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron)	FLORIVA (ped mvi no.85/fluoride) CHEW	
FLUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/	FLORIVA PLUS (ped mvi no.161/fluoride) OTC-DROPS	
fluoride)	MULTI-VIT-FLOR (ped mvi no.205/fluoride) CHEW	
MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) DROPS	PEDI MVI NO.22 WITH FLUORIDE ^{NR} DROPS-OTC	
MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron)	PEDI MVI NO.242/FLUORIDE CHEW- OTC	
PED MVI NO.17 W/ FLUORIDE CHEW	POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no. 205/fluoride) CHEW	
POLY-VITAMIN (ped mvi no. 212) DROPS OTC	POLY-VI-FLOR (ped mvi no.213 w/fluoride) DROPS	
POLY-VITAMIN W/ IRON (ped mvi no. 207 w/ferrous sulf) DROPS OTC	POLY-VI-FLOR W/ IRON (ped mvi no. 205/fluoride/iron) CHEW	
TRI-VITAMIN W/ FLUORIDE (ped mvi A,C, D3 no. 21/fluoride)	POLY-VI-FLOR W/ IRON (ped mvi no. 214/fluoride/iron) DROPS	
	, ,	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no. 83/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
	QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) CHEW	 Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and
	QUFLORA (ped mvi no.157/ fluoride) OTC	does not require a trial of a preferred agent
	SOLUVITA A,C,D WITH FLUORIDE DROPS ^{NR} OTC	
	TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) DROPS	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria applyQL - Quantity/Duration LimitAL- Age LimitNR - Product was not reviewed

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TAB CALPHRON OTC (calcium acetate) sevelamer carbonate (generic Renvela) PWD PACK, TAB	AURYXIA (ferric citrate) calcium acetate CAPS ferric citrate (generic Auryxia) ^{NR} lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) RENVELA (sevelamer carbonate) PWD PACK, TAB sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient)	aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) ticagrelor (generic Brilinta) ^{NR} YOSPRALA (aspirin/omeprazole)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://ne.primetherapeutics.com/drug-lookup

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FE C/FA PNV 11-IRON FUM-FOLIC ACID-OM3 PNV 2/IRON B-G SUC-P/FA/OMEGA-3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV WITH CA, NO.72/IRON/FA OTC PNV #16/IRON FUM & PS/FA/OM-3 PNV119/IRON FUMARATE/FA/DSS PRENATAL MULTI OTC PRENATAL VIT #76/IRON, CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC SELECT-OB + DHA STUART ONE OTC TRICARE TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL FE+ VITAFOL ULTRA VITAFOL-OB VITAFOL-OB+DHA VITAFOL-OB+DHA VITAFOL-ONE	CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB ENBRACE HR MARNATAL-F MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) NEO-VITAL RX TAB OTC ^{NR} NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE WITH DHA OTC PNV COMBO#47/IRON/FA #1/DHA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PRENATAL + DHA OTC PRENATE CHEW TAB PRENATE ELITE PRENATE ELITE PRENATE ELITE PRENATE ENHANCE PRENATE ENHANCE PRENATE PIXIE PRENATE RESTORE PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB CHEW TAB TRISTART DHA VITAFOL NANO WESTGEL DHA	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DEXILANT (dexlansoprazole)

PROTON PUMP INHIBITORS

Preferred Agents

Non-Preferred Agents

Prior Authorization/Class Criteria

esomeprazole magnesium (generic Nexium) **RX**^{QL} omeprazole (generic Prilosec) **RX** pantoprazole (generic Protonix)^{QL} PROTONIX **SUSP** (pantoprazole) rabeprazole (generic Aciphex)

dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) **OTC**^{QL} esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) **SUSP** lansoprazole (generic Prevacid)^{QL} NEXIUM **SUSP** (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX)

pantoprazole GRANULES QL

Non-preferred agents will be approved for patients who have failed an 8-week trial of THREE preferred agents.

Pediatric Patients:

.

Patients \leq 4 years of age – No PA required for Prevacid 30mg/ lansoprazole 30mg capsules (used to compound suspensions).

Drug-specific criteria:

- Prilosec[®]OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg
- Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension.
 Patients <u>></u> 5 years of age- Only approve non-preferred for GI

diagnosis if:
Child can not swallow whole

- Child can not swallow whole generic omeprazole capsules OR,
- Documentation that contents of capsule may not be sprinkled in applesauce

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODI, temazepam 15 mg, 30 mg (generic for Restoril)	AZEPINES estazolam (generic for ProSom) quazepam (generic Doral) temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion)	 Benzodiazepines Criteria Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used Others Criteria
OTH eszopiclone (generic for Lunesta) ^{AL} zaleplon (generic for Sonata) zolpidem (generic for Ambien) ^{CL}	BELSOMRA (suvorexant) ^{AL,QL} DAYVIGO (lemborexant) ^{AL,QL} doxepin (generic for Silenor) ^{CL} EDLUAR (zolpidem sublingual) HETLIOZ (tasimelteon) ^{AL,CL} HETLIOZ LQ (tasimelteon) SUSP ^{AL,QL} QUVIVIQ (daridorexant) ^{QL} ramelteon (generic Rozerem) ^{AL} tasimelteon (generic Hetlioz) ^{AL,CL} zolpidem ^{QL} CAP zolpidem ER (generic Ambien CR) ^{CL} zolpidem SL (generic Intermezzo) ^{CL}	 Non-preferred agents require a trial of TWO preferred agents in the OTHERS sub-category Silenor/doxepin Tablet: Must meet ONE of the following: Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10 mg Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criterion is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL}	GLUTAMINE POWD PACK (generic Endari) OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea) XROMI (hydroxyurea) ^{NR} SOLN	 Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLN, TAB (ivabradine) ivabradine (generic Corlanor) ^{NR} TAB	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SKELETAL MUSCLE RELAXANTS

Preferred Agents

Non-Preferred Agents	
NUII-FIEIEIIEU Agents	

Prior Authorization/Class Criteria

Preferred Agents	Non-Preferred Agents	Prior Authorization/ Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Zonaflex) tizanidine TAB (generic Zanaflex)	baclofen (generic Fleqsuvy) ^{QL} SUSP baclofen (generic Ozobax) ^{QL} SOLN baclofen (generic Ozobax DS) SUSP carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) TANLOR (methocarbamol) ^{NR} TAB tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone[®]: Requires clinical reason why chlorzoxazone cannot be used Soma[®] 250 mg: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex[®] Capsules: Requires
		clinical reason generic cannot be used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW F	OTENCY	Low Potency Non-preferred
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM , LOTION, OINT (Rx only) hydrocortisone/aloe OINT	 alclometasone dipropionate (generic for Aclovate) desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT hydrocortisone SOLN (generic Texacort)^{NR} HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone) 	- agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM	POTENCY	Medium Potency Non-preferred
fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH P	DTENCY	 High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM , GEL , OINT fluocinonide emollient halcinonide CREAM , SOLN ^{NR} (generic Halog) HALOG (halcinonide) CREAM , OINT , SOLN KENALOG AEROSOL (triamcinolone) triamcinolone SPRAY (generic Kenalog spray) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIGI	H POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM , OINT , SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate (generic Impoyz) ^{NR} CREAM clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) ^{AL,QL}	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS AL

Amphetamine typeApproved for patients wh failed a trial of ONE prefer agent within this drug claADDERALL XR (amphetamine salt combo)ADZENYS XR (amphetamine) ODT amphetamine salt combination ER (generic Mydayis) CAP amphetamine sulfate (generic Evekeo) dextroamphetamine (generic Dexedrine) TABDrug-specific criteria: • Procentra/ dextroamph documentation of swallow disorder • Zenzedi®: Requires clinic	Preferred Agents	Prior Authorization/Class Criteria
Amphetamine typefailed a trial of ONE prefer agent within this drug claADDERALL XR (amphetamine salt combo)ADZENYS XR (amphetamine) ODT amphetamine salt combination ER (generic Mydayis) CAP amphetamine sulfate (generic Evekeo) dextroamphetamine (generic Dexedrine) TAB dextroamphetamine (generic Procentra) SOLN Drug-specific criteria: • Procentra/ dextroamph soln: May be approved videoumentation of swallow documentation of swallow disorderDYANAVEL XR (amphetamine)QLdextroamphetamine ER (generic Dexedrine ER Spansule) CAPS EVEKEO ODT (amphetamine sulfate) methamphetamine (generic Desoxyn)Zenzedi®: Requires clinic generic dextroamphetamic cannot be used	CNS STIN	 Non-preferred agents will be opproved for patients who have
ADDERALL AR (amplification e saitADDERALL AR (amplification e saitADDERALL AR (amplification e saitcombo)amphetamine salt combination ER (generic Adderall XR)amphetamine sulfate (generic Evekeo) dextroamphetamine (generic Dexedrine) TABDrug-specific criteria: 	Amphetar	failed a trial of ONE preferred
lisdexamfetamine (generic Vyvanse) ^{QL} CAP XELSTRYM (detroamphetamine) ^{QL}	DDERALL XR (amphetamine salt ombo) mphetamine salt combination ER generic Adderall XR) mphetamine salt combination IR YANAVEL XR (amphetamine)QL sdexamfetamine (generic Vyvanse Chew) ^{QL} CHEW sdexamfetamine (generic	 agent within this drug class Drug-specific criteria: Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR
VYVANSE (lisdexamfetamine) ^{QL} PATCH ZAPS, CHEWABLE ZENZEDI (dextroamphetamine)	YVANSE (lisdexamfetamine) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	nidate type	 Non-preferred agents will be
CONCERTA (methylphenidate ER) ^{QL} 18 mg, 27 mg, 36 mg, 54 mg	APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) ^{QL}	 approved for patients who have failed a trial of TWO preferred agents within this drug class
DAYTRANA PATCH (methylphenidate) ^{QL}	COTEMPLA XR-ODT (methylphenidate) ^{QL} FOCALIN IR (dexmethylphenidate)	 Maximum accumulated dose of 108mg per day for ages < 18
dexmethylphenidate (generic for Focalin IR)	FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate CHEW	 Maximum accumulated dose of 72mg per day for ages > 19
dexmethylphenidate ER (generic Focalin XR)	methylphenidate ER (45 mg and 63 mg) ^{QL}	Drug-specific criteria: • Daytrana/methylphenidate patch: May be approved in
METHYLIN SOLN (methylphenidate)	methylphenidate 50/50 (generic Ritalin LA) methylphenidate 30/70 (generic	history of substance use disorder by parent, caregiver, or patient. May
methylphenidate (generic Ritalin)	Metadate CD) methylphenidate ER 18 mg, 27 mg,	be approved with documentation of difficulty swallowing
methylphenidate SOLN (generic Methylin)	36 mg, 54 mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic Aptensio XR) ^{QL}	QuilliChew ER: May be approved for children < 12 years of age OR with
QUILLICHEW ER CHEWTAB (methylphenidate)	methylphenidate ER (generic Metadate ER) methylphenidate ER 72 mg (generic	documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate) SUSP	RELEXXII) ^{QL} methylphenidate ER (generic Ritalin LA)	
	methylphenidate TD24 ^{AL} PATCH (generic Daytrana)	
	RELEXXII ER (methylphenidate 45mg and 63mg) ^{AL,QL} TAB	
	RITALIN (methylphenidate)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

MISCELLANEOUS atomoxetine (generic Strattera) QL guanfacine ER (generic Intuniv)QL QELBREE (viloxazine)QL Onyda XR (clonidine suspension, extended release) QL	Note: generic guanfacine IR and -clonidine IR are available without prior authorization
guanfacine ER (generic Intuniv)INTUNIV (guanfacine)QELBREE (viloxazine)Onyda XR (clonidine suspension,	
STRATTERA (atomoxetine) ANALEPTICS armodafinil (generic Nuvigil) ^{CL} modafanil (generic Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	 Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class Drug-specific criteria: Wakix and Sunosi: Require trial of armodafinil or modafinil: approved only for: Sleep Apnea with documentation/confirmation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation via sleep study and documentation is that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolep

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

TETRACYCLINES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
doxycycline hyclate IR (generic Vibramycin) doxycycline monohydrate 50MG , 100MG CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI CAPS (generic Dynacin/ Minocin/Myrac) tetracycline	 demeclocycline (generic Declomycin)^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 40MG, 75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCI TAB (generic Dynacin/Myrac) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline) 	 Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty

THROMBOPOIESIS STIMULATING PROTEINS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TAB	ALVAIZ (eltrombopag choline) ^{AL} DOPTELET (avatrombopag) Eltrombopag (generic Promacta) ^{NR} SUSP, TAB MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine (generic Synthroid) TAB liothyronine (generic Cytomel) TAB thyroid, pork TAB UNITHROID (levothyroxine)	ADTHYZA (thyroid, pork) ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) SYNTHROID (levothyroxine) TAB THYQUIDITY (levothyroxine) SOLN	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ORA	AL	 Non-preferred agents will be
APRISO (mesalamine) LIALDA (mesalamine) PENTASA (mesalamine) Sulfasalazine IR, DR (generic Azulfidine)	balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol/Lialda)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]: Requires clinical reason why preferred mesalamine products cannot be used
RECT	TAL	
	CANASA (mesalamine) mesalamine (generic Rowasa) ENEMA ROWASA (mesalamine) UCERIS (budesonide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

July PDL Highlighted in Red indicates changes that become effective July 1, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}		 Drug-specific criteria: Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TAB isosorbide dinitrate/hydralazine (Bidil) ^{CL} isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TAB	 BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat)^{AL,CL,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil/ isosorbide dinitrate-hydralazine: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit