

DEPT. OF HEALTH AND HUMAN SERVICES



Jim Pillen, Governor

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

June 2025 PDL with P&T changes Noted in Red Font that Become Effective July 18, 2025

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at <u>https://ne.primetherapeutics.com/drug-lookup</u>.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription
 drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid
 beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment,
 hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is
 required to document good faith effort, including reasons why unable to conduct the check and may
 be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a].
- **Opioids** The maximum opioid dose covered is 90 Morphine Milligram Equivalents (MME) per day.

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at: https://nebraska.fhsc.com/priorauth/paforms.asp

- Immunomodulators Self-Injectable PA Form
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: <u>Documentation of Medical Necessity PA Form</u>

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
adapalene (generic Differin) GEL (OTC/Rx), GEL PUMP adapalene/BPO (generic Epiduo) benzoyl peroxide GEL OTC clindamycin/BPO (generic BenzaClin) GEL, PUMP clindamycin bosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin-BPO (generic for Benzamycin) RETIN-A (tretinoin) ^{AL} CREAM, GEL	adapalene (generic Differin) CREAM adapalene/BPO (generic Epiduo Forte) ALTRENO (tretinoin) ^{AL} AMZEEQ (minocycline) ARAZLO (tazarotene) ^{AL} ATRALIN (tretinoin) AVAR (sulfacetamide sodium/sulfur) AVITA (tretinoin) AZELEX (azelaic acid) BENZEFOAM (benzoyl peroxide) benzoyl peroxide CLEANSER , CLEANSING BAR OTC benzoyl peroxide FOAM (generic BenzePro) benzoyl peroxide GEL Rx benzoyl peroxide GEL Rx benzoyl peroxide GEL Rx benzoyl peroxide GEL Rx benzoyl peroxide GEL Clindamycin FOAM , LOTION clindamycin FOAM , LOTION clindamycin/BPO (generic Acanya) GEL clindamycin/BPO (generic Acanya) GEL clindamycin/BPO PUMP (generic Onexton) ^{AL} clindamycin/tretinoin (generic Veltin, Ziana) dapsone (generic Aczone) DIFFERIN (adapalene) CREAM , GEL- OTC , GEL PUMP , LOTION erythromycin PLEDGET EVOCLIN (clindamycin) FOAM	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	 FABIOR (tazarotene) FOAM NEUAC (clindamycin/BPO) ONEXTON (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur sulfacetamide/sulfur cLEANSER SUMADAN (sulfacetamide/sulfur) tazarotene (generic Tazorac) CREAM tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin (generic Avita, Retin-A) ^{AL} CREAM, GEL tretinoin microspheres (generic Retin- A Micro) ^{AL}GEL, GEL PUMP WINLEVI (clascoterone)^{AL} 	 Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class

NR - Product was not reviewed - New Drug criteria will apply

AL- Age Limit

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ALZHEIMER'S AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHOLINESTERASE INHIBITORS		 Non-preferred agents will be approved for patients who have
donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch)	ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN , TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon) ZUNVEYL DR (benzgalantamine) ^{NR}	 failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg
	DR ANTAGONIST	or 10mg tablets can't be used (to deliver 20mg or 25mg)
	memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) memantine/donepezil (generic Namzaric) ^{NR} NAMENDA (memantine) NAMZARIC (memantine/donepezil)	

Page 4 of 101

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID LONG-ACTING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL}	BELBUCA (buprenorphine) ^{QL} BUCCAI buprenorphine PATCH (generic Butrans) ^{QL} fentanyl 37.5/62.5/87.5 mcg PATCH ^{QL} hydrocodone ER (generic Hysingla ER) ^{QL} hydromorphone ER (generic Exalgo) ^{CL} HYSINGLA ER (hydrocodone ER) methadone TABLET ^{CL} methadone ORAL SYR ^{CL} methadone SOL TABLET morphine ER (generic Avinza, Kadian) CAPS oxycodone ER (generic Ozycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic ConZip) ^{CL}	 The Center for Disease Control (CDC) does not recommend long-acting opioids when beginning opioid treatment. Preferred agents require previous use of a long-acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end-of-life care Oxycontin[®]: Pain contract required for maximum quantity authorization

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Acetaminophen/codeine ELIXIR, TAB codeine TAB hydrocodone/APAP SOLN, TAB hydrocodone/ibuprofen hydromorphone TAB morphine CONC SOLN, SOLN, TAB oxycodone TAB, SOLN oxycodone/APAP tramadol 50 TAB ^{AL} (generic Ultram)	AL • butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) oxycodone CAPS oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone ROXICODONE (oxycodone) SEGLENTIS (celecoxib/tramadol) ^{AL} tramadol 25mg tramadol 75mg tramadol 100mg (generic Ultram) ^{AL} tramadol 100mg (generic Ultracet)	Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablets and capsules there is a maximum quantity limit of #150 per 30 days. Opiate limits for opiate naïve patients will consist of: -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia, or prescriber attestation that patient is not recently opiate naive

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

Nebraska Medicaid Preferred Drug List

with Prior Authorization Criteria

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NA	NASAL	
	butorphanol SPRAY ^{QL}	-
BUCCAL/TRANSMUCOSAL ^{CL}		Drug-specific criteria: Actiq®/Fentora®/ fentanyl
	fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL}	transmucosal/Onsolis: Approved only for diagnosis of cancer AND current use of long-acting opiate

ANDROGENIC AGENTS (TOPICAL) CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANDROGEL (testosterone) PUMP ^{CL} testosterone PUMP (generic Androgel) ^{CL} TESTIM (testosterone) TRANSDERMAL	NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Tortesta) testosterone (generic Testim)	 Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid- induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Androgel[®]: Approved for Males only Natesto[®]: Approved for Males only with diagnosis of: Primary hypogonadism (congenital or acquired) OR Hypogonadotropic hypogonadism (congenital or acquired)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	IBITORS captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN quinapril (generic Accupril)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned/enalapril oral
enalapril/HCTZ (generic Vaseretic) lisinopril/HCTZ (generic Prinzide, Zestoretic)	trandolapril (generic Mavik) ETIC COMBINATIONS benazepril/HCTZ (generic Lotensin HCT) captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic) quinapril/HCTZ (generic Accuretic)	 Epaneo/enalapril oral solution/Qbrelis oral solution: Clinical reason why oral tablet is not appropriate
ANGIOTENSIN REC irbesartan (generic Avapro)	EPTOR BLOCKERS	-
Ibesartan (generic Avapio) Iosartan (generic Cozaar) olmesartan (generic Benicar) valsartan (generic Diovan)	candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS		 Non-preferred agents will be
irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT)	candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT)	 approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without
	I MODULATOR/ OCKER COMBINATIONS	prior authorization
amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge)	amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) amlodipine/valsartan/HCTZ (generic Exforge HCT) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka)	-
DIRECT RENI	N INHIBITORS	-
	aliskiren (generic Tekturna) ^{Q∟}	-
DIRECT RENIN INHIB	ITOR COMBINATIONS	 Direct Renin Inhibitors/Direct Renin Inhibitor Combinations:
	TEKTURNA/HCTZ (aliskiren/HCTZ)	May be approved witha history of TWO preferred ACE Inhibitors or
NEPRILYSIN INHIBITOR COMBINATION		Angiotensin Receptor Blockers within the last 12 months
ENTRESTO (sacubitril/valsartan) ^{CL,QL}	ENTRESTO (sacubitril/valsartan) ^{CL,QL} SPRINKLE CAP sacubitril/valsartan (generic Entresto) ^{CL,NR,QL}	 Drug Specific Criteria Entresto/ sacubitril-valsartan: May be approved in patients ages >1 years old and with a diagnosis of heart failure

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTHELMINTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol)	EMVERM (mebendazole) ^{CL} praziquantel (generic Biltricide) STROMECTOL (ivermectin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Emverm: Approval will be considered for indications not covered by preferred agents

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTI-ALLERGENS, ORAL

Preferred Agents

Non-Preferred Agents

GRASTEK (timothy grass pollen

ORALAIR (sweet vernal/orchard/rye/

timothy/kentucky blue grass mixed

PALFORZIA (peanut allergen powder-

and Dermatophagoides

pollen allergen extract)^{CL}

RAGWITEK (weed pollen-short

pteronyssinus)AL,QL

allergen) AL,QL

dnfp) AL,CL

ragweed)AL,QL

Prior Authorization/Class Criteria

All agents require initial dose to be given in a healthcare setting

ODACTRA (Dermatophagoides farinae Drug-specific criteria:

GRASTEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens.

• For use in persons 5 through 65 years of age.

ODACTRA

• Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite

• For use in persons 5 through 65 years of age

ORALAIR

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens.

• For use in patients 5 through 65 years of age.

PALFORZIA

• Confirmed diagnosis of peanut allergy by allergist

• For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days

• Initial dose and increase titration doses should be given in a healthcare setting

• Should not be used in patients with uncontrolled asthma or concurrently on a NSAID

RAGWITEK

• Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen.

• For use in patients 5 through 65 years of age.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, GASTROINTESTINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL} vancomycin (generic Firvanq) ^{QL} SOLN	AEMCOLO (rifamycin) TAB DIFICID (fidaxomicin) ^{CL} TAB , SUSP FIRVANQ (vancomycin) ^{QL} SOLN LIKMEZ (metronidazole) SUSP metronidazole ^{CL} CAPS metronidazole 125mg TAB nitazoxanide (generic Alinia) TAB ^{AL, CL, QL} paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) ^{CL} VOWST (fecal microbiota spores) ^{AL,QL} XIFAXAN (rifaximin) ^{CL}	 Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia /nitazoxanide tablet: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. For diagnosis of relapsed or recurrent C. difficile, an appropriate ICD-10 diagnosis code must be submitted for coverage. Flagyl®/Metronidazole 375mg capsules and / Metronidazole 750mg ER tabs: Clinical reason why the generic regular release cannot be used tinidazole:

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, INHALED CL

Preferred Agents ^{CL}	Non-Preferred Agents	Prior Authorization/Class Criteria
Preferred Agents ^{CL} BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) ^{QL}	Non-Preferred Agents ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) ^{QL} tobramycin (generic Bethkis)	 Prior Authorization/Class Criteria Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or
		documentation of why nebulized tobramycin cannot be used

ANTIBIOTICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
bacitracin OINT bacitracin OINT OTC bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine	bacitracin PCKT-OTC CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL}	 Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin[®] Cream: Clinical reason the ointment cannot be used

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, VAGINAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CLEOCIN CREAM (clindamycin) CLEOCIN OVULES (clindamycin) metronidazole, vaginal NUVESSA (metronidazole)	clindamycin CREAM (generic Cleocin) CLINDESSE (clindamycin) metronidazole (generic Nuvessa) ^{NR} VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) ^{AL} GEL	Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months

ANTICOAGULANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
dabigatran etexilate (generic Pradaxa) CAPS ELIQUIS (apixaban) enoxaparin (generic Lovenox) warfarin (generic Coumadin) XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} XARELTO DOSE PACK (rivaroxaban)	fondaparinux (generic Arixtra) FRAGMIN (dalteparin) PRADAXA (dabigatran) CAPS , PELLETS rivaroxaban (generic Xarelto) ^{NR} SAVAYSA (edoxaban) ^{CL,QL} XARELTO (rivaroxaban) ^{CL} SUSP	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Drug-specific criteria: Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery clisease Xarelto Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIEMETICS/ANTIVERTIGO AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CANNAE dronabinol (generic Marinol) ^{AL}	BINOIDS	 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the same
5HT3 RECEPTO	DR BLOCKERS	group
ondansetron (generic Zofran/Zofran ODT) ^{qL}	ANZEMET (dolasetron) granisetron (generic Kytril) ondansetron 16mg ODT (generic Zofran ODT) SANCUSO (granisetron) ^{CL}	 Drug-specific criteria: Akynzeo®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist <u>Regimens include</u>: AC combination (Doxorubicin or Epirubicin with
NK-1 RECEPTO	R ANTAGONIST	Cyclophosphamide), Aldesleukin,
aprepitant (generic Emend) CAPS ^{QL}	AKYNZEO (netupitant/palonosetron) ^{CL} aprepitant (generic Emend) PACK EMEND (aprepitant) CAPS, PACK, POWDER ^{QL}	Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide,
TRADITIONAL	ANTIEMETICS	 Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α,
DICLEGIS (doxylamine/pyridoxine) ^{CL,QL} dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose (generic Emetrol) SOLN prochlorperazine(generic Compazine) promethazine (generic Phenergan) SYRUP, TAB promethazine 12.5mg, 25mg SUPPOSITORY scopolamine TRANSDERMAL TRANSDERM-SCOP (scopolamine)	BONJESTA (doxylamine/pyridoxine) ^{,CL,QL} COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis) ^{CL,QL} prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg trimethobenzamide TAB (generic Tigan)	 Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis/doxylamine-pyridoxine)/ Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Sancuso[®]: Documentation of oral dosage form intolerance

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clotrimazole (mucous membrane, troche) fluconazole SUSP, TAB (generic Diflucan)	BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic	 Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria:
griseofulvin SUSP griseofulvin microsized TAB nystatin SUSP terbinafine (generic Lamisil)	GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral)	 Cresemba[®]: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of:
	ORAVIG (miconazole) ^{QL} BUCCAL NOXAFIL (posaconazole) ^{AL} SUSP, TAB NOXAFIL (posaconazole) ^{AL,CL}	Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil/ posaconazole DR tablets, oral cusponation, PowdorMix® for delayed oral
	POWDERMIX nystatin TAB posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL}	suspension, PowderMix® for delayed oral suspension:: For prophylaxis of invasive Aspergillus and Candida infections, no preferred agent trial is required in severely immunocompromised patients (i.e.,
	VIVJOA (oteseconazole) CAPS voriconazole (generic VFEND) ^{CL}	Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Neutropenic hematologic malignancies, Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant
		 Noxafil[®] Powdermix: pediatric patients 2 years of age and older who weigh 40 kg or less Noxafil/ posaconazole Suspension:
		Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole and;
		 Prophylaxis of invasive Aspergillus and Candida infections Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole
		 Sporanox[®] Liquid: Clinical reason solid oral cannot be used
		 Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failure of generic itraconazole
		 Vfend/voriconazole:: No trial for diagnosis of Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML), Graft vs. Host disease (GVHD), Candidemia (candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusarium spp., Oropharyngeal/esophageal candidiasis

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

refractory to fluconazole

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, TOPICAL

Preferred Agents Non-Preferred Agents	Prior Authorization/Class Criteria
ANTIFUNGAL • clotrimazole (generic Lotrimin) CREAM (RX & OTC) ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSP (generic Ciclodan, Loprox) ketoconazole (generic Lotrimin) SOLN-RX ketoconazole CREAM, PAMPOO (generic Nizoral) Ciclofan, Loprox) miconazole CREAM, POWDER OTC Dr nystatin Eexnex PowDER OTC, CREAM-OTC, SOLN-OTC (generic Tinactin) Dr CREAM-OTC, SOLN-OTC (generic Tinactin) ERTACZO (sertaconazole) F FUNGOID (miconazole) OTC JUBLIA (efinaconazole) ^{CL} ketoconazole FOAM ^{CL} (generic Extina, Ketodan) . LOPROX (ciclopirox) SUSP, SHAMPOO, CREAM . LOTRIMIN LTRA (butenafine) LUIconazole (generic Cuzu) miconazole OTC OINT, SPRAY, SOLN . miconazole (generic Coxistat) avaborole SOLN ^{CL} (generic Naftin) oxiconazole (generic Oxistat) avaborole SOLN ^{CL} (generic Kerydin) toinafate POWDER OTC TRIPENICOL (undecylenic acid) CREAM- OTC	Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months rug-specific criteria: Extina/ Ketodan/ ketoconazole foam: Requires trial and failure or contraindication to other ketoconazole forms Jublia and tavaborole: Approved diagnoses include Onychomycosis of the toenails due to <i>T.rubrum OR T.</i> <i>Mentagrophytes</i> ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine

ANTIFUNGAL/STEROID COMBINATIONS

clotrimazole/betamethasone CREAM (generic Lotrisone) nystatin/triamcinolone (generic Mycolog) CREAM, OINT

clotrimazole/betamethasone LOTION (generic Lotrisone)

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit 101

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIHISTAMINES, MINIMALLY SEDATING

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) levocetirizine TAB (generic Xyzal) loratadine TAB , SOLN (generic Claritin)	cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (Rx) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs)	 Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered

ANTIHYPERTENSIVES, SYMPATHOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa	clonidine ER (generic Nexiclon) methyldopa/hydrochlorothiazide NEXICLON XR (clonidine ER) TAB	 Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class Drug Specific Criteria Nexiclon/ clonidine ER: Clinical reason why the preferred clonidine tablet or transdermal cannot be used

ANTIHYPERURICEMICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
allopurinol (generic Zyloprim) colchicine TAB (generic Colcrys) probenecid	allopurinol 200mg colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} MITIGARE (colchicine) probenecid/colchicine (generic Col- Probenecid)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Gloperba: Approved for documented swallowing disorder Uloric/febuxostat: Clinical reason why allopurinol cannot be used

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, OTHER

Preferred Agents

Non-Preferred Agents

AIMOVIG (erenumab-aooe) ^{CL,QL}	diclofenac (generic Cambia)	 All non-preferred agents will
AJOVY (fremanezumab-vfrm) ^{CL, QL}	POWDER	require a failed trial or
PEN, Autoinjector	dihydroergotamine mesylate NASAL	contraindication of a preferred
AJOVY (fremanezumab-vfrm)	ELYXYB (celecoxib) ^{AL,QL} SOLN	agent of the same indication
Autoinjector 3-pack ^{CL,QĹ}	EMGALITY 100 mg (galcanezumab-	 For Acute Treatment: agents will
EMGALITY 120 mg/mL (galcanezumab-	gnlm) ^{CL,QL} SYR	be approved for patients who have
gnlm) ^{CL, QL} PEN, SYRINGE	MIGERGOT (ergotamine/caffeine)	a failed trial or a contraindication to
NURTEC ODT (rimegepant) ^{AL,CL,QL}	RECTAL	two triptans.
QULIPTA (atogepant) ^{AL,CL,QL} UBRELVY (ubrogepant) ^{AL,CL,QL} TAB	MIGRANAL (dihydroergotamine) NASAL REYVOW (lasmiditan) ^{AL, CL,QL} TAB SYMBRAVO (rizatriptan benzoate/meloxicam) ^{AL,NR} TAB ZAVZPRET (zavegepant) ^{AL,QL} NASAL	 For Prophylactic Treatment: Require ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (divalproex, valproate,

Drug-specific criteria:

topiramate)

 Emgaility 100mg will only be approved for treatment of Episodic Cluster Headache

Prior Authorization/Class Criteria

- Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or a contraindication to two triptans. For use in preventative treatment, will be approved for patients who have a failed trial of
- ONE preferred injectable CGRP. **Qulipta**: May be approved for
- Quilipta: May be approved for patients who have a failed trial of ONE preferred injectable CGRP

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, TRIPTANS QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ORAL	 Non-preferred agents will be
rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan (generic Imitrex)	almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) zolmitriptan (generic Zomig)	 approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Zembrace: approved for patients who have failed ALL preferred agents
	NASAL	
IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal)	TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan)	-
INJ	IECTABLE	
sumatriptan VIAL	sumatriptan KIT ZEMBRACE SYMTOUCH (sumatriptan)	_

ANTIPARASITICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200)	CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM , LOTION ivermectin (generic Sklice) LOTION malathion (generic Ovide) spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPARKINSON'S AGENTS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
benztropine (generic Cogentin) trihexyphenidyl (generic Artane)		 Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class
COMT IN	HIBITORS	
DOPAMINE pramipexole (generic Mirapex) ropinirole (generic Requip)	entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) AGONISTS bromocriptine (generic Parlodel) NEUPRO (rotigotine) ^{CL} pramipexole ER (generic Mirapex ER) ^{CL} ropinirole ER (generic Requip XL) ^{CL}	 Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa- containing drug Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of
MAO-B IN	IHIBITORS	Parkinson's disease and concurrent treatment with carbidopa/levodopa agent
selegiline CAPS, TABLET (generic Eldepryl)	rasagiline (generic Azilect) ^{QL} XADAGO (safinamide) ZELAPAR (selegiline) ^{CL}	 Neupro[®]: For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires
OTHER ANTIPARKINSON'S DRUGS		trial OR Contraindication to
amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo)	APOKYN (apomorphine) SUB-Q apomorphine (generic Apokyn) SUB-Q carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) CREXONT (carbidopa and levodopa ER.) ^{QL} CAPS DHIVY (carbidopa/levodopa) ^{QL} DUOPA (carbidopa/levodopa) GOCOVRI (amantadine) ^{QL} INBRIJA (levodopa) ^{CL,QL} INHALER NOURIANZ (istradefylline) ^{CL,QL} OSMOLEX ER (amantadine) ^{QL} RYTARY (carbidopa/levodopa) VYALEV (foscarbidopa and foslevodopa) SUB-Q ^{NR}	 trial OR Contraindication to ropinirole AND pramipexole Nourianz: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa agent Osmolex ER: Required diagnosis of Parkinson's disease or drug-induced extrapyramidal reactions and had trial of or is intolerant to amantadine IR Pramipexole ER: Required diagnosis of Parkinson's along with preferred agent trial Ropinerole ER: Required diagnosis of Parkinson's along with preferred agent trial Zelapar[®]: Approved for documented swallowing disorder

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPSORIATICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acitretin (generic Soriatane)	methoxsalen (generic Oxsoralen- Ultra)	 Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy

ANTIPSORIATICS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcipotriene CREAM, OINT, SOLN	calcitriol (generic Vectical) ^{AL} OINT calcipotriene FOAM (generic Sorilux) calcipotriene/betamethasone OINT (generic Taclonex) calcipotriene/betamethasone SUSP (generic Taclonex Scalp) DUOBRII (halobetasol prop/tazarotene ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) VTAMA (tapinarof) ^{AL} CREAM ZORYVE 0.3% (roflumilast) ^{AL} CREAM	 Non-preferred agents will be approved for patients who have failed a trial with a preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIVIRALS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTI-HERPE acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex)	TIC DRUGS acyclovir (generic for Zovirax) ^{CL} SUSP	 Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group
ANTI-INFLUE oseltamivir (generic Tamiflu) ^{QL} CAPS, SUSP	NZA DRUGS rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS, SUSP	 Drug-specific criteria: Acyclovir Susp: Prior authorization NOT required for children 12 years old Xofluza: Requires clinical, patient specific reason that a preferred
ANTI-COVID PAXLOVID (nirmatrelvir/ritonavir) ^{QL}	XOFLUZA (baloxavir marboxil) ^{AL,CL,QL}	 agent cannot be used Paxlovid: Requires a diagnosis of COVID-19 and is limited to 1 dose pack per 30 days

ANTIVIRALS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acyclovir OINT docosanol OTC	acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) ^{AL} penciclovir (generic Denavir) ^{AL} XERESE (acyclovir/hydrocortisone)	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANXIOLYTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET, SOLN (generic for Valium) lorazepam INTENSOL, TABLET (generic for Ativan)	alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} BUCAPSOL (buspirone hcl) ^{NR} CAP clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} LOREEV XR (lorazepam) ^{AL} meprobamate oxazepam	 Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol[®]: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol[®]: Requires trial of diazepam solution OR lorazepam Intensol[®]

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BETA BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) BYSTOLIC (nebivolol) HEMANGEOL (propranolol) ^{AL} SOLN metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) nebivolol (generic Bystolic) propranolol (generic Inderal) propranolol ER (generic Inderal LA)	Acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER)	 Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Coreg CR/carvedilol: Requires clinical reason generic IR product cannot be used Hemangeol[®]: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize[®]: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used
carvedilol (generic Coreg)	carvedilol ER ^{CL} (generic Coreg CR)	

carvedilol (generic Coreg) labetalol (generic Trandate)

ANTIARRHYTHMIC

sotalol (generic Betapace)

SOTYLIZE (sotalol)

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BILE SALTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE)	BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) CTEXLI (chenodiol) ^{NR} TAB IQIRVO (elafibranor) ^{QL} TAB LIVDELZI (seladelpar) CAP LIVMARLI (maralixibat) SOLN ^{AL} TABLET ^{NR} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

BLADDER RELAXANT PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
fesoterodine (generic Toviaz) MYRBETRIQ (mirabegron) ^{AL} TAB oxybutynin IR, ER (generic Ditropan/Ditropan XL)	darifenacin ER (generic Enablex) flavoxate HCL GEMTESA (vibegron) ^{AL,QL} mirabegron ER TAB (generic Myrbetriq) MYRBETRIQ (mirabegron) SUSP ^{AL,CL,QL} oxybutynin 2.5mg OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) TOVIAZ (fesoterodine ER) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq suspension: Covered for pediatric patients ≥ 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO)

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPHOSPHONATES		 Non-preferred agents will be
alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL}	alendronate SOLN (generic Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) FOSAMAX PLUS D ^{QL} risedronate (generic Actonel) ^{QL}	 approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel[®] Combinations: Covere as individual agents without prior authorization Atelvia DR[®]: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto[®]: Requires clinical reason why alendronate tablets OR
	PRESSION AND RELATED DRUGS	Fosamax [®] solution cannot be use
calcitonin-salmon NASAL FORTEO (teriparatide) ^{CL,QL} raloxifene (generic Evista)	EVISTA (raloxifene) teriparatide (generic Forteo) ^{CL,QL} TYMLOS (abaloparatide)	 Forteo/ teriparatide: Covered for high risk of fracture High risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with or more clinical risk factors Family history of non- traumatic fractures DXA BMD T-score ≤ -2.5 any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of calcitonin-salmon not required Maximum of 24 months treatment per lifetime

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALPHA B	LOCKERS	 Non-preferred agents will be
alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin)	CARDURA XL (doxazosin) silodosin (generic Rapaflo) TEZRULY (terazosin) ^{CL,NR} SOLN	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Alfuzosin/dutasteride/finasteride
5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS	Covered for males only
dutasteride (generic Avodart) finasteride (generic Proscar)	dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil) finasteride/tadalafil (generic Entadfi) ^{NR}	 Cardura XL[®]: Requires clinical reason generic IR form cannot be used Flomax/ tamsulosin: Covered for males and may be covered for females for a 7-day supply with diagnosis of acute kidney stones Jalyn/ dutasteride-tamsulosin: Requires clinical reason why individual agents cannot be used Tezruly: Clinical reason why oral tablet is not appropriate

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BRONCHODILATORS, BETA AGONIST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHALE albuterol HFA (generic Proventil HFA) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA)	RS – Short Acting albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
INHALE	RS – Long Acting	Xopenex/levalbuterol solution: Covered for
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	cardiac diagnoses or side effect of tachycardia with albuterol product
INHAL	ATION SOLUTION	
albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol low dose (0.63mg/3ml & 1.25mg/3ml)	arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol)	
	ORAL	_
albuterol SYRUP	albuterol TAB albuterol ER (generic Vospire ER) terbutaline (generic Brethine)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CALCIUM CHANNEL BLOCKERS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ACTING byridines isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) nimodipine (generic Nymalize) SOLN NYMALIZE (nimodipine) SOLN	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy Induced Hypertension (PIH)
Non-dihydropyridines		 Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage
diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin)		 Nimodipine solution: Covered without trial for diagnosis of subarachnoid hemorrhage and
	ACTING	documented swallowing difficulty
	pyridines	 Katerzia/ Norliqva: May be approved with documented
amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC)	felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,CL,QL} SOLN	swallowing difficulty
Non-dihydropyridines		
diltiazem ER (generic Cardizem CD) verapamil ER TAB	diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) verapamil SR (generic Verelan) CAPS	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		 Non-preferred agents will be
amoxicillin/clavulanate TAB, SUSP	amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB	 approved for patients who have failed a 3-day trial of ONE preferred agent within the same group Drug Specific Criteria Cefixime- May be approved
CEPHALOSPORIN	S – First Generation	for a diagnosis of gonorrhea, with
cefadroxil CAPS, SUSP (generic Duricef) cephalexin CAPS, SUSP (generic Keflex)	cefadroxil TAB (generic Duricef) cephalexin TAB	 an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent Cefpodoxime- May be approved for a diagnosis of pyelonephritis, with an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent
CEPHALOSPORINS -	Second Generation	
cefprozil (generic Cefzil) cefuroxime TAB (generic Ceftin)	cefaclor (generic Ceclor)	
CEPHALOSPORINS – Third Generation		
cefdinir (generic Omnicef)	cefixime (generic Suprax) CAPS , SUSP cefpodoxime (generic Vantin)	

COLONY STIMULATING FACTORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FULPHILA (pegfilgrastim-jmdb) SUB-Q FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL	GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR ROLVEDON (eflapegrastim-xnst) SYR STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim- bmez)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CONTRACEPTIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
All reviewed agents are recommended preferred at this time <i>Only those products for review are</i> <i>listed.</i> Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or require substitution with a generic equivalent	XARAH FE (norethindrone acetate/ ethinyl estradiol/ferrous fumarate) ^{NR} XELRIA FE (norethindrone/ ethinyl estradiol/ferrous fumarate) ^{NR}	
Specific agents can be looked up using the Drug Look-up Tool at: <u>https://ne.primetherapeutics.com/</u> <u>drug-lookup</u> EMZAHH (norethindrone)		
FEIRZA (norethindrone acetate/ ethinyl estradiol/ferrous fumarate)		
FEMLYV ODT (norethindrone acetate and ethinyl estradiol)		
MINZOYA (levonorgestrel/ ethinyl estradiol tablets, and ferrous bisglycinate)		
OPILL (norgestrel) OTC		
VALTYA (ethynodiol diacetate/ethinyl estradiol)		

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELIPTA (umeclidnium) tiotropium (generic Spiriya)	approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp/roflumilast: Covered for diagnosis of severe COPD associated with chronic bronchitis Requires trial of a bronchodilator Requires documentation of one
INHALATION	N SOLUTION	exacerbation in last year upon initial review
ipratropium SOLN (generic Atrovent)	OHTUVAYRE (ensifentrine) inhalation suspension YUPELRI (revefenacin)	 Dupixent (For other indications, see Immunomodulators, Atopic Dermatitis and Asthma therapeutic classes): For COPD and an Eosinophilic Phenotype:
ORAL	AGENT	Requires documentation of
roflumilast (generic Daliresp) ^{CL,QL}	DALIRESP (roflumilast) ^{CL, QL}	inadequately controlled COPD with eosinophils ≥ 300 cells/microliter AND two exacerbations OR one exacerbation that led to hospitalization while on and adherent to a ≥ 90-day trial of triple therapy (LABA + LAMA + ICS). Prescribed by, or in consultation with a pulmonologist, immunologist, or an allergist.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COUGH AND COLD, OPIATE COMBINATION

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP	 Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to ≥ 18 years of age

CYSTIC FIBROSIS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ALYFTREK (vanzacaftor; tezacaftor; deutivacaftor) ^{AL,CL} TAB BRONCHITOL (mannitol) ^{AL,CL,QL} KALYDECO PACKET, TAB (ivacaftor) ^{QL, AL} ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB ^{QL, AL} SYMDEKO (tezacaftor/ivacaftor) ^{QL, AL} TRIKAFTA(elexacaftor, tezacaftor, ivacaftor) ^{AL, CL} PACKET ^{CL} , TAB	 Drug-specific criteria: Alyfrek: Diagnosis of CF and documentation of at least one F508del mutation or another responsive mutation in the CFTR gene. Bronchitol: Approved for diagnosis of CF and documentation that the patient has passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specific, FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of the drug specific, FDA approved mutation of CFTR gene.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADALIMUMAB-ADBM(CF) ^{AL} 50mg/mL KIT, PEN-KIT ADALIMUMAB-ADBM(CF) ^{AL} 100mg/mL KIT, PEN-KIT COSENTYX (secukinumab) ^{AL,QL} PEN, SYR CYLTEZO (adalimumab-adbm) ^{AL} 50mg/mL KIT, PEN-KIT CYLTEZO (adalimumab-adbm) ^{AL} 100mg/mL KIT, PEN-KIT ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} OTEZLA (apremilast) TAB ^{QL}	100mg/mL KIT, PEN-KIT (Quallent) ADALIMUMAB-FKJP (biosim for Hulio) ^{AL} PEN, SYR	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

HADLIMA (dalaimumab-bwwd) ^{AL} PUSHTOUCH, SYR HADLIMA (CF) (adalimumab-bwwd) ^{AL} PUSHTOUCH, SYR HULIO (adalimumab-ityip) ^{AL} PEN, SYR HYRIMOZ(CF) (adalimumab-adat2) ^{AL} PEN, SYR IDACIO (adalimumab-aac1) ^{AL} PEN, SYR ILUMYA (tidrakizumab) SUB-Q, PEN, SYR KINERET (anakinra) LITFULO (ritectinin) ^{AL} CAPS OLUMIANT (baricitinib) TAB ^{CL,QL} OMVOH (mirikizumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mtrz) ^{AL} 100mg. 200mg.300mg PEN ^{MS} , SYR ^{MI} ORENCIA (abatacept) SUB-Q OTULFI (Ustekinumab-mazz biosimilars for Stelara) ^{AL, MR} SYR RINVOQ (upadactitinib) ^{AL, QL} QS SOLN SILQ (prodalumab) SIMLANDI (CF) (adalimumab-ryvk) ^{AL} KIT SIMPONI (golimumab) SKYRIZI ON-BODY (Issankizamab-rzaa) ^{GL} SKYRIZI PEN (risankizamab-rzaa) ^{GL} SYR	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
• · · · ·	Preferred Agents	HADLIMA (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYR HADLIMA (CF) (adalimumab- bwwd) ^{AL} PUSHTOUCH, SYR HULIO (adalimumab-fkjp) ^{AL} PEN, SYR IDACIO (adalimumab-aacf) ^{AL} PEN, SYR IDACIO (adalimumab-aacf) ^{AL} PEN, SYR ILUMYA (tildrakizumab) SUB-Q KEVZARA (sarilumab) SUB-Q KEVZARA (sarilumab) SUB-Q, PEN, SYR KINERET (anakinra) LITFULO (ritlecitinib) ^{AL} CAPS OLUMIANT (baricitinib) TAB^{CL,QL} OMVOH (mirikizumab-mrkz) ^{AL} 100mg, 200mg,300mg PEN^{NR},SYR ^{NR} ORENCIA (abatacept) SUB-Q OTULFI (ustekinumab-aauz biosimilars for Stelara) ^{AL, NR} SYR PYZCHIVA (ustekinumab-ttwe, biosimilars for Stelara) ^{AL, NR} SYR RINVOQ ER (upadacitinib) ^{CL,QL} RINVOQ ER (upadacitinib) ^{CL,QL} RINVOQ (upadacitinib) ^{AL,QL} LQ SOLN SELARSDI (biosimilar- Stelara) ^{AL, NR} SYR SILIQ (brodalumab) SIMLANDI (CF) (adalimumab-ryvk) ^{AL} KIT SIMPONI (golimumab) SKYRIZI (risankizamab-rzaa) SYR SKYRIZI PEN (risankizamab-rzaa) ^{QL} SOTYKTU (deucravacitinib) TAB SPEVIGO (spesolimab-sbzo) ^{AL} SYR	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	XELJANZ (tofacitinib) TAB, SOLN ^{CL,QL} XELJANZ XR (tofacitinib) TAB ^{CL,QL} YESINTEK (ustejinumab-kfce) ^{AL,NR} SYR YUFLYMA 100mg/mL (CF) (adalimumab-aaty) ^{AL} KIT.PEN-KIT	 Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response is required. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA- approved indications and age limits.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DIURETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
SINGLE-AGEN amiloride TAB bumetanide TAB chlorthalidone (generic Diuril) TAB furosemide (generic Lasix) SOLN, TAB hydrochlorothiazide (generic Microzide) CAPS, TAB indapamide TAB KERENDIA (finerenone) TAB ^{CL,QL} metolazone TAB spironolactone (generic Aldactone) ^{AL} TAB torsemide TAB	CAROSPIR (spironolactone) ^{AL} SUSP eplerenone (generic Inspra) ^{CL} TAB ethacrynic acid (generic Edecrin) CAPS HEMICLOR (chlorthalidone) ^{NR} TAB INZIRQO (hydrochlorothiazide) ^{NR.QL} SUSP spironolactone (generic Carospir) ^{AL} SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults spironolactone suspension: May be approved without trial of a preferred agent if there is a clinical
COMBINATION PRODUCTS		reason why preferred
amiloride/HCTZ TAB spironolactone/HCTZ TAB (generic		 spironolactone solid dosage form cannot be used.

Aldactazide) triamterene/HCTZ CAPS, TAB (generic Dyazide, Maxzide)

ENZYME REPLACEMENT, GAUCHER'S DISEASE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ZAVESCA (miglustat) ^{CL}	CERDELGA (eliglustat) miglustat (generic Zavesca)	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate
		Drug-specific criteria:
		 Zavesca/miglustat: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

EPINEPHRINE, SELF-ADMINISTERED QL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ	AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic Adrenaclick) epinephrine (generic Epipen/ Epipen Jr.) AUTOINJ	 Non-preferred agents require clinical documentation why the preferred product within this drug class is not appropriate

ERYTHROPOIESIS STIMULATING PROTEINS

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
ARANESP (darbopoetine alfa) DISP SYR, VIAL EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer</i> <i>manufacturer only</i>	JESDUVROQ (daprodustat) ^{NR} TAB PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Vifor</i> <i>manufacturer only</i> VAFSEO (vadadustat) TAB	•	Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

FLUOROQUINOLONES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ciprofloxacin TAB (generic Cipro) levofloxacin TAB (generic Levaquin) moxifloxacin (generic Avelox)	BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN ofloxacin	 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolid, sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension: Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (non- gonorrhea)

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GI MOTILITY, CHRONIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LINZESS (linaclotide) ^{AL,QL} Iubiprostone (generic Amitiza) ^{AL,QL} RELISTOR (methylnaltrexone) SYR TRULANCE (plecanatide) ^{AL,QL}	alosetron (generic Lotronex) AMITIZA (lubiprostone) ^{AL, QL} IBSRELA (tenapanor) ^{AL,QL} MOTEGRITY (prucalopride succinate) MOVANTIK (naloxegol oxalate) ^{QL} prucalopride (generic Motegrity) RELISTOR (methylnaltrexone) ^{QL} TAB , VIAL SYMPROIC (naldemedine) VIBERZI (eluxodoline)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication Drug-specific criteria: Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Lotronex/ alosetron: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Relistor® TAB: Covered for diagnosis of opioid-induced constipation in adults with chronic, non-cancer pain after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives (senna, bisacodyl, etc.) and failure of Movantik Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Viberzi®: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik

GLUCAGON AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BAQSIMI (glucagon) ^{AL,QL} NASAL GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Fresenius) GLUCAGON EMERGENCY (glucagon) ^{QL} INJ KIT (Lilly) glucagon ^{QL} INJ GVOKE (glucagon) ^{AL,QL} PEN, SYR PROGLYCEM (diazoxide) SUSP ZEGALOGUE (dasiglucagon) ^{AL,QL} AUTO-INJ	diazoxide SUSP (generic Proglycem) GVOKE (glucagon) ^{AL,QL} VIAL ZEGALOGUE (dasiglucagon) ^{AL,QL} SYR	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCOCO	RTICOIDS	 Non-preferred agents within the Glucocorticoids and
ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone) ^{QL,AL} ASMANEX HFA (mometasone) ^{QL} fluticasone HFA (generic Flovent HFA) PULMICORT FLEXHALER	ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} fluticasone (generic Flovent Diskus) QVAR Redihaler (beclomethasone)	Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months
(budesonide)		 Drug-specific criteria: budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have
GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	failed a trial of two preferred agents
ADVAIR DISKUS (fluticasone/ salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol) TRELEGY ELLIPTA (fluticasone/ umeclidinium/vilanterol)	 AIRDUO DIGIHALER (fluticasone/salmeterol)^{AL,QL} AIRSUPRA HFA (albuterol and budesonide)^{AL} BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/ glycopyrrolate)^{QL} budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)^{QL} fluticasone/salmeterol (generic for Advair HFA)^{QL} fluticasone/salmeterol (generic for Advair HFA)^{QL} fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) 	within this drug class, within the last 6 months.
INHALATION SOLUTION		
	budesonide RESPULES (generic for Pulmicort)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
budesonide EC CAPS (generic Entocort EC) dexamethasone ELIXIR, SOLN dexamethasone TAB hydrocortisone TAB methylprednisolone tablet (generic Medrol) prednisolone SOLN prednisolone sodium phosphate prednisone DOSE PAK prednisone TAB	ALKINDI (hydrocortisone) GRANULES^{AL} CORTEF (hydrocortisone) cortisone TAB dexamethasone INTENSOL EOHILIA (budesonide) ^{AL,QL} SUSP HEMADY (dexamethasone) methylprednisolone 8mg, 16mg, 32mg prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate ODT prednisolone SOLN prednisone INTENSOL RAYOS DR (prednisone) TAB TARPEYO (budesonide) CAPS	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN)
prednisolone SOLN prednisolone sodium phosphate prednisone DOSE PAK	methylprednisolone 8mg, 16mg, 32mg prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLN prednisone INTENSOL RAYOS DR (prednisone) TAB	 specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy

GROWTH HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GENOTROPIN (somatropin)	HUMATROPE (somatropin)	Growth Hormone PA Form
NORDITROPIN (somatropin)	NGENLA (somatrogon-ghla) ^{AL}	Growth Hormone Criteria
	NUTROPIN AQ (somatropin)	
	OMNITROPE (somatropin)	
	SEROSTIM (somatropin)	
	SKYTROFA (Ionapegsomatropin-tcgd)	
	SOGROYA (somapacitan-beco)	
	ZOMACTON (somatropin)	
	χ · · · /	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

H. PYLORI TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PYLERA (bismuth, metronidazole, tetracycline) ^{QL}	bismuth,metronidazole,tetracycline (generic Pylera) ^{QL}	 Non-preferred agents will be approved for patients who have
	lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL}	failed a trial of ONE preferred agent within this drug class
	OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL}	
	TALICIA (omeprazole/amoxicillin/rifabutin)	
	VOQUEZNA (vonoprazan) ^{QL}	

HAE TREATMENTS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human) ^{AL,CL} SUB-Q icatibant acetate (generic for FIRAZYR) ^{AL} SUB-Q TAKHZYRO (lanadelumab-flyo) ^{AL,CL} SYR	CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL	 HAE Treatments PA Form All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication. Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEMOPHILIA TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BISPE	CIFIC FACTORS	 Non-preferred agents will be
HEMLIBRA	HYMPAVZI ^{AL,NR}	approved for patients who have failed a trial of ONE preferred agent
	QFITLIA (fitusiran) ^{AL,NR} PEN, VIAL	within this drug class
F/	ACTOR VIII	-
ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE	ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE	
F	ACTOR IX	-
ALPROLIX BENEFIX	ALPHANINE SD IDELVION IXINITY PROFILNINE SD REBINYN RIXUBIS	
FACTOR VIIa AND PROTHR	OMBIN COMPLEX-PLASMA DERIVED	-
NOVOSEVEN RT	FEIBA NF SEVENFACT ^{AL}	
FACTOR X	AND XIII PRODUCTS	
COAGADEX CORIFACT	TRETTEN	
TISSUE FACTOR P	ATHWAY INHIBITOR (TFPI)	-
	ALHEMO ^{AL,NR}	-
VON WILLE	BRAND PRODUCTS	-
WILATE	VONVENDI	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit

101

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS B TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
entecavir TAB	adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB Iamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS C TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIRECT ACTIN	IG ANTI-VIRAL	Hepatitis C Treatments PA Form
MAVYRET (glecaprevir/pibrentasvir) TAB^{CL}, PELLET^{AL,CL} sofosbuvir/velpatasvir (generic Epclusa) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL}	HARVONI 200/45MG, TAB (ledipasvir/sofosbuvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET ledipasvir/sofosbuvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TAB (sofosbuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL}	 Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni/ ledipasvir-sofosbuvir: Post liver transplant for
RIBA	VIRIN	genotype 1 or 4
ribavirin 200mg CAPSULE, TAB		 Vosevi: Requires documentation of non-response after previous
INTER	FERON	 treatment course of Direct Acting Anti-viral agent (DAA) for genotype
PEGASYS (pegylated interferon alfa- 2a) ^{CL}		1-6 without cirrhosis or with compensated cirrhosis

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HISTAMINE II RECEPTOR BLOCKERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
famotidine TAB (generic for Pepcid) famotidine SUSP	cimetidine TAB, SOLN^{CL} (generic Tagamet) famotidine CHEW-TAB nizatidine CAPS (generic for Axid)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CAPSID I	NHIBITOR	 All agents require:
	SUNLENCA (lenacapavir) ^{QL}	 Diagnosis of HIV/AIDS required, OR
CCR5 ANT	AGONISTS	 Diagnosis of Pre and Post
SELZENTRY SOLN, TAB (maraviroc)	maraviroc (generic Selzentry)	 Exposure Prophylaxis Non-preferred agents will be approved for patients who have a
FUSION I	NHIBITORS	diagnosis of HIV/AIDS and patient
FUZEON SUB-Q (enfuvirtide) ^{QL}		specific documentation of why the preferred products within this drug
HIV-1 ATTACH	MENT INHIBITOR	class are not appropriate for patient, including, but not limited
	RUKOBIA ER (fostemsavir)AL,QL	to, drug resistance or concomitant conditions not recommended with
INTEGRASE STRAND TRA	NSFER INHIBITORS (INSTIS)	 preferred agents Patients undergoing treatment at
ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir)	TIVICAY PD (dolutegravir)	the time of any preferred status change will be allowed to continue therapy
NON-NUCLEOSIDE REVERSE TRA	NSCRIPTASE INHIBITORS (NNRTIS)	
EDURANT (rilpivirine) efavirenz CAPS, TABLET (generic Sustiva) INTELENCE (etravirine) ^{QL} PIFELTRO (doravirine) ^{QL}	etravirine (generic Intelence) ^{QL} nevirapine IR, ER (generic Viramune/Viramune XR) SUSTIVA CAPS, TABLET (efavirenz) VIRAMUNE (nevirapine) SUSP	
NUCLEOSIDE REVERSE TRANS	SCRIPTASE INHIBITORS (NRTIS)	
abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir)	didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) ZIAGEN (abacavir)	
NUCLEOTIDE REVERSE TRAN	SCRIPTASE INHIBITORS (NRTIS)	
tenofovir TABLET (generic Viread)	VIREAD (tenofovir) POWDER	
PHARMACOKIN	ETIC ENHANCER	
	TYBOST (cobicistat) ^{QL}	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROTEAS	SE INHIBITORS	All agents require:
atazanavir CAPS (generic Reyataz) NORVIR (ritonavir) TAB PREZISTA (darunavir) TAB ritonavir TAB (generic Norvir)	APTIVUS CAPS , SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATE ^{AL} TAB darunavir ethanolate (generic Prezista) ^{AL} TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER , SOLN (ritonavir) PREZISTA (darunavir) SUSP REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir)	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
	E INHIBITORS (PIs) or PIs plus INETIC ENHANCER KALETRA SOLN (lopinavir/ritonavir) KALETRA TAB (lopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) ^{QL}	 All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue
COMBINATION NUCLEOS(T)IDE R	EVERSE TRANSCRIPTASE INHIBITORS	therapy
abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL} emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic Combivir)	abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
COMBINATION PRODU	CTS – MULTIPLE CLASSES	•	All agents require:
 BIKTARVY (bictegravir/emtricitabine/ tenofovir)^{QL} COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO (doravirine/lamivudine/tenofovir)^{QL} DOVATO (dolutegravir/lamivudine)^{QL} efavirenz/emtricitabine/tenofovir (generic Atripla)^{CL} GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir)^{QL, AL} JULUCA (dolutegravir/rilpivirine)^{QL} ODEFSEY (emtricitabine/rilpivirine/ tenofovir)^{QL} STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir)^{QL} SYMFI (efavirenz/lamivudine/ tenofovir)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir)^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir)^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir)^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine) 	efavirenz/lamivudine/tenofovir (generic for Symfi) ^{QL} efavirenz/lamivudine/tenofovir (generic for Symfi Lo) ^{QL} TRIUMEQ PD (abacavir, dolutegravir, and lamivudine) SUSP	•	 Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
6	acarbose (generic Precose)	miglitol (generic Glyset)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
GLUCAGON-LIKE PEPTIDE-1 RECE	EPTOR AGONIST (GLP-1 RA) ^{AL,CL,QL}	GLP-1 RA Criteria
OZEMPIC (semaglutide) ^{AL,QL} TRULICITY (dulaglutide) ^{AL,QL} VICTOZA (liraglutide) ^{AL,QL} subcutaneous	BYDUREON BCISE PEN (exenatide) AL,QL BYETTA (exenatide) AL,QL subcutaneous exenatide (generic Byetta) AL,QL liraglutide (generic Victoza) AL,QL MOUNJARO (tirzepatide) AL,QL PEN RYBELSUS (semaglutide) AL,QL TAB	 Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: Failed a trial of TWO preferred agents within GLP-1 RA AND
INSULIN/GLP-1 RA	A COMBINATIONS	 Diagnosis of diabetes with HbA1C ≥ 7 AND
	SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide)	 Trial of metformin, or contraindication or intolerance to metformin
AMYLIN	ANALOG	Amylin Analog Criteria
	SYMLIN (pramlintide) subcutaneous	 ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance
DIPEPTIDYL PEPTIDASE-	-4 (DPP-4) INHIBITOR ^{AL,QL}	 No diagnosis of gastroparesis
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin (generic Nesina) alogliptin/metformin (generic Kazano) alogliptin/pioglitazone (generic Oseni) GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin)	 HbA1C ≤ 9% within last 90 days Monitoring of glucose during initiation of therapy DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DIPEPTIDYL PEPTIDASE	E-4 (DPP-4) INHIBITOR ^{AL,QL}	
	saxagliptin (generic Onglyza) saxagliptin/metformin ER (generic Kombiglyze ER) sitagliptin (generic Zituvio) sitagliptin/ metformin (Zituvimet) sitagliptin/ metformin ER (Zituvimet XR) ^{NR} STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIMET (sitagliptin/metformin) TAB ^{QL} ZITUVIMET XR (sitagliptin/ metformin ER) TAB ^{QL} ZITUVIO (sitagliptin)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

Non-Preferred Agents Prior Authorization/Class Criteria Preferred Agents Non-preferred agents will be HUMULIN (insulin) VIAL ADMELOG (insulin lispro) PEN, VIAL • approved for patients who have HUMULIN 70/30 VIAL AFREZZA (regular insulin) failed a trial of ONE preferred INHALATION HUMULIN U-500 VIAL agent within this drug class APIDRA (insulin alulisine) HUMULIN 500 U/M PENCL SOLOSTAR, VIAL HUMULIN OTC PEN Drug-specific criteria: BASAGLAR (insulin glargine, rec) Afrezza®: Approved for T1DM on HUMULIN 70/30 OTC PEN PEN, TEMPO PEN long-acting insulin with no current insulin aspart (generic for Novolog) history of smoking or chronic lung FIASP (insulin aspart) CARTRIDGE, CARTRIDGE, PEN, VIAL disease PEN, VIAL insulin aspart/insulin aspart protamine HUMALOG U-100 TEMPO PEN **PEN, VIAL**(generic for Novolog Mix) Humulin[®] R U-500 Kwikpen: May HUMALOG (insulin lispro)^{CL} U-200 insulin lispro (generic for Humalog) be approved for patients who **KWIKPEN** PEN, VIAL, JR KWIKPEN require >200 units/day HUMALOG (insulin lispro) U-100 insulin lispro/lispro protamine KWIKPEN **CARTRIDGE, PEN, VIAL** (Humalog Mix Kwikpen) Humalog U-200 Pen: May be approved for patients who HUMALOG JR. (insulin lispro) U-100 LANTUS SOLOSTAR PEN (insulin require > 100 units/day **KWIKPEN** glargine) HUMALOG MIX PEN (insulin LANTUS (insulin glargine) VIAL lispro/lispro protamine) HUMALOG MIX VIAL (insulin lispro/lispro protamine) insulin degludec (generic Tresiba) 100U/mL PEN, VIAL insulin degludec (generic Tresiba) 200U/mL PEN insulin glargine PEN, VIAL insulin glargine (Toujeo) insulin glargine max (Toujeo Max) insulin glargine-YFGN PEN, VIAL (generic for Semglee-YFGN) LEVEMIR (insulin detemir) PEN, VIAL LYUMJEV KWIKPEN, VIAL (insulin lispro-aabc) LYUMJEV (insulin lispro-aabc) **TEMPO PEN**

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS, continued

Preferred Agents

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, MEGLITINIDES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
repaglinide (generic Prandin)	nateglinide (generic Starlix) ^{CL}	 Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control

HYPOGLYCEMICS, METFORMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
metformin IR & ER (generic Glucophage/Glucophage XR)	metformin 750 mg metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL}	 Metformin ER (generic Fortamet[®])/Glumetza[®]: Requires clinical reason why generic Glucophage XR[®] cannot be used Metformin solution: Prior authorization not required for age <7 years

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SGLT2

Non-Preferred Agents

FARXIGA (dapagliflozin) ^{CL.QL} JARDIANCE (empagliflozin) ^{CL.QL} SYNJARDY (empagliflozin/metformin)^{AL,CL,QL} XIGDUO XR (dapagliflozin/metformin)^{CL.QL}

Preferred Agents

BRENZAVVY (bexagliflozin)^{NR} dapagliflozin^{CL.NR,QL} (generic Farxiga) dapagliflozin/metformin^{CL.QL} (generic Xigduo) INPEFA (sotagliflozin)^{QL} **TAB** INVOKAMET (canagliflozin/ metformin) ^{CL.QL}

INVOKAMET XR (canagliflozin/metformin)^{QL}

INVOKANA (canagliflozin)^{CL}

SEGLUROMET (ertugliflozin/metformin)^{QL} STEGLATRO (ertugliflozin)^{QL} SYNJARDY XR (empagliflozin/ metformin)^{AL,QL} Prior Authorization/Class Criteria

Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, **OR**

A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required)

 Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class

Drug Specific Criteria:

- **Farxiga/ dapagliflozin:** May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes
 - May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes
- Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of diabetes

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SULFONYLUREAS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
glimepiride (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase)	chlorpropamide glimepiride 3mg(generic Amaryl) tolazamide tolbutamide	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
SULFONYLUREA	COMBINATIONS	
glipizide/metformin glyburide/metformin (generic Glucovance)		

HYPOGLYCEMICS, TZD

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
THIAZOLIDINEDIONES (TZDs)		 Non-preferred agents will be
pioglitazone (generic Actos)		approved for patients who have failed a trial of THE preferred agent
TZD COMBINATIONS		within this drug class
	pioglitazone/glimepiride (generic Duetact) pioglitazone/metformin (generic Actoplus Met)	 Combination products: Require clinical reason why individual ingredients cannot be used

IDIOPATHIC PULMONARY FIBROSIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
pirfenidone (generic Esbriet) ^{QL}	ESBRIET (pirfenidone) ^{QL} OFEV (nintedanib esylate) ^{CL}	 Non-preferred agent requires trial of preferred agent within this drug class with the same indication FDA approved indication required – ICD-10 diagnosis code

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ASTHMA^{CL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FASENRA (benralizumab) ^{AL} PEN XOLAIR (omalizumab)	NUCALA (mepolizumab) ^{AL} AUTO-INJ, SYR TEZSPIRE (tezepelumab-ekko) ^{AL} PEN	 Immunomodulators Self-Injectable PA Form All agents require prior authorization AND an FDA-approved diagnosis for approval Non-preferred agents require a trial of a preferred agent within this drug class with the same indication For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist Agents listed may have other FDA approved indications, and will be subject to prior authorization Drug Specific Criteria: Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis and COPD therapeutic classes) For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid + controller OR max- tolerated inhaled corticosteroid / long- acting beta agonist combo

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ADBRY (tralokinumab-ldrm) ^{AL,CL,QL} SUB-Q ADBRY 300mg/2mL (tralokinumab-ldrm) ^{AL,CL,QL} AUTOINJ DUPIXENT (dupilumab) ^{AL,CL} PEN,SYR ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{CL,QL} pimecrolimus (generic Elidel) tacrolimus (generic Protopic)	EBGLYSS (lebrikizumab-lbkz) ^{AL,NR,QL} PEN, SYRINGE OPZELURA (ruxolitinib phosphate) CREAM ^{AL,CL,QL} pimecrolimus (generic Elidel) <i>Oceanside Mfr only</i>	 Immunomodulators Self-Injectable PA Form Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication. Drug-specific criteria: ADBRY: May be approved after a trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Dupixent: (For other indications, see Immunomodulators, Asthma and COPD therapeutic classes): Atopic Dermatitis: May be approved after a maximum of a 90-day trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Eosinophilic Esophagitis: Trial, failure, or technique difficulty to a swallowed topical corticosteroid or treatment failure of a proton pump inhibitor. Prescribed by, or in consultation with an allergist, gastroenterologist, or immunologist. Documentation of treatment failure or contraindication within the previous year to an intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT]. Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist. Corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT]. Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider attestation of > 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist. Corticasterial corticosteroid prescribed by, or in consultation with an allergist, dermatologist, or inconsultation with an allergist, dermatologist, or inconsultation with an alle

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS^{AL}, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ZORYVE 0.15% (roflumilast) ^{AL} CREAM ZORYVE 0.3% (roflumilast) ^{AL,CL} FOAM	 Immunomodulators Self-Injectable PA Form Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication. Drug Specific Criteria Zoryve Foam- Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication AND Trial of a topical antifungal.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
imiquimod (generic for Aldara)	HYFTOR (sirolimus) ^{AL} GEL imiquimod (generic Zyclara) podofilox (generic Condylox) GEL , SOLN VEREGEN (sinecatechins) ZYCLARA (imiquimod)	 Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used

IMMUNOSUPPRESSIVES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified (generic Neoral) CAPS everolimus (generic for Zortress) ^{AL} mycophenolate (generic Cellcept) CAPS, TAB mycophenolic acid RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB sirolimus (generic Rapamune) SOLN, TAB tacrolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP MYFORTIC (mycophenolate sodium) MYHIBBIN (mycophenolate) ^{AL} SUSP PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) ^{AL,QL} TAB SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan) ^{QL} CAPS ZORTRESS (everolimus) ^{AL}	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue Drug Specific Criteria Tavneos (avacopan) No trial of a preferred agent required with appropriate FDA indications with concurrent use of standard therapy, including glucocorticoids

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit 101 QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

INTRANASAL RHINITIS AGENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ANTICHOLINERGICS		Non-preferred agents will be approved for patients who have
ipratropium (generic for Atrovent)		failed a 30-day trial of ONE preferred
ANTIHIS	TAMINES	agent within this drug class
azelastine 0.1% (generic for Astelin)	azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL}	 Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of
CORTICO	STEROIDS	nasal polyps in \geq 18 years only
fluticasone Rx (generic Flonase)	BECONASE AQ (beclomethasone) budesonide (Rhinocort) OTC flunisolide (generic Nasalide) fluticasone (generic Flonase) OTC mometasone (generic Nasonex) OTC, RX NASONEX (mometasone) OTC OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) triamcinolone (generic Nasacort) OTC XHANCE (fluticasone) ZETONNA (ciclesonide)	

LEUKOTRIENE MODIFIERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
montelukast (generic for Singulair) TAB ^{QL} /CHEWABLE ^{AL}	montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton)	 Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
clindamycin CAPS clindamycin palmitate SOLN linezolid TAB	CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

LIPOTROPICS, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BILE ACID SE	QUESTRANTS	Non-preferred agents will be
cholestyramine (generic Questran) colestipol TAB (generic Colestid)	colesevelam (generic Welchol) TAB , PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine)	 approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and
TREATMENT OF HOMOZYGOUS FA	MILIAL HYPERCHOLESTEROLEMIA	monotherapy with metformin, sulfonylurea, or insulin has been
	JUXTAPID (Iomitapide) ^{CL}	inadequate
	KYNAMRO (mipomersen) ^{CL}	 Juxtapid/ Kynamro:
		 Approved for diagnosis of homosurgous familial
TREATMENT OF FAMILIAL CHYL	OMICRONEMIA SYNDROME (FCS)	homozygous familial hypercholesterolemia (HoFH)
	TRYNGOLZA (olezarsen) ^{AL,QL} INJ	OR
FIBRIC ACID	DERIVATIVES	• Treatment failure/maximized
fenofibrate (generic Tricor) fenofibrate (generic Lofibra) gemfibrozil (generic Lopid)	fenofibric acid (generic Fibricor/Trilipix) fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide)	 dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents,
	,	bile acid sequestrants
NIACIN		 Require faxed copy of REMS PA form
niacin ER (generic Niaspan)	NIACOR (niacin IR)	
		 Tryngolza: Approved for diagnosis of familial chylomicronemia
OMEGA-3 F	ATTY ACIDS	syndrome and fasting
omega-3 fatty acids (generic Lovaza)	icosapent (generic Vascepa) ^{CL} omega-3 OTC	triglycerides equal to or greater than 880 mg/dL within the past 90 days and used in combination with a low-fat diet of 20 gm or less of fat per day
CHOLESTEROL ABS	ORPTION INHIBITORS	
ezetimibe (generic Zetia)	NEXLETOL (bempedoic acid)	
	NEXLIZET (bempedoic acid/ ezetimibe) ^{QL}	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit 101 QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, OTHER (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROPROTEIN CONVERTASE SU	Non-Preferred Agents BTILISIN/KEXIN TYPE 9 (PCSK9) BITORS REPATHA (evolocumab) ^{CL} PUSHTRONEX	Prior Authorization/Class Criteria Drug-Specific Criteria Praluent and Repatha: May be approved for diagnoses of: Atherosclerotic cardiovascular disease (ASCVD) in adults Heterozygous familial hypercholesterolemia (HeFH) Praluent ≥ 8 years of age Repatha ≥ 10 years of age Repatha ≥ 10 years of age Repatha ≥ 10 years of age Repatha ≥ 10 years of age AND
		 Trial and failure or intolerance to a statin for 8 continuous weeks Concurrent use of a maximally tolerated statin must continue, except for statin-induced rhabdomyolysis or a contraindication to a statin Failure to reach target LDL-C levels: ACVD – < 70 mg/dL Very high risk ASCVD- < 55mg/dL HeFH – < 100 mg/dL

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, STATINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	TINS	 Non-preferred agents will be approved for patients who have
atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) rosuvastatin (generic Crestor) simvastatin (generic Zocor)	ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{QL} SUSP EZALLOR SPRINKLE (rosuvastatin) ^{QL} fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ^{AL,QL} pitavastatin (generic Livalo) ^{AL,QL} ZYPITAMAG (pitavastatin)	 failed a trial of TWO preferred agent within this drug class, within the last 12 months Drug-specific criteria: Altoprev[®]: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual ingredients cannot be used
STATIN CO	MBINATIONS	• fluvastatin ER: Requires trial of
	atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin)	 TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin

MACROLIDES AND KETOLIDES, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MACRO	DLIDES	 Non-preferred agents require
azithromycin (generic Zithromax) clarithromycin TAB, SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate)	clarithromycin ER (generic Biaxin XL) E.E.S. TAB (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TAB, CAPS	clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

METHOTREXATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
methotrexate PF VIAL, TABLET, VIAL	JYLAMVO (methotrexate) SOLN OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN	Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: • Xatmep [™] :Indicated for pediatric patients only

MOVEMENT DISORDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
AUSTEDO (deutetrabenazine) ^{AL,CL,QL} AUSTEDO XR (deutetrabenazine) ^{AL,CL,QL} AUSTEDO XR Titration Pack (deutetrabenazine) ^{AL,CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS, SPRINKLES tetrabenazine (generic for Xenazine) ^{CL}	INGREZZA (valbenazine) ^{AL,CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL}	 All drugs require an FDA approved indication – ICD-10 diagnosis code required. Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. Drug-specific criteria: Austedo/Austedo XR/Ingrezza: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease tetrabenazine: Diagnosis of chorea with Huntington's Disease

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

MULTIPLE SCLEROSIS DRUGS

Preferred Agents

Non-Preferred Agents	
Non i letened Agenta	

AVONEX (interferon beta-1a)^{QL} COPAXONE 20mg (glatiramer)^{QL} dimethyl fumarate (generic for Tecfidera) fingolimod (generic Gilenya)^{QL} KESIMPTA (Ofatumumab)^{CL,QL} teriflunomide (generic Aubagio)^{QL}

AUBAGIO (teriflunomide)^{QL} BAFIERTAM (monomethyl fumarate)^{QL} BETASERON (interferon beta-1b)^{QL}

dalfampridine (generic Ampyra)^{QL} dimethyl fumarate DR (generic Tecfidera) Starter Pack EXTAVIA (interferon beta-1b)^{QL}

GILENYA (fingolimod)^{QL} glatiramer (generic Copaxone)^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod)^{QL} PLEGRIDY (peginterferon beta-1a)^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a)^{QL} TASCENSO ODT (fingolimod) **TAB**^{AL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel)^{QL} ZEPOSIA (ozanimod)^{AL,CL,QL} Prior Authorization/Class Criteria

Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class

Drug-specific criteria:

- Ampyra/ dalfampridine: Approved for diagnosis of gait disorder associated with MS AND EDSS score ≤ 7
- Plegridy: Approved for diagnosis of relapsing MS
- Kesimpta: Approved for patients who have failed a trial of a preferred injectable agent within this class
- Zeposia: Approved for a diagnosis of relapsing forms of multiple sclerosis (MS) with trial of ONE preferred agent OR a diagnosis of moderately to severely active ulcerative colitis and treatment failure of Humira.

NITROFURAN DERIVATIVES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid)	nitrofurantoin SUSPENSION (genericFuradantin)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SE diclofenac sodium (generic Voltaren) ibuprofen OTC, Rx (generic Advil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS	Non-Preferred Agents ELECTIVE diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon)	 Non-preferred agents within COX- 1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria:
indomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Mobic) TAB nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril)	flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) ^{CL} indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Meclomen) mefenamic acid (generic Ponstel) meloxicam (generic Vivlodex) ^{CL, QL} CAP meloxicam (generic Mobic) SUSP naproxen CR (generic Naprelan) naproxen (generic Naprosyn) SUSP naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Feldene)	 meclofenamate: Approvable without trial of preferred agents for menorrhagia Sprix/ketoralac Nasal: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs
	tolmetin (generic Tolectin) ketorolac (generic Sprix Nasal) ^{QL} NASAL	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
COX-I SELECTI	COX-I SELECTIVE (continued)	
NSAID/GI PROTECTA	ALL BRAND NAME NSAIDs including: DOLOBID (diflunisal) 250 MG TABLET ^{AL,NR} DUEXIS (ibuprofen/famotidine) ^{CL} NALFON (fenoprofen) ANT COMBINATIONS diclofenac/misoprostol (generic Arthrotec)	clinical reason why individual agents can't be used separately
COX-II SE	LECTIVE	
celecoxib (generic Celebrex)		

NSAIDs, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
diclofenac sodium GEL (OTC only) PENNSAID PUMP (diclofenac)	diclofenac PUMP (generic Pennsaid) ^{CL} - diclofenac SOLN (generic Pennsaid) FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET (diclofenac) ^{CL}	Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CDK 4/6 I	NHIBITOR IBRANCE (palbociclib) KISQALI (ribociclib)	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy
СНЕМОТ	KISQALI FEMARA CO-PACK VERZENIO (abemaciclib)	
	XELODA (capecitabine)	
HORMONE BLOCKADE		 anastrozole: May be approved for malignant neoplasm of male breast
anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex)	ORSERDU (elacestrant) SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL}	 (male breast cancer) Fareston/toremifene: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use Soltamox: May be approved with documented swallowing difficulty
ΟΤΙ	HER	
	ITOVEBI (inavolisib) ^{NR} NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) ^{QL} TUKYSA (tucatinib) ^{QL} TRUQAP (capivasertib)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALL		 Non-preferred agents DO NOT require a trial of a preferred agent,
mercaptopurine	PURIXAN (mercaptopurine) ^{AL} mercaptopurine (generic Purixan) ^{NR} SUSP	but DO require an FDA-approved indication OR documentation submitted supporting off-label use
AML		from current treatment guidelines
	DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} VANFLYTA (quizartinib) XOSPATA (gilteritinib) ^{QL}	 Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used
CLL		Purixan: Prior authorization not
	COPIKTRA (duvelisib) ^{QL} IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib)	 required for age ≤12 or for documented swallowing disorder Tabloid: Prior authorization not required for age <19 Xpovio: Indicated for relapsed or
CML		refractory multiple myeloma. Requires concomitant therapy with
hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec)	BOSULIF (bosutinib) DANZITEN (nilotinib) ^{NR} dasatinib (generic Sprycel) ^{NR} GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) IMKELDI (imatinib) ^{NR} nilotinib (generic Tasigna) ^{NR} SCEMBLIX (asciminib) SPRYCEL (dasatinib) TASIGNA (nilotinib)	dexamethasone

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MPN		
	JAKAFI (ruxolitinib)	-
MYELOMA		
REVLIMID ^{QL} (lenalidomide)	Ienalidomide ^{QL} (generic Revlimid) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL}	
OTHER		
MATULANE (procarbazine) TABLOID (thioguanine) tretinoin (generic for Vesanoid) ^{AL}	BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) REVUFORJ (revumenib) ^{NR} TAB VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ONCOLOGY AGENTS, ORAL, LUNG

Preferred Agents	Non-Preferred Agents	Pri	or Authorization/Class Criteria
AL	K ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB	 required but I but I indic subring from Patie the t char 	-preferred agents DO NOT ire a trial of a preferred agent, DO require an FDA-approved ation OR documentation nitted supporting off-label use current treatment guidelines ents undergoing treatment at ime of any preferred status nge will be allowed to continue
ALK / ROS	1/NTRK	thera	ару
	AUGTYRO (repotrectinib) CAPS ROZLYTREK (entrectinib) ^{QL} CAPS, PELLETS XALKORI (crizotinib) CAPS, PELLETS	-	
EGF	R	-	
erlotinib (generic for Tarceva)	gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) LAZCLUZE (lazertinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) ^{QL}	-	
		-	
	GAVRETO (pralsetinib) ^{QL} HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL}		

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
temozolomide (generic Temodar)	AVMAPKI (avutometinib) ^{NR} AVMAPKI-FAKZYNJA (avutometinib/ defactinib) ^{NR} Combo-Pack AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FAKZYNJA (defactinib) ^{NR} FRUZAQLA (fruquintinib) CAPS GOMEKLI (mirdametinib) ^{AL,NR} CAPS , TABS FOR ORAL SUSP IWILFIN (eflornithine) JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) ^{AL} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) OGSIVEO (nirogacestat) TAB PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) ROMVIMZA (vimseltinib) ^{NR} CAPS RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPS, SOLN VORANIGO (vorasidenib) ^{AL} TABS	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ONCOLOGY AGENTS, ORAL, PROSTATE

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
abiraterone (generic Zytiga) ^{AL,QL} bicalutamide (generic Casodex)	AKEEGA (niraparib/abiraterone) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} XTANDI (enzalutamide) ^{AL,QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See <u>https://nebraska.fhsc.com/default.asp</u> for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
everolimus (generic Afinitor) TAB sunitinib malate (generic Sutent) CAPS VOTRIENT (pazopanib)	AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) pazopanib (generic Votrient) TAB sorafenib (generic Nexavar) SUTENT (sunitinib) CAPS TORPENZ (generic everolimus) TAB WELIREG (belzutifan) ^{QL}	 Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

ONCOLOGY AGENTS, ORAL, SKIN

Preferred Agents	Non-Preferred Agents		Prior Authorization/Class Criteria
BASAI	L CELL ERIVEDGE (vismodegib) ODOMZO (sonidegib) ^{CL}	•	Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines
BRAF M MEKINIST (trametinib) TAFINLAR (dabrafenib)	UTATION BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) OJEMDA (tovorafenib) SUSP ^{AL} , TAB TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib)		Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ALREX (loteprednol 0.2%)	ALOCRIL (nedocromil)	 Non-preferred agents will be
cromolyn (generic Opticrom)	ALOMIDE (lodoxamide)	approved for patients who have failed a trial of TWO preferred
ketotifen OTC (generic Zaditor)	azelastine (generic Optivar)	agents within this drug class
olopatadine OTC (Pataday once daily)	BEPREVE (bepotastine besilate)	
olopatadine OTC (Pataday twice	bepotastine besilate (generic	
daily)	Bepreve)	
	epinastine (generic Elestat)	
	LASTACAFT (alcaftadine) OTC	
	loteprednol 0.2% (generic Alrex)	
	olopatadine DROPS (generic	
	Pataday)	
	olopatadine 0.1% (generic Patanol)	
	PATADAY XS (olopatadine 0.7%)	
	PATADAY OTC (olopatadine 0.2%)	
	ZERVIATE (certirizine) ^{AL}	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FLUOROQUINOLONES		 Non-preferred agents will be opproved for patients who have
ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox)	BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin)	 approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn[®]: Approved for documented fungal infection
MACRO	DLIDES]
erythromycin	AZASITE (azithromycin) ^{CL}	
	YCOSIDES	_
gentamicin SOLN tobramycin (generic Tobrex drops)	TOBREX (tobramycin) OINT	
OTHER OPHTH	ALMIC AGENTS	
bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim)	bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX OINT (tobramycin and dexamethasone) tobramycin/dexamethasone SUSP (generic TobraDex) <i>all other</i> <i>manufacturers only</i>	neomycin/polymyxin/HC neomycin/bacitracin/poly/HC tobramycin/dexamethasone SUSP (generic TobraDex) <i>Falcon</i> <i>manufacturer</i> TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORIES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CORTICO fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%)	STEROIDS dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone acetate 1% (generic Omnipred, Pred Forte) prednisolone sodium phosphate prednisolone sodium phosphate 1%	 ALL sub-classes unless listed below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class
NS	AID	
diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular)	ACUVAIL (ketorolac 0.45%) bromfenac 0.09% (generic Bromday) bromfenac (generic Bromsite) bromfenac 0.07% (generic Prolensa) BROMSITE (bromfenac) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORY / IMMUNOMODULATORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast)	CEQUA (cyclosporine) ^{QL} cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate) ^{QL} MIEBO (perfluorohexyloctane) TYRVAYA (varenicline tartrate) ^{QL} VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MIOT	FICS	Non-preferred agents will be
pilocarpine	PHOSPHOLINE IODIDE (echothiophate iodide) VUITY (pilocarpine) pilocarpine (generic VUITY) ^{NR}	approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria:
SYMPATHO		Rhopressa and Rocklatan: Electronically approved for patients
ALPHAGAN P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan)	ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine P 0.15% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.1%)	who have a trial of ONE generic agent, within ophthalmic - glaucoma within 180 days
BETA BLC	OCKERS	-
levobunolol (generic for Betagan) timolol (generic for Timoptic)	betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Betimol) ^{NR} timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE	_
CARBONIC ANHYDR	ASE INHIBITORS	
dorzolamide (generic for Trusopt)	AZOPT (brinzolamide) brinzolamide (generic Azopt)	-
PROSTAGLAND	IN ANALOGS	
latanoprost (generic for Xalatan) TRAVATAN Z (travoprost)	bimatoprost (generic Lumigan) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
COMBINATIO	ON DRUGS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt)	brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OTH	IER	
RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL}		 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within the ophthalmic - glaucoma class within 180 days

OPIOID DEPENDENCE TREATMENTS

	Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	ouprenorphine SL ouprenorphine/naloxone TAB (SL) naltrexone TAB SUBOXONE FILM (buprenorphine/ naloxone)	buprenorphine/naloxone FILM Iofexidine (generic Lucemyra) ^{CL,QL} LUCEMYRA (lofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone)	 Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. Drug-specific criteria: Lucemyra/ lofexidine: Approved for FDA approved indication and dosing per label. Trial of preferred product not required.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPIOID-REVERSAL TREATMENTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
naloxone NASAL(Rx), VIAL NARCAN (naloxone) NASAL OTC	KLOXXADO (naloxone) NASAL naloxone (generic Narcan) NASAL-OTC naloxone (generic Narcan) (Rx) SYR NARCAN (naloxone) NASAL OPVEE (nalmefene) ^{AL} NASAL REXTOVY (naloxone) NASAL ZIMHI (naloxone) SYR	 Non-preferred agents will be approved with documentation of why preferred products within this drug class are not appropriate for the patient

OTIC ANTI-INFECTIVES & ANESTHETICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
acetic acid (generic for Vosol)	acetic acid/hydrocortisone (generic for Vosol HC)	 Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class

OTIC ANTIBIOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin/dexamethasone (generic Ciprodex) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin)	ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
ambrisentan (generic Letairis) REVATIO (sildenafil) ^{QL} TAB sildenafil (generic Revatio) ^{CL} SUSP tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB	ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB LETAIRIS (ambrisentan) LIQREV (sildenafil) SUSP OPSUMIT (macitentan) OPSYNVI (macitentan/tadalafil) TAB ORENITRAM ER (treprostinil) REVATIO (sildenafil) ^{CL} SUSP sildenafil (generic Revatio) ^{CL} TAB TADLIQ (tadalafil) SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO (treprostinil) INHALATION TYVASO DPI (treprostinil) INHALATION POWDER UPTRAVI (selexipag) VENTAVIS (iloprost) INHALATION	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca/Liqrev/ Revatio/sildenafil tablets and suspension/tadalafil: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: PAH: Requires clinical reason preferred agent cannot be used CTEPH: Approved for persistent/recurrent diagnosis after surgical treatment or inoperable CTEPH NOT for use in Pregnancy Liqrev/ Revatio suspension: Requires clinical reason why preferred sildenafil suspension cannot be used

PANCREATIC ENZYMES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CREON ZENPEP (pancrelipase)	PERTZYE (pancrelipase) VIOKACE (pancrelipase)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) OTC CHEW CHILDREN'S MVI-IRON OTC CHEW	DEKAs PLUS ^{AL} DAVIMET W/ FLUORIDE (ped mvi no.247/ fluoride) CHEW OTC	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
(ped mvi no. 91/iron fum)	FLORAFOL(mvi and fluoride) CHEW OTC, DROPS-OTC	Drug specific criteria:DEKAs Plus: Approved for
CHILDREN'S CHEWABLES OTC (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf)	FLORAFOL FE PEDIATRIC DROPS OTC	diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent
CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron)	FLORIVA (ped mvi no.85/fluoride) CHEW	
FLUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/	FLORIVA PLUS (ped mvi no.161/fluoride) OTC-DROPS	
fluoride)	MULTI-VIT-FLOR (ped mvi no.205/fluoride) CHEW	
MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) DROPS	PEDI MULTIVIT A,C,AND D3 NO.21 DROPS OTC	
MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron)	PEDI MVI NO.22 WITH FLUORIDE DROPS-OTC	
PED MVI NO.17 W/ FLUORIDE CHEW	PEDI MVI NO.242/FLUORIDE CHEW- OTC	
POLY-VITAMIN (ped mvi no. 212) DROPS OTC	POLY-VI-FLOR (ped mvi no.217/fluoride, ped mvi no. 205/fluoride) CHEW	
POLY-VITAMIN W/ IRON (ped mvi no. 207 w/ferrous sulf) DROPS OTC	POLY-VI-FLOR (ped mvi no.213 w/fluoride) DROPS	
TRI-VITAMIN W/ FLUORIDE (ped mvi A,C, D3 no. 21/fluoride)	POLY-VI-FLOR W/ IRON (ped mvi no. 205/fluoride/iron) CHEW	
	POLY-VI-FLOR W/ IRON (ped mvi no. 214/fluoride/iron) DROPS	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS, continued

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no. 83/fluoride)	 Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
	QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) CHEW	 Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and
	QUFLORA (ped mvi no.157/ fluoride) OTC	does not require a trial of a preferred agent
	SOLUVITA A,C,D WITH FLUORIDE DROPS ⁻ OTC	
	TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) DROPS	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PENICILLINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK		 Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class

PHOSPHATE BINDERS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
calcium acetate TAB sevelamer carbonate (generic Renvela) PWD PACK, TAB	AURYXIA (ferric citrate) calcium acetate CAPS CALPHRON OTC (calcium acetate) ferric citrate (generic Auryxia) ^{NR} lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCl) RENVELA (sevelamer carbonate) PWD PACK, TAB sevelamer HCl (generic Renagel) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) TAB	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months

PLATELET AGGREGATION INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
aspirin	aspirin/dipyridamole (generic	 Non-preferred agents will be
BRILINTA (ticagrelor)	Aggrenox)	approved for patients who have
clopidogrel (generic Plavix)	ticlopidine (generic Ticlid)	failed a trial of ONE preferred
dipyridamole (generic Persantine)	ticagrelor (generic Brilinta) ^{NR}	agent within this drug class OR
prasugrel (generic Effient)	YOSPRALA (aspirin/omeprazole)	documented clopidogrel resistance

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://ne.primetherapeutics.com/drug-lookup

PRENATAL VITAMINS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
FE C/FA PNV 2/IRON B-G SUC-P/FA/OMEGA-3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV WITH CA, NO.72/IRON/FA OTC PNV WITH CA, NO.74/IRON/FA OTC PNV#16/IRON FUMARATE/FA/DSS PRENATAL MULTI OTC PRENATAL VIT #76/IRON, CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC SELECT-OB + DHA STUART ONE OTC TRICARE TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL FE+ VITAFOL ULTRA VITAFOL-OB VITAFOL-OB+DHA VITAFOL-ONE	CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB ENBRACE HR MARNATAL-F MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) NEO-VITAL RX TAB OTC NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE PREMIER OB COMPLETE WITH DHA OTC PNV 11-IRON FUM-FOLIC ACID-OM3 PNV COMBO#47/IRON/FA #1/DHA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PRENATE AM PRENATE LITE PRENATE ELITE PRENATE ELITE PRENATE ENHANCE PRENATE ENHANCE PRENATE STAR PRIMACARE SELECT-OB CHEW TAB TRISTART DHA VITAFOL NANO WESTGEL DHA	 Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

dexlansoprazole (generic Dexilant)

esomeprazole magnesium (generic

KONVOMEP (omeprazole/sodium

lansoprazole (generic Prevacid) QL

rabeprazole (generic Aciphex) TAB

NEXIUM **SUSP** (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX)

pantoprazole GRANULES QL

DEXILANT (dexlansoprazole)

Nexium) OTCQL

esomeprazole strontium

bicarb) SUSP

PROTON PUMP INHIBITORS

esomeprazole magnesium (generic

omeprazole (generic Prilosec) RX

pantoprazole (generic Protonix)^{QL}

PROTONIX SUSP (pantoprazole)

Nexium) RXQL

Preferred Agents

Prior Authorization/Class Criteria

Non-preferred agents will be approved for patients who have failed an 8-week trial of THREE preferred agents.

Pediatric Patients:

.

Patients \leq 4 years of age – No PA required for Prevacid 30mg/ lansoprazole 30mg capsules (used to compound suspensions).

Drug-specific criteria:

- Prilosec[®]OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg
- Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension.
 Patients <u>></u> 5 years of age- Only

approve non-preferred for GI diagnosis if:

- Child can not swallow whole generic omeprazole capsules OR,
- Documentation that contents of capsule may not be sprinkled in applesauce

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SEDATIVE HYPNOTICS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
BENZODI, temazepam 15 mg, 30 mg (generic for Restoril)	AZEPINES estazolam (generic for ProSom) quazepam (generic Doral) temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion)	 Benzodiazepines Criteria Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used Others Criteria
OTH eszopiclone (generic for Lunesta) ^{AL} zaleplon (generic for Sonata) zolpidem (generic for Ambien) ^{CL}	BELSOMRA (suvorexant) ^{AL,QL} DAYVIGO (lemborexant) ^{AL,QL} doxepin (generic for Silenor) ^{CL} EDLUAR (zolpidem sublingual) HETLIOZ (tasimelteon) ^{AL,CL} HETLIOZ LQ (tasimelteon) SUSP ^{AL,QL} QUVIVIQ (daridorexant) ^{QL} ramelteon (generic Rozerem) ^{AL} tasimelteon (generic Hetlioz) ^{AL,CL} zolpidem ^{QL} CAP zolpidem ER (generic Ambien CR) ^{CL} zolpidem SL (generic Intermezzo) ^{CL}	 Non-preferred agents require a trial of TWO preferred agents in the OTHERS sub-category Silenor/doxepin Tablet: Must meet ONE of the following: Contraindication to all of the preferred oral sedative hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10 mg Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criterion is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SICKLE CELL ANEMIA TREATMENT AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL}	GLUTAMINE POWD PACK (generic Endari) OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea) XROMI (hydroxyurea) ^{NR} SOLN	 Drug-Specific Criteria Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia

SINUS NODE INHIBITORS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
	CORLANOR SOLN , TAB (ivabradine) ivabradine (generic Corlanor) TAB	 Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SKELETAL MUSCLE RELAXANTS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) ^{QL} methocarbamol (generic Robaxin) tizanidine TAB (generic Zanaflex)	baclofen (generic Fleqsuvy) ^{QL} SUSP baclofen (generic Ozobax) ^{QL} SOLN baclofen (generic Ozobax DS) SUSP carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) TANLOR (methocarbamol) TAB tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB	 Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Zanaflex® Capsules: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason used

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
LOW P	OTENCY	Low Potency Non-preferred
DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT	alclometasone dipropionate (generic for Aclovate) desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT hydrocortisone SOLN (generic Texacort) ^{NR} HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone)	agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
MEDIUM fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon)	POTENCY betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) prednicarbate (generic for Dermatop)	 Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL (Continued)

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
HIGH PC	DTENCY	 High Potency Non-preferred
triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION	amcinonide CREAM betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM , GEL , OINT fluocinonide emollient halcinonide CREAM , SOLN ^{NR} (generic Halog) HALOG (halcinonide) CREAM , OINT , SOLN KENALOG AEROSOL (triamcinolone) triamcinolone SPRAY (generic Kenalog spray) VANOS (fluocinonide)	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class
VERY HIGH	I POTENCY	 Very High Potency Non-preferred
clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM , OINT, SOLN halobetasol propionate (generic Ultravate)	APEXICON-E (diflorasone) BRYHALI (halobetasol prop) LOTION clobetasol SHAMPOO, LOTION clobetasol propionate (generic Impoyz) ^{NR} CREAM clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) ^{AL,QL}	agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS AL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
CNS STIMULANTS		 Non-preferred agents will be approved for patients who have
Amphetamine type		approved for patients who have failed a trial of ONE preferred
ADDERALL XR (amphetamine salt combo) amphetamine salt combination ER (generic Adderall XR) amphetamine salt combination IR DYANAVEL XR (amphetamine)QL lisdexamfetamine (generic Vyvanse Chew) ^{QL} CHEW lisdexamfetamine (generic Vyvanse) ^{QL} CAP	ADZENYS XR (amphetamine) ODT amphetamine salt combination ER (generic Mydayis) CAP amphetamine sulfate (generic Evekeo) dextroamphetamine (generic Dexedrine) TAB dextroamphetamine (generic Procentra) SOLN dextroamphetamine ER (generic Dexedrine ER Spansule) CAPS EVEKEO ODT (amphetamine sulfate) methamphetamine (generic Desoxyn) MYDAYIS (amphetamine salt combo) ^{QL} XELSTRYM (detroamphetamine) ^{QL} PATCH	 failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing disorder Zenzedi[®]: Requires clinical reason generic dextroamphetamine IR cannot be used
VYVANSE (lisdexamfetamine) ^{QL} CAPS, CHEWABLE	ZENZEDI (dextroamphetamine)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
Methylphe	enidate type	 Non-preferred agents will be
CONCERTA (methylphenidate ER) ^{QL} 18 mg, 27 mg, 36 mg, 54 mg	APTENSIO XR (methylphenidate) AZSTARYS (serdexmethylphenidate and dexmethylphenidate) ^{QL}	 approved for patients who have failed a trial of TWO preferred agents within this drug class
DAYTRANA PATCH (methylphenidate) ^{QL}	COTEMPLA XR-ODT (methylphenidate) ^{QL} FOCALIN IR (dexmethylphenidate)	 Maximum accumulated dose of 108mg per day for ages < 18
dexmethylphenidate (generic for Focalin IR)	FOCALIN XR (dexmethylphenidate) JORNAY PM (methylphenidate) ^{QL} methylphenidate CHEW	 Maximum accumulated dose of 72mg per day for ages > 19
dexmethylphenidate ER (generic Focalin XR)	methylphenidate ER (45 mg and 63 mg) ^{QL} methylphenidate 50/50 (generic Ritalin	 Drug-specific criteria: Daytrana/methylphenidate patch: May be approved in
METHYLIN SOLN (methylphenidate)	LA) methylphenidate 30/70 (generic	history of substance use disorder by parent, caregiver, or patient. May
methylphenidate (generic Ritalin)	Metadate CD) methylphenidate ER 18 mg, 27 mg,	be approved with documentation of difficulty swallowing
methylphenidate SOLN (generic Methylin)	36 mg, 54 mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic Aptensio XR) ^{QL}	• QuilliChew ER: May be approved for children < 12 years of age OR with
QUILLICHEW ER CHEWTAB (methylphenidate)	methylphenidate ER (generic Metadate ER) methylphenidate ER 72 mg (generic	documentation of difficulty swallowing
QUILLIVANT XR (methylphenidate) SUSP	RELEXXII) ^{QL} methylphenidate ER (generic Ritalin LA)	
	methylphenidate TD24 ^{AL} PATCH (generic Daytrana)	
	RELEXXII ER (methylphenidate 45mg and 63mg) ^{AL,QL} TAB	
	RITALIN (methylphenidate)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL – Prior Authorization / Class Criteria apply AL– Age Limit 101 QL – Quantity/Duration Limit NR – Product was not reviewed - New Drug criteria will apply

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

MISCELLANEOUS	Note: generic guanfacine IR and
atomoxetine (generic Strattera) ^{QL} guanfacine ER (generic Intuniv) ^{QL} QELBREE (viloxazine) ^{QL} INTUNIV (guanfacine) Onyda XR (clonidine suspense extended release) ^{QL} STRATTERA (atomoxetine) ANALEPTICS armodafinil (generic Nuvigil) ^{QL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL}	 clonidine IR are available without prior authorization Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class Drug-specific criteria: Wakix and Sunosi: Require trial of armodafinil or modafinil

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

TETRACYCLINES

Preferred Agents

Non-Preferred Age	nte
Non-Freieneu Age	ints

Prior Authorization/Class Criteria

e e e e e e e e e e e e e e e e e e e	e e e e e e e e e e e e e e e e e e e	<u>.</u>
doxycycline hyclate IR (generic Vibramycin) CAPS doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI TAB (generic Dynacin/Myrac) tetracycline	demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate IR (generic Vibramycin) TAB doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 50MG , 100MG CAPS doxycycline monohydrate 40MG,	 Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty
	75MG and 150MG CAP (generic Adoxa/Monodox/ Oracea) minocycline HCI CAPS (generic Dynacin/ Minocin/Myrac) minocycline HCI ER (generic Solodyn) NUZYRA (omadacycline)	

THROMBOPOIESIS STIMULATING PROTEINS CL

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
PROMACTA (eltrombopag) TAB	ALVAIZ (eltrombopag choline) ^{AL} DOPTELET (avatrombopag) Eltrombopag (generic Promacta) ^{NR} SUSP, TAB MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib)	 All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Doptelet/Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

THYROID HORMONES

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
levothyroxine TAB (generic Synthroid) liothyronine TAB (generic Cytomel) thyroid, pork TAB UNITHROID (levothyroxine)	ADTHYZA (thyroid, pork) ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) SYNTHROID (levothyroxine) THYQUIDITY (levothyroxine) SOLN	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class

ULCERATIVE COLITIS

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
OR APRISO (mesalamine) PENTASA (mesalamine) mesalamine (generic Lialda)	AL balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine)	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class
Sulfasalazine IR, DR (generic Azulfidine)	LIALDA (mesalamine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol)	 Drug-specific criteria: Asacol HD[®]/Delzicol DR[®]: Requires clinical reason why preferred mesalamine products cannot be used
REC	TAL	
mesalamine SUPPOSITORY (generic Canasa) Sulfite-Free ROWASA (mesalamine)	CANASA (mesalamine) mesalamine ENEMA (generic Rowasa) ROWASA (mesalamine) UCERIS (budesonide)	

June PDL with P&T changes Highlighted in Red indicates changes that become effective July 18, 2025

https://nebraska.fhsc.com/PDL/PDLlistings.asp

UTERINE DISORDER TREATMENT

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL}		 Drug-specific criteria: Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive Total duration of treatment is max of 24 months

VASODILATORS, CORONARY

Preferred Agents	Non-Preferred Agents	Prior Authorization/Class Criteria
isosorbide dinitrate TAB isosorbide dinitrate/hydralazine (Bidil) ^{CL} isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL , TRANSDERMAL nitroglycerin ER TAB	 BIDIL (isosorbide dinitrate/ hydralazine)^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat)^{AL,CL,QL} 	 Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil/ isosorbide dinitrate-hydralazine: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45%