



DEPT. OF HEALTH AND HUMAN SERVICES

Nebraska Medicaid Preferred Drug List with Prior Authorization Criteria

November PDL

PDL updated November 1, 2025, Highlights indicate change from previous posting

For the most up to date list of covered drugs consult the **Drug Lookup** on the Nebraska Medicaid website at https://ne.primetherapeutics.com/drug-lookup.

- PDMP Check Requirements Nebraska Medicaid providers are required to check the prescription drug history in the statewide PDMP before prescribing CII controlled substances to certain Medicaid beneficiaries (exemption to this requirement are for beneficiaries receiving cancer treatment, hospice/palliative care, or in long-term care facilities). If not able to check the PDMP, then provider is required to document good faith effort, including reasons why unable to conduct the check and may be required to submit documentation to the State upon request.
 - PDMP check requirements are under Section 5042 of the SUPPORT for Patients and Communities Act, consistent with section 1944 of the Social Security Act [42 U.S.C. 1396w-3a].
- Opioids The maximum opioid dose covered is 90 Morphine Milligram Equivalents (MME) per day.

Non-Preferred Drug Coverage

Class and drug-specific therapeutic trial and failure requirements are found within this document. Examples of non-preferred exception criteria include:

- Adverse reaction to preferred drugs
- Allergy to preferred drugs
- Contraindication to preferred drugs
- Documentation of inability to swallow solid dosage forms

Specific Class Prior Authorization forms can be found within the PDL class listings and at:

https://nebraska.fhsc.com/priorauth/paforms.asp

- Immunomodulators Self-Injectable PA Form
- Opioid Dependence Treatment PA Form
- Opioid Dependence Treatment Informed Consent
- Growth Hormone PA Form
- HAE Treatments PA Form
- Hepatitis C PA Form

For all other class medically-necessary coverage, quantity, and high dose requests use the following: Documentation of Medical Necessity PA Form

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL

| ACNE AGENTS, TOPICAL | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
| adapalene (generic Differin) ^{CL} GEL (OTC/Rx), GEL PUMP adapalene/BPO (generic Epiduo) ^{CL} benzoyl peroxide (BPO) WASH, LOTION benzoyl peroxide GEL OTC clindamycin/BPO (generic BenzaClin) GEL, PUMP clindamycin phosphate PLEDGET clindamycin phosphate SOLUTION erythromycin GEL erythromycin SOLN erythromycin-BPO (generic for Benzamycin) tretinoin (generic Avita, Retin-A) AL, CL CREAM, GEL clin clin clin clin clin clin clin cli | palene (generic Differin) ^{CL} CREAM apalene/BPO (generic Epiduo Forte) ^{CL} TRENO (tretinoin) ^{AL,CL} IZEEQ (minocycline) RALIN (tretinoin) ^{CL} AR (sulfacetamide sodium/sulfur) ITA (tretinoin) ^{CL} ELEX (azelaic acid) NZEFOAM (benzoyl peroxide) nzoyl peroxide CLEANSER, CLEANSING BAR OTC nzoyl peroxide FOAM (generic BenzePro) nzoyl peroxide GEL Rx nzoyl peroxide TOWELETTE OTC idamycin FOAM, LOTION idamycin GEL idamycin/BPO (generic Acanya) GEL idamycin/BPO PUMP (generic Onexton) ^{AL} idamycin/tretinoin (generic Veltin, Ziana) Disone (generic Aczone) FERIN (adapalene) CREAM, GEL- OTC, GEL PUMP, LOTION ithromycin PLEDGET OCLIN (clindamycin) FOAM | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class All retinoid products have a maximum age limit of 20 without a diagnosis of acne |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ACNE AGENTS, TOPICAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | FABIOR (tazarotene) FOAM NEUAC (clindamycin/BPO) OVACE PLUS (sulfacetamide sodium) RETIN-A MICRO (tretinoin) sulfacetamide sulfacetamide/sulfur sulfacetamide sodium/ sulfur CLEANSER SUMADAN (sulfacetamide/sulfur) tazarotene (generic Tazorac) CREAM tazarotene FOAM (generic Fabior) tazarotene GEL (generic Tazorac) TRETIN-X (tretinoin) tretinoin (generic Atralin) ALGEL tretinoin microspheres (generic Retin-A Micro) AL GEL, GEL PUMP WINLEVI (clascoterone)AL | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class All retinoid products have a maximum age limit of 20 without a diagnosis of acne |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ALZHEIMER'S AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CHOLINESTERA | ASE INHIBITORS | Non-preferred agents will be approved for patients who have |
| donepezil (generic Aricept) donepezil ODT (generic Aricept ODT) rivastigmine PATCH (generic for Exelon Patch) | ADLARITY (donepezil) PATCH ARICEPT (donepezil) donepezil 23 (generic Aricept 23) ^{CL} EXELON (rivastigmine) PATCH galantamine (generic Razadyne) SOLN, TAB galantamine ER (generic Razadyne ER) rivastigmine CAPS (generic Exelon) ZUNVEYL DR (benzgalantamine) ^{NR} | failed a 120-day trial of ONE preferred agent within this drug class within the last 6 months OR Current, stabilized therapy of the non-preferred agent within the previous 45 days Drug-specific criteria: Donepezil 23: Requires donepezil 10mg/day for at least 3 months AND clinical reason as to why 5mg or 10mg tablets can't be used (to |
| NMDA RECEPTO | NMDA RECEPTOR ANTAGONIST | |
| | memantine ER (generic Namenda XR) memantine SOLN (generic Namenda) memantine/donepezil (generic Namzaric) ^{NR} NAMENDA (memantine) NAMZARIC (memantine/donepezil) | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID LONG-ACTING

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BUTRANS (buprenorphine) ^{QL} PATCH fentanyl 25, 50, 75, 100 mcg PATCH ^{QL} morphine ER TABLET (generic MS Contin, Oramorph SR) OXYCONTIN ^{CL} (oxycodone ER) tramadol ER (generic Ultram ER) ^{CL} | BELBUCA (buprenorphine) \AL,QL BUCCAL buprenorphine PATCH (generic Butrans)QL fentanyl 37.5/62.5/87.5 mcg PATCH QL hydrocodone ER (generic Hysingla ER)QL hydrocodone bitartrate ER (generic Zohydro ER) hydromorphone ER (generic Exalgo)CL HYSINGLA ER (hydrocodone ER) methadone TABLET CL methadone ORAL SYR CL methadone SOL TABLET morphine ER (generic Avinza, Kadian) CAPS oxycodone ER (generic Oxycontin) oxymorphone ER (generic Opana ER) tramadol ER (generic ConZip) CL | The Center for Disease Control (CDC) does not recommend long-acting opioids when beginning opioid treatment. Preferred agents require previous use of a long-acting opioid or documentation of a trial on a short acting agent within 90 days Non-preferred agents will be approved with failure on, or intolerance to TWO preferred agents within this drug class Drug-specific criteria: Methadone: Will only be approved for use in pain control or end of life care. Trial of preferred agent not required for end-of-life care Oxycontin®: Pain contract required for maximum quantity authorization |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| cetaminophen/codeine ELIXIR, TAB codeine TAB pydrocodone/APAP SOLN, TAB pydrocodone/ibuprofen pydromorphone TAB morphine CONC SOLN, SOLN, TAB pyccodone/APAP ramadol 50 TAB ^{AL} (generic Ultram) | butalbital/caffeine/APAP/codeine butalbital compound w/codeine (butalbital/ASA/caffeine/codeine) carisoprodol compound-codeine (carisoprodol/ASA/codeine) dihydrocodeine/APAP/caffeine hydrocodone/APAP SOLN (generic Zolvit) ^{NR} hydromorphone LIQUID, SUPPOSITORY (generic Dilaudid) levorphanol meperidine (generic Demerol) morphine SUPPOSITORIES NALOCET (oxycodone/APAP) oxycodone CAPS oxycodone/APAP SOLN oxycodone/APAP SOLN oxycodone CONCENTRATE oxymorphone IR (generic Opana) pentazocine/naloxone ROXICODONE (oxycodone) ROXYBOND (oxycodone) SEGLENTIS (celecoxib/tramadol) ^{AL} tramadol 25mg tramadol 75mg tramadol 100mg (generic Ultram) ^{AL} tramadol (generic Qdolo) ^{AL,QL} SOLN tramadol/APAP (generic Ultracet) | Non-preferred agents will be approved for patients who have failed THREE preferred agents within this drug class within the last 12 months Note: for short acting opiate tablet and capsules there is a maximum quantity limit of #150 per 30 days. Opiate limits for opiate naïve patients will consist of: -prescriptions limited to a 7 day supply, AND -initial opiate prescription fill limited to maximum of 50 Morphine Milligram Equivalents (MME) per day These limits may only be exceeded with patient specific documentation of medical necessity, with examples such as, cancer diagnosis, end-of-life care, palliative care, Sickle Cell Anemia or prescriber attestation that patient is not recently opiate naive |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANALGESICS, OPIOID SHORT-ACTING QL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NA | NASAL | |
| | butorphanol SPRAY ^{QL} | Actiq®/Fentora®/ fentanyl transmucosal/Onsolis: Approved only for diagnosis of cancer AND current use of long-acting opiate |
| BUCCAL/TRANSMUCOSAL ^{CL} | | |
| | fentanyl TRANSMUCOSAL (generic Actiq) ^{CL} FENTORA (fentanyl) ^{CL} | |

ANDROGENIC AGENTS (TOPICAL) CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANDROGEL (testosterone) PUMP CL estosterone PUMP (generic Androgel)CL TESTIM (testosterone) TRANSDERMAL | NATESTO (testosterone) ^{CL} testosterone PACKET (generic Androgel) ^{CL} testosterone GEL, PACKET, PUMP (generic Vogelxo) testosterone (generic Axiron) testosterone (generic Fortesta) testosterone (generic Testim) | Preferred agents approved for diagnosis of Primary hypogonadism (congenital or acquired) or Hypogonadotropic hypogonadism. Off label use for the following will be considered with documentation of necessity: female to male transsexual – gender dysphoria, weight gain, male osteoporosis, delayed puberty in males, corticosteroid-induced hypogonadism and osteoporosis, inoperable carcinoma of the breast, postpartum breast pain and engorgement, and menopause In addition, non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the la 6 months Drug-specific criteria: Androgel®: Approved for Males on with diagnosis of: Primary hypogonadism (congenit or acquired) OR |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| benazepril (generic Lotensin) enalapril (generic Vasotec) lisinopril (generic Prinivil, Zestril) ramipril (generic Altace) ACE INHIBITOR/DIUR enalapril/HCTZ (generic Vaseretic) lisinopril/HCTZ (generic Prinzide, Zestoretic) | captopril (generic Capoten) EPANED (enalapril) ^{CL} ORAL SOLN enalapril (generic for Epaned) ^{CL} ORAL SOLN fosinopril (generic Monopril) moexepril (generic Univasc) perindopril (generic Aceon) QBRELIS (lisinopril) ^{CL} ORAL SOLN quinapril (generic Accupril) trandolapril (generic Mavik) ETIC COMBINATIONS benazepril/HCTZ (generic Lotensin HCT) captopril/HCTZ (generic Capozide) fosinopril/HCTZ (generic Monopril HCT) moexipril/HCTZ (generic Uniretic) quinapril/HCTZ (generic Accuretic) | Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as individual prescriptions without prior authorization Drug-specific criteria: Epaned/enalapril oral solution: Clinical reason why oral tablet is not appropriate |
| ANGIOTENSIN REC | EPTOR BLOCKERS | |
| , | candesartan (generic Atacand) EDARBI (azilsartan) eprosartan (generic Teveten) telmisartan (generic Micardis) | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANGIOTENSIN MODULATORS (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANGIOTENSIN RECEPTOR BLOG | ANGIOTENSIN RECEPTOR BLOCKER/DIURETIC COMBINATIONS | |
| irbesartan/HCTZ (generic Avalide) losartan/HCTZ (generic Hyzaar) olmesartan/HCTZ (generic Benicar- HCT) valsartan/HCTZ (generic Diovan-HCT) | candesartan/HCTZ (generic Atacand- HCT) EDARBYCLOR (azilsartan/ chlorthalidone) telmisartan/HCTZ (generic Micardis- HCT) | approved for patients who have failed TWO preferred agents within this drug class within the last 12 months Non-preferred combination products may be covered as |
| | MODULATOR/ OCKER COMBINATIONS | individual prescriptions without prior authorization |
| amlodipine/benazepril (generic Lotrel) amlodipine/olmesartan (generic Azor) amlodipine/valsartan (generic Exforge) | amlodipine/olmesartan/HCTZ (generic Tribenzor) amlodipine/telmisartan (generic Twynsta) amlodipine/valsartan/HCTZ (generic Exforge HCT) PRESTALIA (perindopril/amlodipine) trandolapril/verapamil (generic Tarka) | |
| DIRECT RENI | N INHIBITORS | |
| | aliskiren (generic Tekturna) ^{QL} | |
| DIRECT RENIN INHIB | ITOR COMBINATIONS | Direct Renin Inhibitors/Direct Renin Inhibitor Combinations: |
| | TEKTURNA/HCTZ (aliskiren/HCTZ) | May be approved witha history of TWO preferred ACE Inhibitors or |
| NEPRILYSIN INHIBI | TOR COMBINATION | Angiotensin Receptor Blockers within the last 12 months |
| | ENTRESTO (sacubitril/valsartan) ^{CL,QL} SPRINKLE CAP sacubitril/valsartan (generic Entresto) ^{CL,NR,QL} | Drug Specific Criteria • Entresto/ sacubitril-valsartan: May be approved in patients ages ≥1 years old and with a diagnosis of heart failure |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTHELMINTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| albendazole (generic Albenza) BILTRICIDE (praziquantel) ivermectin (generic Stromectol) | EMVERM (mebendazole) ^{CL} praziquantel (generic Biltricide) STROMECTOL (ivermectin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: |
| | | Emverm: Approval will be considered for indications not covered by preferred agents |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTI-ALLERGENS. ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | GRASTEK (timothy grass pollen allergen) AL,QL ODACTRA (Dermatophagoides farinae and Dermatophagoides pteronyssinus)AL,QL ORALAIR (sweet vernal/orchard/rye/timothy/kentucky blue grass mixed pollen allergen extract)CL PALFORZIA (peanut allergen powderdnfp) AL,CL RAGWITEK (weed pollen-short ragweed)AL,QL | All agents require initial dose to be given in a healthcare setting Drug-specific criteria: GRASTEK Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive grass pollens. For use in persons 5 through 65 years of age. ODACTRA Confirmed by positive skin test to licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to Dermatophagoides farinae and Dermatophagoides farinae and Dermatophagoides pteronyssinus house dust mite For use in persons 5 through 65 years of age ORALAIR Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass Mixed Pollens. For use in patients 5 through 65 years of age. PALFORZIA Confirmed diagnosis of peanut allergy by allergist For use in patients ages 4 to 17; it may be continued in patients 18 years and older with documentation of previous use within the past 90 days Initial dose and increase titration doses should be given in a healthcare setting Should not be used in patients with uncontrolled asthma or concurrently on a NSAID RAGWITEK Confirmed by positive skin test or in vitro testing for pollen specific IgE antibodies for short ragweed pollen. For use in patients 5 through 65 years of age. |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, GASTROINTESTINAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| metronidazole TABLET neomycin tinidazole (generic Tindamax) ^{CL} vancomycin (generic Firvanq) ^{QL} SOLN | AEMCOLO (rifamycin) TAB DIFICID (fidaxomicin) CL TAB, SUSP fidaxomicin (generic Dificid) CL.NR TAB FIRVANQ (vancomycin) SOLN LIKMEZ (metronidazole) SUSP metronidazole CAPS metronidazole 125mg TAB nitazoxanide (generic Alinia) TABAL, CL, QL paromomycin SOLOSEC (secnidazole) vancomycin CAPS (generic Vancocin) CL VOWST (fecal microbiota spores) AL, QL | Note: Although azithromycin, ciprofloxacin, and trimethoprim/ sulfmethoxazole are not included in this review, they are available without prior authorization Drug-specific criteria: Alinia /nitazoxanide tablet: Trial and failure with metronidazole is required for a diagnosis of giardiasis Dificid®/ fidaxomicin: For diagnosis of C. difficile diarrhea (pseudomembranous colitis), trial and failure or intolerance to oral vancomycin is required. |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, INHALED CL

| Preferred Agents ^{CL} | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BETHKIS (tobramycin) KITABIS PAK (tobramycin) tobramycin (generic Tobi) TOBI-PODHALER (tobramycin) QL | ARIKAYCE (amikacin liposomal inh) SUSP CAYSTON (aztreonam lysine) ^{QL} tobramycin (generic Bethkis) | Diagnosis of Cystic Fibrosis is required for all agents ICD10 Group = E84, ICD9 = 277.00, 277.01, 277.02, 277.03, 277.09 Drug-specific criteria: Arikayce: Requires diagnosis of refractory MAC lung disease defined as patients who did not achieve negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy Cayston®: Trial of tobramycin via nebulizer and demonstration of TOBI® compliance required Tobi Podhaler®: Requires trial of tobramycin via nebulizer or documentation of why nebulized tobramycin cannot be used |
| | | |

ANTIBIOTICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| bacitracin OINT bacitracin OINT OTC bacitracin/polymyxin (generic Polysporin) mupirocin OINT (generic Bactroban) neomycin/polymyxin/bacitracin (generic Neosporin, Triple AB) neomycin/polymyxin/pramoxine neomycin/polymyxin/bacitracin/ pramoxine | bacitracin PCKT-OTC CENTANY (mupirocin) gentamicin OINT, CREAM mupirocin CREAM (generic Bactroban) ^{CL} | Non-preferred agents will be approved for patients who have failed ALL preferred agents within this drug class within the last 12 months Drug-specific criteria: Mupirocin® Cream: Clinical reason the ointment cannot be used |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIBIOTICS, VAGINAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CLEOCIN CREAM (clindamycin) CLEOCIN OVULES (clindamycin) metronidazole, vaginal NUVESSA (metronidazole) | clindamycin CREAM (generic Cleocin) • CLINDESSE (clindamycin) metronidazole (generic Nuvessa) ^{NR} VANDAZOLE (metronidazole) XACIATO (clindamycin phosphate) ^{AL} GEL | Non-preferred agents will be approved for patients who have failed a therapeutic trial (duration = 3 days) with ONE preferred agent within this drug class within the last 6 months |

ANTICOAGULANTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| dabigatran etexilate (generic Pradaxa) CAPS ELIQUIS (apixaban) TAB enoxaparin (generic Lovenox) INJ warfarin (generic Coumadin) TAB XARELTO (rivaroxaban) 10 mg, 15 mg, 20 mg TAB XARELTO (rivaroxaban) 2.5 mg ^{CL,QL} TAB XARELTO DOSE PACK (rivaroxaban) | fondaparinux (generic Arixtra) INJ FRAGMIN (dalteparin) INJ PRADAXA (dabigatran) CAPS, PELLETS rivaroxaban (generic Xarelto) ^{NR} TAB rivaroxaban (generic Xarelto) ^{AL,CL,NR} SUSP SAVAYSA (edoxaban) ^{CL,QL} TAB XARELTO (rivaroxaban) ^{CL,SUSP} | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class within the last 12 months Coumadin®: Clinical reason generic warfarin cannot be used Savaysa®: Approved diagnoses include: Stroke and systemic embolism (SE) risk reduction in nonvalvular atrial fibrillation (NVAF) OR Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE) following 5-10 days of parenteral anticoagulant therapy Xarelto 2.5mg: Use limited to reduction of risk of major cardiovascular events (cardiovascular death, myocardial infarction, and stroke) in patients with chronic coronary artery disease or peripheral artery disease Xarelto/ rivaroxaban Suspension: Approved for patients ≤12 years of age or if there is a clinical reason why a preferred solid dosage form cannot be used. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIEMETICS/ANTIVERTIGO AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | CANNABINOIDS | |
| dronabinol (generic Marinol) ^{AL} | | approved for patients who have failed ONE preferred agent within this drug class within the same |
| 5HT3 RECEPTO | OR BLOCKERS | group |
| ondansetron (generic Zofran/Zofran ODT) ^{QL} | ANZEMET (dolasetron) granisetron (generic Kytril) ondansetron 16mg ODT (generic Zofran ODT) SANCUSO (granisetron) ^{CL} | Drug-specific criteria: Akynzeo®: Approved for Moderately/Highly emetogenic chemotherapy with dexamethasone and a 5-HT3 antagonist Regimens include: AC combination (Doxorubicin or Epirubicin with |
| NK-1 RECEPTO | R ANTAGONIST | Cyclophosphamide), Aldesleukin, |
| aprepitant (generic Emend) CAPS QL | AKYNZEO (netupitant/palonosetron) ^{CL} aprepitant (generic Emend) PACK EMEND (aprepitant) CAPS, PACK, POWDER ^{QL} | Amifostine, Arsenic trioxide, Azacitidine, Bendamustine, Busulfan, Carmustine, Carbplatin, Cisplatin, Clofarabine, Cyclophosphamide, Cytarabine, Dacarbazine, Dactinomycin, Daunorubicin, Epirubicin, Etoposide, |
| TRADITIONAL | ANTIEMETICS | Hexamethylmelamine, Idarubicin, Ifosfamide, Imatinib, Interferon α, |
| DICLEGIS (doxylamine/pyridoxine)CL,QL dimenhydrinate (generic Dramamine) OTC meclizine (generic Antivert) metoclopramide (generic Reglan) phosphoric acid/dextrose/fructose | BONJESTA (doxylamine/pyridoxine).CL,QL COMPRO (prochlorperazine) doxylamine/pyridoxine (generic Diclegis)CL,QL prochlorperazine SUPPOSITORY (generic Compazine) promethazine SUPPOSITORY 50mg trimethobenzamide TAB (generic Tigan) | Ifosfamide, Imatinib, Interferon α, Irinotecan, Mechlorethamine, Melphalan, Methotrexate, Oxaliplatin, Procarbazine, Streptozotocin, Temozolomide Diclegis/doxylamine-pyridoxine)/ Bonjesta: Approved only for treatment of nausea and vomiting of pregnancy Sancuso®: Documentation of oral dosage form intolerance |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| otrimazole (mucous membrane, oche) uconazole SUSP, TAB (generic Diflucan) riseofulvin SUSP riseofulvin microsized TAB ystatin SUSP rrbinafine (generic Lamisil) | BREXAFEMME (ibrexafungerp) ^{QL} CRESEMBA (isavuconazonium) ^{CL} flucytosine (generic Ancobon) ^{CL} griseofulvin ultramicrosize (generic GRIS-PEG) itraconazole (generic Sporanox) ^{CL} ketoconazole (generic Nizoral) ORAVIG (miconazole) ^{QL} BUCCAL NOXAFIL (posaconazole) AL SUSP, TAB NOXAFIL (posaconazole) AL,CL POWDERMIX nystatin TAB posaconazole (generic Noxafil) ^{AL,CL} TOLSURA (itraconazole) ^{CL} VIVJOA (oteseconazole) CAPS voriconazole (generic VFEND) ^{CL} | Non-preferred agents will be approved for patients who have failed a trial of TWO diagnosis-appropriate preferred agents with this drug class Drug-specific criteria: Cresemba®: Approved for diagnosis of invasive aspergillosis or invasive mucormycosis Flucytosine: Approved for diagnosis of: Candida: Septicemia, endocarditis, UTIs Cryptococcus: Meningitis, pulmonary infections Noxafil/ posaconazole DR tablets, oral suspension, PowderMix® for delayed or suspension: For prophylaxis of invasive Aspergillus and Candida infections, no preferred agent trial is required in severely immunocompromised patients (i.e., Neutropenia Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukem (AML), Neutropenic hematologic malignanc Graft vs. Host disease(GVHD), Immunosuppression secondary to hematopoietic stem cell transplant Noxafil® Powdermix: pediatric patients 2 years of age and older who weigh 40 kg or less Noxafil/ posaconazole Suspension: Oropharyngeal/esophageal candidiasis refractory to itraconazole and/or fluconazole and; Prophylaxis of invasive Aspergillus and Candida infections Sporanox®/Itraconazole: Approved for diagnosis of Aspergillosis, Blastomycosis, Histoplasmosis, Onychomycosis due to terbinafine-resistant dermatophytes, Oropharyngeal/ esophageal candidiasis refractory to fluconazole Sporanox® Liquid: Clinical reason solid or cannot be used Tolsura: Approved for diagnosis of Aspergillosis, Blastomycosis, and Histoplasmosis and requires a trial and failt of generic itraconazole Vfend/voriconazole:: No trial for diagnosis Myelodysplastic Syndrome (MDS), Neutropenic Acute Myeloid Leukemia (AML Graft vs. Host disease (GVHD), Candidemi, Candida krusei), Esophageal Candidiasis, Blastomycosis, S. apiospermum and Fusar spp., Oropharyngeal/esophageal candidias |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIFUNGALS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | ALEVAZOL (clotrimazole) OTC ciclopirox CREAM, GEL, SUSP (generic Ciclodan, Loprox) ciclopirox SHAMPOO (generic Loprox) clotrimazole SOLN OTC DESENEX POWDER OTC (miconazole) econazole (generic Spectazole) ERTACZO (sertaconazole) FUNGOID (miconazole) OTC ketoconazole FOAMCL (generic Extina, Ketodan) LOPROX (ciclopirox) SUSP, SHAMPOO, | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: Extina/ Ketodan/ ketoconazole foam: Requires trial and failure or contraindication to other ketoconazole forms tavaborole: Approved diagnose include Onychomycosis of the toenails due to <i>T.rubrum OR T. Mentagrophytes</i> |
| | CREAM LOTRIMIN AF CREAM OTC (clotrimazole) LOTRIMIN ULTRA (butenafine) miconazole OTC OINT, SPRAY, SOLN miconazole/zinc oxide/petrolatum (generic Vusion) naftifine CREAM, GEL (generic Naftin) oxiconazole (generic Oxistat) tavaborole SOLN ^{CL} (generic Kerydin) tolnaftate POWDER OTC TRIPENICOL (undecylenic acid) CREAM- OTC VOTRIZA-AL (clotrimazole) LOTION OTC | ciclopirox nail lacquer: No trial required in diabetes, peripheral vascular disease (PVD), immunocompromised OR contraindication to oral terbinafine |
| | COID COMBINATIONS clotrimazole/betamethasone LOTION (generic Lotrisone) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIHISTAMINES, MINIMALLY SEDATING

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| cetirizine TAB (generic Zyrtec) cetirizine SOLN (OTC) (generic Zyrtec) levocetirizine TAB (generic Xyzal) loratadine TAB, SOLN (generic Claritin) | cetirizine CHEWABLE (generic Zyrtec) cetirizine SOLN (Rx) (generic Zyrtec) desloratadine (generic Clarinex) desloratadine ODT (generic Clarinex Reditabs) fexofenadine (generic Allegra) fexofenadine 180mg (generic Allegra 180mg) ^{QL} levocetirizine (generic Xyzal) SOLN loratadine CAPS, CHEWABLE, ODT (generic Claritin Reditabs) | Non-preferred agents will be approved for patients who have failed TWO preferred agents within this drug class Combination products not covered – individual products may be covered |

ANTIHYPERTENSIVES, SYMPATHOLYTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| clonidine TAB (generic Catapres) clonidine TRANSDERMAL guanfacine (generic Tenex) methyldopa | clonidine ER (generic Nexiclon) methyldopa/hydrochlorothiazide NEXICLON XR (clonidine ER) TAB | Non-preferred agents will be approved for patients who have failed a 30-day trial with ONE preferred agent within this drug class Drug Specific Criteria Nexiclon/ clonidine ER: Clinical reason why the preferred clonidine tablet or transdermal cannot be used |

ANTIHYPERURICEMICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| allopurinol (generic Zyloprim) colchicine TAB (generic Colcrys) probenecid | allopurinol 200mg colchicine CAPS (generic Mitigare) febuxostat (generic Uloric) ^{CL} GLOPERBA SOLN (colchicine) ^{CL,QL} MITIGARE (colchicine) probenecid/colchicine (generic Col- Probenecid) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Gloperba: Approved for documented swallowing disorder Uloric/febuxostat: Clinical reason why allopurinol cannot be used |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit NR - Product was not reviewed - New Drug criteria will apply

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AlMOVIG (erenumab-aooe) CL, QL AJOVY (fremanezumab-vfrm) CL, QL PEN, Autoinjector AJOVY (fremanezumab-vfrm) Autoinjector 3-pack ^{CL,QL} EMGALITY 120 mg/mL (galcanezumab-gnlm) CL, QL PEN, SYRINGE NURTEC ODT (rimegepant) AL, CL, QL QULIPTA (atogepant) AL, CL, QL JBRELVY (ubrogepant) AL, CL, QL TAB | BREKIYA (dihydroergotamine mesylate) NR diclofenac (generic Cambia) POWDER dihydroergotamine mesylate NASAL ELYXYB (celecoxib)AL,QL SOLN EMGALITY 100 mg (galcanezumabgnlm) CL,QL SYR MIGERGOT (ergotamine/caffeine) RECTAL MIGRANAL (dihydroergotamine) NASAL REYVOW (lasmiditan)AL, CL,QL TAB ZAVZPRET (zavegepant)AL,QL NASAL | All non-preferred agents will require a failed trial or contraindication of a preferred agent of the same indication For Acute Treatment: agents will be approved for patients who have a failed trial or a contraindication to two triptans. For Prophylactic Treatment: Required ≥ 4 migraines per month for ≥ 3 months and has tried and failed a ≥ 1 month trial of two medications: antidepressants (amitriptyline, venlafaxine), Beta blockers (propranolol, metroprolol, atenolol), anti-epileptics (divalproex, valproate, topiramate) Drug-specific criteria: Emgaility 100mg will only be approved for treatment of Episodic Cluster Headache Nurtec ODT: for use in acute treatment, will be approved for patients who have a failed trial or contraindication to two triptans. For use in preventative treatment, will be approved for patients who have a failed trial of ONE preferred injectable CGRP. Qulipta: May be approved for patients who have a failed trial of ONE preferred injectable CGRP. Qulipta: May be approved for patients who have a failed trial of ONE preferred injectable CGRP. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIMIGRAINE AGENTS, TRIPTANS QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ORAL | | Non-preferred agents will be |
| rizatriptan (generic Maxalt) rizatriptan ODT (generic Maxalt MLT) sumatriptan | almotriptan (generic Axert) eletriptan (generic Relpax) frovatriptan (generic Frova) IMITREX (sumatriptan) naratriptan (generic Amerge) RELPAX (eletriptan) ^{QL} sumatriptan/naproxen (generic Treximet) SYMBRAVO (rizatriptan benzoate/meloxicam) ^{AL,NR} TAB zolmitriptan (generic Zomig) | approved for patients who have failed ALL preferred agents within this drug class Drug-specific criteria: Zembrace: approved for patients who have failed ALL preferred agents |
| NA | SAL | |
| IMITREX (sumatriptan) sumatriptan (generic Imitrex Nasal) | TOSYMRA (sumatriptan) zolmitriptan (generic Zomig) ZOMIG (zolmitriptan) | |
| INJECTABLE | | |
| sumatriptan SYRINGE, VIAL | sumatriptan KIT ZEMBRACE SYMTOUCH (sumatriptan) | |

ANTIPARASITICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NATROBA (spinosad) permethrin 1% OTC (generic Nix) permethrin 5% RX (generic Elimite) pyrethrin/piperonyl butoxide (generic RID, A-200) | CROTAN (crotamiton) LOTION EURAX (crotamiton) CREAM, LOTION ivermectin (generic Sklice) LOTION malathion (generic Ovide) PRURADIK (cromtamiton) ^{NR} LOTION spinosad (generic Natroba) VANALICE (piperonyl butoxide/pyrethrins) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class within the past 6 months |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPARKINSON'S AGENTS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANTICHOL | INERGICS | Non-preferred agents will be |
| benztropine (generic Cogentin) trihexyphenidyl (generic Artane) | | approved for patients who have failed ONE preferred agent within this drug class |
| COMT INI | HIBITORS | uns drug class |
| | entacapone (generic Comtan) ONGENTYS (opicapone) tolcapone (generic Tasmar) | Drug-specific criteria: Carbidopa/Levodopa ODT: Approved for documented swallowing disorder COMT Inhibitors: Approved if using as add-on therapy with levodopa- |
| DOPAMINE | AGONISTS | - containing drug |
| pramipexole (generic Mirapex) ropinirole (generic Requip) | bromocriptine (generic Parlodel) NEUPRO (rotigotine) ^{CL} pramipexole ER (generic Mirapex ER) ^{CL} ropinirole ER (generic Requip XL) ^{CL} | Gocovri: Required diagnosis of Parkinson's disease and had trial of or is intolerant to amantadine AND must be used as an add-on therapy with levodopa-containing drug Inbrija: Approval upon diagnosis of Parkinson's disease and concurrent treatment with carbidopa/levodopa |
| MAO-B IN | HIBITORS | agent - Neupro ®: |
| selegiline CAPS, TABLET (generic Eldepryl) | rasagiline (generic Azilect) ^{QL} XADAGO (safinamide) | For Parkinsons: Clinical reason required why preferred agent cannot be used For Restless Leg (RLS): Requires |
| OTHER ANTIPARI | KINSON'S DRUGS | trial OR Contraindication to |
| amantadine CAPS, SYRUP TABLET (generic Symmetrel) carbidopa/levodopa (generic Sinemet) carbidopa/levodopa ER (generic Sinemet CR) levodopa/carbidopa/entacapone (generic Stalevo) | carbidopa (generic Lodosyn) carbidopa/levodopa ODT (generic Parcopa) CREXONT (carbidopa and levodopa ER.)QL CAPS DHIVY (carbidopa/levodopa)QL DUOPA (carbidopa/levodopa) GOCOVRI (amantadine)QL INBRIJA (levodopa) CL,QL INHALER NOURIANZ (istradefylline)CL,QL OSMOLEX ER (amantadine)QL RYTARY (carbidopa/levodopa) | For Restless Leg (RLS): Requires |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIPSORIATICS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| acitretin (generic Soriatane) | methoxsalen (generic Oxsoralen- Ultra) | Non-preferred agents will be approved for patients who have failed a trial with THE preferred agent within this drug class Trial of acitretin (Pregnancy category X) not required in pregnancy or while attempting or planning pregnancy |

ANTIPSORIATICS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| calcipotriene CREAM, OINT, SOLN | calcitriol (generic Vectical) ^{AL} OINT calcipotriene FOAM (generic Sorilux) calcipotriene/betamethasone OINT | Non-preferred agents will be approved for patients who have failed a trial with a preferred agent within this drug class Drug-Specific Criteria Zoryve Foam- For diagnosis of Seborrheic Dermatitis, requires trial of a topical steroid or a topical calcineurin inhibitor AND trial of a topical antifungal. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

ANTIVIRALS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANTI-COVII PAXLOVID (nirmatrelvir/ritonavir) ^{CL,QL} | D-19 DRUGS | Non-preferred agents will be approved for patients who have failed a 10-day trial of ONE preferred agent within the same group |
| ANTI-HERP | ETIC DRUGS | Drug-specific criteria: |
| acyclovir (generic Zovirax) famciclovir (generic Famvir) valacyclovir (generic Valtrex) | acyclovir (generic for Zovirax)CL SUSP | Acyclovir Susp: Prior authorization NOT required for children ≤ 12 years old Paxlovid: Requires a diagnosis of COVID-19 and is limited to 1 dose pack per 30 days Xofluza: Requires clinical, patient specific reason that a preferred agent cannot be used |
| ANTI-INFLUI | ENZA DRUGS | |
| oseltamivir (generic Tamiflu) ^{QL} CAPS , SUSP | rimantadine (generic Flumadine) RELENZA (zanamivir) ^{QL} TAMIFLU (oseltamivir) ^{QL} CAPS , SUSP XOFLUZA (baloxavir marboxil) ^{AL,CL,QL} | |

ANTIVIRALS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| acyclovir OINT docosanol OTC | acyclovir CREAM, (generic Zovirax) DENAVIR (penciclovir) ^{AL} penciclovir (generic Denavir) ^{AL} | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred ORAL Antiviral agent |

ANXIOLYTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| alprazolam TABLET (generic for Xanax) buspirone (generic for Buspar) chlordiazepoxide diazepam TABLET , SOLN (generic for Valium) lorazepam INTENSOL , TABLET (generic for Ativan) | alprazolam ER (generic for Xanax XR) alprazolam ODT alprazolam INTENSOL ^{CL} BUCAPSOL (buspirone hcl) ^{NR} CAP clorazepate (generic for Tranxene-T) diazepam INTENSOL ^{CL} LOREEV XR (lorazepam) ^{AL} meprobamate oxazepam | Non-preferred agents will be approved for patients who have failed a trial with TWO preferred agents within this drug class Drug-specific criteria: Diazepam Intensol®: Requires clinical reason why diazepam solution cannot be used Alprazolam Intensol®: Requires trial of diazepam solution OR lorazepam Intensol® |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BETA BLOCKERS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| atenolol (generic Tenormin) atenolol/chlorthalidone (generic Tenoretic) bisoprolol (generic Zebeta) bisoprolol/HCTZ (generic Ziac) HEMANGEOL (propranolol) ^{AL} SOLN metoprolol (generic Lopressor) metoprolol ER (generic Toprol XL) nebivolol (generic Bystolic) propranolol (generic Inderal) propranolol ER (generic Inderal LA) | acebutolol (generic Sectral) betaxolol (generic Kerlone) BYSTOLIC (nebivolol) INDERAL/INNOPRAN XL (propranolol ER) KAPSPARGO SPRINKLE (metoprolol ER) LOPRESSOR (metoprolol tartrate) ^{NR} SOLN metoprolol/HCTZ (generic Lopressor HCT) nadolol (generic Corgard) pindolol (generic Viskin) propranolol/HCTZ (generic Inderide) timolol (generic Blocadren) TOPROL XL (metoprolol ER) | Non-preferred agents will be approved for patients who have failed TWO diagnosis-appropriate preferred agents within this drug class Drug-specific criteria: Coreg CR/carvedilol: Requires clinical reason generic IR product cannot be used Hemangeol®: Covered for diagnosis of Proliferating Infantile Hemangioma Sotylize®: Covered for diagnosis of life –threatening ventricular arrhythmias OR maintenance of normal sinus rhythm in highly symptomatic atrial fibrillation/flutter (AFIB/AFL) Requires clinical reason generic sotalol cannot be used |
| BETA- AND ALI | PHA-BLOCKERS | |
| carvedilol (generic Coreg) labetalol (generic Trandate) | carvedilol ER ^{CL} (generic Coreg CR) | |
| ANTIARR | RHYTHMIC | |
| sotalol (generic Betapace) | SOTYLIZE (sotalol) | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BILE SALTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| ursodiol CAPSULE 300 mg (generic Actigall) ursodiol 250 mg TABLET (generic URSO) ursodiol 500 mg TABLET (generic URSO FORTE) | BYLVAY (odevixibat) CAP, PELLET CHENODAL (chenodiol) CHOLBAM (cholic acid) CTEXLI (chenodiol) ^{NR} TAB IQIRVO (elafibranor) ^{QL} TAB LIVDELZI (seladelpar) CAP LIVMARLI (maralixibat) SOLN ^{AL} TABLET ^{NR} OCALIVA (obeticholic acid) RELTONE (ursodiol 200mg,400mg) CAP | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class |

BLADDER RELAXANT PREPARATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fesoterodine (generic Toviaz) MYRBETRIQ (mirabegron) ^{AL} TAB oxybutynin IR, ER (generic Ditropan/Ditropan XL) | darifenacin ER (generic Enablex) flavoxate HCL GEMTESA (vibegron)AL,QL mirabegron ER TAB (generic Myrbetriq) MYRBETRIQ (mirabegron) SUSPAL,CL,QL oxybutynin 2.5mg OXYTROL (oxybutynin) solifenacin (generic Vesicare) tolterodine IR, ER (generic Detrol/ Detrol LA) TOVIAZ (fesoterodine ER) trospium IR, ER (generic Sanctura/ Sanctura XR) VESICARE (solifenacin) VESICARE LS SUSP (solifenacin) | Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug-specific criteria: Myrbetriq suspension: Covered for pediatric patients > 3 years old with a diagnosis of Neurogenic Detrusor Overactivity (NDO) |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BONE RESORPTION SUPPRESSION AND RELATED DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BISPHOSP | PHONATES | Non-preferred agents will be approved for patients who have |
| alendronate (generic Fosamax) TAB ibandronate (generic Boniva) ^{QL} | alendronate SOLN (generic Fosamax) ^{QL} ATELVIA DR (risedronate) BINOSTO (alendronate) FOSAMAX PLUS D ^{QL} risedronate (generic Actonel) ^{QL} | approved for patients who have failed a trial of ONE preferred agent within the same group Drug-specific criteria: Actonel® Combinations: Covere as individual agents without prior authorization Atelvia DR®: Requires clinical reason alendronate cannot be taken on an empty stomach Binosto®: Requires clinical reason |
| OTHER BONE RESORPTION SUPP | PRESSION AND RELATED DRUGS | why alendronate tablets OR Fosamax® solution cannot be use |
| calcitonin-salmon NASAL FORTEO (teriparatide) ^{CL,QL} raloxifene (generic Evista) | BONSITY (teriparatide)QL,NR EVISTA (raloxifene) teriparatide (generic Forteo) CL,QL TYMLOS (abaloparatide) | Forteo/ teriparatide: Covered for high risk of fracture: BMD -3 or worse Postmenopausal women with history of non-traumatic fractures Postmenopausal women with for more clinical risk factors Family history of non-traumatic fractures DXA BMD T-score ≤ -2.5 at any site Glucocorticoid use ≥ 6 months at 7.5 dose of prednisolone equivalent Rheumatoid Arthritis Postmenopausal women with BMD T-score ≤ -2.5 at any site with any clinical risk factors More than 2 units of alcohol per day Current smoker Men with primary or hypogonadal osteoporosis Osteoporosis associated with sustained systemic glucocorticoid therapy Trial of calcitonin-salmon not required Maximum of 24 months treatment per lifetime |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BPH (BENIGN PROSTATIC HYPERPLASIA) TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ALPHA BLOCKERS | | Non-preferred agents will be |
| alfuzosin (generic Uroxatral) doxazosin (generic Cardura) tamsulosin (generic Flomax) terazosin (generic Hytrin) 5-ALPHA-REDUCTAS dutasteride (generic Avodart) finasteride (generic Proscar) | CARDURA XL (doxazosin) silodosin (generic Rapaflo) TEZRULY (terazosin) ^{CL,NR} SOLN SE (5AR) INHIBITORS dutasteride/tamsulosin (generic Jalyn) ENTADFI (finasteride/tadalafil) finasteride/tadalafil (generic Entadfi) ^{NR} | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Alfuzosin/dutasteride/finasteride Covered for males only Cardura XL®: Requires clinical reason generic IR form cannot be used Flomax/ tamsulosin: Covered for males and may be covered for females for a 7-day supply with diagnosis of acute kidney stones Jalyn/ dutasteride-tamsulosin: Requires clinical reason why individual agents cannot be used Tezruly: Clinical reason why oral tablet is not appropriate |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

BRONCHODILATORS, BETA AGONIST

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| albuterol HFA (generic Proventil HFA) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol HFA) | RS – Short Acting albuterol HFA (generic ProAir HFA and Ventolin HFA) levalbuterol HFA (generic Xopenex HFA) PROAIR DIGIHALER (albuterol) PROAIR RESPICLICK (albuterol) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Xopenex/levalbuterol solution: Covered for |
| SEREVENT (salmeterol) | STRIVERDI RESPIMAT (olodaterol) | cardiac diagnoses or side effect of tachycardia with albuterol product |
| INHAL | ATION SOLUTION | |
| albuterol (2.5mg/3ml premix or 2.5mg/0.5ml) albuterol low dose (0.63mg/3ml & 1.25mg/3ml) | arformoterol tartrate (generic Brovana) BROVANA (arformoterol) formoterol fumarate (generic Perforomist) levalbuterol (generic for Xopenex) PERFOROMIST (formoterol) | |
| | ORAL | |
| albuterol SYRUP | albuterol TAB albuterol ER (generic Vospire ER) terbutaline (generic Brethine) | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CALCIUM CHANNEL BLOCKERS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dihydrop | isradipine (generic Dynacirc) nicardipine (generic Cardene) nifedipine (generic Procardia) nimodipine (generic Nimotop) nimodipine (generic Nymalize) SOLN NYMALIZE (nimodipine) SOLN | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Katerzia/ Norliqva: May be approved with documented swallowing difficulty Nifedipine: May be approved without trial for diagnosis of Preterm Labor or Pregnancy |
| diltiazem (generic Cardizem) verapamil (generic Calan/Isoptin) | ropyridines | Induced Hypertension (PIH) Nimodipine: Covered without trial for diagnosis of subarachnoid hemorrhage |
| | ACTING Dyridines | Nimodipine solution: Covered without trial for diagnosis of |
| amlodipine (generic Norvasc) nifedipine ER (generic Procardia XL/ Adalat CC) | felodipine ER (generic Plendil) KATERZIA (amlodipine) ^{QL} SUSP levamlodipine (generic Conjupri) nisoldipine (generic Sular) NORLIQVA (amolidipine) ^{AL,CL,QL} SOLN | subarachnoid hemorrhage and documented swallowing difficulty |
| Non-dihyd | ropyridines | |
| diltiazem ER (generic Cardizem CD) verapamil ER TAB | diltiazem ER (generic Cardizem LA) MATZIM LA (diltiazem ER) TIAZAC (diltiazem) verapamil ER CAPS verapamil 360mg CAPS verapamil ER (generic Verelan PM) verapamil SR (generic Verelan) CAPS | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CEPHALOSPORINS AND RELATED ANTIBIOTICS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS | | Tion professed agestic will be |
| amoxicillin/clavulanate TAB, SUSP | amoxicillin/clavulanate CHEWABLE amoxicillin/clavulanate ER (generic Augmentin XR) AUGMENTIN (amoxicillin/clavulanate) SUSP, TAB | approved for patients who have failed a 3-day trial of ONE preferred agent within the same group Drug Specific Criteria Cefixime- May be approved |
| CEPHALOSPORIN | S – First Generation | for a diagnosis of gonorrhea, with |
| cefadroxil CAPS, SUSP (generic Duricef) cephalexin CAPS, SUSP (generic Keflex) | cefadroxil TAB (generic Duricef) cephalexin TAB | an appropriate ICD-10 diagnosis code without a 3-day trial of a preferred agent Cefpodoxime- May be approved for a diagnosis of pyelonephritis, with an appropriate |
| CEPHALOSPORINS - | Second Generation | ICD-10 diagnosis code without a |
| cefprozil (generic Cefzil) cefuroxime TAB (generic Ceftin) | cefaclor (generic Ceclor) | 3-day trial of a preferred agent |
| CEPHALOSPORINS | – Third Generation | |
| cefdinir (generic Omnicef) | cefixime (generic Suprax) CAPS , SUSP cefpodoxime (generic Vantin) | |

COLONY STIMULATING FACTORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| FULPHILA (pegfilgrastim-jmdb) SUB-Q FYLNETRA (pegfilgrastim-pbbk) NEUPOGEN DISP SYR NEUPOGEN (filgrastim) VIAL | GRANIX (tbo-filgrastim) LEUKINE (sargramostim) NEULASTA (pegfilgrastim) SYR NIVESTYM (filgrastim-aafi) SYR,VIAL NYVEPRIA (pegfilgrastim-apgf) RELEUKO (filgrastim-ayow) SYR ROLVEDON (eflapegrastim-xnst) SYR STIMUFEND (pegfilgrastim-fpgk) UDENYCA (pegfilgrastim-cbqv) AUTOINJ UDENYCA (pegfilgrastim-cbqv) SUB-Q ZARXIO (filgrastim-sndz) ZIEXTENZO SYR (pegfilgrastim-bmez) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CONTRACEPTIVES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|------------------------------------|
| All reviewed agents are recommended preferred at this time Only those products for review are listed. | AVERI (desogestrel and ethinyl estradiol kit) ^{NR} | |
| Brand name products may be subject to Maximum Allowable Cost (MAC) pricing or | GALBRIELA (norethindrone/ethinyl estradiol/ferrous fumarate) ^{NR} CHEW | |
| require substitution with a generic equivalent Specific agents can be looked up using the | LUIZZA (norethindrone ac/eth estradiol) ^{NR} | |
| Drug Look-up Tool at: https://ne.primetherapeutics.com/drug- | MELEYA (norethindrone) ^{NR} | |
| lookup | ORQUIDEA (norethindrone) ^{NR} | |
| | ROSYRAH (levonorgestrel/ ethinyl estradiol/ ethinyl estradiol kit) ^{NR} | |
| | XARAH FE (norethindrone acetate and ethinyl estradiol and ferrous fumarate) ^{NR} | |
| | XELRIA FE (norethindrone and ethinyl estradiol and ferrous fumarate) ^{NR} | |
| | | |
| | | |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COPD (CHRONIC OBSTRUCTIVE PULMONARY DISEASE) AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| INHA ANORO ELLIPTA (umeclidinium/vilanterol) ATROVENT HFA (ipratropium) COMBIVENT RESPIMAT (albuterol/ ipratropium) SPIRIVA (tiotropium) SPIRIVA RESPIMAT (tiotropium) STIOLTO RESPIMAT | BEVESPI AEROSPHERE (glycopyrolate/formoterol) DUAKLIR PRESSAIR (aclidinium br and formoterol fum) INCRUSE ELLIPTA (umeclidnium) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR Patient specific documentation of inability to use traditional inhaler device. Drug-specific criteria: Daliresp/roflumilast: Covered for diagnosis of severe |
| (tiotropium/olodaterol) | · , | COPD associated with chron bronchitis Requires trial of a bronchodilate Requires documentation of one exacerbation in last year upo |
| | N SOLUTION OHTUVAYRE (ensifentrine) inhalation | initial review |
| albuterol/ipratropium (generic Duoneb) pratropium SOLN (generic Atrovent) | suspension YUPELRI (revefenacin) | Dupixent (For other indications, see Immunomodulators, Atopic Dermatitis and Asthma therapeut classes): For COPD and an Eosinophilic Phenotype: |
| ORAL | AGENT | Requires documentation of |
| roflumilast (generic Daliresp) ^{CL,QL} | DALIRESP (roflumilast) ^{CL, QL} | inadequately controlled COP with eosinophils ≥ 300 cells/microliter AND two exacerbations OR one exacerbation that led to hospitalization while on and adherent to a ≥ 90-day trial o triple therapy (LABA + LAMA ICS). Prescribed by, or in consultation with a pulmonologist, immunologist, or an allergist. |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

COUGH AND COLD, OPIATE COMBINATION

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | guaifenesin/codeine LIQUID hydrocodone/homatropine SYRUP promethazine/codeine SYRUP promethazine/phenylephrine/codeine SYRUP | Non-preferred agents will be approved for patients who have failed a trial of ONE dextromethorphan product All codeine or hydrocodone containing cough and cold combinations are limited to <u>></u> 18 years of age |

CYSTIC FIBROSIS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | ALYFTREK (vanzacaftor; tezacaftor; deutivacaftor)AL,CL TAB BRONCHITOL (mannitol) AL,CL,QL KALYDECO PACKET, TAB (ivacaftor)QL, AL ORKAMBI (lumacaftor/ivacaftor) PACKET, TAB QL, AL SYMDEKO (tezacaftor/ivacaftor)QL, AL TRIKAFTA(elexacaftor, tezacaftor, ivacaftor)AL, CL PACKETCL, TAB | Alyfrek: Diagnosis of CF and documentation of at least one F508del mutation or another responsive mutation in the CFTR gene. Bronchitol: Approved for diagnosis of CF and documentation that the patient hat passed the BRONCHITOL Tolerance Test Kalydeco®: Diagnosis of CF and documentation of the drug-specifi FDA-approved mutation of CFTR gene Orkambi®: Diagnosis of CF and documentation of presence of two copies of the F580del mutation (homozygous) of CFTR gene Symdeko: Diagnosis of CF and documentation of the drug specifi FDA approved mutation of CFTR gene. Trikafta: Diagnosis of CF and documentation of at least one F508del mutation in the CFTR gene or a mutation that is responsive to Trikafta based on clinical and/or in vitro data |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| KIT, PEN-KIT DALIMUMAB-ADBM(CF) ^{AL} 100mg/mL KIT, PEN-KIT COSENTYX (secukinumab) ^{AL,QL} PEN, SYR CYLTEZO (adalimumab-adbm) ^{AL} 50mg/mLKIT, PEN-KIT CYLTEZO (adalimumab-adbm) ^{AL} 100mg/mL KIT, PEN-KIT ENBREL (etanercept) KIT, MINI CART, PEN, SYR, VIAL ^{QL} HUMIRA (adalimumab) ^{QL} DTEZLA (apremilast) TAB ^{QL} | ADALIMUMAB-FKJP (biosim for Hulio) ^{AL} PEN, SYR ADALIMUMAB-RYVK ^{AL} (biosim for Simlandi) KIT, PEN-KIT AMJEVITA (adalimumab-atto) ^{AL} AUTOINJ, SYR AMJEVITA(adalimumab-atto) ^{AL} KIT, PEN-KIT ARCALYST (nilonacept) | Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to TWO preferred TNF blocker, documentation of an inadequate response to TWO preferred TNF blockers of different active ingredients is required unless preferred products don't have the appropriate indication. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | KEVZARA (sarilumab) SUB-Q, PEN, SYR KINERET (anakinra) LITFULO (ritlecitinib) ^{AL} CAPS LEQSELVI (deuruxolitinib) ^{NR} TAB OLUMIANT (baricitinib) TAB ^{CL,QL} OMVOH (mirikizumab-mrkz) ^{AL} 100mg, 200mg,300mg PEN ^{NR} ,SYR ^{NR} ORENCIA (abatacept) SUB-Q | Preferred agents will be approved with FDA-approved indication — ICD-10 diagnosis code is require Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indicatif no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to ha had an inadequate response to a TNI blocker, documentation of an inadequate response to TWO preferr TNF blockers of different active ingredients is required unless preferr products don't have the appropriate indication. Drug-specific criteria: Cosentyx: Requires treatment failure Enbrel OR Humira with the same FD approved indications and age limits. |

Nebraska Medicaid **Preferred Drug List**

with Prior Authorization Criteria

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

CYTOKINE & CAM ANTAGONISTS, continued

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | SYR TALTZ (ixekizumab) ^{AL} TREMFYA (guselkumab) ^{NR,QL} AUTOINJ, PEN ^{NR} SYR TYENNE (tocilizumab-aazg) ^{AL} AUTOINJ, SYR USTEKINUMAB ^{AL,NR} SYR, VIAL | Preferred agents will be approved with FDA-approved indication – ICD-10 diagnosis code is required. Non-preferred agents will be approved for FDA-approved indications in patients who have failed a trial of TWO preferred agents within this drug class, or upon diagnosis for non-preferred agent with FDA-approved indication if no preferred agent has FDA approval for diagnosis. JAK-Inhibitors: For FDA approved indications that require a patient to have had an inadequate response to a TNF blocker, documentation of an inadequate response to TWO preferred TNF blockers of different active ingredients is required unless preferred products don't have the appropriate indication. Drug-specific criteria: Cosentyx: Requires treatment failure of Enbrel OR Humira with the same FDA-approved indications and age limits. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

DIURETICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| amiloride TAB bumetanide TAB chlorthalidone (generic Diuril) TAB furosemide (generic Lasix) SOLN, TAB hydrochlorothiazide (generic Microzide) | CAROSPIR (spironolactone)AL SUSP eplerenone (generic Inspra)CL TAB ethacrynic acid (generic Edecrin) CAPS HEMICLOR (chlorthalidone)NR TAB INZIRQO (hydrochlorothiazide)NR.QL SUSP spironolactone (generic Carospir)AL SUSP THALITONE (chlorthalidone) TAB triamterene (generic Dyrenium) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class Eplerenone: Will be approved with a failed trial or intolerance to spironolactone, a trial with two preferred agents is not required. Kerendia: For diagnosis of chronic kidney disease associated with Type-II diabetes in adults. Also for diagnosis of heart failure in adults with LVEF of 40% or greater. spironolactone suspension: May |
| COMBINATIO | N PRODUCTS | be approved without trial of a |
| amiloride/HCTZ TAB spironolactone/HCTZ TAB (generic Aldactazide) triamterene/HCTZ CAPS, TAB (generic Dyazide, Maxzide) | | preferred agent if there is a clinical reason why preferred spironolactone solid dosage form cannot be used. |

ENZYME REPLACEMENT, GAUCHER'S DISEASE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ZAVESCA (miglustat) ^{CL} | CERDELGA (eliglustat) miglustat (generic Zavesca) | Non-preferred agents require clinical documentation on why the preferred product within this drug class is not appropriate Drug-specific criteria: |
| | | Zavesca/miglustat: Approved for mild to moderate type 1 Gaucher disease for whom enzyme replacement therapy is not a therapeutic option |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

EPINEPHRINE, SELF-ADMINISTERED QL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AUVI-Q 0.1mg (epinephrine) epinephrine (AUTHORIZED GENERIC Epipen/ Epipen Jr.) AUTOINJ EPIPEN (epinephrine) AUTOINJ EPIPEN JR. (epinephrine) AUTOINJ | AUVI-Q 0.15mg (epinephrine) AUVI-Q 0.3mg (epinephrine) epinephrine (generic Adrenaclick) epinephrine (generic Epipen/ Epipen Jr.) AUTOINJ Neffy (epinephrine) Nasal Spray ^{NR} | Non-preferred agents require clinical documentation why the preferred productswithin this drug class is are not appropriate Drug-specific criteria: Neffy Nasal Spray: Requires a documented clinical reason why a preferred agent in this class can't be used. |

ERYTHROPOIESIS STIMULATING PROTEINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| ARANESP (darbopoetine alfa) DISP SYR, VIAL EPOGEN (rHuEPO) RETACRIT (epoetin alfa-epbx) <i>Pfizer manufacturer only</i> | PROCRIT (rHuEPO) RETACRIT (epoetin alfa-epbx) Vifor manufacturer only VAFSEO (vadadustat) TAB | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

FLUOROQUINOLONES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ciprofloxacin TAB (generic Cipro) levofloxacin TAB (generic Levaquin) moxifloxacin (generic Avelox) | BAXDELA (delafloxacin) ciprofloxacin ER ciprofloxacin SUSP (generic Cipro) levofloxacin SOLN ofloxacin | Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class Drug-specific criteria: Baxdela: Coverable with documented intolerance or failure of preferred MRSA agents (clindamycin, doxycycline, linezolic sulfamethoxazole/trimethoprim) Ciprofloxacin/Levofloxacin Suspension Coverable with documented swallowing disorders Ofloxacin: Trial of preferred not required for diagnoses of Pelvic Inflammatory Disease OR Acute Epididymitis (nongonorrhea) |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit

NR - Product was not reviewed - New Drug criteria will apply

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GI MOTILITY, CHRONIC

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LINZESS (linaclotide) ^{AL,QL} lubiprostone (generic Amitiza) ^{AL,QL} | alosetron (generic Lotronex) AMITIZA (lubiprostone) ^{AL, QL} IBSRELA (tenapanor) ^{AL,QL} MOTEGRITY (prucalopride succinate) MOVANTIK (naloxegol oxalate) ^{QL} prucalopride (generic Motegrity) SYMPROIC (naldemedine) VIBERZI (eluxodoline) | Non-preferred agents will be approved for patients who have failed a 30-day trial of ONE preferred agent within this drug class with the same indication Drug-specific criteria: Ibsrela: May be approved for diagnosis of IBS with constipation after trial of at least TWO OTC laxatives (senna, bisacodyl, etc.) Lotronex/ alosetron: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate Symproic: Covered for diagnosis of opioid-induced constipation in adult patients with chronic non-cancer pain after trial on at least TWO OTC laxatives and failure of Movantik Viberzi®: Covered for diagnosis of IBS Diarrhea Predominant type with trial and failure of loperamide AND diphenoxylate |

GLUCAGON AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BAQSIMI (glucagon)AL,QL NASAL GLUCAGON EMERGENCY (glucagon)QL INJ KIT (Fresenius) GLUCAGON EMERGENCY (glucagon)QL INJ KIT (Lilly) glucagonQL INJ GVOKE (glucagon)AL,QL PEN, SYR PROGLYCEM (diazoxide) SUSP ZEGALOGUE (dasiglucagon)AL,QL AUTO-INJ | diazoxide SUSP (generic Proglycem) GLUCAGON EMERGENCY (glucagon) ^{NR} INJ KIT (Lupin) GVOKE (glucagon) ^{AL,QL} VIAL ZEGALOGUE (dasiglucagon) ^{AL,QL} SYR | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, INHALED

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLUCOCO | RTICOIDS | Non-preferred agents within the |
| ARNUITY ELLIPTA (fluticasone) ASMANEX (mometasone)QL,AL ASMANEX HFA (mometasone)QL fluticasone HFA (generic Flovent HFA) PULMICORT FLEXHALER (budesonide) | ALVESCO (ciclesonide) ^{AL,CL} ARMONAIR DIGIHALER (fluticasone) ^{AL,QL} fluticasone (generic Flovent Diskus) fluticasone furoate (generic Arnuity Ellipta) ^{NR,AL} QVAR Redihaler (beclomethasone) | Glucocorticoids and Glucocorticoid/Bronchodilator Combo groups will be approved for patients who have failed a trial of TWO preferred agents within this drug class within the last 6 months Drug-specific criteria: • budesonide respules: Covered without PA for age ≤ 8 years OR for diagnosis of eosinophilic esophagitis in patients ≥ 9 years, by GI biopsy or upper endoscopy. For other indications, must have |
| GLUCOCORTICOID/BRONCH | | failed a trial of two preferred agents |
| ADVAIR DISKUS (fluticasone/salmeterol) ^{QL} ADVAIR HFA (fluticasone/salmeterol) ^{QL} DULERA (mometasone/formoterol) SYMBICORT (budesonide/ formoterol) TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol) | AIRDUO DIGIHALER (fluticasone/salmeterol)AL,QL AIRSUPRA HFA (albuterol and budesonide)AL BREO ELLIPTA (fluticasone/vilanterol) BREZTRI (budesonide/formoterol/glycopyrrolate)QL budesonide/formoterol (generic for Symbicort) fluticasone/salmeterol (generic for Advair Diskus)QL fluticasone/salmeterol (generic for Advair HFA)QL fluticasone/salmeterol (generic for Airduo Respiclick) fluticasone/vilanterol (Breo Ellipta) | within this drug class, within the last 6 months. |
| INHALATION | | |
| | budesonide RESPULES (generic for Pulmicort) | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

GLUCOCORTICOIDS, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| budesonide EC CAPS (generic Entocort EC) dexamethasone ELIXIR, SOLN dexamethasone TAB hydrocortisone TAB methylprednisolone tablet (generic Medrol) prednisolone SOLN prednisolone sodium phosphate prednisone DOSE PAK prednisone TAB | ALKINDI (hydrocortisone) GRANULES ^{AL} CORTEF (hydrocortisone) cortisone TAB dexamethasone INTENSOL EOHILIA (budesonide) ^{AL,QL} SUSP HEMADY (dexamethasone) KHINDIVI (hydrocortisone) ^{AL,NR} SOLN methylprednisolone 8mg, 16mg, 32mg prednisolone sodium phosphate (generic Millipred/Veripred) prednisolone sodium phosphate ODT prednisone SOLN prednisone INTENSOL RAYOS DR (prednisone) TAB TARPEYO (budesonide) CAPS | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Intensol Products: Patient specific documentation of why the less concentrated solution is not appropriate for the patient Tarpeyo: Indicated for the treatment of primary immunoglobulin A nephropathy (IgAN) |

GROWTH HORMONES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------|----------------------------------------|------------------------------------|
| GENOTROPIN (somatropin) | HUMATROPE (somatropin) | Growth Hormone PA Form |
| NORDITROPIN (somatropin) | NGENLA (somatrogon-ghla) ^{AL} | Growth Hormone Criteria |
| | NUTROPIN AQ (somatropin) | |
| | OMNITROPE (somatropin) | |
| | SEROSTIM (somatropin) | |
| | SKYTROFA (lonapegsomatropin-tcgd) | |
| | SOGROYA (somapacitan-beco) | |
| | ZOMACTON (somatropin) | |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

H. PYLORI TREATMENTS

| | Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA (vonoprazan) VOQUEZNA (vonoprazan) Language in the past 180days. Length of therapy for erosive esophagitis is 240 days max | | (generic Pylera) ^{QL} lansoprazole/amoxicillin/clarithromycin (generic Prevpac) ^{QL} OMECLAMOX-PAK (omeprazole, clarithromycin, amoxicillin) ^{QL} TALICIA (omeprazole/amoxicillin/rifabutin) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-Specific Criteria • Voquezna: For the diagnosis of erosive esophagitis or heartburn associated with nonerosive GERD, will require confirmation by initial endoscopy and a trial/failure or a contraindication of two different PPIs (8 weeks each) up to maximally indicated doses in the past 180days. Length of therapy for erosive esophagitis is 240 days max per calendar year and 4 weeks for heartburn associated with |

HAE TREATMENTS CL

| HAE IREATIVIENTS | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
| BERINERT (C1 esterase inhibitor, human) INTRAVENOUS HAEGARDA (C1 esterase inhibitor, human) AL,CL SUB-Q icatibant acetate (generic for FIRAZYR) SUB-Q TAKHZYRO (lanadelumab-flyo) AL,CL SYRINGE | ANDEMBRY (garadacimab) ^{AL,NR} AUTOINJECTOR CINRYZE (C1 esterase inhibitor, human) ^{AL,CL} INTRAVENOUS DAWNZERA AL,NR (donidalorsen) FIRAZYR (icatibant acetate) ^{AL} SUB-Q ORLADEYO (berotralstat) CAP ^{AL,QL} RUCONEST (recombinant human C1 inhibitor) ^{AL} INTRAVENOUS TAKHZYRO (lanadelumab-flyo) ^{AL,CL} VIAL | All agents require documentation of diagnosis of Type I or Type II HAE and deficient or dysfunctional C1 esterase inhibitor enzyme. Concomitant use with ACE inhibitors, NSAIDs, or estrogencontaining products is contraindicated Non-preferred agents will be approved for patients who have a failed trial or a contraindication to ONE preferred agent within this drug class with the same indication. Drug-Specific Criteria Cinryze, Haegarda, Orladeyo, and Takhzyro, require a history of two or more HAE attacks monthly |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEMOPHILIA TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| | | Non-preferred agents will be |
| HEMLIBRA | HYMPAVZI ^{AL,NR} QFITLIA (fitusiran) ^{AL,NR} PEN, VIAL | approved for patients who have failed a trial of ONE preferred agent within this drug class |
| FAC | TOR VIII | |
| ALPHANATE HUMATE-P KOVALTRY NOVOEIGHT NUWIQ XYNTHA KIT, SOLOFUSE | ADVATE ADYNOVATE AFSTYLA ALTUVIIIO ELOCTATE ESPEROCT HEMOFIL-M JIVI ^{AL} KOATE-DVI KIT KOATE-DVI VIAL KOGENATE FS OBIZUR RECOMBINATE | |
| FAC | CTOR IX | |
| ALPROLIX BENEFIX | ALPHANINE SD IDELVION IXINITY PROFILNINE SD REBINYN RIXUBIS | |
| FACTOR VIIa AND PROTHROM | IBIN COMPLEX-PLASMA DERIVED | |
| NOVOSEVEN RT | FEIBA NF SEVENFACT ^{AL} | |
| | D XIII PRODUCTS | |
| COAGADEX CORIFACT | TRETTEN | |
| TISSUE FACTOR PAT | THWAY INHIBITOR (TFPI) | |
| | ALHEMO ^{AL,NR} | |
| VON WILLEBR | RAND PRODUCTS | |
| WILATE | VONVENDI | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS B TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| entecavir TAB | adefovir dipivoxil BARACLUDE (entecavir) SOLN, TAB lamivudine hbv TAB VEMLIDY (tenofovir alafenamide fumarate) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug Specific Criteria tenofovir disoproxil fumarate (generic Viread) tablet: Diagnosis for use required. May be indicated for chronic hepatitis B or HIV-1 infection. See HIV/AIDS class for drug listing and placement |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HEPATITIS C TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DIRECT ACTING ANTI-VIRAL | | Hepatitis C Treatments PA Form |
| MAVYRET (glecaprevir/pibrentasvir) TAB ^{CL} , PELLET ^{AL,CL} sofosbuvir/velpatasvir (generic Epclusa) ^{CL} VOSEVI (sofosbuvir/velpatasvir/ voxilaprevir) ^{CL} | HARVONI 200/45MG, TAB (ledipasvir/sofosbuvir) ^{CL} HARVONI (ledipasvir/sofosbuvir) ^{CL} PELLET ledipasvir/sofosbuvir (generic Harvoni) ^{CL} SOVALDI (sofosbuvir) ^{CL} PELLET SOVALDI TAB (sofosbuvir) ^{CL} ZEPATIER (elbasvir/grazoprevir) ^{CL} | Hepatitis C Criteria Non-preferred products require trial of preferred agents within the same group and/or will only be considered with documentation of why the preferred product within this drug class is not appropriate for patient Patients newly eligible for Medicaid will be allowed to complete treatment with the original that treatment was initially authorized by another payor Drug-specific criteria: Trial with with a preferred agent not required in the following: Harvoni/ledipasvir-sofosbuvir: |
| RIBA | VIRIN | Post liver transplant for genotype 1 or 4 |
| ribavirin 200mg CAPSULE, TAB | | Vosevi: Requires documentation of non-response after previous treatment course of Direct Acting |
| INTERFERON | | - Anti-viral agent (DAA) for genotype |
| PEGASYS (pegylated interferon alfa- 2a) ^{CL} | | 1-6 without cirrhosis or with compensated cirrhosis |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HISTAMINE II RECEPTOR BLOCKERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| famotidine TAB (generic for Pepcid) famotidine SUSP | cimetidine TAB , SOLN ^{CL} (generic Tagamet) famotidine CHEW-TAB nizatidine CAPS (generic for Axid) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| | | Drug-specific criteria: Cimetidine: Approved for viral M. contagiosum or common wart V. Vulgaris treatment |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| CAPSID INHIBITOR | | All agents require: |
| | SUNLENCA (lenacapavir) ^{QL} YEZTUGO (lenacapavir) ^{NR,QL} TAB | Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis |
| CCR5 ANT | AGONISTS | |
| SELZENTRY SOLN, TAB (maraviroc) | maraviroc (generic Selzentry) | Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient |
| FUSION I | NHIBITORS | specific documentation of why the |
| FUZEON SUB-Q (enfuvirtide) ^{QL} | | preferred products within this drug class are not appropriate for patient, including, but not limited |
| HIV-1 ATTACH | MENT INHIBITOR | to, drug resistance or concomitant conditions not recommended with |
| | RUKOBIA ER (fostemsavir) ^{AL,QL} | preferred agentsPatients undergoing treatment at |
| INTEGRASE STRAND TRAI | NSFER INHIBITORS (INSTIS) | the time of any preferred status |
| ISENTRESS (raltegravir) ^{QL} ISENTRESS HD (raltegravir) TIVICAY (dolutegravir) | TIVICAY PD (dolutegravir) | change will be allowed to continue therapy |
| NON-NUCLEOSIDE REVERSE TRA | NSCRIPTASE INHIBITORS (NNRTIs) | |
| EDURANT (rilpivirine) | etravirine (generic Intelence) ^{QL} | |
| efavirenz CAPS , TABLET (generic Sustiva) | nevirapine IR, ER (generic Viramune/Viramune XR) | |
| INTELENCE (etravirine)QL | SUSTIVA CAPS, TABLET (efavirenz) | |
| PIFELTRO (doravirine)QL | VIRAMUNE (nevirapine) SUSP | |
| NUCLEOSIDE REVERSE TRANS | SCRIPTASE INHIBITORS (NRTIs) | |
| abacavir SOLN, TABLET (generic Ziagen) EMTRIVA CAPS, SOLN (emtricitabine) lamivudine SOLN, TABLET (generic Epivir) zidovudine CAPS, SYRUP, TABLET (generic Retrovir) | didanosine DR (generic Videx EC) emtricitabine CAPS (generic for Emtriva) EPIVIR (lamivudine) RETROVIR (zidovudine) stavudine CAPS (generic Zerit) ZIAGEN (abacavir) | |
| NUCLEOTIDE REVERSE TRAN | SCRIPTASE INHIBITORS (NRTIs) | |
| tenofovir TABLET (generic Viread) | VIREAD (tenofovir) POWDER | |
| PHARMACOKIN | ETIC ENHANCER | |
| | TYBOST (cobicistat)QL | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS CL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROTEASE INHIBITORS | | All agents require: |
| atazanavir CAPS (generic Reyataz) NORVIR (ritonavir) TAB PREZISTA (darunavir) TAB ritonavir TAB (generic Norvir) | APTIVUS CAPS, SOLN (tipranavir) CRIXIVAN (indinavir) DARUNAVIR PROPYLENE GLYCOLATEAL TAB darunavir ethanolate (generic Prezista)AL TAB fosamprenavir TAB (generic Lexiva) LEXIVA SUSP (fosamprenavir) LEXIVA TAB (fosamprenavir) NORVIR POWDER, SOLN (ritonavir) PREZISTA (darunavir) SUSP REYATAZ POWDER (atazanavir) VIRACEPT (nelfinavir) | Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| PHARMACOK EVOTAZ (atazanavir/cobicistat) ^{QL} lopinavir/ritonavir SOLN, TAB (generic Kaletra) | E INHIBITORS (PIs) or PIs plus INETIC ENHANCER KALETRA SOLN (Iopinavir/ritonavir) KALETRA TAB (Iopinavir/ritonavir) PREZCOBIX (darunavir/cobicistat) EVERSE TRANSCRIPTASE INHIBITORS | All agents require: Diagnosis of HIV/AIDS required; OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |
| abacavir/lamivudine (generic Epzicom) CIMDUO (lamivudine/tenofovir) ^{QL} DESCOVY (emtricitabine/tenofovir) ^{QL} emtricitabine/tenofovir (generic Truvada) lamivudine/zidovudine (generic Combivir) | abacavir/lamivudine/zidovudine (generic Trizivir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir sulfate/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRUVADA (emtricitabine/tenofovir) | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HIV / AIDS ^{CL} (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| COMBINATION PRODUCTION BIKTARVY (bictegravir/emtricitabine/tenofovir) COMPLERA (rilpivirine/emtricitabine/tenofovir) DELSTRIGO | Non-Preferred Agents CTS – MULTIPLE CLASSES efavirenz/lamivudine/tenofovir (generic for Symfi)QL efavirenz/lamivudine/tenofovir (generic for Symfi Lo)QL rilpivirine/emtricitabine/tenofovir | All agents require: Diagnosis of HIV/AIDS required, OR Diagnosis of Pre and Post Exposure Prophylaxis Non-preferred agents will be approved for patients who have a |
| (doravirine/lamivudine/tenofovir)QL DOVATO (dolutegravir/lamivudine)QL efavirenz/emtricitabine/tenofovir (generic Atripla)CL GENVOYA (elvitegravier/cobicistat/ emtricitabine/tenofovir)QL, AL JULUCA (dolutegravir/rilpivirine)QL ODEFSEY (emtricitabine/rilpivirine/ tenofovir)QL | (Complera) ^{NR} TRIUMEQ PD (abacavir/dolutegravir/lamivudine) SUSP | diagnosis of HIV/AIDS and patient specific documentation of why the preferred products within this drug class are not appropriate for patient, including, but not limited to, drug resistance or concomitant conditions not recommended with preferred agents Patients undergoing treatment at the time of any preferred status change will be allowed to continue |
| STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir) ^{QL} SYMFI (efavirenz/lamivudine/ tenofovir) ^{QL} SYMFI LO (efavirenz/lamivudine/ tenofovir) ^{QL} SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir) ^{QL} TRIUMEQ (dolutegravir/abacavir/ lamivudine) | | therapy |

HYPOGLYCEMICS, ALPHA-GLUCOSIDASE INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| acarbose (generic Precose) | miglitol (generic Glyset) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLUCAGON-LIKE PEPTIDE-1 RECEPTOR AGONIST (GLP-1 RA)AL,CL,QL | | GLP-1 RA Criteria |
| OZEMPIC (semaglutide) ^{AL,QL} TRULICITY (dulaglutide) ^{AL,QL} VICTOZA (liraglutide) ^{AL,QL} subcutaneous | BYDUREON BCISE PEN (exenatide) AL,QL BYETTA (exenatide) AL,QL subcutaneous exenatide (generic Byetta) AL,QL liraglutide (generic Victoza) AL,QL MOUNJARO (tirzepatide) AL,QL PEN RYBELSUS (semaglutide) AL,QL 1.5mgNR, 3mg, 4mgNR, 7mg, 9mgNR, 14mg TAB | Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin OR A diagnosis of ASCVD associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have: • Failed a trial of TWO preferred agents within GLP-1 RA AND |
| INSULIN/GLP-1 R | A COMBINATIONS | Diagnosis of diabetes with HbA1C |
| | SOLIQUA (insulin glargine/lixisenatide) XULTOPHY (insulin degludec/liraglutide) | ≥ 7 AND Trial of metformin, or contraindication or intolerance to metformin |
| AMYLIN | ANALOG | Amylin Analog Criteria |
| DIPEPTIDYL PEPTIDASE JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin) | SYMLIN (pramlintide) subcutaneous -4 (DPP-4) INHIBITORAL,QL alogliptin (generic Nesina) alogliptin/metformin (generic Kazano) alogliptin/pioglitazone (generic Oseni) BRYNOVIN (sitagliptin)NR,QL SOLN GLYXAMBI (empagliflozin/linagliptin) JENTADUETO XR (linagliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) QTERN (dapagliflozin/saxagliptin) | ALL criteria must be met Concurrent use of short-acting mealtime insulin Current therapy compliance No diagnosis of gastroparesis HbA1C ≤ 9% within last 90 days Monitoring of glucose during initiation of therapy DPP-4 Inhibitor Criteria Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin. Non-preferred DPP-4s will be approved for patients who have failed a trial of ONE preferred agent within the DPP-4 inhibitor class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| DIPEPTIDYL PEPTIDASE | -4 (DPP-4) INHIBITOR ^{AL,QL} | |
| | saxagliptin (generic Onglyza) saxagliptin/metformin ER (generic Kombiglyze ER) sitagliptin (generic Zituvio) sitagliptin/ metformin (Zituvimet) sitagliptin/ metformin ER (Zituvimet XR) ^{NR} STEGLUJAN (ertugliflozin/sitagliptin) TRIJARDY XR (empagliflozin/linagliptin/metformin) ZITUVIMET (sitagliptin/metformin) TAB ^{QL} ZITUVIMET XR (sitagliptin/ metformin ER) TAB ^{QL} ZITUVIO (sitagliptin) | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UMULIN (insulin) VIAL UMULIN 70/30 VIAL UMULIN U-500 VIAL UMULIN U-500 PENCL UMULIN OTC PEN UMULIN 70/30 OTC PEN sulin aspart (generic for Novolog) CARTRIDGE, PEN, VIAL sulin aspart/insulin aspart protamine PEN, VIAL(generic for Novolog Mix) sulin lispro (generic for Humalog) PEN, VIAL, JR KWIKPEN sulin lispro/lispro protamine KWIKPEN (Humalog Mix Kwikpen) ANTUS SOLOSTAR PEN (insulin glargine) ANTUS (insulin glargine) VIAL | AFREZZA (regular insulin) INHALATION APIDRA (insulin glulisine) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Afrezza®: Approved for T1DM on long-acting insulin with no current history of smoking or chronic lung disease Humulin® R U-500 Kwikpen: Mabe approved for patients who require >200 units/day Humalog U-200 Pen: May be approved for patients who require > 100 units/day |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, INSULIN AND RELATED DRUGS, continued

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Preferred Agents | MERILOG (insulin aspart-szjj) ^{NR} SOLOSTAR PEN MERILOG (insulin aspart-szjj) ^{NR} VIAL NOVOLIN (insulin) PEN-OTC, VIAL-OTC NOVOLIN 70/30 VIAL (insulin) NOVOLOG (insulin aspart) CARTRIDGE, PEN, VIAL NOVOLOG MIX (insulin aspart/aspart protamine) PEN, VIAL REZVOGLAR (insulin glargine-aglr) KWIKPEN SEMGLEE (insulin glargine) PEN, VIAL | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| | SEMGLEE YFGN (insulin glargine) PEN, VIAL | |
| | TOUJEO SOLOSTAR (insulin glargine) | |

HYPOGLYCEMICS, MEGLITINIDES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| repaglinide (generic Prandin) | nateglinide (generic Starlix) ^{CL} | Non-preferred agents will be approved for patients with: Failure of a trial of ONE preferred agent in another Hypoglycemic class OR T2DM and inadequate glycemic control |

HYPOGLYCEMICS. METFORMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| metformin IR & ER (generic Glucophage/Glucophage XR) | metformin IR 750 mg metformin ER (generic Fortamet/Glumetza) metformin SOLN (generic Riomet) RIOMET ER (metformin ER) ^{AL} | Metformin ER (generic Fortamet®)/Glumetza®: Requires clinical reason why generic Glucophage XR® cannot be used Metformin solution: Prior authorization not required for age <7 years |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SGLT2^{CL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | BRENZAVVY (bexagliflozin) ^{NR} dapagliflozin ^{NR,QL} (generic Farxiga) dapagliflozin/metformin ^{QL} (generic Xigduo) INPEFA (sotagliflozin) ^{QL} TAB INVOKAMET (canagliflozin/ metformin) ^{QL} INVOKAMET XR (canagliflozin/metformin) ^{QL} INVOKANA (canagliflozin) SEGLUROMET (ertugliflozin/metformin) ^{QL} STEGLATRO (ertugliflozin) ^{QL} SYNJARDY XR (empagliflozin/ metformin) ^{AL,QL} | Preferred agents require a diagnosis of Type II diabetes AND a trial and failure or intolerance to metformin, OR A diagnosis of ASCVD or Heart Failure, or Chronic Kidney Disease associated with a diagnosis of Type II diabetes (no metformin trial required) Non-preferred agents will be approved for patients who have failed a trial with ONE preferred agent within this drug class Drug Specific Criteria: Farxiga/ dapagliflozin: May be approved for a diagnosis of diabetes May be approved for a diagnosis of diabetes May be approved for a diagnosis of chronic kidney disease at risk of progression without a diagnosis of diabetes Jardiance: May be approved for a diagnosis of Heart Failure without a diagnosis of Heart Failure without a diagnosis of diabetes |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

HYPOGLYCEMICS, SULFONYLUREAS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| glimepiride 1mg, 2mg, 4mg, 6mg, 8mg (generic Amaryl) glipizide IR & ER (generic Glucotrol/ Glucotrol XL) glyburide (generic Diabeta/Glynase) | chlorpropamide glimepiride 3mg (generic Amaryl) tolazamide tolbutamide | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| SULFONYLUREA | COMBINATIONS | |
| glipizide/metformin glyburide/metformin (generic Glucovance) | | |

HYPOGLYCEMICS, TZD

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| THIAZOLIDINE | THIAZOLIDINEDIONES (TZDs) | |
| pioglitazone (generic Actos) | | approved for patients who have failed a trial of THE preferred agent |
| TZD COME | BINATIONS | within this drug class |
| | pioglitazone/glimepiride (generic Duetact) pioglitazone/metformin (generic Actoplus Met) | Combination products: Require clinical reason why individual ingredients cannot be used |

IDIOPATHIC PULMONARY FIBROSIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| pirfenidone (generic Esbriet) ^{QL} | ESBRIET (pirfenidone) ^{QL} JASCAYD (nerandomilast) ^{NR} OFEV (nintedanib esylate) ^{CL} | Non-preferred agent requires trial of preferred agent within this drug class with the same indication FDA approved indication required – ICD-10 diagnosis code |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ASTHMA CL

| Preferred Agents Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AUTO-INJAL,QL, SYRAL,QL TEZSPIRE (tezepelumab-ekko)AL PEN | Immunomodulators Self-Injectable PA Form All agents require prior authorization AND an FDA-approved diagnosis for approval Non-preferred agents require a trial of a preferred agent within this drug class with the same indication For asthma indications: All agents must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist Agents listed may have other FDA approved indications, and will be subject to prior authorization Drug Specific Criteria: Dupixent: (For other indications, see Immunomodulators, Atopic Dermatitis and COPD therapeutic classes) For Eosinophilic Asthma or Corticosteroid Dependent Asthma: Patients must be ages 6 and older. Documentation of moderate to severe asthma with either eosinophils >/= 150 + 1 exacerbation OR oral corticosteroid dependency AND prior drug therapy of med-high or max-tolerated inhaled corticosteroid + controller OR max-tolerated inhaled corticosteroid / long-acting beta agonist combo |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, ATOPIC DERMATITIS AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ADBRY (tralokinumab-ldrm) AL,CL,QL SUB-Q ADBRY 300mg/2mL (tralokinumab-ldrm) AL,CL,QL AUTOINJ DUPIXENT (dupilumab) AL,CL PEN,SYR ELIDEL (pimecrolimus) EUCRISA (crisaborole) CL,QL pimecrolimus (generic Elidel) tacrolimus (generic Protopic) | CREAM EBGLYSS (lebrikizumab-lbkz)AL,NR,QLPEN, SYRINGE NEMLUVIO (nemolizumab-ilto)AL,NR OPZELURA (ruxolitinib phosphate) CREAMAL,CL,QL VTAMA (tapinarof)AL CREAM ZORYVE 0.15% (roflumilast)AL CREAM ZORYVE 0.05% (roflumilast)AL, NR CREAM | Immunomodulators Self-Injectable PA Form Non-preferred agents require: Trial of a topical steroid AND Trial of one preferred product within this drug class with same indication. Drug-specific criteria: ADBRY: May be approved after a trial or failure of a topical corticosteroid AND a topical calcineurin inhibitor Dupixent: (For other indications, see Immunomodulators, Asthma and COPD therapeutic classes): 1. Atopic Dermatitis: May be approved after a minimum of a 14-day trial of a topical corticosteroid AND a 6-week topical calcineurin inhibitor 2. Eosinophilic Esophagitis: Trial, failure, or technique difficulty to a swallowed topical corticosteroid or treatment failure of a proton pump inhibitor. Prescribed by, or in consultation with an allergist, gastroenterologist, or immunologist. Documentation that the Patient has a confirmed diagnosis of eosinophilic esophagitis with ≥ 15 eosinophils/high-power field. 3. Nasal Polyps: May be approved with documentation of treatment failure or contraindication within the previous year to an intranasal corticosteroid OR systemic corticosteroid therapy OR prior nasal surgery. Prescribed by, or in consultation with an allergist, pulmonologist, or otolaryngologist [ENT]. 4. Prurigo Nodularis: Patient must have a diagnosis of Prurigo Nodularis with provider attestation of ≥ 20 nodular lesions. Trial and failure of a topical corticosteroid. Prescribed by, or in consultation with an allergist, dermatologist, or immunologist. Eucrisa: May be approved after a 30 day trial failure of a preferred topical corticosteroid (TCS) or topical calcineurin inhibitor (TCI) within the past 180 days; Maximum of 300 grams per year Opzelura: May be approved for a diagnosis of Atopic Dermatitis and after a trial/failure of a topical steroid and trial of a preferred agent |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

IMMUNOMODULATORS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| imiquimod (generic for Aldara) | HYFTOR (sirolimus) ^{AL} GEL imiquimod (generic Zyclara) podofilox (generic Condylox) GEL , SOLN VEREGEN (sinecatechins) | Non-preferred agents require clinical reason why preferred agent within this drug class cannot be used |

IMMUNOSUPPRESSIVES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| azathioprine (generic Imuran) azathioprine (generic Azasan) ^{NR} cyclosporine, modified (generic Neoral) CAPS everolimus (generic for Zortress) ^{AL} mycophenolate (generic Cellcept) CAPS, TAB mycophenolic acid RAPAMUNE (sirolimus) SOLN RAPAMUNE (sirolimus) TAB sirolimus (generic Rapamune) SOLN, TAB tacrolimus | ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) cyclosporine CAP, SOFTGEL cyclosporine, modified (generic Neoral) SOLN ENVARSUS XR (tacrolimus) GENGRAF (cyclosporine, modified) CAP, SOLN mycophenolate (generic Cellcept) SUSP MYFORTIC (mycophenolate sodium) MYHIBBIN (mycophenolate) PROGRAF (tacrolimus) CAPS, PACKET REZUROCK (belumosudil) SANDIMMUNE (cyclosporine) CAPS, SOLN TAVNEOS (avacopan) CAPS ZORTRESS (everolimus) AL | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Patients established on existing therapy will be allowed to continue Drug Specific Criteria Tavneos (avacopan) No trial of a preferred agent required with appropriate FDA indications with concurrent use of standard therapy, including glucocorticoids |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

INTRANASAL RHINITIS AGENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ANTICHOLINERGICS | | Non-preferred agents will be |
| ipratropium (generic for Atrovent) | | approved for patients who have failed a 30-day trial of ONE preferred |
| ANTIHIS | TAMINES | agent within this drug class |
| azelastine 0.1% (generic for Astelin) | azelastine 0.15% (generic for Astepro) azelastine/fluticasone (generic for Dymista) olopatadine (generic for Patanase) RYALTRIS (olopatadine/mometasone) ^{AL} | Drug-specific criteria: mometasone: Prior authorization NOT required for children ≤ 12 years budesonide: Approved for use in Pregnancy (Pregnancy Category B) Xhance: Indicated for treatment of |
| CORTICO | STEROIDS | nasal polyps in ≥ 18 years only |
| fluticasone Rx (generic Flonase) | BECONASE AQ (beclomethasone) budesonide (Rhinocort) OTC flunisolide (generic Nasalide) fluticasone (generic Flonase) OTC mometasone (generic Nasonex) OTC, RX NASONEX (mometasone) OTC OMNARIS (ciclesonide) QNASL 40 & 80 (beclomethasone) triamcinolone (generic Nasacort) OTC XHANCE (fluticasone) ZETONNA (ciclesonide) | nasal polyps in ≥ 18 years only |

LEUKOTRIENE MODIFIERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| montelukast (generic for Singulair) TAB ^{QL} /CHEWABLE ^{AL} | montelukast GRANULES (generic Singulair) ^{CL, AL} zafirlukast (generic Accolate) zileuton ER (generic Zyflo CR) ZYFLO (zileuton) | Non-preferred agents will be approved for patients who have failed a 30-day trial of THE preferred agent within this drug class Drug-specific criteria: montelukast granules: PA not required for age < 2 years |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LINCOSAMIDES / OXAZOLIDINONES / STREPTOGRAMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| clindamycin CAPS clindamycin palmitate SOLN linezolid TAB | CLEOCIN (clindamycin) CAPS CLEOCIN PALMITATE (clindamycin) linezolid SUSP SIVEXTRO (tedizolid phosphate) ZYVOX (linezolid) SUSP, TAB | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

LIPOTROPICS, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| cholestyramine (generic Questran) colestipol TAB (generic Colestid) | Colesevelam (generic Welchol) TAB, PACKET colestipol GRANULES (generic Colestid) QUESTRAN LIGHT (cholestyramine) MILIAL HYPERCHOLESTEROLEMIA JUXTAPID (lomitapide) ^{CL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Colesevelam: Trial not required for diabetes control and monotherapy with metformin, sulfonylurea, or insulin has been inadequate |
| TREATMENT OF FAMILIAL CHYLO | KYNAMRO (mipomersen) ^{CL} OMICRONEMIA SYNDROME (FCS) TRYNGOLZA (olezarsen) ^{AL,QL} INJ | Juxtapid/ Kynamro: Approved for diagnosis of homozygous familial hypercholesterolemia (HoFH) OR |
| fenofibrate (generic Tricor) fenofibrate (generic Lofibra) gemfibrozil (generic Lopid) | perivatives fenofibric acid (generic Fibricor/Trilipix) fenofibrate (generic Antara/Fenoglide/ Lipofen/Triglide) | Treatment failure/maximized dosing/contraindication to ALL the following: statins, ezetimibe, niacin, fibric acid derivatives, omega-3 agents, bile acid sequestrants |
| niacin ER (generic Niaspan) | NIACOR (niacin IR) | Require faxed copy of REMS PA form Tryngolza: Approved for diagnosis of familial chylomicronemia |
| OMEGA-3 F. omega-3 fatty acids (generic Lovaza) | icosapent (generic Vascepa) ^{CL} omega-3 OTC | syndrome and fasting triglycerides equal to or greater than 880 mg/dL within the past 90 days and used in combination with a low-fat diet of 20 gm or less of fat per day |
| CHOLESTEROL ABSO | ORPTION INHIBITORS | |
| ezetimibe (generic Zetia) | NEXLETOL (bempedoic acid) NEXLIZET (bempedoic acid/ ezetimibe) ^{QL} | |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, OTHER (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 (PCSK9) INHIBITORS | | Drug-Specific Criteria Praluent and Repatha: May be |
| PRALUENT (alorocumab) ^{CL} REPATHA (evolocumab) ^{CL} SURECLICK, SYR | REPATHA (evolocumab) ^{CL} PUSHTRONEX | approved for diagnoses of: Atherosclerotic cardiovascular disease (ASCVD) in adults |
| | | Heterozygous familial hypercholesterolemia (HeFH) Dralvert > 2 years of area. |
| 0 | | ○ Praluent ≥ 8 years of age ○ Repatha ≥ 10 years of age |
| | | Homozygous familial hypercholersterolemia (HoFH) |
| | | o Praluent ≥ 18 years of age o Repatha ≥ 10 years of age |
| | | |
| | | Concurrent use of a maximally tolerated statin must continue, except for statin-induced rhabdomyolysis or a contraindication to a statin |
| | | Failure to reach target LDL-C levels: ASCVD - < 70 mg/dL Very high risk ASCVD- 55mg/dL HeFH - < 100 mg/dL |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

LIPOTROPICS, STATINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| atorvastatin (generic Lipitor) ^{QL} lovastatin (generic Mevacor) pravastatin (generic Pravachol) | ALTOPREV (lovastatin ER) ^{CL} ATORVALIQ (atorvastatin) ^{QL} SUSP EZALLOR SPRINKLE (rosuvastatin) ^{QL} | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class, within the last 12 months |
| rosuvastatin (generic Crestor) simvastatin (generic Zocor) | fluvastatin IR/ER (generic Lescol/ Lescol XL) LIVALO (pitavastatin) ^{AL,QL} pitavastatin (generic Livalo) ^{AL,QL} ZYPITAMAG (pitavastatin) | Drug-specific criteria: Altoprev®: One of the TWO trials must be IR lovastatin Combination products: Require clinical reason why individual ingredients cannot be used |
| STATIN COM | atorvastatin/amlodipine (generic Caduet) simvastatin/ezetimibe (generic Vytorin) | fluvastatin ER: Requires trial of TWO preferred agents AND trial of IR fluvastatin OR clinical reason IR cannot be used simvastatin/ezetimibe: Approved for 3-month continuous trial of ONE standard dose statin |

MACROLIDES AND KETOLIDES, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| MACRO | OLIDES | Non-preferred agents require |
| azithromycin (generic Zithromax) clarithromycin TAB , SUSP (generic Biaxin) E.E.S. SUSP (erythromycin ethylsuccinate) | clarithromycin ER (generic Biaxin XL) E.E.S. TAB (erythromycin ethylsuccinate) ERY-TAB (erythromycin) erythromycin ethylsuccinate SUSP ERYPED SUSP (erythromycin) ERYTHROCIN (erythromycin) erythromycin base TAB , CAPS | clinical reason why preferred products within this drug class cannot be used AND ≥ 3-day trial on a preferred product |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

METHOTREXATE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| methotrexate PF VIAL, TABLET, VIAL | JYLAMVO (methotrexate) SOLN OTREXUP (methotrexate) SUB-Q RASUVO (methotrexate) SUB-Q TREXALL (methotrexate) TABLET XATMEP (methotrexate) SOLN | Non-preferred agents require a trial of the preferred agent AND will be approved for an FDA-approved indication Drug-specific criteria: Xatmep TM :Indicated for pediatric patients only |

MOVEMENT DISORDERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AUSTEDO (deutetrabenazine) ^{AL,CL,QL} AUSTEDO XR (deutetrabenazine) ^{AL,CL,QL} AUSTEDO XR Titration Pack | INGREZZA (valbenazine) ^{AL,CL} INITIATION PACK XENAZINE (tetrabenazine) ^{CL} | All drugs require an FDA approved indication – ICD-10 diagnosis code required. |
| (deutetrabenazine) ^{AL,CL} INGREZZA (valbenazine) ^{AL,CLQL} CAPS, SPRINKLES tetrabenazine (generic for Xenazine) ^{CL} | | Non-preferred agents require a trial and failure of a preferred agent with the same indication or a clinical reason why a preferred agent in this class cannot be used. |
| | | Drug-specific criteria: Austedo/Austedo XR/Ingrezza: Diagnosis of Tardive Dyskinesia or chorea associated with Huntington's Disease; Requires a Step through tetrabenazine with the diagnosis of chorea associated with Huntington's Disease tetrabenazine: Diagnosis of chorea with Huntington's Disease |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

MULTIPLE SCLEROSIS DRUGS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AVONEX (interferon beta-1a) ^{QL} COPAXONE 20mg (glatiramer) ^{QL} dimethyl fumarate (generic Tecfidera) fingolimod (generic Gilenya) ^{QL} KESIMPTA (Ofatumumab) ^{CL,QL} teriflunomide (generic Aubagio) ^{QL} | AUBAGIO (teriflunomide) ^{QL} BAFIERTAM (monomethyl fumarate) ^{QL} BETASERON (interferon beta-1b) ^{QL} dalfampridine (generic Ampyra) ^{QL} dimethyl fumarate (generic Tecfidera Starter Pck) Starter Pck EXTAVIA (interferon beta-1b) ^{QL} GILENYA (fingolimod) ^{QL} glatiramer (generic Copaxone) ^{QL} MAVENCLAD (cladribine) MAYZENT (siponimod) ^{QL} PLEGRIDY (peginterferon beta-1a) ^{QL} PONVORY (ponesimod) REBIF (interferon beta-1a) ^{QL} TASCENSO ODT (fingolimod) TAB ^{AL} TECFIDERA (dimethyl fumarate) VUMERITY (diroximel) ^{QL} ZEPOSIA (ozanimod) ^{AL,CL,QL} | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agent within this drug class Drug-specific criteria: Ampyra/ dalfampridine: |

NITROFURAN DERIVATIVES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| nitrofurantoin macrocrystals CAPSULE (generic Macrodantin) nitrofurantoin monohydrate- macrocrystals CAPS (generic Macrobid) | nitrofurantoin SUSPENSION (genericFuradantin) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| diclofenac sodium (generic Voltaren) ibuprofen OTC, Rx (generic Advil, Motrin) CHEW, DROPS, SUSP, TAB ibuprofen OTC (generic Advil, Motrin) CAPS indomethacin (generic Indocin) CAPS ketorolac (generic Toradol) meloxicam (generic Mobic) TAB nabumetone (generic Relafen) naproxen Rx, OTC (generic Naprosyn) naproxen enteric coated sulindac (generic Clinoril) | diclofenac potassium (generic Cataflam, Zipsor) diclofenac SR (generic Voltaren-XR) diflunisal (generic Dolobid) etodolac & SR (generic Lodine/XL) fenoprofen (generic Nalfon) flurbiprofen (generic Ansaid) ibuprofen/famotidine (generic Duexis) ^{CL} ibuprofen 300mg TAB indomethacin ER (generic Indocin) ketoprofen & ER (generic Orudis) meclofenamate (generic Meclomen) mefenamic acid (generic Ponstel) meloxicam (generic Vivlodex) ^{CL, QL} CAP meloxicam (generic Naprelan) naproxen CR (generic Naprelan) naproxen (generic Naprosyn) SUSP naproxen sodium (generic Anaprox) naproxen-esomeprazole (generic Vimovo) oxaprozin (generic Daypro) piroxicam (generic Tolectin) ketorolac (generic Sprix Nasal) QL NASAL | Non-preferred agents within COX-1 SELECTIVE group will be approved for patients who have failed no less than 30-day trial of TWO preferred agents within this drug class Drug-specific criteria: meclofenamate: Approvable without trial of preferred agents for menorrhagia Sprix/ketoralac Nasal: Approved for patients unable to tolerate, swallow OR absorb oral NSAIDs OR contraindication OR trial of TWO preferred oral NSAIDs |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NSAIDs, ORAL (Continued)

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|------------------------------|---------------------------------|---|----------------------------------------------------------------|
| COX-I SELECT | VE (continued) | • | All combination agents require a |
| NSAID/GI PROTECTA | diclofenac/misoprostol (generic | - | clinical reason why individual agents can't be used separately |
| COX-II SELECTIVE | | - | |
| celecoxib (generic Celebrex) | | | |

NSAIDs, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| diclofenac sodium GEL (OTC only) PENNSAID PUMP (diclofenac) | diclofenac PUMP (generic Pennsaid) ^{CL} diclofenac SOLN (generic Pennsaid) FLECTOR PATCH (diclofenac) ^{CL} LICART PATCH (diclofenac) ^{CL} PENNSAID PACKET (diclofenac) ^{CL} | Non-preferred agents will be approved for patients who have failed ONE preferred agent within this drug class AND a clinical reason why patient cannot use oral dosage form. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, BREAST

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CDK 4/6 | IBRANCE (palbociclib) KISQALI (ribociclib) KISQALI FEMARA CO-PACK VERZENIO (abemaciclib) | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera anastrozole: May be approved for malignant neoplasm of male breas (male breast cancer) Fareston/toremifene: Require clinical reason why tamoxifen cannot be used letrozole: Approved for diagnosis of breast cancer with day supply greater than 12 – NOT approved for short term use Soltamox: May be approved with documented swallowing difficulty |
| capecitabine (generic Xeloda) cyclophosphamide | THERAPY XELODA (capecitabine) | |
| anastrozole (generic Arimidex) exemestane (generic Aromasin) letrozole (generic Femara) tamoxifen citrate (generic Nolvadex) | INLURIYO (imlunestrant) ^{NR} ORSERDU (elacestrant) SOLTAMOX SOLN (tamoxifen) ^{CL} toremifene (generic Fareston) ^{CL} | |
| ОТ | ITOVEBI (inavolisib) ^{NR} NERLYNX (neratinib) PIQRAY (alpelisib) lapatinib (generic Tykerb) TALZENNA (talazoparib tosylate) ^{QL} TUKYSA (tucatinib) ^{QL} TRUQAP (capivasertib) | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mercaptopurine | PURIXAN (mercaptopurine) ^{AL} mercaptopurine (generic Purixan) ^{NR} SUSP | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use |
| | DAURISMO (glasdegib maleate) ^{QL} IDHIFA (enasidenib) REZLIDHIA (olutasidenib) ^{QL} RYDAPT (midostaurin) TIBSOVO (ivosidenib) ^{QL} VANFLYTA (quizartinib) XOSPATA (gilteritinib) ^{QL} | from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy Drug-specific critera Hydrea®: Requires clinical reason why generic cannot be used |
| | CLL COPIKTRA (duvelisib) QL IMBRUVICA (ibrutinib) VENCLEXTA (venetoclax) ZYDELIG (idelalisib) | Purixan: Prior authorization not required for age ≤12 or for documented swallowing disorder Xpovio: Indicated for relapsed or refractory multiple myeloma. Requires concomitant therapy with |
| hydroxyurea (generic for Hydrea) imatinib (generic for Gleevec) | BOSULIF (bosutinib) DANZITEN (nilotinib) ^{NR} dasatinib (generic Sprycel) ^{NR} GLEEVEC (imatinib) HYDREA (hydroxyurea) ICLUSIG (ponatinib) IMKELDI (imatinib) ^{NR} nilotinib HCL (generic Tasigna) ^{NR} nilotinib TARTRATE (generic Dansiten) ^{NR} PHYRAGO (dasatinib) ^{NR} SCEMBLIX (asciminib) | dexamethasone |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, HEMATOLOGIC, continued

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| N | MPN | |
| | JAKAFI (ruxolitinib) | |
| MYE | LOMA | |
| REVLIMID ^{QL} (lenalidomide) | lenalidomide ^{QL} (generic Revlimid) NINLARO (ixazomib) POMALYST (pomalidomide) THALOMID (thalidomide) XPOVIO (selinexor) ^{CL} | |
| 01 | THER | |
| MATULANE (procarbazine) tretinoin (generic for Vesanoid) ^{AL} | BRUKINSA (zanubrutinib ^{QL} CALQUENCE (acalabrutinib) ^{QL} INREBIC (fedratinib dihydrochloride) ^{QL} INQOVI (decitabine/cedazuridine) OJJAARA (momelotinib) REVUFORJ (revumenib) ^{NR} TAB VONJO (pacritinib) ^{QL} ZOLINZA (vorinostat) | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, LUNG

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | ALK ALECENSA (alectinib) ALUNBRIG (brigatinib) ^{QL} LORBRENA (lorlatinib) ^{QL} ZYKADIA (ceritinib) CAPS, TAB | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue |
| ALK / R | OS1 / NTRK | therapy |
| | AUGTYRO (repotrectinib) CAPS ROZLYTREK (entrectinib) QLCAPS, PELLETS XALKORI (crizotinib) CAPS, PELLETS | |
| 1 | EGFR | |
| erlotinib (generic for Tarceva) | gefitinib (generic Iressa) GILOTRIF (afatinib) IRESSA (gefitinib) LAZCLUZE (lazertinib) TAGRISSO (osimertinib) TARCEVA (erlotinib) VIZIMPRO (dacomitinib) | |
| C | THER | |
| | GAVRETO (pralsetinib) ^{QL} HERNEXEOS (zongertinib) ^{NR} HYCAMTIN (topotecan) KRAZATI (adagrasib) LUMAKRAS (sotrasib) ^{QL} RETEVMO (selpercatinib) ^{AL} TABRECTA (capmatinib) ^{QL} TEPMETKO (tepotinib) ^{QL} | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, OTHER

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| temozolomide (generic Temodar) | AVMAPKI-FAKZYNJA (avutometinib/ defactinib) ^{NR} Combo-Pack AYVAKIT (avapritinib) ^{AL,QL} BALVERSA (erdafitinib) CAPRELSA (vandetanib) COMETRIQ (cabozantinib) FRUZAQLA (fruquintinib) CAPS GOMEKLI (mirdametinib) ^{AL,NR} CAPS, TABS FOR ORAL SUSP IWILFIN (eflornithine) JAYPIRCA (pirtobrutinib) KOSELUGO (selumetinib) ^{AL} CAPS, GRANULES ^{NR} LONSURF (trifluridine/tipiracil) LYNPARZA (olaparib) LYTGOBI (futibatinib) MODEYSO (dordaviprone) ^{NR} OGSIVEO (nirogacestat) TAB PEMAZYRE (pemigatinib) ^{QL} QINLOCK (ripretinib) ROMVIMZA (vimseltinib) ^{NR} CAPS RUBRACA (rucaparib) STIVARGA (regorafenib) TAZVERIK (tazemetostat) ^{AL} TURALIO (pexidartinib) ^{QL} VITRAKVI (larotrectinib) CAPS, SOLN VORANIGO (vorasidenib) ^{TABS} ZEJULA (niraparib) TABS | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

ONCOLOGY AGENTS. ORAL. PROSTATE

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| abiraterone (generic Zytiga) ^{AL,QL} oicalutamide (generic Casodex) | AKEEGA (niraparib/abiraterone) ERLEADA (apalutamide) ^{QL} nilutamide (generic Nilandron) NUBEQA (darolutamide) ^{QL} ORGOVYX (relugolix) ^{AL} XTANDI (enzalutamide) ^{AL,QL} YONSA (abiraterone acetonide, submicronized) ZYTIGA (abiraterone) ^{AL,QL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

CL - Prior Authorization / Class Criteria apply

QL - Quantity/Duration Limit

AL- Age Limit

NR - Product was not reviewed - New Drug criteria will apply

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

NOTE: Other oral oncology agents not listed here may also be available. See https://nebraska.fhsc.com/default.asp for coverage information and prior authorization status for products not listed.

ONCOLOGY AGENTS, ORAL, RENAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| everolimus (generic Afinitor) TAB sunitinib malate (generic Sutent) CAPS VOTRIENT (pazopanib) | AFINITOR DISPERZ (everolimus) ^{CL} CABOMETYX (cabozantinib) everolimus SUSP (generic Afinitor Disperz) FOTIVDA (tivozanib) INLYTA (axitinib) LENVIMA (lenvatinib) NEXAVAR (sorafenib) pazopanib (generic Votrient) TAB sorafenib (generic Nexavar) SUTENT (sunitinib) CAPS TORPENZ (generic everolimus) TAB WELIREG (belzutifan) ^{QL} | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

ONCOLOGY AGENTS, ORAL, SKIN

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BASAL | ERIVEDGE (vismodegib) ODOMZO (sonidegib) ^{CL} | • | Non-preferred agents DO NOT require a trial of a preferred agent, but DO require an FDA-approved indication OR documentation submitted supporting off-label use from current treatment guidelines |
| MEKINIST (trametinib) TAFINLAR (dabrafenib) | BRAFTOVI (encorafenib) COTELLIC (cobimetinib) MEKINIST (trametinib) SOLN MEKTOVI (binimetinib) OJEMDA (tovorafenib) SUSPAL, TAB TAFINLAR (dabrafenib) SUSP ZELBORAF (vemurafenib) | • | Patients undergoing treatment at the time of any preferred status change will be allowed to continue therapy |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ALLERGIC CONJUNCTIVITIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------|--------------------------------------|----------------------------------------------------------------|
| ALREX (loteprednol 0.2%) | ALOCRIL (nedocromil) | Non-preferred agents will be |
| | ALOMIDE (lodoxamide) | approved for patients who have failed a trial of TWO preferred |
| ketotifen OTC (generic Zaditor) | azelastine (generic Optivar) | agents within this drug class |
| olopatadine OTC (Pataday once daily) | BEPREVE (bepotastine besilate) | |
| olopatadine OTC (Pataday twice | bepotastine besilate (generic | |
| daily) | Bepreve) | |
| | epinastine (generic Elestat) | |
| | LASTACAFT (alcaftadine) OTC | |
| | loteprednol 0.2% (generic Alrex) | |
| | olopatadine DROPS (generic | |
| | Pataday) | |
| | olopatadine 0.1% (generic Patanol) | |
| | PATADAY XS (olopatadine 0.7%) | |
| | PATADAY OTC (olopatadine 0.2%) | |
| | ZERVIATE (certirizine) ^{AL} | |
| | | |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FLUOROQUINOLONES | | Non-preferred agents will be |
| ciprofloxacin SOLN (generic Ciloxan) ofloxacin (generic Ocuflox) | BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) gatifloxacin 0.5% (generic Zymaxid) moxifloxacin (generic Vigamox) moxifloxacin (generic Moxeza) VIGAMOX (moxifloxacin) | approved for patients who have failed a one-month trial of TWO preferred agent within this drug class Azasite®: Approval only requires trial of erythromycin Drug-specific criteria: Natacyn®: Approved for documented fungal infection |
| MACRO | OLIDES | |
| erythromycin | AZASITE (azithromycin) ^{CL} | |
| AMINOGLYCOSIDES | | |
| gentamicin SOLN tobramycin (generic Tobrex drops) | TOBREX OINT (tobramycin) | |
| OTHER OPHTH | ALMIC AGENTS | |
| bacitracin/polymyxin B (generic Polysporin) polymyxin B/trimethoprim (generic Polytrim) | bacitracin NATACYN (natamycin) ^{CL} neomycin/bacitracin/polymyxin B OINT neomycin/polymyxin B/gramicidin sulfacetamide SOLN (generic Bleph-10) sulfacetamide OINT | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTIBIOTIC-STEROID COMBINATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| neomycin/polymyxin/dexamethasone (generic Maxitrol) sulfacetamide/prednisolone TOBRADEX OINT (tobramycin and dexamethasone) tobramycin/dexamethasone SUSP (generic TobraDex) | neomycin/polymyxin/HC neomycin/bacitracin/poly/HC TOBRADEX S.T. (tobramycin and dexamethasone) ZYLET (loteprednol, tobramycin) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, ANTI-INFLAMMATORIES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CORTICOSTEROIDS | | ALL sub-classes unless listed |
| fluorometholone 0.1% (generic FML) OINT LOTEMAX SOLN (loteprednol 0.5%) MAXIDEX (dexamethasone) PRED MILD (prednisolone 0.12%) prednisolone acetate 1% (generic Omnipred, Pred Forte) | dexamethasone (generic Maxidex) difluprednate (generic Durezol) DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone 0.1% SOLN) FML FORTE (fluorometholone 0.25%) INVELTYS (loteprednol etabonate) LOTEMAX OINT, GEL (loteprednol) loteprednol GEL (generic Lotemax Gel) loteprednol 0.5% SOLN (generic Lotemax SOLN) prednisolone sodium phosphate prednisolone sodium phosphate 1% | below: Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class NSAID class: Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within the same sub-class |
| NS | AID | - |
| diclofenac (generic Voltaren) ketorolac 0.5% (generic Acular) | ACUVAIL (ketorolac 0.45%) bromfenac 0.09% (generic Bromday) bromfenac (generic Bromsite) bromfenac 0.07% (generic Prolensa) BROMSITE (bromfenac) flurbiprofen (generic Ocufen) ILEVRO (nepafenac 0.3%) ketorolac LS 0.4% (generic Acular LS) NEVANAC (nepafenac) PROLENSA (bromfenac 0.07%) | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, DRY EYE AGENTS

| Preferred Agents | Non-Preferred Agents | | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------|
| RESTASIS (cyclosporine) RESTASIS MULTIDOSE (cyclosporine) XIIDRA (lifitegrast) | CEQUA (cyclosporine) QL cyclosporine (generic Restasis) EYSUVIS (loteprednol etabonate)QL MIEBO (perfluorohexyloctane) TRYPTYR (acoltremon)NR SOLN TYRVAYA (varenicline tartrate)QL VERKAZIA (cyclosporine emulsion) VEVYE (cyclosporine) | • | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| MIOT | rics | Non-preferred agents will be |
| pilocarpine | VUITY (pilocarpine) | approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: |
| SYMPATHO | MIMETICS | Rhopressa and Rocklatan: Electronically approved for patients |
| ALPHAGAN P (brimonidine 0.15%) brimonidine 0.2% (generic for Alphagan) | ALPHAGAN P (brimonidine 0.1%) apraclonidine (generic lopidine) brimonidine P 0.15% (generic Alphagan P 0.15%) brimonidine 0.1% (generic Alphagan P 0.1%) | who have a trial of ONE generic agent, within ophthalmic - glaucoma within 180 days |
| BETA BLO | CKERS | |
| levobunolol (generic for Betagan) timolol (generic for Timoptic) | betaxolol (generic Betoptic) BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol (generic Ocupress) timolol (generic Betimol) ^{NR} timolol (generic Istalol) timolol (generic Timoptic Ocudose) TIMOPTIC OCUDOSE | |
| CARBONIC ANHYDR | RASE INHIBITORS | |
| dorzolamide (generic for Trusopt) | AZOPT (brinzolamide) brinzolamide (generic Azopt) | |
| PROSTAGLAND | IN ANALOGS | |
| latanoprost (generic for Xalatan) TRAVATAN Z (travoprost) | bimatoprost (generic Lumigan) IYUZEH (latanoprost) tafluprost (generic Zioptan) travoprost (generic Travatan Z) VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) | |
| COMBINATIO | ON DRUGS | |
| COMBIGAN (brimonidine/timolol) dorzolamide/timolol (generic Cosopt) | brimonidine/timolol (generic Combigan) COSOPT (dorzolamide/timolol) dorzolamide/timolol PF (generic Cosopt PF) SIMBRINZA (brinzolamide/brimonidine) | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPHTHALMICS, GLAUCOMA (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ОТН | IER | |
| RHOPRESSA (netarsudil) ^{CL} ROCKLATAN (netarsudil and latanoprost) ^{CL} | | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Rhopressa and Rocklatan: Electronically approved for patients who have a trial of ONE generic agent, within the ophthalmic - glaucoma class within 180 days |

OPIOID DEPENDENCE TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| buprenorphine ^{AL,QL} SL buprenorphine/naloxone ^{AL,QL} TAB (SL) naltrexone TAB SUBOXONE (buprenorphine/naloxone) ^{AL,QL} FILM | buprenorphine/naloxone ^{AL,QL} FILM Iofexidine (generic Lucemyra) ^{CL,QL} LUCEMYRA (Iofexidine) ^{CL,QL} ZUBSOLV (buprenorphine/naloxone) ^{AL,QL} | Opioid Dependence Treatment PA Form Opioid Dependence Treatment Informed Consent Non-preferred agents require a treatment failure of a preferred drug or patient-specific documentation of why a preferred product is not appropriate for the patient. Drug-specific criteria: Lucemyra/ lofexidine: Approved for FDA approved indication and dosing per label. Trial of preferred product not required. |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

OPIOID-REVERSAL TREATMENTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------|------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| naloxone NASAL(Rx), VIAL | KLOXXADO (naloxone) NASAL | Non-preferred agents will be |
| NARCAN (naloxone) NASAL (OTC) | naloxone (generic Narcan) OTC NASAL | approved with documentation of why preferred products within this drug class are not appropriate for |
| | naloxone (generic Narcan) (Rx) SYR | the patient |
| | NARCAN (naloxone) NASAL (Rx) | |
| | OPVEE (nalmefene) ^{AL} NASAL | |
| | REXTOVY (naloxone) NASAL | |
| | ZIMHI (naloxone) SYR | |
| | ZURNAI (nalmefene injection) ^{NR} | |

OTIC ANTI-INFECTIVES & ANESTHETICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------|---------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| acetic acid (generic for Vosol) | acetic acid/hydrocortisone (generic for Vosol HC) | Non-preferred agents will be approved for patients who have failed a trial of the preferred agent within this drug class |

OTIC ANTIBIOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| CIPRO HC (ciprofloxacin/ hydrocortisone) ciprofloxacin/dexamethasone (generic Ciprodex) neomycin/polymyxin/hydrocortisone (generic Cortisporin) ofloxacin (generic Floxin) | ciprofloxacin ciprofloxacin/fluocinolone (generic Otovel) CORTISPORIN TC (colistin/neomycin thonzonium/hydrocortisone OTOVEL (ciprofloxacin/fluocinolone) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PAH (PULMONARY ARTERIAL HYPERTENSION AGENTS), ORAL AND INHALED

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ambrisentan (generic Letairis) REVATIO (sildenafil) ^{QL} TAB sildenafil (generic Revatio) ^{CL} SUSP tadalafil (generic for Adcirca) ^{CL} TRACLEER (bosentan) TAB | ADEMPAS (riociguat) ^{CL} ADCIRCA (tadalafil) ^{CL} bosentan (generic Tracleer) TAB, TAB for SUSP ^{NR} LETAIRIS (ambrisentan) LIQREV (sildenafil) SUSP OPSUMIT (macitentan) OPSYNVI (macitentan and tadalafil) TAB ORENITRAM ER (treprostinil) REVATIO (sildenafil) ^{CL} SUSP sildenafil (generic Revatio) ^{CL} TAB TADLIQ (tadalafil) SUSP TRACLEER (bosentan) TAB FOR SUSPENSION TYVASO DPI (treprostinil) INHL TYVASO (treprostinil) INHL PWDR UPTRAVI (selexipag) VENTAVIS (iloprost) INHALATION YUTREPIA (treprostinil) ^{NR} INHAL CAP | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months Drug-specific criteria: Adcirca/Liqrev/Revatio/sildenafil tablets and suspension/tadalafil: Approved for diagnosis of Pulmonary Arterial Hypertension (PAH) Adempas®: |

PANCREATIC ENZYMES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| CREON ZENPEP (pancrelipase) | PERTZYE (pancrelipase) VIOKACE (pancrelipase) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PEDIATRIC VITAMIN PREPARATIONS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| CHILD MVI (mvi, ped mvi no. 19/FA, ped mvi no. 17) OTC CHEW | DEKAs PLUS ^{AL, CL} | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| CHILDREN'S MVI-IRON OTC CHEW | DAVIMET W/ FLUORIDE (ped mvi no.247/ fluoride) CHEW OTC | |
| (ped mvi no. 91/iron fum) | FLORAFOL(mvi and fluoride) CHEW OTC, DROPS-OTC | Drug specific criteria: DEKAs Plus: Approved for |
| CHILDREN'S CHEWABLES OTC (ped mvi no. 25/FA, ped mvi no. 31 /iron/FA, ped mvi no.17/iron sulf) | FLORAFOL FE PEDIATRIC DROPS OTC | diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent |
| CHILDREN'S VITAMINS W/ IRON CHEW OTC (mvi with iron) | FLORIVA (ped mvi no.85/fluoride) CHEW | |
| LUORIDE/VITAMINS A,C,AND D DROPS (ped mvi A,C,D3 no.21/ | FLORIVA PLUS (ped mvi no.161/fluoride) OTC-DROPS | |
| fluoride) | MULTI-VIT-FLOR (ped mvi no.205/fluoride) CHEW | |
| MULTIVITAMINS W/ FLUORIDE (PEDI MVI NO.2 W-FLUORIDE) DROPS | PEDI MULTIVIT A,C,AND D3 NO.21 DROPS OTC | |
| MULTIVITS W/ IRON & FLUORIDE DROPS (ped mvi no. 45/fluoride/iron) | PEDI MVI NO.22 WITH FLUORIDE ^{NR} DROPS-OTC | |
| PED MVI NO.17 W/ FLUORIDE CHEW | PEDI MVI NO.242/FLUORIDE CHEW - OTC | |
| POLY-VITAMIN (ped mvi no. 212) DROPS OTC | POLY-VI-FLOR (ped mvi | |
| POLY-VITAMIN W/ IRON (ped mvi no. 207 w/ferrous sulf) DROPS OTC | no.217/fluoride, ped mvi no. 205/fluoride) CHEW | |
| TRI-VITAMIN W/ FLUORIDE | POLY-VI-FLOR (ped mvi no.213 w/fluoride) DROPS | |
| (ped mvi A,C, D3 no. 21/fluoride) | POLY-VI-FLOR W/ IRON (ped mvi no. 205/fluoride/iron) CHEW | |
| | POLY-VI-FLOR W/ IRON (ped mvi no. 214/fluoride/iron) DROPS | |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

| DIATRIC VITAMIN PREPARATIONS, continued | | |
|-----------------------------------------|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
| | QUFLORA (ped mvi no.84/fluoride, ped mvi no. 63/fluoride, ped mvi no. 83/fluoride) | Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| | QUFLORA FE (ped mvi 142/iron/fluoride, ped mvi no. 151/iron/fluoride) CHEW | Drug specific criteria: DEKAs Plus: Approved for diagnosis of Cystic Fibrosis and |
| | QUFLORA (ped mvi no.157/ fluoride) OTC | diagnosis of Cystic Fibrosis and does not require a trial of a preferred agent |
| | SOLUVITA A,C,D WITH FLUORIDE DROPS OTC | |
| | TRI-VI-FLOR (ped mvi A,C,D3 no.38/fluoride) DROPS | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PENICILLINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| amoxicillin CAPS, CHEWABLE TAB, SUSP, TAB ampicillin CAPS dicloxacillin penicillin VK | | Non-preferred agents will be approved for patients who have failed a 3-day trial of ONE preferred agent within this drug class |

PHOSPHATE BINDERS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| calcium acetate TAB sevelamer carbonate (generic Renvela) PWD PACK, TAB | AURYXIA (ferric citrate) calcium acetate CAPS CALPHRON OTC (calcium acetate) ferric citrate (generic Auryxia) ^{NR} lanthanum (generic FOSRENOL) PHOSLYRA (calcium acetate) RENAGEL (sevelamer HCI) RENVELA (sevelamer carbonate) PWD PACK, TAB sevelamer HCI (generic Renagel) VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor) TAB | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class within the last 6 months |

PLATELET AGGREGATION INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| aspirin BRILINTA (ticagrelor) clopidogrel (generic Plavix) dipyridamole (generic Persantine) prasugrel (generic Effient) | aspirin/dipyridamole (generic Aggrenox) ticlopidine (generic Ticlid) ticagrelor (generic Brilinta) ^{NR} YOSPRALA (aspirin/omeprazole) | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class OR documented clopidogrel resistance |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

Additional covered agents can be looked up using the Drug Look-up Tool at:

https://ne.primetherapeutics.com/drug-lookup

PRENATAL VITAMINS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FE C/FA PNV 2/IRON B-G SUC-P/FA/OMEGA-3 PNV NO.118/IRON FUMARATE/FA CHEW TAB PNV NO.15/IRON FUM & PS CMP/FA PNV WITH CA, NO.72/IRON/FA PNV WITH CA, NO.74/IRON/FA OTC PNV#16/IRON FUMARATE/FA/DSS PRENATAL MULTI OTC PRENATAL VIT #76/IRON, CARB/FA PRENATAL VIT/FE FUMARATE/FA OTC SELECT-OB + DHA STUART ONE OTC TENDERA-OB OTC TRICARE TRINATAL RX 1 VITAFOL CHEW TAB VITAFOL ULTRA VITAFOL-OB VITAFOL-OB+DHA VITAFOL-ONE | ALTRIXA OBNR OTC CITRANATAL B-CALM COMPLETENATE CHEW TAB DERMACINRX PRENATRIX OTC DERMACINRX PRETRATE TAB ENBRACE HR MARNATAL-F MULTI-MAC OTC NATAL PNV (pnv no.164/iron/folate no.6) NEO-VITAL RX TAB OTC NESTABS NESTABS ABC NESTABS ONE OB COMPLETE ONE OB COMPLETE PETITE OB COMPLETE PREMIER OB COMPLETE WITH DHA OTC PNV 11-IRON FUM-FOLIC ACID-OM3 PNV COMBO#47/IRON/FA #1/DHA PNV W-CA NO.40/IRON FUM/FA CMB NO.1 PNV WITH CA NO.68/IRON/FA NO.1/DHA PRENATAL + DHA OTC PRENATE AM PRENATE CHEW TAB PRENATE CHEW TAB PRENATE EITE PRENATE ESSENTIAL PRENATE ESSENTIAL PRENATE RESTORE PRENATE STAR PRIMACARE SELECT-OB CHEW TAB TISTART DHA VITAFOL NANO WESTGEL DHA | Non-preferred agents will be approved for patients who have failed a trial of or are intolerant to TWO preferred agents within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

PROTON PUMP INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| esomeprazole magnesium (generic Nexium) RX ^{QL} omeprazole (generic Prilosec) RX pantoprazole (generic Protonix) ^{QL} PROTONIX SUSP (pantoprazole) | DEXILANT (dexlansoprazole) dexlansoprazole (generic Dexilant) esomeprazole magnesium (generic Nexium) OTCQL esomeprazole strontium KONVOMEP (omeprazole/sodium bicarb) SUSP lansoprazole (generic Prevacid)QL NEXIUM SUSP (esomeprazole) omeprazole/sodium bicarbonate (generic Zegerid RX) pantoprazole GRANULES QL rabeprazole (generic Aciphex) | Non-preferred agents will be approved for patients who have failed an 8-week trial of THREE preferred agents. Pediatric Patients: Patients ≤ 4 years of age – No PA required for Prevacid 30mg/ lansoprazole 30mg capsules (used to compound suspensions). Drug-specific criteria: Prilosec®OTC/Omeprazole OTC: EXCLUDED from coverage Acceptable as trial instead of Omeprazole 20mg Prevacid (lansoprazole) Solutab: may be approved after trial of compounded suspension. Patients ≥ 5 years of age- Only approve non-preferred for GI diagnosis if: |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SEDATIVE HYPNOTICS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| temazepam 15 mg, 30 mg (generic for Restoril) | estazolam (generic for ProSom) quazepam (generic Doral) temazepam (generic for Restoril) 7.5 mg, 22.5 mg triazolam (generic for Halcion) ERS BELSOMRA (suvorexant) AL,QL DAYVIGO (lemborexant) AL,QL doxepin (generic for Silenor)CL EDLUAR (zolpidem sublingual) | Prior Authorization/Class Criteria Benzodiazepines Criteria Non-preferred agents require a trial of the preferred benzodiazepine agent temazepam 7.5/22.5 mg: Requires clinical reason why 15 mg/30 mg cannot be used Others Criteria Non-preferred agents require a trial of TWO preferred agents in the OTHERS sub-category Silenor/doxepin Tablet: Must meet ONE of the following: Contraindication to all of the preferred oral sedative |
| | HETLIOZ (tasimelteon) ^{AL,CL} HETLIOZ LQ (tasimelteon) SUSP AL,QL QUVIVIQ (daridorexant) ^{QL} ramelteon (generic Rozerem) ^{AL} tasimelteon (generic Hetlioz) AL,CL zolpidem CAP zolpidem ER (generic Ambien CR) ^{CL} zolpidem SL (generic Intermezzo) ^{CL} | hypnotics agents in the OTHERS sub-category Medical necessity for doxepin dose < 10 mg Age greater than 65 years old or hepatic impairment (3 mg dose will be approved if this criterion is met) zolpidem/zolpidem ER: Maximum daily dose for females: zolpidem 5 mg; zolpidem ER 6.25 mg zolpidem SL: Requires clinical reason why half of zolpidem tablet cannot be used or documented swallowing disorder |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SICKLE CELL ANEMIA TREATMENT AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DROXIA (hydroxyurea) ENDARI (L-glutamine) ^{CL} | GLUTAMINE POWD PACK (generic Endari) OXBRYTA (voxelotor) ^{CL} SIKLOS (hydroxyurea) XROMI (hydroxyurea) ^{NR} SOLN | Endari: Patient must have documented two or more hospital admissions per year due to sickle cell crisis despite maximum hydroxyurea dosage. Oxbryta: Not inidcated for sickle cell crisis. Patient must have had at least one sickle cell-related vaso-occlusive event within the past 12 months; AND baseline hemoglobin is 5.5 g/dL ≤ 10.5 g/dL; AND patient is not receiving concomitant, prophylactic blood tranfusion therapy Siklos: May be approved for use in patients ages 2 to 17 years old without a trial of Droxia |

SINUS NODE INHIBITORS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | CORLANOR SOLN, TAB (ivabradine) ivabradine (generic Corlanor) TAB | Diagnosis of Chronic Heart Failure with left ventricular ejection fraction less than or equal to 35%, AND Sinus rhythm with resting heart rate greater than or equal to 70 beats per minute, AND On maximally tolerated doses of beta-blockers OR have a contraindication to beta-blocker use |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

SKELETAL MUSCLE RELAXANTS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| baclofen (generic Lioresal) chlorzoxazone (generic Parafon Forte) cyclobenzaprine (generic Flexeril) methocarbamol (generic Robaxin) tizanidine TAB (generic Zanaflex) | baclofen (generic Fleqsuvy) ^{QL} SUSP baclofen (generic Ozobax) ^{QL} SOLN baclofen (generic Ozobax DS) SUSP carisoprodol (generic Soma) ^{CL,QL} carisoprodol compound cyclobenzaprine ER (generic Amrix) ^{CL} dantrolene (generic Dantrium) FEXMID (cyclobenzaprine ER) FLEQSUVY (baclofen) ^{QL} SUSP LORZONE (chlorzoxazone) ^{CL} LYVISPAH (baclofen) ^{QL} GRANULES metaxalone (generic Skelaxin) NORGESIC FORTE (orphenadrine/ASA/caffeine) orphenadrine ER PARAFON FORTE (chlorzoxazone) TANLOR (methocarbamol) TAB tizanidine CAPS ZANAFLEX (tizanidine) CAPS, TAB | Non-preferred agents will be approved for patients who have failed a 1-week trial of TWO preferred agents within this drug class Drug-specific criteria: cyclobenzaprine ER: Requires clinical reason why IR cannot be used Approved only for acute muscle spasms NOT approved for chronic use carisoprodol: Approved for Acute, musculoskeletal pain - NOT for chronic pain Use is limited to no more than 30 days Additional authorizations will not be granted for at least 6 months following the last dayy of previous course of therapy Dantrolene: Trial NOT required for treatment of spasticity from spinal cord injury Lorzone®: Requires clinical reason why chlorzoxazone cannot be used Soma® 250 mg: Requires clinical reason why 350 mg generic strength cannot be used Zanaflex® Capsules: Requires clinical reason generic cannot be used |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| LOW P | LOW POTENCY | |
| DERMA-SMOOTHE FS (fluocinolone) hydrocortisone OTC & RX CREAM, LOTION, OINT (Rx only) hydrocortisone/aloe OINT | alclometasone dipropionate (generic for Aclovate) desonide LOTION (generic for Desowen) desonide CREAM, OINT (generic Desowen, Tridesilon) fluocinolone 0.01% OIL (generic DERMA-SMOOTHE-FS) hydrocortisone/aloe CREAM hydrocortisone OTC OINT hydrocortisone SOLN (generic Texacort) ^{NR} HYDROXYM (hydrocortisone) GEL TEXACORT (hydrocortisone) | agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |
| fluticasone propionate CREAM, OINT (generic for Cutivate) mometasone furoate CREAM, OINT, SOLN (generic for Elocon) | betamethasone valerate (generic for Luxiq) clocortolone (generic for Cloderm) fluocinolone acetonide (generic for Synalar) flurandrenolide (generic for Cordran) fluticasone propionate LOTION (generic for Cutivate) hydrocortisone butyrate (generic for Locoid) hydrocortisone butyrate/emoll (generic for Locoid Lipocream) hydrocortisone valerate (generic for Westcort) PANDEL (hydrocortisone probutate 0.1%) | Medium Potency Non-preferred agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STEROIDS, TOPICAL (Continued)

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| HIGH P | OTENCY | High Potency Non-preferred |
| triamcinolone acetonide OINTMENT, CREAM triamcinolone LOTION | amcinonide CREAM betamethasone dipropionate betamethasone / propylene glycol betamethasone valerate clobetasol propionate (generic Impoyz) ^{NR} CREAM desoximetasone diflorasone diacetate fluocinonide SOLN fluocinonide CREAM, GEL, OINT fluocinonide emollient halcinonide CREAM, SOLN ^{NR} (generic Halog) HALOG (halcinonide) CREAM, OINT, SOLN KENALOG AEROSOL (triamcinolone) triamcinolone SPRAY (generic Kenalog spray) VANOS (fluocinonide) | agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |
| VERY HIG | H POTENCY | Very High Potency Non-preferred |
| clobetasol emollient (generic Temovate-E) clobetasol propionate CREAM, OINT, SOLN halobetasol propionate (generic Ultravate) | APEXICON-E (diflorasone) clobetasol SHAMPOO, LOTION clobetasol propionate GEL, FOAM, SPRAY halobetasol propionate FOAM (generic for Lexette) AL,QL | agents will be approved for patients who have failed a trial of TWO preferred agents within this drug class |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS AL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CNS STIM | MULANTS | Non-preferred agents will be |
| Amphetamine type | | approved for patients who have failed a trial of ONE preferred |
| ADDERALL XR (amphetamine salt combo) amphetamine salt combination ER (generic Adderall XR) amphetamine salt combination IR DYANAVEL XR (amphetamine)QL lisdexamfetamine (generic Vyvanse Chew) ^{QL} CHEW lisdexamfetamine (generic Vyvanse) ^{QL} CAP VYVANSE (lisdexamfetamine) ^{QL} CAPS, CHEWABLE | ADZENYS XR (amphetamine) ODT amphetamine salt combination ER (generic Mydayis) CAP amphetamine ER ODT AL, NR (AG) (generic for Adzenys XR ODT) amphetamine sulfate (generic Evekeo) dextroamphetamine (generic Dexedrine) TAB dextroamphetamine (generic Procentra) SOLN dextroamphetamine ER (generic Dexedrine ER Spansule) CAPS EVEKEO ODT (amphetamine sulfate) methamphetamine (generic Desoxyn) MYDAYIS (amphetamine salt combo) ^{QL} XELSTRYM (detroamphetamine) PATCH ZENZEDI (dextroamphetamine) | Tailed a trial of ONE preferred agent within this drug class Drug-specific criteria: Procentra/ dextroamphetamine soln: May be approved with documentation of swallowing disorder Zenzedi®: Requires clinical reason generic dextroamphetamine IR cannot be used |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Methylphe | nidate type | Non-preferred agents will be |
| CONCERTA (methylphenidate ER)QL | APTENSIO XR (methylphenidate) | approved for patients who have failed a trial of TWO preferred |
| 18 mg, 27 mg, 36 mg, 54 mg | AZSTARYS (serdexmethylphenidate and dexmethylphenidate) ^{QL} | agents within this drug class |
| DAYTRANA PATCH (methylphenidate) ^{QL} | COTEMPLA XR-ODT (methylphenidate) ^{QL} | Maximum accumulated dose of 108mg per day for ages < 18 |
| | FOCALIN IR (dexmethylphenidate) | · , , , |
| dexmethylphenidate (generic for | FOCALIN XR (dexmethylphenidate) | Maximum accumulated dose of |
| Focalin IR) | JORNAY PM (methylphenidate) QL | 72mg per day for ages > 19 |
| Lawrenth deliverilete ED (many) | methylphenidate CHEW | Drug-specific criteria: |
| dexmethylphenidate ER (generic Focalin XR) | methylphenidate ER (45 mg and 63 mg) ^{QL} | Daytrana/methylphenidate |
| 1 oddii 1 XIV) | methylphenidate 50/50 (generic Ritalin | patch: May be approved in |
| METHYLIN SOLN (methylphenidate) | LA) | history of substance use disorder |
| , , , | methylphenidate 30/70 (generic | by parent, caregiver, or patient. May |
| methylphenidate (generic Ritalin) | Metadate CD) | be approved with documentation of |
| | methylphenidate ER 18 mg, 27 mg, | difficulty swallowing |
| methylphenidate SOLN (generic Methylin) | 36 mg, 54 mg (generic Concerta) ^{QL} methylphenidate ER CAP (generic Aptensio XR) ^{QL} | QuilliChew ER: May be approved for children < 12 years of age OR with |
| QUILLICHEW ER CHEWTAB (methylphenidate) | methylphenidate ER (generic Metadate ER) | documentation of difficulty swallowing |
| , | methylphenidate ER 72 mg (generic RELEXXII) ^{QL} | |
| QUILLIVANT XR (methylphenidate)SUSP | methylphenidate ER (generic Ritalin LA) | |
| | methylphenidate TD24 ^{AL} PATCH (generic Daytrana) | |
| | RELEXXII ER (methylphenidate 45mg | |
| | and 63mg) ^{AL,QL} TAB | |
| | RITALIN (methylphenidate) | |
| | | |
| | | |
| | | |
| | | |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

STIMULANTS AND RELATED ADHD DRUGS (Continued)^{AL}

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MISCELLANEOUS | | Note: generic guanfacine IR and |
| atomoxetine (generic Strattera) QL guanfacine ER (generic Intuniv)QL QELBREE (viloxazine)QL | clonidine ER (generic Kapvay) ^{QL} INTUNIV (guanfacine) Onyda XR (clonidine suspension, extended release) ^{QL} STRATTERA (atomoxetine) LEPTICS armodafinil (generic Nuvigil) ^{CL} modafanil (generic Provigil) ^{CL} SUNOSI (solriamfetol) ^{CL,QL} WAKIX (pitolisant) ^{CL,QL} | clonidine IR are available without prior authorization Non-preferred agents will be approve for patients who have failed a trial of ONE preferred agent within this class Drug-specific criteria: Wakix and Sunosi: Require trial of armodafinil or modafinil: approved only for: Sleep Apnea with documentation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Shift Work Sleep Disorder (only approvable for 6 months) with work schedule verified and documented. Shift work is defined as working the all night shift Sunosi approved only for: Sleep Apnea with documentation via sleep study and documentation via sleep study and documentation that C-PAP has been maxed Narcolepsy with documentation of diagnosis via sleep study Wakix: approved only for excessive daytime sleepiness in adults with narcolepsy with documentation of narcolepsy diagnosis via sleep study |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

TETRACYCLINES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| doxycycline hyclate IR CAPS (generic Vibramycin) doxycycline monohydrate SUSP, TAB (generic Vibramycin) minocycline HCI TAB (generic Dynacin/Myrac) tetracycline | demeclocycline (generic Declomycin) ^{CL} DORYX MPC DR (doxycycline pelletized) doxycycline hyclate IR TAB (generic Vibramycin) doxycycline hyclate DR (generic Doryx) doxycycline monohydrate 50MG , | Non-preferred agents will be approved for patients who have failed a sequential 3-day trial of TWO preferred agents within this drug class Drug-specific criteria: Demeclocycline: Approved for diagnosis of SIADH doxycycline suspension: May be approved with documented swallowing difficulty |

THROMBOPOIESIS STIMULATING PROTEINS CL

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PROMACTA (eltrombopag) TAB | ALVAIZ (eltrombopag choline) ^{AL} DOPTELET (avatrombopag) ^{AL} TAB Eltrombopag (generic Promacta) ^{NR} SUSP, TAB MULPLETA (lusutrombopag) PROMACTA (eltrombopag) SUSP TAVALISSE (fostamatinib) WAYRILZ (rilzabrutinib) NR | All agents will be approved with FDA-approved indication, ICD-10 code is required. Non-preferred agents require a trial of a preferred agent with the same indication or a contraindication. Drug-Specific Criteria Mulpleta: Approved for one course of therapy for a scheduled procedure with a risk of bleeding for treatment of thrombocytopenia in adult patients with chronic liver disease |

PDL Update November 1, 2025, Highlights indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

THYROID HORMONES

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| levothyroxine (generic Synthroid) TAB liothyronine (generic Cytomel) TAB thyroid, pork TAB UNITHROID (levothyroxine) | ADTHYZA (thyroid, pork) ERMEZA (levothyroxine) SOLN EUTHYROX (levothyroxine) LEVO-T (levothyroxine) levothyroxine CAPS (generic Tirosint) SYNTHROID (levothyroxine) TAB THYQUIDITY (levothyroxine) SOLN | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class |

ULCERATIVE COLITIS

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OR | | Non-preferred agents will be approved for patients who have |
| APRISO (mesalamine) PENTASA (mesalamine) mesalamine (generic Lialda) sulfasalazine IR, DR (generic Azulfidine) | balsalazide (generic Colazal) budesonide DR (generic Uceris) DIPENTUM (olsalazine) LIALDA (mesalamine) mesalamine ER (generic Apriso) mesalamine ER (generic Pentasa) mesalamine (generic Asacol HD/ Delzicol) | failed a trial of ONE preferred agent within this drug class Drug-specific criteria: Asacol HD®/Delzicol DR®: Requires clinical reason why preferred mesalamine products cannot be used |
| REC | TAL | |
| mesalamine (generic Canasa) SUPPOSITORY Sulfite-Free ROWASA (mesalamine) ENEMA | CANASA (mesalamine) mesalamine (generic Rowasa) ENEMA UCERIS (budesonide) | |

PDL Update November 1, 2025, *Highlights* indicate change from previous posting

https://nebraska.fhsc.com/PDL/PDLlistings.asp

UTERINE DISORDER TREATMENT

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MYFEMBREE (relugolix/ estradiol/ norethindrone acetate) ^{AL, CL,QL} ORIAHNN (elagolix/ estradiol/ norethindrone) ^{AL,CL} ORILISSA (elagolix sodium) ^{QL,CL} | | Myfembree, Orilissa, and Oriahnn: Requires an FDA approved indication, must follow FDA dosing guidelines, and have had a trial and failure of an NSAID and oral contraceptive |

VASODILATORS, CORONARY

| Preferred Agents | Non-Preferred Agents | Prior Authorization/Class Criteria |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| isosorbide dinitrate TAB isosorbide dinitrate/hydralazine (Bidil) ^{CL} isosorbide mono IR/SR TAB nitroglycerin SUBLINGUAL, TRANSDERMAL nitroglycerin ER TAB | BIDIL (isosorbide dinitrate/hydralazine) ^{CL} GONITRO (nitroglycerin) isosorbide dinitrate TAB (Oceanside Pharm MFR only) NITRO-BID OINT (nitroglycerin) NITRO-DUR (nitroglycerin) nitroglycerin TRANSLINGUAL (generic Nitrolingual) VERQUVO (vericiguat) ^{AL,CL,QL} | Non-preferred agents will be approved for patients who have failed a trial of ONE preferred agent within this drug class Drug-specific criteria: BiDil/ isosorbide dinitrate-hydralazine: Approved for the treatment of heart failure as an adjunct therapy to standard therapy in self-identified black patients Verquvo: Approved for use in patients following a recent hospitalization for HF within the past 6 months OR need for outpatient IV diuretics, in adults with symptomatic chronic HF and EF less than 45% |